

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Temp. | Test Volt.. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|------------|-------------|------------------|-----------------------|---------|
|           |           |                      |              |            | VN          | -0.79            | -0.00111              | PASS    |
|           |           |                      |              |            | VH          | -2.42            | -0.0034               | PASS    |
|           | LTE/TM2   | 5                    | LCH          | TN         | VL          | -1.4             | -0.00198              | PASS    |
|           |           |                      |              |            | VN          | -1.39            | -0.00197              | PASS    |
|           |           |                      |              |            | VH          | -1.67            | -0.00236              | PASS    |
|           |           |                      | MCH          | TN         | VL          | -1.43            | -0.00201              | PASS    |
|           |           |                      |              |            | VN          | 0.01             | 0.00001               | PASS    |
|           |           |                      |              |            | VH          | -0.8             | -0.00113              | PASS    |
|           |           |                      | HCH          | TN         | VL          | -1.27            | -0.00178              | PASS    |
|           |           |                      |              |            | VN          | -0.84            | -0.00118              | PASS    |
|           |           |                      |              |            | VH          | -1.3             | -0.00182              | PASS    |
|           |           | 10                   | LCH          | TN         | VL          | 0.87             | 0.00123               | PASS    |
|           |           |                      |              |            | VN          | -0.96            | -0.00135              | PASS    |
|           |           |                      |              |            | VH          | 0.3              | 0.00042               | PASS    |
|           |           |                      | MCH          | TN         | VL          | 1.62             | 0.00228               | PASS    |
|           |           |                      |              |            | VN          | 1.3              | 0.00183               | PASS    |
|           |           |                      |              |            | VH          | 0.83             | 0.00117               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Temp. | Test Volt.. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|------------|-------------|------------------|-----------------------|---------|
|           |           |                      | HCH          | TN         | VL          | 0.66             | 0.00093               | PASS    |
|           |           |                      |              |            | VN          | -0.54            | -0.00076              | PASS    |
|           |           |                      |              |            | VH          | 0.2              | 0.00028               | PASS    |

### 8.1.2Frequency Error vs. Temperature:

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
| BAND2     | LTE/TM1   | 1.4                  | LCH          | VN          | -30        | 1.59             | 0.00086               | PASS    |
|           |           |                      |              |             | -20        | 0.09             | 0.00005               | PASS    |
|           |           |                      |              |             | -10        | 0.3              | 0.00016               | PASS    |
|           |           |                      |              |             | 0          | 2.37             | 0.00128               | PASS    |
|           |           |                      |              |             | 10         | 4.52             | 0.00244               | PASS    |
|           |           |                      |              |             | 20         | -0.26            | -0.00014              | PASS    |
|           |           |                      |              |             | 30         | 3.02             | 0.00163               | PASS    |
|           |           |                      |              |             | 40         | 0.34             | 0.00018               | PASS    |
|           |           |                      |              |             | 50         | 1.19             | 0.00064               | PASS    |
|           |           |                      | MCH          | VN          | -30        | -2.23            | -0.00119              | PASS    |
|           |           |                      |              |             | -20        | -3.22            | -0.00171              | PASS    |
|           |           |                      |              |             | -10        | -2.26            | -0.0012               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 0          | -3.96            | -0.00211              | PASS    |
|           |           |                      |              |             | 10         | -2.93            | -0.00156              | PASS    |
|           |           |                      |              |             | 20         | -4.48            | -0.00238              | PASS    |
|           |           |                      |              |             | 30         | -3.76            | -0.002                | PASS    |
|           |           |                      |              |             | 40         | -2.43            | -0.00129              | PASS    |
|           |           |                      |              |             | 50         | -2.75            | -0.00146              | PASS    |
|           |           |                      | HCH          | VN          | -30        | -1.89            | -0.00099              | PASS    |
|           |           |                      |              |             | -20        | 0.44             | 0.00023               | PASS    |
|           |           |                      |              |             | -10        | -0.9             | -0.00047              | PASS    |
|           |           |                      |              |             | 0          | -2.36            | -0.00124              | PASS    |
|           |           |                      |              |             | 10         | 0.31             | 0.00016               | PASS    |
|           |           |                      |              |             | 20         | -0.19            | -0.0001               | PASS    |
|           |           |                      |              |             | 30         | 0.84             | 0.00044               | PASS    |
|           |           |                      |              |             | 40         | 0.11             | 0.00006               | PASS    |
|           |           |                      |              |             | 50         | -2.43            | -0.00127              | PASS    |
|           |           | 3                    | LCH          | VN          | -30        | -3.91            | -0.00211              | PASS    |
|           |           |                      |              |             | -20        | -2.55            | -0.00138              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | -10        | -4.66            | -0.00252              | PASS    |
|           |           |                      |              |             | 0          | -1.95            | -0.00105              | PASS    |
|           |           |                      |              |             | 10         | -3.63            | -0.00196              | PASS    |
|           |           |                      |              |             | 20         | -2.4             | -0.0013               | PASS    |
|           |           |                      |              |             | 30         | -3.15            | -0.0017               | PASS    |
|           |           |                      |              |             | 40         | -2.49            | -0.00134              | PASS    |
|           |           |                      |              |             | 50         | -3.46            | -0.00187              | PASS    |
|           |           |                      | MCH          | VN          | -30        | -2.6             | -0.00138              | PASS    |
|           |           |                      |              |             | -20        | -3               | -0.0016               | PASS    |
|           |           |                      |              |             | -10        | -2.6             | -0.00138              | PASS    |
|           |           |                      |              |             | 0          | -2.43            | -0.00129              | PASS    |
|           |           |                      |              |             | 10         | -3.42            | -0.00182              | PASS    |
|           |           |                      |              |             | 20         | -2.19            | -0.00116              | PASS    |
|           |           |                      |              |             | 30         | -2.69            | -0.00143              | PASS    |
|           |           |                      |              |             | 40         | -3.35            | -0.00178              | PASS    |
|           |           |                      |              |             | 50         | -2.23            | -0.00119              | PASS    |
|           |           |                      | HCH          | VN          | -30        | 0.62             | 0.00032               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | -20        | 0.9              | 0.00047               | PASS    |
|           |           |                      |              |             | -10        | -0.5             | -0.00026              | PASS    |
|           |           |                      |              |             | 0          | 0.53             | 0.00028               | PASS    |
|           |           |                      |              |             | 10         | -0.04            | -0.00002              | PASS    |
|           |           |                      |              |             | 20         | 0.9              | 0.00047               | PASS    |
|           |           |                      |              |             | 30         | 0.21             | 0.00011               | PASS    |
|           |           |                      |              |             | 40         | -0.06            | -0.00003              | PASS    |
|           |           |                      |              |             | 50         | 0.26             | 0.00014               | PASS    |
|           |           | 5                    | LCH          | VN          | -30        | -3.06            | -0.00165              | PASS    |
|           |           |                      |              |             | -20        | -2.7             | -0.00146              | PASS    |
|           |           |                      |              |             | -10        | -1.89            | -0.00102              | PASS    |
|           |           |                      |              |             | 0          | -2.72            | -0.00147              | PASS    |
|           |           |                      |              |             | 10         | -2.26            | -0.00122              | PASS    |
|           |           |                      |              |             | 20         | -1               | -0.00054              | PASS    |
|           |           |                      |              |             | 30         | -1.79            | -0.00097              | PASS    |
|           |           |                      |              |             | 40         | 0.6              | 0.00032               | PASS    |
|           |           |                      |              |             | 50         | -1.75            | -0.00094              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      | MCH          | VN          | -30        | -3.38            | -0.0018               | PASS    |
|           |           |                      |              |             | -20        | -2.26            | -0.0012               | PASS    |
|           |           |                      |              |             | -10        | -4.55            | -0.00242              | PASS    |
|           |           |                      |              |             | 0          | -2.95            | -0.00157              | PASS    |
|           |           |                      |              |             | 10         | -2.3             | -0.00122              | PASS    |
|           |           |                      |              |             | 20         | -3.68            | -0.00196              | PASS    |
|           |           |                      |              |             | 30         | -2.52            | -0.00134              | PASS    |
|           |           |                      |              |             | 40         | -2.62            | -0.00139              | PASS    |
|           |           |                      |              |             | 50         | -4.06            | -0.00216              | PASS    |
|           |           |                      | HCH          | VN          | -30        | 0.82             | 0.00043               | PASS    |
|           |           |                      |              |             | -20        | 0.27             | 0.00014               | PASS    |
|           |           |                      |              |             | -10        | -0.41            | -0.00021              | PASS    |
|           |           |                      |              |             | 0          | 1.07             | 0.00056               | PASS    |
|           |           |                      |              |             | 10         | 0.86             | 0.00045               | PASS    |
|           |           |                      |              |             | 20         | 0.66             | 0.00035               | PASS    |
|           |           |                      |              |             | 30         | 1.87             | 0.00098               | PASS    |
|           |           |                      |              |             | 40         | 0.83             | 0.00044               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           | 10                   | LCH          | VN          | 50         | -0.82            | -0.00043              | PASS    |
|           |           |                      |              |             | -30        | -3.39            | -0.00183              | PASS    |
|           |           |                      |              |             | -20        | -3.08            | -0.00166              | PASS    |
|           |           |                      |              |             | -10        | -2.92            | -0.00157              | PASS    |
|           |           |                      |              |             | 0          | -2.36            | -0.00127              | PASS    |
|           |           |                      |              |             | 10         | -2.75            | -0.00148              | PASS    |
|           |           |                      |              |             | 20         | -2.22            | -0.0012               | PASS    |
|           |           |                      |              |             | 30         | -3.33            | -0.0018               | PASS    |
|           |           |                      |              |             | 40         | -4.18            | -0.00225              | PASS    |
|           |           |                      |              |             | 50         | -1.33            | -0.00072              | PASS    |
|           |           |                      | MCH          | VN          | -30        | -2.8             | -0.00149              | PASS    |
|           |           |                      |              |             | -20        | -3.59            | -0.00191              | PASS    |
|           |           |                      |              |             | -10        | -3.09            | -0.00164              | PASS    |
|           |           |                      |              |             | 0          | -2.15            | -0.00114              | PASS    |
|           |           |                      |              |             | 10         | -2.46            | -0.00131              | PASS    |
|           |           |                      |              |             | 20         | -4.22            | -0.00224              | PASS    |
|           |           |                      |              |             | 30         | -4.48            | -0.00238              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 40         | -4.76            | -0.00253              | PASS    |
|           |           |                      |              |             | 50         | -3.99            | -0.00212              | PASS    |
|           |           |                      | HCH          | VN          | -30        | 2.7              | 0.00142               | PASS    |
|           |           |                      |              |             | -20        | 1.44             | 0.00076               | PASS    |
|           |           |                      |              |             | -10        | 1                | 0.00052               | PASS    |
|           |           |                      |              |             | 0          | 1.19             | 0.00062               | PASS    |
|           |           |                      |              |             | 10         | 0.92             | 0.00048               | PASS    |
|           |           |                      |              |             | 20         | 1.67             | 0.00088               | PASS    |
|           |           |                      |              |             | 30         | -0.53            | -0.00028              | PASS    |
|           |           |                      |              |             | 40         | 0.93             | 0.00049               | PASS    |
|           |           |                      |              |             | 50         | 0.39             | 0.0002                | PASS    |
|           |           | 15                   | LCH          | VN          | -30        | -3.96            | -0.00213              | PASS    |
|           |           |                      |              |             | -20        | -3.05            | -0.00164              | PASS    |
|           |           |                      |              |             | -10        | -3.6             | -0.00194              | PASS    |
|           |           |                      |              |             | 0          | -3.76            | -0.00202              | PASS    |
|           |           |                      |              |             | 10         | -3.32            | -0.00179              | PASS    |
|           |           |                      |              |             | 20         | -3.09            | -0.00166              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 30         | -2.42            | -0.0013               | PASS    |
|           |           |                      |              |             | 40         | -3.19            | -0.00172              | PASS    |
|           |           |                      |              |             | 50         | -3.43            | -0.00185              | PASS    |
|           |           |                      | MCH          | VN          | -30        | -2.72            | -0.00145              | PASS    |
|           |           |                      |              |             | -20        | -3.49            | -0.00186              | PASS    |
|           |           |                      |              |             | -10        | -3.42            | -0.00182              | PASS    |
|           |           |                      |              |             | 0          | -2.42            | -0.00129              | PASS    |
|           |           |                      |              |             | 10         | -2.27            | -0.00121              | PASS    |
|           |           |                      |              |             | 20         | -3.49            | -0.00186              | PASS    |
|           |           |                      |              |             | 30         | -3.1             | -0.00165              | PASS    |
|           |           |                      |              |             | 40         | -4.33            | -0.0023               | PASS    |
|           |           |                      |              |             | 50         | -4.58            | -0.00244              | PASS    |
|           |           |                      | HCH          | VN          | -30        | -6.37            | -0.00335              | PASS    |
|           |           |                      |              |             | -20        | -6.61            | -0.00347              | PASS    |
|           |           |                      |              |             | -10        | -6.07            | -0.00319              | PASS    |
|           |           |                      |              |             | 0          | -5.89            | -0.0031               | PASS    |
|           |           |                      |              |             | 10         | -6.29            | -0.00331              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 20         | -5.25            | -0.00276              | PASS    |
|           |           |                      |              |             | 30         | -5.78            | -0.00304              | PASS    |
|           |           |                      |              |             | 40         | -5.56            | -0.00292              | PASS    |
|           |           |                      |              |             | 50         | -7.04            | -0.0037               | PASS    |
|           |           | 20                   | LCH          | VN          | -30        | -1.2             | -0.00065              | PASS    |
|           |           |                      |              |             | -20        | -0.7             | -0.00038              | PASS    |
|           |           |                      |              |             | -10        | -0.41            | -0.00022              | PASS    |
|           |           |                      |              |             | 0          | -1.1             | -0.00059              | PASS    |
|           |           |                      |              |             | 10         | -0.77            | -0.00041              | PASS    |
|           |           |                      |              |             | 20         | -1.52            | -0.00082              | PASS    |
|           |           |                      |              |             | 30         | -0.72            | -0.00039              | PASS    |
|           |           |                      |              |             | 40         | -1.16            | -0.00062              | PASS    |
|           |           |                      |              |             | 50         | -0.99            | -0.00053              | PASS    |
|           |           |                      | MCH          | VN          | -30        | -3.19            | -0.0017               | PASS    |
|           |           |                      |              |             | -20        | -3.58            | -0.0019               | PASS    |
|           |           |                      |              |             | -10        | -4.63            | -0.00246              | PASS    |
|           |           |                      |              |             | 0          | -4.42            | -0.00235              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 10         | -5.51            | -0.00293              | PASS    |
|           |           |                      |              |             | 20         | -6.01            | -0.0032               | PASS    |
|           |           |                      |              |             | 30         | -5.42            | -0.00288              | PASS    |
|           |           |                      |              |             | 40         | -5.58            | -0.00297              | PASS    |
|           |           |                      |              |             | 50         | -5.89            | -0.00313              | PASS    |
|           |           |                      | HCH          | VN          | -30        | -4.38            | -0.00231              | PASS    |
|           |           |                      |              |             | -20        | -3.89            | -0.00205              | PASS    |
|           |           |                      |              |             | -10        | -2.68            | -0.00141              | PASS    |
|           |           |                      |              |             | 0          | -3.6             | -0.00189              | PASS    |
|           |           |                      |              |             | 10         | -2.07            | -0.00109              | PASS    |
|           |           |                      |              |             | 20         | -1.4             | -0.00074              | PASS    |
|           |           |                      |              |             | 30         | -3.76            | -0.00198              | PASS    |
|           |           |                      |              |             | 40         | -2.4             | -0.00126              | PASS    |
|           |           |                      |              |             | 50         | -3.12            | -0.00164              | PASS    |
|           | LTE/TM2   | 1.4                  | LCH          | VN          | -30        | -3.95            | -0.00213              | PASS    |
|           |           |                      |              |             | -20        | -0.5             | -0.00027              | PASS    |
|           |           |                      |              |             | -10        | -4.26            | -0.0023               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 0          | -3.3             | -0.00178              | PASS    |
|           |           |                      |              |             | 10         | -1.19            | -0.00064              | PASS    |
|           |           |                      |              |             | 20         | -1.09            | -0.00059              | PASS    |
|           |           |                      |              |             | 30         | -5.02            | -0.00271              | PASS    |
|           |           |                      |              |             | 40         | -2.09            | -0.00113              | PASS    |
|           |           |                      |              |             | 50         | -3.66            | -0.00198              | PASS    |
|           |           |                      | MCH          | VN          | -30        | -3.49            | -0.00186              | PASS    |
|           |           |                      |              |             | -20        | -1.14            | -0.00061              | PASS    |
|           |           |                      |              |             | -10        | -1.47            | -0.00078              | PASS    |
|           |           |                      |              |             | 0          | -3.48            | -0.00185              | PASS    |
|           |           |                      |              |             | 10         | -4.08            | -0.00217              | PASS    |
|           |           |                      |              |             | 20         | -2.52            | -0.00134              | PASS    |
|           |           |                      |              |             | 30         | -3.22            | -0.00171              | PASS    |
|           |           |                      |              |             | 40         | -2.69            | -0.00143              | PASS    |
|           |           |                      |              |             | 50         | -0.82            | -0.00044              | PASS    |
|           |           |                      | HCH          | VN          | -30        | -0.2             | -0.0001               | PASS    |
|           |           |                      |              |             | -20        | -0.11            | -0.00006              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | -10        | -0.67            | -0.00035              | PASS    |
|           |           |                      |              |             | 0          | -0.23            | -0.00012              | PASS    |
|           |           |                      |              |             | 10         | -1.29            | -0.00068              | PASS    |
|           |           |                      |              |             | 20         | -1.39            | -0.00073              | PASS    |
|           |           |                      |              |             | 30         | -1.12            | -0.00059              | PASS    |
|           |           |                      |              |             | 40         | -0.87            | -0.00046              | PASS    |
|           |           |                      |              |             | 50         | -2.4             | -0.00126              | PASS    |
|           |           | 3                    | LCH          | VN          | -30        | -3.26            | -0.00176              | PASS    |
|           |           |                      |              |             | -20        | -3.52            | -0.0019               | PASS    |
|           |           |                      |              |             | -10        | -3.23            | -0.00174              | PASS    |
|           |           |                      |              |             | 0          | -1.4             | -0.00076              | PASS    |
|           |           |                      |              |             | 10         | -2.57            | -0.00139              | PASS    |
|           |           |                      |              |             | 20         | -2.82            | -0.00152              | PASS    |
|           |           |                      |              |             | 30         | -3.58            | -0.00193              | PASS    |
|           |           |                      |              |             | 40         | -3.46            | -0.00187              | PASS    |
|           |           |                      |              |             | 50         | -3.69            | -0.00199              | PASS    |
|           |           |                      | MCH          | VN          | -30        | -2.98            | -0.00159              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | -20        | -2.98            | -0.00159              | PASS    |
|           |           |                      |              |             | -10        | -3.28            | -0.00174              | PASS    |
|           |           |                      |              |             | 0          | -2.03            | -0.00108              | PASS    |
|           |           |                      |              |             | 10         | -3.39            | -0.0018               | PASS    |
|           |           |                      |              |             | 20         | -3.88            | -0.00206              | PASS    |
|           |           |                      |              |             | 30         | -4.01            | -0.00213              | PASS    |
|           |           |                      |              |             | 40         | -1.9             | -0.00101              | PASS    |
|           |           |                      |              |             | 50         | -2.63            | -0.0014               | PASS    |
|           |           |                      | HCH          | VN          | -30        | -0.1             | -0.00005              | PASS    |
|           |           |                      |              |             | -20        | -0.76            | -0.0004               | PASS    |
|           |           |                      |              |             | -10        | 1.77             | 0.00093               | PASS    |
|           |           |                      |              |             | 0          | 2.05             | 0.00107               | PASS    |
|           |           |                      |              |             | 10         | -0.44            | -0.00023              | PASS    |
|           |           |                      |              |             | 20         | -0.21            | -0.00011              | PASS    |
|           |           |                      |              |             | 30         | -0.72            | -0.00038              | PASS    |
|           |           |                      |              |             | 40         | -0.43            | -0.00023              | PASS    |
|           |           |                      |              |             | 50         | 1.57             | 0.00082               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           | 5                    | LCH          | VN          | -30        | -3.05            | -0.00165              | PASS    |
|           |           |                      |              |             | -20        | -0.84            | -0.00045              | PASS    |
|           |           |                      |              |             | -10        | -2.17            | -0.00117              | PASS    |
|           |           |                      |              |             | 0          | -1.02            | -0.00055              | PASS    |
|           |           |                      |              |             | 10         | -2.29            | -0.00124              | PASS    |
|           |           |                      |              |             | 20         | -1.96            | -0.00106              | PASS    |
|           |           |                      |              |             | 30         | -2.85            | -0.00154              | PASS    |
|           |           |                      |              |             | 40         | -1.4             | -0.00076              | PASS    |
|           |           |                      |              |             | 50         | -2.72            | -0.00147              | PASS    |
|           |           |                      | MCH          | VN          | -30        | -2.86            | -0.00152              | PASS    |
|           |           |                      |              |             | -20        | -3.81            | -0.00203              | PASS    |
|           |           |                      |              |             | -10        | -3.45            | -0.00184              | PASS    |
|           |           |                      |              |             | 0          | -3.82            | -0.00203              | PASS    |
|           |           |                      |              |             | 10         | -6.79            | -0.00361              | PASS    |
|           |           |                      |              |             | 20         | -3.6             | -0.00191              | PASS    |
|           |           |                      |              |             | 30         | -3.18            | -0.00169              | PASS    |
|           |           |                      |              |             | 40         | -3.45            | -0.00184              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      | HCH          | VN          | 50         | -3.6             | -0.00191              | PASS    |
|           |           |                      |              |             | -30        | -0.3             | -0.00016              | PASS    |
|           |           |                      |              |             | -20        | 0.2              | 0.0001                | PASS    |
|           |           |                      |              |             | -10        | 0.66             | 0.00035               | PASS    |
|           |           |                      |              |             | 0          | 0.33             | 0.00017               | PASS    |
|           |           |                      |              |             | 10         | 2.56             | 0.00134               | PASS    |
|           |           |                      |              |             | 20         | 1.14             | 0.0006                | PASS    |
|           |           |                      |              |             | 30         | 0.73             | 0.00038               | PASS    |
|           |           |                      |              |             | 40         | -0.21            | -0.00011              | PASS    |
|           |           |                      |              |             | 50         | -0.7             | -0.00037              | PASS    |
|           |           | 10                   | LCH          | VN          | -30        | -2.82            | -0.00152              | PASS    |
|           |           |                      |              |             | -20        | -2.49            | -0.00134              | PASS    |
|           |           |                      |              |             | -10        | -2.36            | -0.00127              | PASS    |
|           |           |                      |              |             | 0          | -1.59            | -0.00086              | PASS    |
|           |           |                      |              |             | 10         | -2.22            | -0.0012               | PASS    |
|           |           |                      |              |             | 20         | -3.15            | -0.0017               | PASS    |
|           |           |                      |              |             | 30         | -2.65            | -0.00143              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 40         | -1.97            | -0.00106              | PASS    |
|           |           |                      |              |             | 50         | -3.2             | -0.00173              | PASS    |
|           |           |                      | MCH          | VN          | -30        | -2.83            | -0.00151              | PASS    |
|           |           |                      |              |             | -20        | -3.79            | -0.00202              | PASS    |
|           |           |                      |              |             | -10        | -4.02            | -0.00214              | PASS    |
|           |           |                      |              |             | 0          | -2.43            | -0.00129              | PASS    |
|           |           |                      |              |             | 10         | -3.52            | -0.00187              | PASS    |
|           |           |                      |              |             | 20         | -3.3             | -0.00176              | PASS    |
|           |           |                      |              |             | 30         | -3.16            | -0.00168              | PASS    |
|           |           |                      |              |             | 40         | -3.72            | -0.00198              | PASS    |
|           |           |                      |              |             | 50         | -4.22            | -0.00224              | PASS    |
|           |           |                      | HCH          | VN          | -30        | 1.04             | 0.00055               | PASS    |
|           |           |                      |              |             | -20        | -0.34            | -0.00018              | PASS    |
|           |           |                      |              |             | -10        | -0.07            | -0.00004              | PASS    |
|           |           |                      |              |             | 0          | -0.17            | -0.00009              | PASS    |
|           |           |                      |              |             | 10         | 0.92             | 0.00048               | PASS    |
|           |           |                      |              |             | 20         | -0.07            | -0.00004              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 30         | 0.97             | 0.00051               | PASS    |
|           |           |                      |              |             | 40         | 1.36             | 0.00071               | PASS    |
|           |           |                      |              |             | 50         | 0.86             | 0.00045               | PASS    |
|           |           | 15                   | LCH          | VN          | -30        | -2.98            | -0.0016               | PASS    |
|           |           |                      |              |             | -20        | -4.73            | -0.00255              | PASS    |
|           |           |                      |              |             | -10        | -3.81            | -0.00205              | PASS    |
|           |           |                      |              |             | 0          | -3.59            | -0.00193              | PASS    |
|           |           |                      |              |             | 10         | -3.76            | -0.00202              | PASS    |
|           |           |                      |              |             | 20         | -3.42            | -0.00184              | PASS    |
|           |           |                      |              |             | 30         | -2.53            | -0.00136              | PASS    |
|           |           |                      |              |             | 40         | -3.86            | -0.00208              | PASS    |
|           |           |                      |              |             | 50         | -3.83            | -0.00206              | PASS    |
|           |           |                      | MCH          | VN          | -30        | -4.56            | -0.00243              | PASS    |
|           |           |                      |              |             | -20        | -3.35            | -0.00178              | PASS    |
|           |           |                      |              |             | -10        | -4.15            | -0.00221              | PASS    |
|           |           |                      |              |             | 0          | -4.08            | -0.00217              | PASS    |
|           |           |                      |              |             | 10         | -4.41            | -0.00235              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 20         | -3.03            | -0.00161              | PASS    |
|           |           |                      |              |             | 30         | -3.85            | -0.00205              | PASS    |
|           |           |                      |              |             | 40         | -4.16            | -0.00221              | PASS    |
|           |           |                      |              |             | 50         | -3.91            | -0.00208              | PASS    |
|           |           |                      | HCH          | VN          | -30        | -3.13            | -0.00165              | PASS    |
|           |           |                      |              |             | -20        | -4.42            | -0.00232              | PASS    |
|           |           |                      |              |             | -10        | -5.68            | -0.00299              | PASS    |
|           |           |                      |              |             | 0          | -4.13            | -0.00217              | PASS    |
|           |           |                      |              |             | 10         | -3.3             | -0.00173              | PASS    |
|           |           |                      |              |             | 20         | -3.99            | -0.0021               | PASS    |
|           |           |                      |              |             | 30         | -4.13            | -0.00217              | PASS    |
|           |           |                      |              |             | 40         | -3.56            | -0.00187              | PASS    |
|           |           |                      |              |             | 50         | -2.95            | -0.00155              | PASS    |
|           |           | 20                   | LCH          | VN          | -30        | 0.24             | 0.00013               | PASS    |
|           |           |                      |              |             | -20        | 0.66             | 0.00035               | PASS    |
|           |           |                      |              |             | -10        | -1.24            | -0.00067              | PASS    |
|           |           |                      |              |             | 0          | 1.03             | 0.00055               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 10         | 1.2              | 0.00065               | PASS    |
|           |           |                      |              |             | 20         | -0.2             | -0.00011              | PASS    |
|           |           |                      |              |             | 30         | -0.37            | -0.0002               | PASS    |
|           |           |                      |              |             | 40         | 0.64             | 0.00034               | PASS    |
|           |           |                      |              |             | 50         | 1.26             | 0.00068               | PASS    |
|           |           |                      | MCH          | VN          | -30        | -5.74            | -0.00305              | PASS    |
|           |           |                      |              |             | -20        | -3.19            | -0.0017               | PASS    |
|           |           |                      |              |             | -10        | -3.99            | -0.00212              | PASS    |
|           |           |                      |              |             | 0          | -4.15            | -0.00221              | PASS    |
|           |           |                      |              |             | 10         | -3.71            | -0.00197              | PASS    |
|           |           |                      |              |             | 20         | -3.4             | -0.00181              | PASS    |
|           |           |                      |              |             | 30         | -3.35            | -0.00178              | PASS    |
|           |           |                      |              |             | 40         | -3.06            | -0.00163              | PASS    |
|           |           |                      |              |             | 50         | -4.53            | -0.00241              | PASS    |
|           |           |                      | HCH          | VN          | -30        | -2.35            | -0.00124              | PASS    |
|           |           |                      |              |             | -20        | -2.82            | -0.00148              | PASS    |
|           |           |                      |              |             | -10        | -3.62            | -0.00191              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 0          | -2.37            | -0.00125              | PASS    |
|           |           |                      |              |             | 10         | -3.2             | -0.00168              | PASS    |
|           |           |                      |              |             | 20         | -3.56            | -0.00187              | PASS    |
|           |           |                      |              |             | 30         | -3.23            | -0.0017               | PASS    |
|           |           |                      |              |             | 40         | -2.47            | -0.0013               | PASS    |
|           |           |                      |              |             | 50         | -3.1             | -0.00163              | PASS    |
| BAND4     | LTE/TM1   | 1.4                  | LCH          | VN          | -30        | -0.03            | -0.00002              | PASS    |
|           |           |                      |              |             | -20        | -2.19            | -0.00128              | PASS    |
|           |           |                      |              |             | -10        | 1.49             | 0.00087               | PASS    |
|           |           |                      |              |             | 0          | -0.31            | -0.00018              | PASS    |
|           |           |                      |              |             | 10         | 1.24             | 0.00072               | PASS    |
|           |           |                      |              |             | 20         | 2.73             | 0.0016                | PASS    |
|           |           |                      |              |             | 30         | -0.73            | -0.00043              | PASS    |
|           |           |                      |              |             | 40         | 1.03             | 0.0006                | PASS    |
|           |           |                      |              |             | 50         | 1.97             | 0.00115               | PASS    |
|           |           |                      | MCH          | VN          | -30        | -0.59            | -0.00034              | PASS    |
|           |           |                      |              |             | -20        | 0.01             | 0.00001               | PASS    |
|           |           |                      |              |             | -10        | 0.57             | 0.00033               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 0          | 1.36             | 0.00078               | PASS    |
|           |           |                      |              |             | 10         | 1.82             | 0.00105               | PASS    |
|           |           |                      |              |             | 20         | 0.64             | 0.00037               | PASS    |
|           |           |                      |              |             | 30         | -4.61            | -0.00266              | PASS    |
|           |           |                      |              |             | 40         | 0.23             | 0.00013               | PASS    |
|           |           |                      |              |             | 50         | 3.32             | 0.00192               | PASS    |
|           |           |                      | HCH          | VN          | -30        | -3.79            | -0.00216              | PASS    |
|           |           |                      |              |             | -20        | -0.8             | -0.00046              | PASS    |
|           |           |                      |              |             | -10        | -3.29            | -0.00188              | PASS    |
|           |           |                      |              |             | 0          | -0.5             | -0.00029              | PASS    |
|           |           |                      |              |             | 10         | -3.83            | -0.00218              | PASS    |
|           |           |                      |              |             | 20         | -1.37            | -0.00078              | PASS    |
|           |           |                      |              |             | 30         | -2.47            | -0.00141              | PASS    |
|           |           |                      |              |             | 40         | -3.68            | -0.0021               | PASS    |
|           |           |                      |              |             | 50         | -2.52            | -0.00144              | PASS    |
|           |           | 3                    | LCH          | VN          | -30        | 0.77             | 0.00045               | PASS    |
|           |           |                      |              |             | -20        | -0.76            | -0.00044              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | -10        | 0.87             | 0.00051               | PASS    |
|           |           |                      |              |             | 0          | 1.16             | 0.00068               | PASS    |
|           |           |                      |              |             | 10         | 1                | 0.00058               | PASS    |
|           |           |                      |              |             | 20         | -0.67            | -0.00039              | PASS    |
|           |           |                      |              |             | 30         | 1.09             | 0.00064               | PASS    |
|           |           |                      |              |             | 40         | -3.39            | -0.00198              | PASS    |
|           |           |                      |              |             | 50         | -0.06            | -0.00004              | PASS    |
|           |           |                      | MCH          | VN          | -30        | 1.66             | 0.00096               | PASS    |
|           |           |                      |              |             | -20        | 0.8              | 0.00046               | PASS    |
|           |           |                      |              |             | -10        | -2.47            | -0.00143              | PASS    |
|           |           |                      |              |             | 0          | 0.96             | 0.00055               | PASS    |
|           |           |                      |              |             | 10         | 1.02             | 0.00059               | PASS    |
|           |           |                      |              |             | 20         | -0.6             | -0.00035              | PASS    |
|           |           |                      |              |             | 30         | 0.53             | 0.00031               | PASS    |
|           |           |                      |              |             | 40         | 2.25             | 0.0013                | PASS    |
|           |           |                      |              |             | 50         | -1.17            | -0.00068              | PASS    |
|           |           |                      | HCH          | VN          | -30        | -1.23            | -0.0007               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | -20        | 0.5              | 0.00029               | PASS    |
|           |           |                      |              |             | -10        | 1.6              | 0.00091               | PASS    |
|           |           |                      |              |             | 0          | -0.89            | -0.00051              | PASS    |
|           |           |                      |              |             | 10         | 0.59             | 0.00034               | PASS    |
|           |           |                      |              |             | 20         | -0.21            | -0.00012              | PASS    |
|           |           |                      |              |             | 30         | 2.06             | 0.00117               | PASS    |
|           |           |                      |              |             | 40         | -0.11            | -0.00006              | PASS    |
|           |           |                      |              |             | 50         | 0.3              | 0.00017               | PASS    |
|           |           | 5                    | LCH          | VN          | -30        | 0.97             | 0.00057               | PASS    |
|           |           |                      |              |             | -20        | 2.17             | 0.00127               | PASS    |
|           |           |                      |              |             | -10        | 1.87             | 0.00109               | PASS    |
|           |           |                      |              |             | 0          | 1.59             | 0.00093               | PASS    |
|           |           |                      |              |             | 10         | 2.35             | 0.00137               | PASS    |
|           |           |                      |              |             | 20         | -0.14            | -0.00008              | PASS    |
|           |           |                      |              |             | 30         | -2.63            | -0.00154              | PASS    |
|           |           |                      |              |             | 40         | 1.27             | 0.00074               | PASS    |
|           |           |                      |              |             | 50         | 3.06             | 0.00179               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      | MCH          | VN          | -30        | -0.16            | -0.00009              | PASS    |
|           |           |                      |              |             | -20        | 0.21             | 0.00012               | PASS    |
|           |           |                      |              |             | -10        | 0.04             | 0.00002               | PASS    |
|           |           |                      |              |             | 0          | -0.1             | -0.00006              | PASS    |
|           |           |                      |              |             | 10         | -0.43            | -0.00025              | PASS    |
|           |           |                      |              |             | 20         | -0.47            | -0.00027              | PASS    |
|           |           |                      |              |             | 30         | -2.13            | -0.00123              | PASS    |
|           |           |                      |              |             | 40         | 0.14             | 0.00008               | PASS    |
|           |           |                      |              |             | 50         | -0.26            | -0.00015              | PASS    |
|           |           |                      | HCH          | VN          | -30        | -1.32            | -0.00075              | PASS    |
|           |           |                      |              |             | -20        | -2.02            | -0.00115              | PASS    |
|           |           |                      |              |             | -10        | -2.7             | -0.00154              | PASS    |
|           |           |                      |              |             | 0          | -1.32            | -0.00075              | PASS    |
|           |           |                      |              |             | 10         | -3.1             | -0.00177              | PASS    |
|           |           |                      |              |             | 20         | -5.28            | -0.00301              | PASS    |
|           |           |                      |              |             | 30         | -2.13            | -0.00122              | PASS    |
|           |           |                      |              |             | 40         | -1.33            | -0.00076              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           | 10                   | LCH          | VN          | 50         | -4.13            | -0.00236              | PASS    |
|           |           |                      |              |             | -30        | -2.73            | -0.00159              | PASS    |
|           |           |                      |              |             | -20        | -2.26            | -0.00132              | PASS    |
|           |           |                      |              |             | -10        | -3.43            | -0.002                | PASS    |
|           |           |                      |              |             | 0          | -2.62            | -0.00153              | PASS    |
|           |           |                      |              |             | 10         | -2.82            | -0.00164              | PASS    |
|           |           |                      |              |             | 20         | -3.99            | -0.00233              | PASS    |
|           |           |                      |              |             | 30         | -3.73            | -0.00217              | PASS    |
|           |           |                      |              |             | 40         | -3.95            | -0.0023               | PASS    |
|           |           |                      |              |             | 50         | -1.77            | -0.00103              | PASS    |
|           |           |                      | MCH          | VN          | -30        | -0.37            | -0.00021              | PASS    |
|           |           |                      |              |             | -20        | 0.66             | 0.00038               | PASS    |
|           |           |                      |              |             | -10        | -0.79            | -0.00046              | PASS    |
|           |           |                      |              |             | 0          | 0.3              | 0.00017               | PASS    |
|           |           |                      |              |             | 10         | 0.43             | 0.00025               | PASS    |
|           |           |                      |              |             | 20         | -0.24            | -0.00014              | PASS    |
|           |           |                      |              |             | 30         | 0.29             | 0.00017               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 40         | 0.29             | 0.00017               | PASS    |
|           |           |                      |              |             | 50         | 1.06             | 0.00061               | PASS    |
|           |           |                      | HCH          | VN          | -30        | 1.03             | 0.00059               | PASS    |
|           |           |                      |              |             | -20        | 3.12             | 0.00178               | PASS    |
|           |           |                      |              |             | -10        | 0.86             | 0.00049               | PASS    |
|           |           |                      |              |             | 0          | 2.49             | 0.00142               | PASS    |
|           |           |                      |              |             | 10         | 2.33             | 0.00133               | PASS    |
|           |           |                      |              |             | 20         | 0.49             | 0.00028               | PASS    |
|           |           |                      |              |             | 30         | 1.16             | 0.00066               | PASS    |
|           |           |                      |              |             | 40         | 1.16             | 0.00066               | PASS    |
|           |           |                      |              |             | 50         | 1.16             | 0.00066               | PASS    |
|           |           | 15                   | LCH          | VN          | -30        | 0.06             | 0.00003               | PASS    |
|           |           |                      |              |             | -20        | 0.79             | 0.00046               | PASS    |
|           |           |                      |              |             | -10        | 0.86             | 0.0005                | PASS    |
|           |           |                      |              |             | 0          | 1.57             | 0.00091               | PASS    |
|           |           |                      |              |             | 10         | -0.01            | -0.00001              | PASS    |
|           |           |                      |              |             | 20         | 0.66             | 0.00038               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 30         | -0.97            | -0.00056              | PASS    |
|           |           |                      |              |             | 40         | -0.77            | -0.00045              | PASS    |
|           |           |                      |              |             | 50         | -0.72            | -0.00042              | PASS    |
|           |           |                      | MCH          | VN          | -30        | 0.76             | 0.00044               | PASS    |
|           |           |                      |              |             | -20        | 0.74             | 0.00043               | PASS    |
|           |           |                      |              |             | -10        | -0.2             | -0.00012              | PASS    |
|           |           |                      |              |             | 0          | 0.07             | 0.00004               | PASS    |
|           |           |                      |              |             | 10         | -0.53            | -0.00031              | PASS    |
|           |           |                      |              |             | 20         | -1.12            | -0.00065              | PASS    |
|           |           |                      |              |             | 30         | 0.86             | 0.0005                | PASS    |
|           |           |                      |              |             | 40         | 0.4              | 0.00023               | PASS    |
|           |           |                      |              |             | 50         | 0.51             | 0.00029               | PASS    |
|           |           |                      | HCH          | VN          | -30        | 0.62             | 0.00035               | PASS    |
|           |           |                      |              |             | -20        | 0                | 0                     | PASS    |
|           |           |                      |              |             | -10        | -0.13            | -0.00007              | PASS    |
|           |           |                      |              |             | 0          | -0.34            | -0.00019              | PASS    |
|           |           |                      |              |             | 10         | 0.11             | 0.00006               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 20         | -0.47            | -0.00027              | PASS    |
|           |           |                      |              |             | 30         | -0.54            | -0.00031              | PASS    |
|           |           |                      |              |             | 40         | -0.26            | -0.00015              | PASS    |
|           |           |                      |              |             | 50         | 0.77             | 0.00044               | PASS    |
|           |           | 20                   | LCH          | VN          | -30        | 3.3              | 0.00192               | PASS    |
|           |           |                      |              |             | -20        | 3.1              | 0.0018                | PASS    |
|           |           |                      |              |             | -10        | 1.34             | 0.00078               | PASS    |
|           |           |                      |              |             | 0          | 0.76             | 0.00044               | PASS    |
|           |           |                      |              |             | 10         | 0.07             | 0.00004               | PASS    |
|           |           |                      |              |             | 20         | -2.49            | -0.00145              | PASS    |
|           |           |                      |              |             | 30         | 1.14             | 0.00066               | PASS    |
|           |           |                      |              |             | 40         | 1.79             | 0.00104               | PASS    |
|           |           |                      |              |             | 50         | 1.65             | 0.00096               | PASS    |
|           |           |                      | MCH          | VN          | -30        | -0.41            | -0.00024              | PASS    |
|           |           |                      |              |             | -20        | -0.56            | -0.00032              | PASS    |
|           |           |                      |              |             | -10        | 0.41             | 0.00024               | PASS    |
|           |           |                      |              |             | 0          | -0.14            | -0.00008              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 10         | -0.51            | -0.00029              | PASS    |
|           |           |                      |              |             | 20         | -0.01            | -0.00001              | PASS    |
|           |           |                      |              |             | 30         | -0.11            | -0.00006              | PASS    |
|           |           |                      |              |             | 40         | 0.6              | 0.00035               | PASS    |
|           |           |                      |              |             | 50         | -0.51            | -0.00029              | PASS    |
|           |           |                      | HCH          | VN          | -30        | -2.22            | -0.00127              | PASS    |
|           |           |                      |              |             | -20        | -2.65            | -0.00152              | PASS    |
|           |           |                      |              |             | -10        | -1.33            | -0.00076              | PASS    |
|           |           |                      |              |             | 0          | -2.1             | -0.0012               | PASS    |
|           |           |                      |              |             | 10         | -2.09            | -0.0012               | PASS    |
|           |           |                      |              |             | 20         | -2.93            | -0.00168              | PASS    |
|           |           |                      |              |             | 30         | -2.29            | -0.00131              | PASS    |
|           |           |                      |              |             | 40         | -2.47            | -0.00142              | PASS    |
|           |           |                      |              |             | 50         | -1.57            | -0.0009               | PASS    |
|           | LTE/TM2   | 1.4                  | LCH          | VN          | -30        | 0.82             | 0.00048               | PASS    |
|           |           |                      |              |             | -20        | 3.36             | 0.00196               | PASS    |
|           |           |                      |              |             | -10        | 0.27             | 0.00016               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 0          | 5.64             | 0.0033                | PASS    |
|           |           |                      |              |             | 10         | 4.73             | 0.00276               | PASS    |
|           |           |                      |              |             | 20         | 4.59             | 0.00268               | PASS    |
|           |           |                      |              |             | 30         | 3.59             | 0.0021                | PASS    |
|           |           |                      |              |             | 40         | 3.49             | 0.00204               | PASS    |
|           |           |                      |              |             | 50         | 5.05             | 0.00295               | PASS    |
|           |           |                      | MCH          | VN          | -30        | 0.92             | 0.00053               | PASS    |
|           |           |                      |              |             | -20        | -2.35            | -0.00136              | PASS    |
|           |           |                      |              |             | -10        | -1.93            | -0.00111              | PASS    |
|           |           |                      |              |             | 0          | 2.09             | 0.00121               | PASS    |
|           |           |                      |              |             | 10         | -1.96            | -0.00113              | PASS    |
|           |           |                      |              |             | 20         | -0.04            | -0.00002              | PASS    |
|           |           |                      |              |             | 30         | 0.03             | 0.00002               | PASS    |
|           |           |                      |              |             | 40         | 0.19             | 0.00011               | PASS    |
|           |           |                      |              |             | 50         | 1.69             | 0.00098               | PASS    |
|           |           |                      | HCH          | VN          | -30        | -0.37            | -0.00021              | PASS    |
|           |           |                      |              |             | -20        | -0.41            | -0.00023              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | -10        | -2.35            | -0.00134              | PASS    |
|           |           |                      |              |             | 0          | -3.15            | -0.0018               | PASS    |
|           |           |                      |              |             | 10         | -0.97            | -0.00055              | PASS    |
|           |           |                      |              |             | 20         | -4.09            | -0.00233              | PASS    |
|           |           |                      |              |             | 30         | -1.59            | -0.00091              | PASS    |
|           |           |                      |              |             | 40         | -5.75            | -0.00328              | PASS    |
|           |           |                      |              |             | 50         | -3.86            | -0.0022               | PASS    |
|           |           | 3                    | LCH          | VN          | -30        | 0.13             | 0.00008               | PASS    |
|           |           |                      |              |             | -20        | 2.56             | 0.0015                | PASS    |
|           |           |                      |              |             | -10        | 0.06             | 0.00004               | PASS    |
|           |           |                      |              |             | 0          | 0.43             | 0.00025               | PASS    |
|           |           |                      |              |             | 10         | 0.67             | 0.00039               | PASS    |
|           |           |                      |              |             | 20         | 1.66             | 0.00097               | PASS    |
|           |           |                      |              |             | 30         | 0.43             | 0.00025               | PASS    |
|           |           |                      |              |             | 40         | 1.16             | 0.00068               | PASS    |
|           |           |                      |              |             | 50         | -0.99            | -0.00058              | PASS    |
|           |           |                      | MCH          | VN          | -30        | 0.01             | 0.00001               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | -20        | -0.27            | -0.00016              | PASS    |
|           |           |                      |              |             | -10        | -1.04            | -0.0006               | PASS    |
|           |           |                      |              |             | 0          | 1.02             | 0.00059               | PASS    |
|           |           |                      |              |             | 10         | 0.19             | 0.00011               | PASS    |
|           |           |                      |              |             | 20         | -2.78            | -0.0016               | PASS    |
|           |           |                      |              |             | 30         | 1.34             | 0.00077               | PASS    |
|           |           |                      |              |             | 40         | -1.14            | -0.00066              | PASS    |
|           |           |                      |              |             | 50         | -2.19            | -0.00126              | PASS    |
|           |           |                      | HCH          | VN          | -30        | 0.29             | 0.00017               | PASS    |
|           |           |                      |              |             | -20        | -0.19            | -0.00011              | PASS    |
|           |           |                      |              |             | -10        | 0.76             | 0.00043               | PASS    |
|           |           |                      |              |             | 0          | 2.59             | 0.00148               | PASS    |
|           |           |                      |              |             | 10         | 0.13             | 0.00007               | PASS    |
|           |           |                      |              |             | 20         | -0.67            | -0.00038              | PASS    |
|           |           |                      |              |             | 30         | -2.1             | -0.0012               | PASS    |
|           |           |                      |              |             | 40         | 2.75             | 0.00157               | PASS    |
|           |           |                      |              |             | 50         | 1.02             | 0.00058               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           | 5                    | LCH          | VN          | -30        | 1.2              | 0.0007                | PASS    |
|           |           |                      |              |             | -20        | -1.16            | -0.00068              | PASS    |
|           |           |                      |              |             | -10        | 3.29             | 0.00192               | PASS    |
|           |           |                      |              |             | 0          | 1.29             | 0.00075               | PASS    |
|           |           |                      |              |             | 10         | 0.87             | 0.00051               | PASS    |
|           |           |                      |              |             | 20         | 1.5              | 0.00088               | PASS    |
|           |           |                      |              |             | 30         | 0.73             | 0.00043               | PASS    |
|           |           |                      |              |             | 40         | 1.9              | 0.00111               | PASS    |
|           |           |                      |              |             | 50         | 1.47             | 0.00086               | PASS    |
|           |           |                      | MCH          | VN          | -30        | 0.36             | 0.00021               | PASS    |
|           |           |                      |              |             | -20        | 0.82             | 0.00047               | PASS    |
|           |           |                      |              |             | -10        | 0.43             | 0.00025               | PASS    |
|           |           |                      |              |             | 0          | 0.21             | 0.00012               | PASS    |
|           |           |                      |              |             | 10         | 0.36             | 0.00021               | PASS    |
|           |           |                      |              |             | 20         | -1.06            | -0.00061              | PASS    |
|           |           |                      |              |             | 30         | -0.72            | -0.00042              | PASS    |
|           |           |                      |              |             | 40         | 2.27             | 0.00131               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      | HCH          | VN          | 50         | 0.96             | 0.00055               | PASS    |
|           |           |                      |              |             | -30        | -2.57            | -0.00147              | PASS    |
|           |           |                      |              |             | -20        | -2.3             | -0.00131              | PASS    |
|           |           |                      |              |             | -10        | -2.99            | -0.00171              | PASS    |
|           |           |                      |              |             | 0          | -3.89            | -0.00222              | PASS    |
|           |           |                      |              |             | 10         | -3.81            | -0.00217              | PASS    |
|           |           |                      |              |             | 20         | -1.3             | -0.00074              | PASS    |
|           |           |                      |              |             | 30         | -3.62            | -0.00207              | PASS    |
|           |           |                      |              |             | 40         | -2.15            | -0.00123              | PASS    |
|           |           |                      |              |             | 50         | -1.83            | -0.00104              | PASS    |
|           |           | 10                   | LCH          | VN          | -30        | -6.31            | -0.00368              | PASS    |
|           |           |                      |              |             | -20        | -2.63            | -0.00153              | PASS    |
|           |           |                      |              |             | -10        | -1.17            | -0.00068              | PASS    |
|           |           |                      |              |             | 0          | -3.66            | -0.00213              | PASS    |
|           |           |                      |              |             | 10         | -5.19            | -0.00303              | PASS    |
|           |           |                      |              |             | 20         | -3.75            | -0.00219              | PASS    |
|           |           |                      |              |             | 30         | -4.22            | -0.00246              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 40         | -3.82            | -0.00223              | PASS    |
|           |           |                      |              |             | 50         | -3.33            | -0.00194              | PASS    |
|           |           |                      | MCH          | VN          | -30        | 0.17             | 0.0001                | PASS    |
|           |           |                      |              |             | -20        | 1.43             | 0.00083               | PASS    |
|           |           |                      |              |             | -10        | -0.14            | -0.00008              | PASS    |
|           |           |                      |              |             | 0          | 1.16             | 0.00067               | PASS    |
|           |           |                      |              |             | 10         | 0.67             | 0.00039               | PASS    |
|           |           |                      |              |             | 20         | -0.39            | -0.00023              | PASS    |
|           |           |                      |              |             | 30         | 0.64             | 0.00037               | PASS    |
|           |           |                      |              |             | 40         | 1.59             | 0.00092               | PASS    |
|           |           |                      |              |             | 50         | 0.87             | 0.0005                | PASS    |
|           |           |                      | HCH          | VN          | -30        | 2.39             | 0.00137               | PASS    |
|           |           |                      |              |             | -20        | 3.38             | 0.00193               | PASS    |
|           |           |                      |              |             | -10        | 2.12             | 0.00121               | PASS    |
|           |           |                      |              |             | 0          | 1.17             | 0.00067               | PASS    |
|           |           |                      |              |             | 10         | 1.95             | 0.00111               | PASS    |
|           |           |                      |              |             | 20         | 0.5              | 0.00029               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 30         | 2.02             | 0.00115               | PASS    |
|           |           |                      |              |             | 40         | 2.72             | 0.00155               | PASS    |
|           |           |                      |              |             | 50         | 1.24             | 0.00071               | PASS    |
|           |           | 15                   | LCH          | VN          | -30        | -0.37            | -0.00022              | PASS    |
|           |           |                      |              |             | -20        | 0.34             | 0.0002                | PASS    |
|           |           |                      |              |             | -10        | 0.24             | 0.00014               | PASS    |
|           |           |                      |              |             | 0          | 0.72             | 0.00042               | PASS    |
|           |           |                      |              |             | 10         | 0.34             | 0.0002                | PASS    |
|           |           |                      |              |             | 20         | -0.1             | -0.00006              | PASS    |
|           |           |                      |              |             | 30         | 0.64             | 0.00037               | PASS    |
|           |           |                      |              |             | 40         | -0.1             | -0.00006              | PASS    |
|           |           |                      |              |             | 50         | -0.34            | -0.0002               | PASS    |
|           |           |                      | MCH          | VN          | -30        | -0.14            | -0.00008              | PASS    |
|           |           |                      |              |             | -20        | 0.24             | 0.00014               | PASS    |
|           |           |                      |              |             | -10        | -0.27            | -0.00016              | PASS    |
|           |           |                      |              |             | 0          | -1.03            | -0.00059              | PASS    |
|           |           |                      |              |             | 10         | -1.43            | -0.00083              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 20         | -0.59            | -0.00034              | PASS    |
|           |           |                      |              |             | 30         | -0.36            | -0.00021              | PASS    |
|           |           |                      |              |             | 40         | -0.41            | -0.00024              | PASS    |
|           |           |                      |              |             | 50         | 0.07             | 0.00004               | PASS    |
|           |           |                      | HCH          | VN          | -30        | 0.11             | 0.00006               | PASS    |
|           |           |                      |              |             | -20        | 0.62             | 0.00035               | PASS    |
|           |           |                      |              |             | -10        | 0.72             | 0.00041               | PASS    |
|           |           |                      |              |             | 0          | -2.59            | -0.00148              | PASS    |
|           |           |                      |              |             | 10         | -2.43            | -0.00139              | PASS    |
|           |           |                      |              |             | 20         | -3.26            | -0.00187              | PASS    |
|           |           |                      |              |             | 30         | -3.28            | -0.00188              | PASS    |
|           |           |                      |              |             | 40         | -2.19            | -0.00125              | PASS    |
|           |           |                      |              |             | 50         | -2.7             | -0.00155              | PASS    |
|           |           | 20                   | LCH          | VN          | -30        | -3.2             | -0.00186              | PASS    |
|           |           |                      |              |             | -20        | -1.79            | -0.00104              | PASS    |
|           |           |                      |              |             | -10        | -0.73            | -0.00042              | PASS    |
|           |           |                      |              |             | 0          | 1.07             | 0.00062               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 10         | 0.86             | 0.0005                | PASS    |
|           |           |                      |              |             | 20         | 0.51             | 0.0003                | PASS    |
|           |           |                      |              |             | 30         | 0.89             | 0.00052               | PASS    |
|           |           |                      |              |             | 40         | -0.63            | -0.00037              | PASS    |
|           |           |                      |              |             | 50         | 0.92             | 0.00053               | PASS    |
|           |           |                      | MCH          | VN          | -30        | 0.69             | 0.0004                | PASS    |
|           |           |                      |              |             | -20        | -0.67            | -0.00039              | PASS    |
|           |           |                      |              |             | -10        | 0.62             | 0.00036               | PASS    |
|           |           |                      |              |             | 0          | -0.41            | -0.00024              | PASS    |
|           |           |                      |              |             | 10         | 1.82             | 0.00105               | PASS    |
|           |           |                      |              |             | 20         | -0.39            | -0.00023              | PASS    |
|           |           |                      |              |             | 30         | -0.39            | -0.00023              | PASS    |
|           |           |                      |              |             | 40         | 0.51             | 0.00029               | PASS    |
|           |           |                      |              |             | 50         | 0.41             | 0.00024               | PASS    |
|           |           |                      | HCH          | VN          | -30        | -5.81            | -0.00333              | PASS    |
|           |           |                      |              |             | -20        | -3.43            | -0.00197              | PASS    |
|           |           |                      |              |             | -10        | -3.13            | -0.00179              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 0          | -2.36            | -0.00135              | PASS    |
|           |           |                      |              |             | 10         | -3.55            | -0.00203              | PASS    |
|           |           |                      |              |             | 20         | -2.75            | -0.00158              | PASS    |
|           |           |                      |              |             | 30         | -3.46            | -0.00198              | PASS    |
|           |           |                      |              |             | 40         | -4.23            | -0.00242              | PASS    |
|           |           |                      |              |             | 50         | -3.62            | -0.00207              | PASS    |
| BAND5     | LTE/TM1   | 1.4                  | LCH          | VN          | -30        | -1.47            | -0.00178              | PASS    |
|           |           |                      |              |             | -20        | -1.16            | -0.00141              | PASS    |
|           |           |                      |              |             | -10        | -1.8             | -0.00218              | PASS    |
|           |           |                      |              |             | 0          | -1.65            | -0.002                | PASS    |
|           |           |                      |              |             | 10         | -1.75            | -0.00212              | PASS    |
|           |           |                      |              |             | 20         | -2.6             | -0.00315              | PASS    |
|           |           |                      |              |             | 30         | -1.7             | -0.00206              | PASS    |
|           |           |                      |              |             | 40         | -0.29            | -0.00035              | PASS    |
|           |           |                      |              |             | 50         | -1.75            | -0.00212              | PASS    |
|           |           |                      | MCH          | VN          | -30        | 0.73             | 0.00087               | PASS    |
|           |           |                      |              |             | -20        | 0.64             | 0.00077               | PASS    |
|           |           |                      |              |             | -10        | -1.9             | -0.00227              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 0          | -0.23            | -0.00027              | PASS    |
|           |           |                      |              |             | 10         | -0.49            | -0.00059              | PASS    |
|           |           |                      |              |             | 20         | 0.43             | 0.00051               | PASS    |
|           |           |                      |              |             | 30         | -0.13            | -0.00016              | PASS    |
|           |           |                      |              |             | 40         | -1.6             | -0.00191              | PASS    |
|           |           |                      |              |             | 50         | -1.32            | -0.00158              | PASS    |
|           |           |                      | HCH          | VN          | -30        | -0.54            | -0.00064              | PASS    |
|           |           |                      |              |             | -20        | 1.23             | 0.00145               | PASS    |
|           |           |                      |              |             | -10        | 0.27             | 0.00032               | PASS    |
|           |           |                      |              |             | 0          | 0.3              | 0.00035               | PASS    |
|           |           |                      |              |             | 10         | 1.39             | 0.00164               | PASS    |
|           |           |                      |              |             | 20         | 0.57             | 0.00067               | PASS    |
|           |           |                      |              |             | 30         | 0.84             | 0.00099               | PASS    |
|           |           |                      |              |             | 40         | -1.34            | -0.00158              | PASS    |
|           |           |                      |              |             | 50         | -1.14            | -0.00134              | PASS    |
|           |           | 3                    | LCH          | VN          | -30        | -0.36            | -0.00044              | PASS    |
|           |           |                      |              |             | -20        | 1.67             | 0.00202               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | -10        | 0.57             | 0.00069               | PASS    |
|           |           |                      |              |             | 0          | 0.5              | 0.00061               | PASS    |
|           |           |                      |              |             | 10         | 0.03             | 0.00004               | PASS    |
|           |           |                      |              |             | 20         | 0.74             | 0.0009                | PASS    |
|           |           |                      |              |             | 30         | 0.66             | 0.0008                | PASS    |
|           |           |                      |              |             | 40         | -0.03            | -0.00004              | PASS    |
|           |           |                      |              |             | 50         | 0.34             | 0.00041               | PASS    |
|           |           |                      | MCH          | VN          | -30        | -0.3             | -0.00036              | PASS    |
|           |           |                      |              |             | -20        | -0.36            | -0.00043              | PASS    |
|           |           |                      |              |             | -10        | -1.17            | -0.0014               | PASS    |
|           |           |                      |              |             | 0          | -0.26            | -0.00031              | PASS    |
|           |           |                      |              |             | 10         | 0.13             | 0.00016               | PASS    |
|           |           |                      |              |             | 20         | -0.3             | -0.00036              | PASS    |
|           |           |                      |              |             | 30         | -0.54            | -0.00065              | PASS    |
|           |           |                      |              |             | 40         | -0.24            | -0.00029              | PASS    |
|           |           |                      |              |             | 50         | -1.17            | -0.0014               | PASS    |
|           |           |                      | HCH          | VN          | -30        | -0.67            | -0.00079              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | -20        | 0.93             | 0.0011                | PASS    |
|           |           |                      |              |             | -10        | -1.7             | -0.00201              | PASS    |
|           |           |                      |              |             | 0          | -0.74            | -0.00087              | PASS    |
|           |           |                      |              |             | 10         | -0.8             | -0.00094              | PASS    |
|           |           |                      |              |             | 20         | -0.27            | -0.00032              | PASS    |
|           |           |                      |              |             | 30         | -3.3             | -0.00389              | PASS    |
|           |           |                      |              |             | 40         | -0.51            | -0.0006               | PASS    |
|           |           |                      |              |             | 50         | -1.56            | -0.00184              | PASS    |
|           |           | 5                    | LCH          | VN          | -30        | -0.49            | -0.00059              | PASS    |
|           |           |                      |              |             | -20        | -1.36            | -0.00165              | PASS    |
|           |           |                      |              |             | -10        | -1.59            | -0.00192              | PASS    |
|           |           |                      |              |             | 0          | -1.66            | -0.00201              | PASS    |
|           |           |                      |              |             | 10         | -1.57            | -0.0019               | PASS    |
|           |           |                      |              |             | 20         | -1.62            | -0.00196              | PASS    |
|           |           |                      |              |             | 30         | -1.97            | -0.00238              | PASS    |
|           |           |                      |              |             | 40         | -1.27            | -0.00154              | PASS    |
|           |           |                      |              |             | 50         | -1.6             | -0.00194              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      | MCH          | VN          | -30        | 2.32             | 0.00277               | PASS    |
|           |           |                      |              |             | -20        | 3.52             | 0.00421               | PASS    |
|           |           |                      |              |             | -10        | 3.5              | 0.00418               | PASS    |
|           |           |                      |              |             | 0          | 4.32             | 0.00516               | PASS    |
|           |           |                      |              |             | 10         | 2.76             | 0.0033                | PASS    |
|           |           |                      |              |             | 20         | 4.31             | 0.00515               | PASS    |
|           |           |                      |              |             | 30         | 3.76             | 0.00449               | PASS    |
|           |           |                      |              |             | 40         | 2.47             | 0.00295               | PASS    |
|           |           |                      |              |             | 50         | 3.5              | 0.00418               | PASS    |
|           |           |                      | HCH          | VN          | -30        | -1.34            | -0.00158              | PASS    |
|           |           |                      |              |             | -20        | 0.9              | 0.00106               | PASS    |
|           |           |                      |              |             | -10        | -3.48            | -0.00411              | PASS    |
|           |           |                      |              |             | 0          | -5.02            | -0.00593              | PASS    |
|           |           |                      |              |             | 10         | 0.96             | 0.00113               | PASS    |
|           |           |                      |              |             | 20         | 0.26             | 0.00031               | PASS    |
|           |           |                      |              |             | 30         | 0.51             | 0.0006                | PASS    |
|           |           |                      |              |             | 40         | -0.67            | -0.00079              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           | 10                   | LCH          | VN          | 50         | 1.16             | 0.00137               | PASS    |
|           |           |                      |              |             | -30        | -0.57            | -0.00069              | PASS    |
|           |           |                      |              |             | -20        | -0.77            | -0.00093              | PASS    |
|           |           |                      |              |             | -10        | -0.53            | -0.00064              | PASS    |
|           |           |                      |              |             | 0          | -0.59            | -0.00071              | PASS    |
|           |           |                      |              |             | 10         | 0.72             | 0.00087               | PASS    |
|           |           |                      |              |             | 20         | -0.54            | -0.00065              | PASS    |
|           |           |                      |              |             | 30         | -0.57            | -0.00069              | PASS    |
|           |           |                      |              |             | 40         | -3.76            | -0.00454              | PASS    |
|           |           |                      |              |             | 50         | -1.22            | -0.00147              | PASS    |
|           |           |                      | MCH          | VN          | -30        | 0.06             | 0.00007               | PASS    |
|           |           |                      |              |             | -20        | 0.73             | 0.00087               | PASS    |
|           |           |                      |              |             | -10        | 0.1              | 0.00012               | PASS    |
|           |           |                      |              |             | 0          | -0.47            | -0.00056              | PASS    |
|           |           |                      |              |             | 10         | -0.03            | -0.00004              | PASS    |
|           |           |                      |              |             | 20         | -0.21            | -0.00025              | PASS    |
|           |           |                      |              |             | 30         | -0.14            | -0.00017              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 40         | -0.31            | -0.00037              | PASS    |
|           |           |                      |              |             | 50         | -1.14            | -0.00136              | PASS    |
|           |           |                      | HCH          | VN          | -30        | 0.24             | 0.00028               | PASS    |
|           |           |                      |              |             | -20        | -0.83            | -0.00098              | PASS    |
|           |           |                      |              |             | -10        | 0.87             | 0.00103               | PASS    |
|           |           |                      |              |             | 0          | 0.21             | 0.00025               | PASS    |
|           |           |                      |              |             | 10         | -1.62            | -0.00192              | PASS    |
|           |           |                      |              |             | 20         | -0.41            | -0.00049              | PASS    |
|           |           |                      |              |             | 30         | -0.09            | -0.00011              | PASS    |
|           |           |                      |              |             | 40         | 0.41             | 0.00049               | PASS    |
|           |           |                      |              |             | 50         | -0.09            | -0.00011              | PASS    |
|           | LTE/TM2   | 1.4                  | LCH          | VN          | -30        | -3.19            | -0.00387              | PASS    |
|           |           |                      |              |             | -20        | -1.13            | -0.00137              | PASS    |
|           |           |                      |              |             | -10        | -2.59            | -0.00314              | PASS    |
|           |           |                      |              |             | 0          | -0.1             | -0.00012              | PASS    |
|           |           |                      |              |             | 10         | -2.26            | -0.00274              | PASS    |
|           |           |                      |              |             | 20         | -2.22            | -0.00269              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 30         | -2.36            | -0.00286              | PASS    |
|           |           |                      |              |             | 40         | -2.16            | -0.00262              | PASS    |
|           |           |                      |              |             | 50         | -2.37            | -0.00287              | PASS    |
|           |           |                      | MCH          | VN          | -30        | -1.8             | -0.00215              | PASS    |
|           |           |                      |              |             | -20        | 0.47             | 0.00056               | PASS    |
|           |           |                      |              |             | -10        | -1.19            | -0.00142              | PASS    |
|           |           |                      |              |             | 0          | -0.21            | -0.00025              | PASS    |
|           |           |                      |              |             | 10         | -2.96            | -0.00354              | PASS    |
|           |           |                      |              |             | 20         | -1.34            | -0.0016               | PASS    |
|           |           |                      |              |             | 30         | -1.43            | -0.00171              | PASS    |
|           |           |                      |              |             | 40         | -0.03            | -0.00004              | PASS    |
|           |           |                      |              |             | 50         | 0.96             | 0.00115               | PASS    |
|           |           |                      | HCH          | VN          | -30        | -1.8             | -0.00212              | PASS    |
|           |           |                      |              |             | -20        | -0.01            | -0.00001              | PASS    |
|           |           |                      |              |             | -10        | -1.87            | -0.0022               | PASS    |
|           |           |                      |              |             | 0          | 8.4              | 0.0099                | PASS    |
|           |           |                      |              |             | 10         | 2.17             | 0.00256               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 20         | -1.06            | -0.00125              | PASS    |
|           |           |                      |              |             | 30         | -3.93            | -0.00463              | PASS    |
|           |           |                      |              |             | 40         | 0.79             | 0.00093               | PASS    |
|           |           |                      |              |             | 50         | 0.26             | 0.00031               | PASS    |
|           |           | 3                    | LCH          | VN          | -30        | -1.6             | -0.00194              | PASS    |
|           |           |                      |              |             | -20        | -0.79            | -0.00096              | PASS    |
|           |           |                      |              |             | -10        | -1.04            | -0.00126              | PASS    |
|           |           |                      |              |             | 0          | -0.2             | -0.00024              | PASS    |
|           |           |                      |              |             | 10         | 0.31             | 0.00038               | PASS    |
|           |           |                      |              |             | 20         | -1.07            | -0.0013               | PASS    |
|           |           |                      |              |             | 30         | -0.76            | -0.00092              | PASS    |
|           |           |                      |              |             | 40         | -1.73            | -0.0021               | PASS    |
|           |           |                      |              |             | 50         | -1.23            | -0.00149              | PASS    |
|           |           |                      | MCH          | VN          | -30        | -0.57            | -0.00068              | PASS    |
|           |           |                      |              |             | -20        | -1.5             | -0.00179              | PASS    |
|           |           |                      |              |             | -10        | 0.41             | 0.00049               | PASS    |
|           |           |                      |              |             | 0          | -2.1             | -0.00251              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 10         | -1.06            | -0.00127              | PASS    |
|           |           |                      |              |             | 20         | -0.82            | -0.00098              | PASS    |
|           |           |                      |              |             | 30         | -0.29            | -0.00035              | PASS    |
|           |           |                      |              |             | 40         | -1.73            | -0.00207              | PASS    |
|           |           |                      |              |             | 50         | -0.9             | -0.00108              | PASS    |
|           |           |                      | HCH          | VN          | -30        | -3.09            | -0.00365              | PASS    |
|           |           |                      |              |             | -20        | -0.74            | -0.00087              | PASS    |
|           |           |                      |              |             | -10        | -0.84            | -0.00099              | PASS    |
|           |           |                      |              |             | 0          | -2.25            | -0.00265              | PASS    |
|           |           |                      |              |             | 10         | -0.9             | -0.00106              | PASS    |
|           |           |                      |              |             | 20         | -1.52            | -0.00179              | PASS    |
|           |           |                      |              |             | 30         | -1.7             | -0.00201              | PASS    |
|           |           |                      |              |             | 40         | -2.3             | -0.00271              | PASS    |
|           |           |                      |              |             | 50         | -0.53            | -0.00063              | PASS    |
|           |           | 5                    | LCH          | VN          | -30        | -1.53            | -0.00185              | PASS    |
|           |           |                      |              |             | -20        | -0.99            | -0.0012               | PASS    |
|           |           |                      |              |             | -10        | -1.7             | -0.00206              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 0          | -1.75            | -0.00212              | PASS    |
|           |           |                      |              |             | 10         | -2.82            | -0.00341              | PASS    |
|           |           |                      |              |             | 20         | -1.47            | -0.00178              | PASS    |
|           |           |                      |              |             | 30         | -1.37            | -0.00166              | PASS    |
|           |           |                      |              |             | 40         | -2               | -0.00242              | PASS    |
|           |           |                      |              |             | 50         | -1.62            | -0.00196              | PASS    |
|           |           |                      | MCH          | VN          | -30        | 4.12             | 0.00493               | PASS    |
|           |           |                      |              |             | -20        | 3.71             | 0.00444               | PASS    |
|           |           |                      |              |             | -10        | 3.86             | 0.00461               | PASS    |
|           |           |                      |              |             | 0          | 3.23             | 0.00386               | PASS    |
|           |           |                      |              |             | 10         | 4.51             | 0.00539               | PASS    |
|           |           |                      |              |             | 20         | 3.68             | 0.0044                | PASS    |
|           |           |                      |              |             | 30         | 3.32             | 0.00397               | PASS    |
|           |           |                      |              |             | 40         | 3.72             | 0.00445               | PASS    |
|           |           |                      |              |             | 50         | 2.59             | 0.0031                | PASS    |
|           |           |                      | HCH          | VN          | -30        | -1.22            | -0.00144              | PASS    |
|           |           |                      |              |             | -20        | 0.94             | 0.00111               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | -10        | 0.37             | 0.00044               | PASS    |
|           |           |                      |              |             | 0          | 0.06             | 0.00007               | PASS    |
|           |           |                      |              |             | 10         | 1.09             | 0.00129               | PASS    |
|           |           |                      |              |             | 20         | -0.63            | -0.00074              | PASS    |
|           |           |                      |              |             | 30         | -0.62            | -0.00073              | PASS    |
|           |           |                      |              |             | 40         | -0.4             | -0.00047              | PASS    |
|           |           |                      |              |             | 50         | -0.03            | -0.00004              | PASS    |
|           |           | 10                   | LCH          | VN          | -30        | -1.47            | -0.00177              | PASS    |
|           |           |                      |              |             | -20        | -1.23            | -0.00148              | PASS    |
|           |           |                      |              |             | -10        | -0.47            | -0.00057              | PASS    |
|           |           |                      |              |             | 0          | -1.04            | -0.00125              | PASS    |
|           |           |                      |              |             | 10         | -0.53            | -0.00064              | PASS    |
|           |           |                      |              |             | 20         | -1.1             | -0.00133              | PASS    |
|           |           |                      |              |             | 30         | -0.69            | -0.00083              | PASS    |
|           |           |                      |              |             | 40         | -1.2             | -0.00145              | PASS    |
|           |           |                      |              |             | 50         | 0.51             | 0.00062               | PASS    |
|           |           |                      | MCH          | VN          | -30        | -0.56            | -0.00067              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | -20        | 0.39             | 0.00047               | PASS    |
|           |           |                      |              |             | -10        | -1.04            | -0.00124              | PASS    |
|           |           |                      |              |             | 0          | -0.86            | -0.00103              | PASS    |
|           |           |                      |              |             | 10         | -0.34            | -0.00041              | PASS    |
|           |           |                      |              |             | 20         | -1.04            | -0.00124              | PASS    |
|           |           |                      |              |             | 30         | -0.66            | -0.00079              | PASS    |
|           |           |                      |              |             | 40         | -0.43            | -0.00051              | PASS    |
|           |           |                      |              |             | 50         | -0.2             | -0.00024              | PASS    |
|           |           |                      | HCH          | VN          | -30        | -0.5             | -0.00059              | PASS    |
|           |           |                      |              |             | -20        | 0.11             | 0.00013               | PASS    |
|           |           |                      |              |             | -10        | -1.7             | -0.00201              | PASS    |
|           |           |                      |              |             | 0          | -1.03            | -0.00122              | PASS    |
|           |           |                      |              |             | 10         | -0.14            | -0.00017              | PASS    |
|           |           |                      |              |             | 20         | -1.13            | -0.00134              | PASS    |
|           |           |                      |              |             | 30         | -1.03            | -0.00122              | PASS    |
|           |           |                      |              |             | 40         | -1.23            | -0.00146              | PASS    |
|           |           |                      |              |             | 50         | -0.09            | -0.00011              | PASS    |
| BAND12    | LTE/TM1   | 1.4                  | LCH          | VN          | -30        | 3.53             | 0.00505               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | -20        | 2.78             | 0.00397               | PASS    |
|           |           |                      |              |             | -10        | 3.42             | 0.00489               | PASS    |
|           |           |                      |              |             | 0          | 3.83             | 0.00547               | PASS    |
|           |           |                      |              |             | 10         | 3.66             | 0.00523               | PASS    |
|           |           |                      |              |             | 20         | 5.22             | 0.00746               | PASS    |
|           |           |                      |              |             | 30         | 2.42             | 0.00346               | PASS    |
|           |           |                      |              |             | 40         | 2.56             | 0.00366               | PASS    |
|           |           |                      |              |             | 50         | 3.81             | 0.00545               | PASS    |
|           |           |                      | MCH          | VN          | -30        | -0.23            | -0.00033              | PASS    |
|           |           |                      |              |             | -20        | -0.74            | -0.00105              | PASS    |
|           |           |                      |              |             | -10        | -1.63            | -0.0023               | PASS    |
|           |           |                      |              |             | 0          | -1.37            | -0.00194              | PASS    |
|           |           |                      |              |             | 10         | -0.09            | -0.00013              | PASS    |
|           |           |                      |              |             | 20         | -1.43            | -0.00202              | PASS    |
|           |           |                      |              |             | 30         | -0.23            | -0.00033              | PASS    |
|           |           |                      |              |             | 40         | -0.76            | -0.00107              | PASS    |
|           |           |                      |              |             | 50         | 0.49             | 0.00069               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      | HCH          | VN          | -30        | -0.34            | -0.00048              | PASS    |
|           |           |                      |              |             | -20        | 0.01             | 0.00001               | PASS    |
|           |           |                      |              |             | -10        | 1.4              | 0.00196               | PASS    |
|           |           |                      |              |             | 0          | 0.47             | 0.00066               | PASS    |
|           |           |                      |              |             | 10         | 0.1              | 0.00014               | PASS    |
|           |           |                      |              |             | 20         | 0.07             | 0.0001                | PASS    |
|           |           |                      |              |             | 30         | -0.92            | -0.00129              | PASS    |
|           |           |                      |              |             | 40         | 0.79             | 0.0011                | PASS    |
|           |           |                      |              |             | 50         | 0.34             | 0.00048               | PASS    |
|           |           | 3                    | LCH          | VN          | -30        | -16.62           | -0.02373              | PASS    |
|           |           |                      |              |             | -20        | -17.29           | -0.02468              | PASS    |
|           |           |                      |              |             | -10        | -16.05           | -0.02291              | PASS    |
|           |           |                      |              |             | 0          | -15.76           | -0.0225               | PASS    |
|           |           |                      |              |             | 10         | -16.61           | -0.02371              | PASS    |
|           |           |                      |              |             | 20         | -15.45           | -0.02206              | PASS    |
|           |           |                      |              |             | 30         | -16.01           | -0.02286              | PASS    |
|           |           |                      |              |             | 40         | -16.89           | -0.02411              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 50         | -15.32           | -0.02187              | PASS    |
|           |           |                      |              |             | -30        | -0.26            | -0.00037              | PASS    |
|           |           |                      | MCH          | VN          | -20        | -0.86            | -0.00122              | PASS    |
|           |           |                      |              |             | -10        | -0.41            | -0.00058              | PASS    |
|           |           |                      |              |             | 0          | -0.99            | -0.0014               | PASS    |
|           |           |                      |              |             | 10         | -1.16            | -0.00164              | PASS    |
|           |           |                      |              |             | 20         | -1.22            | -0.00172              | PASS    |
|           |           |                      |              |             | 30         | -0.1             | -0.00014              | PASS    |
|           |           |                      |              |             | 40         | 0.44             | 0.00062               | PASS    |
|           |           |                      |              |             | 50         | -0.97            | -0.00137              | PASS    |
|           |           |                      | HCH          | VN          | -30        | -0.33            | -0.00046              | PASS    |
|           |           |                      |              |             | -20        | 0.49             | 0.00069               | PASS    |
|           |           |                      |              |             | -10        | 0.07             | 0.0001                | PASS    |
|           |           |                      |              |             | 0          | 0.99             | 0.00139               | PASS    |
|           |           |                      |              |             | 10         | -0.24            | -0.00034              | PASS    |
|           |           |                      |              |             | 20         | -1.19            | -0.00167              | PASS    |
|           |           |                      |              |             | 30         | -0.96            | -0.00134              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 40         | 0.3              | 0.00042               | PASS    |
|           |           |                      |              |             | 50         | -0.87            | -0.00122              | PASS    |
|           |           | 5                    | LCH          | VN          | -30        | -0.27            | -0.00038              | PASS    |
|           |           |                      |              |             | -20        | 0.7              | 0.001                 | PASS    |
|           |           |                      |              |             | -10        | -0.47            | -0.00067              | PASS    |
|           |           |                      |              |             | 0          | -0.17            | -0.00024              | PASS    |
|           |           |                      |              |             | 10         | -0.57            | -0.00081              | PASS    |
|           |           |                      |              |             | 20         | 0.17             | 0.00024               | PASS    |
|           |           |                      |              |             | 30         | 1.02             | 0.00145               | PASS    |
|           |           |                      |              |             | 40         | 1.1              | 0.00157               | PASS    |
|           |           |                      |              |             | 50         | 0.84             | 0.0012                | PASS    |
|           |           |                      | MCH          | VN          | -30        | -2.32            | -0.00328              | PASS    |
|           |           |                      |              |             | -20        | -0.29            | -0.00041              | PASS    |
|           |           |                      |              |             | -10        | 0.33             | 0.00047               | PASS    |
|           |           |                      |              |             | 0          | 0.79             | 0.00112               | PASS    |
|           |           |                      |              |             | 10         | -0.74            | -0.00105              | PASS    |
|           |           |                      |              |             | 20         | -0.06            | -0.00008              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 30         | -0.23            | -0.00033              | PASS    |
|           |           |                      |              |             | 40         | -0.94            | -0.00133              | PASS    |
|           |           |                      |              |             | 50         | -2.29            | -0.00324              | PASS    |
|           |           |                      | HCH          | VN          | -30        | -0.04            | -0.00006              | PASS    |
|           |           |                      |              |             | -20        | -0.53            | -0.00074              | PASS    |
|           |           |                      |              |             | -10        | -1.75            | -0.00245              | PASS    |
|           |           |                      |              |             | 0          | -0.53            | -0.00074              | PASS    |
|           |           |                      |              |             | 10         | -0.17            | -0.00024              | PASS    |
|           |           |                      |              |             | 20         | -0.14            | -0.0002               | PASS    |
|           |           |                      |              |             | 30         | 0.49             | 0.00069               | PASS    |
|           |           |                      |              |             | 40         | -0.96            | -0.00135              | PASS    |
|           |           |                      |              |             | 50         | -2.42            | -0.00339              | PASS    |
|           |           | 10                   | LCH          | VN          | -30        | -1.03            | -0.00146              | PASS    |
|           |           |                      |              |             | -20        | 0.03             | 0.00004               | PASS    |
|           |           |                      |              |             | -10        | -0.04            | -0.00006              | PASS    |
|           |           |                      |              |             | 0          | -0.56            | -0.0008               | PASS    |
|           |           |                      |              |             | 10         | -7.04            | -0.01                 | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 20         | -0.47            | -0.00067              | PASS    |
|           |           |                      |              |             | 30         | 0.13             | 0.00018               | PASS    |
|           |           |                      |              |             | 40         | -0.04            | -0.00006              | PASS    |
|           |           |                      |              |             | 50         | -0.72            | -0.00102              | PASS    |
|           |           |                      | MCH          | VN          | -30        | -0.29            | -0.00041              | PASS    |
|           |           |                      |              |             | -20        | -0.41            | -0.00058              | PASS    |
|           |           |                      |              |             | -10        | 0.17             | 0.00024               | PASS    |
|           |           |                      |              |             | 0          | -0.63            | -0.00089              | PASS    |
|           |           |                      |              |             | 10         | -1.37            | -0.00194              | PASS    |
|           |           |                      |              |             | 20         | 0.07             | 0.0001                | PASS    |
|           |           |                      |              |             | 30         | -0.63            | -0.00089              | PASS    |
|           |           |                      |              |             | 40         | -1.34            | -0.00189              | PASS    |
|           |           |                      |              |             | 50         | -0.92            | -0.0013               | PASS    |
|           |           |                      | HCH          | VN          | -30        | -1.27            | -0.00179              | PASS    |
|           |           |                      |              |             | -20        | -1.12            | -0.00158              | PASS    |
|           |           |                      |              |             | -10        | -1.56            | -0.00219              | PASS    |
|           |           |                      |              |             | 0          | -0.76            | -0.00107              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 10         | -1.97            | -0.00277              | PASS    |
|           |           |                      |              |             | 20         | -1.95            | -0.00274              | PASS    |
|           |           |                      |              |             | 30         | -1.3             | -0.00183              | PASS    |
|           |           |                      |              |             | 40         | -1.85            | -0.0026               | PASS    |
|           |           |                      |              |             | 50         | -0.83            | -0.00117              | PASS    |
|           | LTE/TM2   | 1.4                  | LCH          | VN          | -30        | 3.85             | 0.0055                | PASS    |
|           |           |                      |              |             | -20        | 2.62             | 0.00374               | PASS    |
|           |           |                      |              |             | -10        | 1.23             | 0.00176               | PASS    |
|           |           |                      |              |             | 0          | 3.03             | 0.00433               | PASS    |
|           |           |                      |              |             | 10         | 3.09             | 0.00442               | PASS    |
|           |           |                      |              |             | 20         | 2.37             | 0.00339               | PASS    |
|           |           |                      |              |             | 30         | 2.62             | 0.00374               | PASS    |
|           |           |                      |              |             | 40         | 2.57             | 0.00367               | PASS    |
|           |           |                      |              |             | 50         | 2.82             | 0.00403               | PASS    |
|           |           |                      | MCH          | VN          | -30        | -0.27            | -0.00038              | PASS    |
|           |           |                      |              |             | -20        | -0.29            | -0.00041              | PASS    |
|           |           |                      |              |             | -10        | 0.24             | 0.00034               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 0          | -0.1             | -0.00014              | PASS    |
|           |           |                      |              |             | 10         | -0.83            | -0.00117              | PASS    |
|           |           |                      |              |             | 20         | -0.76            | -0.00107              | PASS    |
|           |           |                      |              |             | 30         | -0.06            | -0.00008              | PASS    |
|           |           |                      |              |             | 40         | -0.86            | -0.00122              | PASS    |
|           |           |                      |              |             | 50         | -1.39            | -0.00196              | PASS    |
|           |           |                      | HCH          | VN          | -30        | -0.66            | -0.00092              | PASS    |
|           |           |                      |              |             | -20        | -0.26            | -0.00036              | PASS    |
|           |           |                      |              |             | -10        | 0.73             | 0.00102               | PASS    |
|           |           |                      |              |             | 0          | 0.36             | 0.0005                | PASS    |
|           |           |                      |              |             | 10         | -0.29            | -0.00041              | PASS    |
|           |           |                      |              |             | 20         | -0.76            | -0.00106              | PASS    |
|           |           |                      |              |             | 30         | 0.23             | 0.00032               | PASS    |
|           |           |                      |              |             | 40         | -0.69            | -0.00096              | PASS    |
|           |           |                      |              |             | 50         | 0.11             | 0.00015               | PASS    |
|           |           | 3                    | LCH          | VN          | -30        | -16.82           | -0.02401              | PASS    |
|           |           |                      |              |             | -20        | -16.24           | -0.02318              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | -10        | -18.75           | -0.02677              | PASS    |
|           |           |                      |              |             | 0          | -18.4            | -0.02627              | PASS    |
|           |           |                      |              |             | 10         | -19.7            | -0.02812              | PASS    |
|           |           |                      |              |             | 20         | -17.07           | -0.02437              | PASS    |
|           |           |                      |              |             | 30         | -17.82           | -0.02544              | PASS    |
|           |           |                      |              |             | 40         | -19.91           | -0.02842              | PASS    |
|           |           |                      |              |             | 50         | -18.5            | -0.02641              | PASS    |
|           |           |                      | MCH          | VN          | -30        | -1.24            | -0.00175              | PASS    |
|           |           |                      |              |             | -20        | -0.73            | -0.00103              | PASS    |
|           |           |                      |              |             | -10        | -0.47            | -0.00066              | PASS    |
|           |           |                      |              |             | 0          | -1.1             | -0.00155              | PASS    |
|           |           |                      |              |             | 10         | -0.94            | -0.00133              | PASS    |
|           |           |                      |              |             | 20         | -1.65            | -0.00233              | PASS    |
|           |           |                      |              |             | 30         | -0.97            | -0.00137              | PASS    |
|           |           |                      |              |             | 40         | -1.17            | -0.00165              | PASS    |
|           |           |                      |              |             | 50         | -0.87            | -0.00123              | PASS    |
|           |           |                      | HCH          | VN          | -30        | -1.59            | -0.00223              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | -20        | -1.3             | -0.00182              | PASS    |
|           |           |                      |              |             | -10        | -0.86            | -0.0012               | PASS    |
|           |           |                      |              |             | 0          | -2.19            | -0.00307              | PASS    |
|           |           |                      |              |             | 10         | -1.29            | -0.00181              | PASS    |
|           |           |                      |              |             | 20         | -0.94            | -0.00132              | PASS    |
|           |           |                      |              |             | 30         | -0.6             | -0.00084              | PASS    |
|           |           |                      |              |             | 40         | -0.06            | -0.00008              | PASS    |
|           |           |                      |              |             | 50         | -0.39            | -0.00055              | PASS    |
|           |           | 5                    | LCH          | VN          | -30        | -0.31            | -0.00044              | PASS    |
|           |           |                      |              |             | -20        | -0.37            | -0.00053              | PASS    |
|           |           |                      |              |             | -10        | 0.2              | 0.00029               | PASS    |
|           |           |                      |              |             | 0          | -0.63            | -0.0009               | PASS    |
|           |           |                      |              |             | 10         | -0.21            | -0.0003               | PASS    |
|           |           |                      |              |             | 20         | -0.53            | -0.00076              | PASS    |
|           |           |                      |              |             | 30         | 0.47             | 0.00067               | PASS    |
|           |           |                      |              |             | 40         | 0.11             | 0.00016               | PASS    |
|           |           |                      |              |             | 50         | 0.06             | 0.00009               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      | MCH          | VN          | -30        | -1.59            | -0.00225              | PASS    |
|           |           |                      |              |             | -20        | -0.9             | -0.00127              | PASS    |
|           |           |                      |              |             | -10        | -0.96            | -0.00136              | PASS    |
|           |           |                      |              |             | 0          | -0.53            | -0.00075              | PASS    |
|           |           |                      |              |             | 10         | -1.04            | -0.00147              | PASS    |
|           |           |                      |              |             | 20         | -1.2             | -0.0017               | PASS    |
|           |           |                      |              |             | 30         | -1.36            | -0.00192              | PASS    |
|           |           |                      |              |             | 40         | -1.23            | -0.00174              | PASS    |
|           |           |                      |              |             | 50         | -1.02            | -0.00144              | PASS    |
|           |           |                      | HCH          | VN          | -30        | -2.02            | -0.00283              | PASS    |
|           |           |                      |              |             | -20        | -2.49            | -0.00349              | PASS    |
|           |           |                      |              |             | -10        | -0.62            | -0.00087              | PASS    |
|           |           |                      |              |             | 0          | -1.1             | -0.00154              | PASS    |
|           |           |                      |              |             | 10         | -1.27            | -0.00178              | PASS    |
|           |           |                      |              |             | 20         | -1.13            | -0.00158              | PASS    |
|           |           |                      |              |             | 30         | -0.76            | -0.00107              | PASS    |
|           |           |                      |              |             | 40         | -0.54            | -0.00076              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           | 10                   | LCH          | VN          | 50         | -1.43            | -0.002                | PASS    |
|           |           |                      |              |             | -30        | 0.16             | 0.00023               | PASS    |
|           |           |                      |              |             | -20        | -0.53            | -0.00075              | PASS    |
|           |           |                      |              |             | -10        | -0.51            | -0.00072              | PASS    |
|           |           |                      |              |             | 0          | 0.09             | 0.00013               | PASS    |
|           |           |                      |              |             | 10         | -0.59            | -0.00084              | PASS    |
|           |           |                      |              |             | 20         | 0.19             | 0.00027               | PASS    |
|           |           |                      |              |             | 30         | 0.74             | 0.00105               | PASS    |
|           |           |                      |              |             | 40         | -0.99            | -0.00141              | PASS    |
|           |           |                      |              |             | 50         | -0.16            | -0.00023              | PASS    |
|           |           |                      | MCH          | VN          | -30        | 0.59             | 0.00083               | PASS    |
|           |           |                      |              |             | -20        | 1.29             | 0.00182               | PASS    |
|           |           |                      |              |             | -10        | -1.16            | -0.00164              | PASS    |
|           |           |                      |              |             | 0          | -0.1             | -0.00014              | PASS    |
|           |           |                      |              |             | 10         | 0.49             | 0.00069               | PASS    |
|           |           |                      |              |             | 20         | 1.02             | 0.00144               | PASS    |
|           |           |                      |              |             | 30         | 0.63             | 0.00089               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 40         | 0.23             | 0.00033               | PASS    |
|           |           |                      |              |             | 50         | 0.27             | 0.00038               | PASS    |
|           |           |                      | HCH          | VN          | -30        | 0.31             | 0.00044               | PASS    |
|           |           |                      |              |             | -20        | 0.54             | 0.00076               | PASS    |
|           |           |                      |              |             | -10        | -0.36            | -0.00051              | PASS    |
|           |           |                      |              |             | 0          | 0.11             | 0.00015               | PASS    |
|           |           |                      |              |             | 10         | -0.03            | -0.00004              | PASS    |
|           |           |                      |              |             | 20         | -0.47            | -0.00066              | PASS    |
|           |           |                      |              |             | 30         | -0.19            | -0.00027              | PASS    |
|           |           |                      |              |             | 40         | -0.31            | -0.00044              | PASS    |
|           |           |                      |              |             | 50         | 0.63             | 0.00089               | PASS    |
| BAND17    | LTE/TM1   | 5                    | LCH          | VN          | -30        | -1.85            | -0.00262              | PASS    |
|           |           |                      |              |             | -20        | -0.13            | -0.00018              | PASS    |
|           |           |                      |              |             | -10        | -0.86            | -0.00122              | PASS    |
|           |           |                      |              |             | 0          | -1.75            | -0.00248              | PASS    |
|           |           |                      |              |             | 10         | -0.1             | -0.00014              | PASS    |
|           |           |                      |              |             | 20         | -1.29            | -0.00183              | PASS    |
|           |           |                      |              |             | 30         | -1.29            | -0.00183              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 40         | -0.69            | -0.00098              | PASS    |
|           |           |                      |              |             | 50         | -1.22            | -0.00173              | PASS    |
|           |           |                      | MCH          | VN          | -30        | 0.36             | 0.00051               | PASS    |
|           |           |                      |              |             | -20        | 0.64             | 0.0009                | PASS    |
|           |           |                      |              |             | -10        | 1.07             | 0.00151               | PASS    |
|           |           |                      |              |             | 0          | -1.26            | -0.00177              | PASS    |
|           |           |                      |              |             | 10         | 0.04             | 0.00006               | PASS    |
|           |           |                      |              |             | 20         | -0.67            | -0.00094              | PASS    |
|           |           |                      |              |             | 30         | -0.93            | -0.00131              | PASS    |
|           |           |                      |              |             | 40         | -1.27            | -0.00179              | PASS    |
|           |           |                      |              |             | 50         | 0.23             | 0.00032               | PASS    |
|           |           |                      | HCH          | VN          | -30        | -0.51            | -0.00071              | PASS    |
|           |           |                      |              |             | -20        | -1.44            | -0.00202              | PASS    |
|           |           |                      |              |             | -10        | -0.69            | -0.00097              | PASS    |
|           |           |                      |              |             | 0          | -0.29            | -0.00041              | PASS    |
|           |           |                      |              |             | 10         | -0.83            | -0.00116              | PASS    |
|           |           |                      |              |             | 20         | -2               | -0.0028               | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 30         | -0.49            | -0.00069              | PASS    |
|           |           |                      |              |             | 40         | 0.09             | 0.00013               | PASS    |
|           |           |                      |              |             | 50         | -0.4             | -0.00056              | PASS    |
|           |           | 10                   | LCH          | VN          | -30        | -0.36            | -0.00051              | PASS    |
|           |           |                      |              |             | -20        | -0.8             | -0.00113              | PASS    |
|           |           |                      |              |             | -10        | -1.02            | -0.00144              | PASS    |
|           |           |                      |              |             | 0          | -0.21            | -0.0003               | PASS    |
|           |           |                      |              |             | 10         | -0.01            | -0.00001              | PASS    |
|           |           |                      |              |             | 20         | -0.04            | -0.00006              | PASS    |
|           |           |                      |              |             | 30         | -0.82            | -0.00116              | PASS    |
|           |           |                      |              |             | 40         | 0.77             | 0.00109               | PASS    |
|           |           |                      |              |             | 50         | 0.36             | 0.00051               | PASS    |
|           |           |                      | MCH          | VN          | -30        | 0.29             | 0.00041               | PASS    |
|           |           |                      |              |             | -20        | 0.3              | 0.00042               | PASS    |
|           |           |                      |              |             | -10        | -0.37            | -0.00052              | PASS    |
|           |           |                      |              |             | 0          | -0.26            | -0.00037              | PASS    |
|           |           |                      |              |             | 10         | 0                | 0                     | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 20         | 0.24             | 0.00034               | PASS    |
|           |           |                      |              |             | 30         | 0.36             | 0.00051               | PASS    |
|           |           |                      |              |             | 40         | 0.29             | 0.00041               | PASS    |
|           |           |                      |              |             | 50         | -0.66            | -0.00093              | PASS    |
|           |           |                      | HCH          | VN          | -30        | -1.89            | -0.00266              | PASS    |
|           |           |                      |              |             | -20        | -1.26            | -0.00177              | PASS    |
|           |           |                      |              |             | -10        | -2.53            | -0.00356              | PASS    |
|           |           |                      |              |             | 0          | -1.47            | -0.00207              | PASS    |
|           |           |                      |              |             | 10         | -1.32            | -0.00186              | PASS    |
|           |           |                      |              |             | 20         | -2.02            | -0.00284              | PASS    |
|           |           |                      |              |             | 30         | -1.86            | -0.00262              | PASS    |
|           |           |                      |              |             | 40         | -1.24            | -0.00174              | PASS    |
|           |           |                      |              |             | 50         | -2               | -0.00281              | PASS    |
|           | LTE/TM2   | 5                    | LCH          | VN          | -30        | -1.54            | -0.00218              | PASS    |
|           |           |                      |              |             | -20        | -2.4             | -0.0034               | PASS    |
|           |           |                      |              |             | -10        | -2.52            | -0.00357              | PASS    |
|           |           |                      |              |             | 0          | -2.72            | -0.00385              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 10         | -2.75            | -0.00389              | PASS    |
|           |           |                      |              |             | 20         | -2.1             | -0.00297              | PASS    |
|           |           |                      |              |             | 30         | -2.16            | -0.00306              | PASS    |
|           |           |                      |              |             | 40         | -2.07            | -0.00293              | PASS    |
|           |           |                      |              |             | 50         | -1.4             | -0.00198              | PASS    |
|           |           |                      | MCH          | VN          | -30        | -0.23            | -0.00032              | PASS    |
|           |           |                      |              |             | -20        | -1.02            | -0.00144              | PASS    |
|           |           |                      |              |             | -10        | -0.7             | -0.00099              | PASS    |
|           |           |                      |              |             | 0          | 0.46             | 0.00065               | PASS    |
|           |           |                      |              |             | 10         | -0.9             | -0.00127              | PASS    |
|           |           |                      |              |             | 20         | 0.41             | 0.00058               | PASS    |
|           |           |                      |              |             | 30         | 0.36             | 0.00051               | PASS    |
|           |           |                      |              |             | 40         | -0.03            | -0.00004              | PASS    |
|           |           |                      |              |             | 50         | -0.04            | -0.00006              | PASS    |
|           |           |                      | HCH          | VN          | -30        | -0.66            | -0.00093              | PASS    |
|           |           |                      |              |             | -20        | -0.59            | -0.00083              | PASS    |
|           |           |                      |              |             | -10        | -0.77            | -0.00108              | PASS    |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | 0          | -0.73            | -0.00102              | PASS    |
|           |           |                      |              |             | 10         | -1               | -0.0014               | PASS    |
|           |           |                      |              |             | 20         | -0.83            | -0.00116              | PASS    |
|           |           |                      |              |             | 30         | -0.74            | -0.00104              | PASS    |
|           |           |                      |              |             | 40         | -1.52            | -0.00213              | PASS    |
|           |           |                      |              |             | 50         | -0.92            | -0.00129              | PASS    |
|           |           | 10                   | LCH          | VN          | -30        | 0.27             | 0.00038               | PASS    |
|           |           |                      |              |             | -20        | 1.17             | 0.00165               | PASS    |
|           |           |                      |              |             | -10        | 0.64             | 0.0009                | PASS    |
|           |           |                      |              |             | 0          | 0.76             | 0.00107               | PASS    |
|           |           |                      |              |             | 10         | 0.16             | 0.00023               | PASS    |
|           |           |                      |              |             | 20         | 1.77             | 0.0025                | PASS    |
|           |           |                      |              |             | 30         | 2                | 0.00282               | PASS    |
|           |           |                      |              |             | 40         | 0.76             | 0.00107               | PASS    |
|           |           |                      |              |             | 50         | 0.96             | 0.00135               | PASS    |
|           |           |                      | MCH          | VN          | -30        | 0.9              | 0.00127               | PASS    |
|           |           |                      |              |             | -20        | 1.4              | 0.00197               | PASS    |
|           |           |                      |              |             |            |                  |                       |         |

| Test Band | Test Mode | Test Bandwidth (MHz) | Test Channel | Test Tolt.. | Test temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-----------|-----------|----------------------|--------------|-------------|------------|------------------|-----------------------|---------|
|           |           |                      |              |             | -10        | 1.83             | 0.00258               | PASS    |
|           |           |                      |              |             | 0          | 2.15             | 0.00303               | PASS    |
|           |           |                      |              |             | 10         | 1.66             | 0.00234               | PASS    |
|           |           |                      |              |             | 20         | 2.66             | 0.00375               | PASS    |
|           |           |                      |              |             | 30         | 1.75             | 0.00246               | PASS    |
|           |           |                      |              |             | 40         | 1.75             | 0.00246               | PASS    |
|           |           |                      |              |             | 50         | 2.05             | 0.00289               | PASS    |
|           |           |                      | HCH          | VN          | -30        | 0.26             | 0.00037               | PASS    |
|           |           |                      |              |             | -20        | 0.59             | 0.00083               | PASS    |
|           |           |                      |              |             | -10        | -0.13            | -0.00018              | PASS    |
|           |           |                      |              |             | 0          | 0.64             | 0.0009                | PASS    |
|           |           |                      |              |             | 10         | 0.83             | 0.00117               | PASS    |
|           |           |                      |              |             | 20         | 1.03             | 0.00145               | PASS    |
|           |           |                      |              |             | 30         | 0.5              | 0.0007                | PASS    |
|           |           |                      |              |             | 40         | -1.46            | -0.00205              | PASS    |
|           |           |                      |              |             | 50         | 1.3              | 0.00183               | PASS    |

END