



Appendix for test report



1Appendix_A: Effective (Isotropic) Radiated Power Output Data

Part I - Test Results

Void

2Appendix_B: Peak-to-Average Ratio

Part I - Test Results

Void

3Appendix_C: Modulation Characteristics

Part I - Test Plots

Void

4Appendix_D: Bandwidth

Part I - Test Results

Void

5Appendix_E: Band Edges Compliance

Part I - Test Plots

Void

6Appendix_F: Spurious Emission at Antenna Terminal

Part I - Test Plots

Void

7Appendix_G: Field Strength of Spurious Radiation

Note:

9kHz~150kHz, VBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, VBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK


Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

We tested all modes, but the data presented below is the worst case.


Part I - Test Plots

7.1 For GSM


7.1.1 Test Band = GSM850




Copy of FCC PART22 GSM 850_L




Copy of FCC PART22 GSM 850_H





7.1.2 Test Band = GSM1900



Copy of FCC PART24 GSM 1900_L




Copy of FCC PART24 GSM 1900_H



7.2 For UMTS


7.2.1 Test Band = WCDMA850

7.2.1.1 Test Mode = UMTS/TM1






Copy of FCC PART22 W CDMA850_L



Copy of FCC PART22 W CDMA850_H





8Appendix_H: Frequency Stability

Viod

END