




5.1.1.2.3.1.3 Test RB = RB12#6





5.1.1.2.3.1.4 Test RB = RB25#0





5.1.1.2.3.2 Test Channel = HCH

5.1.1.2.3.2.1 Test RB = RB1#0






5.1.1.2.3.2.2 Test RB = RB1#24





5.1.1.2.3.2.3 Test RB = RB12#6





5.1.1.2.3.2.4 Test RB = RB25#0






5.1.1.2.4 Test Bandwidth = 10

5.1.1.2.4.1 Test Channel = LCH

5.1.1.2.4.1.1 Test RB = RB1#0






5.1.1.2.4.1.2 Test RB = RB1#49






5.1.1.2.4.1.3 Test RB = RB25#13






5.1.1.2.4.1.4 Test RB = RB50#0






5.1.1.2.4.2 Test Channel = HCH

5.1.1.2.4.2.1 Test RB = RB1#0





5.1.1.2.4.2.2 Test RB = RB1#49





5.1.1.2.4.2.3 Test RB = RB25#13





5.1.1.2.4.2.4 Test RB = RB50#0





6Appendix_F: Spurious Emission at Antenna Terminal

NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (Span / RBW)$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

Part I - Test Plots

6.1 For LTE


6.1.1 Test Band = BAND5


6.1.1.1 Test Mode = LTE/TM1


6.1.1.1.1 Test Bandwidth = 1.4

6.1.1.1.1.1 Test Channel = LCH

6.1.1.1.1.1.1 Test RB = RB1#0













6.1.1.1.1.2 Test Channel = MCH

6.1.1.1.1.2.1 Test RB = RB1#0















6.1.1.1.1.3 Test Channel = HCH

6.1.1.1.1.3.1 Test RB = RB1#0














6.1.1.1.2 Test Bandwidth = 3

6.1.1.1.2.1 Test Channel = LCH

6.1.1.1.2.1.1 Test RB = RB1#0












6.1.1.1.2.2 Test Channel = MCH

6.1.1.1.2.2.1 Test RB = RB1#0













6.1.1.1.2.3 Test Channel = HCH

6.1.1.1.2.3.1 Test RB = RB1#0














6.1.1.1.3 Test Bandwidth = 5


6.1.1.1.3.1 Test Channel = LCH


6.1.1.1.3.1.1 Test RB = RB1#0























6.1.1.1.3.3 Test Channel = HCH

6.1.1.1.3.3.1 Test RB = RB1#0














6.1.1.1.4 Test Bandwidth = 10


6.1.1.1.4.1 Test Channel = LCH

6.1.1.1.4.1.1 Test RB = RB1#0















6.1.1.1.4.2 Test Channel = MCH

6.1.1.1.4.2.1 Test RB = RB1#0















6.1.1.1.4.3 Test Channel = HCH

6.1.1.1.4.3.1 Test RB = RB1#0













6.1.1.2 Test Mode = LTE/TM2


6.1.1.2.1 Test Bandwidth = 1.4


6.1.1.2.1.1 Test Channel = LCH

6.1.1.2.1.1.1 Test RB = RB1#0















6.1.1.2.1.2 Test Channel = MCH

6.1.1.2.1.2.1 Test RB = RB1#0














6.1.1.2.1.3 Test Channel = HCH

6.1.1.2.1.3.1 Test RB = RB1#0












6.1.1.2.2 Test Bandwidth = 3

6.1.1.2.2.1 Test Channel = LCH

6.1.1.2.2.1.1 Test RB = RB1#0













6.1.1.2.2 Test Channel = MCH

6.1.1.2.2.1 Test RB = RB1#0















6.1.1.2.2.3 Test Channel = HCH

6.1.1.2.2.3.1 Test RB = RB1#0














6.1.1.2.3 Test Bandwidth = 5

6.1.1.2.3.1 Test Channel = LCH

6.1.1.2.3.1.1 Test RB = RB1#0












6.1.1.2.3.2 Test Channel = MCH

6.1.1.2.3.2.1 Test RB = RB1#0















6.1.1.2.3.3 Test Channel = HCH

6.1.1.2.3.3.1 Test RB = RB1#0














6.1.1.2.4 Test Bandwidth = 10


6.1.1.2.4.1 Test Channel = LCH

6.1.1.2.4.1.1 Test RB = RB1#0













6.1.1.2.4.2 Test Channel = MCH

6.1.1.2.4.2.1 Test RB = RB1#0











6.1.1.2.4.3 Test Channel = HCH

6.1.1.2.4.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note:

9kHz~150kHz, VBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, VBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK


Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = BAND5


7.1.1.1 Test Bandwidth = 1.4




Copy of RSE-TX-DIRECTOR BELOW 1G_L




Copy of RSE-TX-DIRECTOR BELOW 1G_H




7.1.1.3 Test Bandwidth = 10



Copy of RSE-TX-DIRECTOR BELOW 1G_L



Copy of RSE-TX-DIRECTOR BELOW 1G_H





8Appendix_H: Frequency Stability



8.1 For LTE

8.1.1 Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND5	LTE/TM1	1.4	LCH	TN	VL	-0.79	-0.00096	PASS
					VN	-0.06	-0.00007	PASS
					VH	0.09	0.00011	PASS
			MCH	TN	VL	-0.74	-0.00088	PASS
					VN	0.33	0.00039	PASS
					VH	-0.43	-0.00051	PASS
			HCH	TN	VL	0.3	0.00035	PASS
					VN	-0.7	-0.00083	PASS
					VH	-0.47	-0.00055	PASS
		3	LCH	TN	VL	2.09	0.00253	PASS
					VN	3.36	0.00407	PASS
					VH	4.59	0.00556	PASS
			MCH	TN	VL	0.03	0.00004	PASS
					VN	-0.66	-0.00079	PASS
					VH	-0.16	-0.00019	PASS
			HCH	TN	VL	-12.4	-0.01463	PASS
					VN	1.23	0.00145	PASS
					VH	-7.38	-0.00871	PASS
		5	LCH	TN	VL	-7.82	-0.00946	PASS
					VN	4.23	0.00512	PASS
					VH	-14.79	-0.01789	PASS
			MCH	TN	VL	1.1	0.00132	PASS
					VN	-1.56	-0.00186	PASS
					VH	0.97	0.00116	PASS
			HCH	TN	VL	-8.07	-0.00953	PASS
					VN	-11.3	-0.01335	PASS
					VH	2.05	0.00242	PASS
		10	LCH	TN	VL	-1.3	-0.00157	PASS
					VN	1.07	0.00129	PASS
					VH	1.85	0.00223	PASS
MCH	TN		VL	71.73	0.08575	PASS		
			VN	68.32	0.08167	PASS		
			VH	100.52	0.12017	PASS		
HCH	TN		VL	6.94	0.00822	PASS		



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
	LTE/TM2				VN	-3.33	-0.00395	PASS
					VH	6.91	0.00819	PASS
		1.4	LCH	TN	VL	-0.56	-0.00068	PASS
					VN	-0.49	-0.00059	PASS
					VH	0.17	0.00021	PASS
					VL	0.23	0.00027	PASS
			MCH	TN	VN	-0.44	-0.00053	PASS
					VH	-0.14	-0.00017	PASS
					VL	-0.49	-0.00058	PASS
					VN	-0.26	-0.00031	PASS
			HCH	TN	VH	0.5	0.00059	PASS
					VL	1.75	0.00212	PASS
					VN	11.56	0.014	PASS
					VH	13.22	0.01601	PASS
		3	LCH	TN	VL	-3.35	-0.004	PASS
					VN	0.69	0.00082	PASS
					VH	-5.15	-0.00616	PASS
					VL	-4.28	-0.00505	PASS
			MCH	TN	VN	2.36	0.00278	PASS
					VH	-5.49	-0.00648	PASS
					VL	-2.73	-0.0033	PASS
					VN	-11.03	-0.01335	PASS
			HCH	TN	VH	-0.29	-0.00035	PASS
					VL	1.73	0.00207	PASS
					VN	-1.24	-0.00148	PASS
					VH	3.82	0.00457	PASS
		5	LCH	TN	VL	-7.6	-0.00898	PASS
					VN	-0.34	-0.0004	PASS
					VH	7.55	0.00892	PASS
					VL	-17.31	-0.02088	PASS
			MCH	TN	VN	-8.84	-0.01066	PASS
					VH	-7.75	-0.00935	PASS
					VL	201.42	0.24079	PASS
					VN	89.65	0.10717	PASS
			HCH	TN	VH	184.21	0.22022	PASS
					VL	-3.25	-0.00385	PASS
					VN	2.05	0.00243	PASS
					VH	-2.52	-0.00299	PASS
		10	LCH	TN	VN	-8.84	-0.01066	PASS
					VH	-7.75	-0.00935	PASS
					VL	201.42	0.24079	PASS
					VN	89.65	0.10717	PASS
MCH	TN		VH	184.21	0.22022	PASS		
			VL	-3.25	-0.00385	PASS		
			VN	2.05	0.00243	PASS		
			VH	-2.52	-0.00299	PASS		
HCH	TN		VN	-8.84	-0.01066	PASS		
			VH	-7.75	-0.00935	PASS		
			VL	201.42	0.24079	PASS		
			VN	89.65	0.10717	PASS		
HCH	TN	VH	184.21	0.22022	PASS			
		VL	-3.25	-0.00385	PASS			
		VN	2.05	0.00243	PASS			
		VH	-2.52	-0.00299	PASS			



8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp .	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND5	LTE/TM1	1.4	LCH	VN	-30	-1.02	-0.00124	PASS
					-20	-1.39	-0.00169	PASS
					-10	-0.66	-0.0008	PASS
					0	-1.19	-0.00144	PASS
					10	-2.07	-0.00251	PASS
					20	-0.17	-0.00021	PASS
					30	-0.09	-0.00011	PASS
					40	-0.79	-0.00096	PASS
					50	-1.09	-0.00132	PASS
			MCH	VN	-30	0.34	0.00041	PASS
					-20	-0.62	-0.00074	PASS
					-10	-0.43	-0.00051	PASS
					0	0.43	0.00051	PASS
					10	-0.56	-0.00067	PASS
					20	-0.54	-0.00065	PASS
		30			-0.5	-0.0006	PASS	
		40			-0.4	-0.00048	PASS	
		50			-0.13	-0.00016	PASS	
		HCH	VN	-30	-0.83	-0.00098	PASS	
				-20	-1	-0.00118	PASS	
				-10	-1.29	-0.00152	PASS	
				0	-1.42	-0.00167	PASS	
				10	-0.44	-0.00052	PASS	
				20	-1.52	-0.00179	PASS	
				30	-1.3	-0.00153	PASS	
				40	-1.36	-0.0016	PASS	
				50	-1.1	-0.0013	PASS	
		3	LCH	VN	-30	-4.02	-0.00487	PASS
					-20	-2.75	-0.00333	PASS
					-10	2.9	0.00351	PASS
0	2.99				0.00362	PASS		
10	1.89				0.00229	PASS		
20	-0.6				-0.00073	PASS		
30	7.32				0.00887	PASS		
40	12.57				0.01523	PASS		
50	5.32				0.00644	PASS		
MCH	VN				-30	-2.02	-0.00241	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp .	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-2.27	-0.00271	PASS
					-10	1.72	0.00206	PASS
					0	1.22	0.00146	PASS
					10	-2.19	-0.00262	PASS
					20	-2.95	-0.00353	PASS
					30	4.42	0.00528	PASS
					40	-2.49	-0.00298	PASS
					50	0.74	0.00088	PASS
			HCH	VN	-30	-3.06	-0.00361	PASS
					-20	-7.78	-0.00918	PASS
					-10	-9.5	-0.01121	PASS
					0	8.54	0.01008	PASS
					10	-9.4	-0.01109	PASS
					20	3.71	0.00438	PASS
					30	2.33	0.00275	PASS
					40	1.62	0.00191	PASS
		5	LCH	VN	-30	-0.73	-0.00088	PASS
					-20	4.43	0.00536	PASS
					-10	14.28	0.01728	PASS
					0	-0.63	-0.00076	PASS
					10	-10.43	-0.01262	PASS
					20	-6.18	-0.00748	PASS
					30	-5.11	-0.00618	PASS
					40	-11.7	-0.01416	PASS
			MCH	VN	-30	-2.13	-0.00255	PASS
					-20	-1.24	-0.00148	PASS
					-10	-2.93	-0.0035	PASS
					0	-3.03	-0.00362	PASS
					10	-4.28	-0.00512	PASS
					20	-1.97	-0.00236	PASS
					30	3.45	0.00412	PASS
					40	1.86	0.00222	PASS
		HCH	VN	-30	-13.29	-0.0157	PASS	
				-20	-1.04	-0.00123	PASS	
				-10	-4.62	-0.00546	PASS	
				0	-3.86	-0.00456	PASS	

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp .	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					10	-5.36	-0.00633	PASS		
					20	-1.22	-0.00144	PASS		
					30	-9.86	-0.01165	PASS		
					40	7.62	0.009	PASS		
					50	-2.29	-0.00271	PASS		
					LCH	VN	-30	-3.88	-0.00468	PASS
							-20	-3.86	-0.00466	PASS
							-10	6.57	0.00793	PASS
							0	3.62	0.00437	PASS
							10	-15.65	-0.01888	PASS
		20	-1.19	-0.00144			PASS			
		30	5.81	0.00701			PASS			
		40	0.04	0.00005			PASS			
		50	-13.36	-0.01612			PASS			
		MCH	VN	-30			39.63	0.04738	PASS	
				-20	-103.64	-0.1239	PASS			
				-10	-125.54	-0.15008	PASS			
				0	-164.67	-0.19686	PASS			
				10	-143.04	-0.171	PASS			
				20	106.96	0.12787	PASS			
				30	-118.76	-0.14197	PASS			
				40	-102.61	-0.12267	PASS			
				50	115.9	0.13855	PASS			
				HCH	VN	-30	-5.71	-0.00677	PASS	
		-20	-0.5			-0.00059	PASS			
	-10	-14.48	-0.01716			PASS				
	0	1.39	0.00165			PASS				
	10	-0.56	-0.00066			PASS				
	20	-8.58	-0.01017			PASS				
	30	5.34	0.00633			PASS				
	40	-3.83	-0.00454			PASS				
	50	-5.36	-0.00635			PASS				
	LTE/TM2	1.4	LCH			VN	-30	-0.41	-0.0005	PASS
				-20	-0.7		-0.00085	PASS		
				-10	-0.41		-0.0005	PASS		
0				-1.12	-0.00136		PASS			
10				-1.17	-0.00142		PASS			
20				-0.53	-0.00064		PASS			
30				-0.3	-0.00036		PASS			



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp .	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
					40	-0.97	-0.00118	PASS	
					50	-0.54	-0.00065	PASS	
			MCH	VN	-30	-1.03	-0.00123	PASS	
					-20	-1.46	-0.00175	PASS	
					-10	-1.6	-0.00191	PASS	
					0	-0.97	-0.00116	PASS	
					10	-0.69	-0.00082	PASS	
					20	-1.56	-0.00186	PASS	
					30	-0.66	-0.00079	PASS	
					40	-1.34	-0.0016	PASS	
					50	-1.16	-0.00139	PASS	
			HCH	VN	-30	-1.66	-0.00196	PASS	
					-20	-0.7	-0.00083	PASS	
					-10	-1.49	-0.00176	PASS	
					0	-1	-0.00118	PASS	
					10	-0.23	-0.00027	PASS	
					20	-1.33	-0.00157	PASS	
					30	-0.99	-0.00117	PASS	
		40			-1.5	-0.00177	PASS		
		3		LCH	VN	-30	-12.5	-0.01514	PASS
						-20	11.5	0.01393	PASS
						-10	-7.87	-0.00953	PASS
						0	2.23	0.0027	PASS
						10	-23.37	-0.02831	PASS
						20	-9.84	-0.01192	PASS
						30	19.38	0.02348	PASS
						40	10.97	0.01329	PASS
						50	4.41	0.00534	PASS
				MCH	VN	-30	-1.73	-0.00207	PASS
						-20	-1.06	-0.00127	PASS
						-10	2.26	0.0027	PASS
						0	1.06	0.00127	PASS
						10	1.99	0.00238	PASS
20	1.52					0.00182	PASS		
30	2.43	0.0029	PASS						
40	2.68	0.0032	PASS						
50	-4.69	-0.00561	PASS						
HCH	VN	-30	5.06	0.00597	PASS				



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp .	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					-20	-11.74	-0.01385	PASS		
					-10	12.45	0.01469	PASS		
					0	-3.02	-0.00356	PASS		
					10	4.09	0.00483	PASS		
					20	-1.03	-0.00122	PASS		
					30	-11.09	-0.01309	PASS		
					40	-12.66	-0.01494	PASS		
					50	8.25	0.00973	PASS		
		5	LCH	VN	-30	-0.76	-0.00092	PASS		
					-20	1.24	0.0015	PASS		
					-10	4.28	0.00518	PASS		
					0	-0.53	-0.00064	PASS		
					10	0.89	0.00108	PASS		
					20	-0.04	-0.00005	PASS		
					30	-0.01	-0.00001	PASS		
					40	-8.43	-0.0102	PASS		
			MCH	VN	-30	0.83	0.00099	PASS		
					-20	0.19	0.00023	PASS		
					-10	-3.38	-0.00404	PASS		
					0	-1.87	-0.00224	PASS		
					10	-1.06	-0.00127	PASS		
					20	4.09	0.00489	PASS		
					30	-4.53	-0.00542	PASS		
					40	-0.04	-0.00005	PASS		
			HCH	VN	-30	-2.07	-0.00245	PASS		
					-20	6.28	0.00742	PASS		
					-10	8.34	0.00985	PASS		
					0	-9.37	-0.01107	PASS		
					10	-7.68	-0.00907	PASS		
					20	0.19	0.00022	PASS		
					30	1.37	0.00162	PASS		
					40	-3.5	-0.00413	PASS		
			10	LCH	VN	50	16.48	0.01947	PASS	
						-30	-13.6	-0.01641	PASS	
						-20	4.69	0.00566	PASS	
						-10	-1.92	-0.00232	PASS	
							0	-9.94	-0.01199	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp .	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					10	-8.68	-0.01047	PASS		
					20	-12.35	-0.0149	PASS		
					30	-3.91	-0.00472	PASS		
					40	-8.1	-0.00977	PASS		
					50	7.54	0.0091	PASS		
			MCH	VN	-30	-357.31	-0.42715	PASS		
							-20	-0.24	-0.00029	PASS
							-10	-1088.91	-1.30175	PASS
							0	-655.47	-0.78359	PASS
							10	-596.88	-0.71354	PASS
							20	-1521.03	-1.81833	PASS
							30	0.01	0.00001	PASS
							40	-134.54	-0.16084	PASS
			HCH	VN	50	-75.1	-0.08978	PASS		
							-30	6.18	0.00732	PASS
							-20	-10.07	-0.01193	PASS
							-10	-9.84	-0.01166	PASS
							0	-0.5	-0.00059	PASS
							10	-3.55	-0.00421	PASS
							20	-2.06	-0.00244	PASS
							30	-0.17	-0.0002	PASS
					40	-7.14	-0.00846	PASS		
					50	-0.34	-0.0004	PASS		

END