Test Mode:	UNII-2C/TX N20 Mode_ANT 2

TX mode CH100



Date: 22.MAR.2016 15:43:53

TX modeCH140



Date: 22.MAR.2016 15:44:08

Test Mode:	UNII-2C/TX N40 Mode_ANT 1

TX mode CH102



Date: 22.MAR.2016 15:29:42

TX modeCH134



Date: 22.MAR.2016 15:29:58

Test Mode:	UNII-2C/TX N40 Mode_ANT 2

TX mode CH102



Date: 22.MAR.2016 15:49:12

TX modeCH134



Date: 22.MAR.2016 15:49:27

Test Mode:	UNII-3/TX A Mode_ANT 1

TX A Mode CH149



Date: 22.MAR.2016 15:17:59

TX A Mode CH165



Date: 22.MAR.2016 15:18:20

Test Mode:	UNII-3/TX A Mode_ANT 2

TX A Mode CH149



Date: 22.MAR.2016 15:41:44

TX A Mode CH165



Date: 22.MAR.2016 15:42:03

Test Mode:	UNII-3/TX N20 Mode_ANT 1

TX HT20 mode CH149



Date: 22.MAR.2016 15:21:12

TX HT20 mode CH165



Date: 22.MAR.2016 15:22:40

Test Mode:	UNII-3/TX N20 Mode_ANT 2

TX HT20 mode CH149



Date: 22.MAR.2016 15:44:24

X HT20 mode CH165



Date: 22.MAR.2016 15:44:54

Test Mode:	UNII-3/TX N40 Mode_ANT 1

UNII-3/TX HT40 mode CH151



Date: 22.MAR.2016 15:30:17

UNII-3/TX HT40 mode CH159



Date: 22.MAR.2016 15:31:42

Test Mode:	UNII-3/TX N40 Mode_ANT 2

TX HT40 mode CH151



Date: 22.MAR.2016 15:49:47

HT40 mode CH159



Date: 22.MAR.2016 15:50:03

Test Mode:	UNII-1/TX AC20 Mode_ANT 1

TX mode CH36



Date: 22.MAR.2016 15:23:32

TX modeCH48



Date: 22.MAR.2016 15:23:53

Test Mode:	UNII-1/TX AC20 Mode_ANT 2

TX mode CH36



Date: 22.MAR.2016 15:45:33

TX modeCH48



Date: 22.MAR.2016 15:45:48

Test Mode:	UNII-1/TX AC40 Mode_ANT 1

TX mode CH38



Date: 22.MAR.2016 15:32:33

TX modeCH46



Date: 22.MAR.2016 15:32:54

Test Mode:	UNII-1/TX AC40 Mode_ANT 2

TX mode CH38



Date: 22.MAR.2016 15:50:34

TX modeCH46



Date: 22.MAR.2016 15:50:48

Test Mode:	UNII-1/TX AC80 Mode_ANT 1

TX mode CH42



Date: 22.MAR.2016 15:37:06



Date: 22.MAR.2016 15:37:14

Test Mode:	UNII-1/TX AC80 Mode_ANT 2

TX mode CH42



Date: 22.MAR.2016 15:54:13



Date: 22.MAR.2016 15:54:21

Test Mode:	UNII-2A/TX AC20 Mode_ANT 1

TX mode CH52



Date: 22.MAR.2016 15:24:42

TX modeCH64



Date: 22.MAR.2016 15:25:00

Test Mode:	UNII-2A/TX AC20 Mode_ANT 2

TX mode CH52



Date: 22.MAR.2016 15:46:02

TX modeCH64



Date: 22.MAR.2016 15:46:15

Test Mode:	UNII-2A/TX AC40 Mode_ANT 1

TX mode CH54



Date: 22.MAR.2016 15:33:17

TX modeCH62



Date: 22.MAR.2016 15:33:37

Test Mode:	UNII-2A/TX AC40 Mode_ANT 2

TX mode CH54



Date: 22.MAR.2016 15:51:03

TX modeCH62



Date: 22.MAR.2016 15:51:20

Test Mode:	UNII-2A/TX AC80 Mode_ANT 1

TX mode CH58



Date: 22.MAR.2016 15:37:35



Date: 22.MAR.2016 15:37:43

Test Mode:	UNII-2A/TX AC80 Mode_ANT 2

TX mode CH58



Date: 22.MAR.2016 15:54:39



Date: 22.MAR.2016 15:54:47

Test Mode:	UNII-2C/TX AC20 Mode_ANT 1

TX mode CH100



Date: 22.MAR.2016 15:25:25

TX modeCH140



Date: 22.MAR.2016 15:25:42

Test Mode:	UNII-2C/TX AC20 Mode_ANT 2

TX mode CH100



Date: 22.MAR.2016 15:46:34

TX modeCH140



Date: 22.MAR.2016 15:46:48

Test Mode:	UNII-2C/TX AC40 Mode_ANT 1

TX mode CH102



Date: 22.MAR.2016 15:33:58

TX modeCH134



Date: 22.MAR.2016 15:34:16

Test Mode:	UNII-2C/TX AC40 Mode_ANT 2

TX mode CH102



Date: 22.MAR.2016 15:51:36

TX modeCH134



Date: 22.MAR.2016 15:51:54

Test Mode:	UNII-2C/TX AC80 Mode_ANT 1

TX mode CH106



Date: 22.MAR.2016 15:38:08

TX mode CH122



Date: 22.MAR.2016 15:38:23

Test Mode:	UNII-2C/TX AC80 Mode_ANT 2

TX mode CH106



Date: 22.MAR.2016 15:55:08

TX mode CH122



Date: 22.MAR.2016 15:55:33

Test Mode:	UNII-3/TX AC20 Mode_ANT 1

TX AC HT20 mode CH149



Date: 22.MAR.2016 15:26:16

TX AC HT20 mode CH165



Date: 22.MAR.2016 15:27:28

Test Mode:	UNII-3/TX AC20 Mode_ANT 2

TX AC HT20 mode CH149



Date: 22.MAR.2016 15:47:04

TX AC HT20 mode CH165



Date: 22.MAR.2016 15:47:20

Test Mode:	UNII-3/TX AC40 Mode_ANT 1

TX AC HT40 mode CH151



Date: 22.MAR.2016 15:34:38

TX AC HT40 mode CH159



Date: 22.MAR.2016 15:35:47

Test Mode:	UNII-3/TX AC40 Mode_ANT 2

TX AC HT40 mode CH151



TX AC HT40 mode CH159



Test Mode:	UNII-3/TX AC80 Mode_ANT 1

TX AC HT80 mode CH155



Date: 22.MAR.2016 15:38:39



Date: 22.MAR.2016 15:38:46

Test Mode:	UNII-3/TX AC80 Mode_ANT 2

TX AC HT80 mode CH155



Date: 22.MAR.2016 15:55:53



Date: 22.MAR.2016 15:56:01

ATTACHMENTH - POWER SPECTRAL DENSITY

For 1TX

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.06	0.28	7.34	17.00
CH40	5200	8.12	0.28	8.40	17.00
CH48	5240	7.94	0.28	8.22	17.00

CH36



CH40



Date: 21.MAR.2016 10:57:33

CH48



Date: 21.MAR.2016 10:58:25

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.90	0.37	8.27	17.00
CH40	5200	7.96	0.37	8.33	17.00
CH48	5240	7.80	0.37	8.17	17.00

CH36



Date: 22.MAR.2016 10:17:54

CH40



Date: 22.MAR.2016 10:19:15

CH48



Date: 22.MAR.2016 10:20:08

Test Mode: UNII-1/TX N40 Mode_CH38/CH46

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.45	0.67	3.12	17.00
CH46	5230	3.44	0.67	4.11	17.00

CH38



Date: 21.MAR.2016 14:09:29

CH46



Date: 21.MAR.2016 14:10:32

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.89	0.28	8.17	11.00
CH60	5300	7.77	0.28	8.05	11.00
CH64	5320	7.66	0.28	7.94	11.00

CH52



CH60



Date: 21.MAR.2016 11:00:19

CH64



Date: 21.MAR.2016 11:01:08

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.59	0.37	7.96	11.00
CH60	5300	7.59	0.37	7.96	11.00
CH64	5320	7.27	0.37	7.64	11.00

CH52



CH60



Date: 22.MAR.2016 10:21:59

CH64



Date: 22.MAR.2016 10:22:52

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.22	0.67	3.89	11.00
CH62	5310	3.04	0.67	3.71	11.00

CH54



Date: 21.MAR.2016 14:11:45

CH62



Date: 21.MAR.2016 14:12:57

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.75	0.28	8.03	11.00
CH116	5580	10.04	0.28	10.32	11.00
CH140	5700	8.17	0.28	8.45	11.00

CH100



Date: 21.MAR.2016 11:01:59

CH116



Date: 21.MAR.2016 11:02:40

CH140



Date: 21.MAR.2016 11:03:39

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.65	0.37	8.02	11.00
CH116	5580	10.03	0.37	10.40	11.00
CH140	5700	8.00	0.37	8.37	11.00

CH100



Date: 22.MAR.2016 10:23:47

CH116



Date: 22.MAR.2016 10:24:49

CH140



Date: 22.MAR.2016 10:25:53

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.93	0.67	4.60	11.00
CH110	5550	3.78	0.67	4.45	11.00
CH134	5670	3.97	0.67	4.64	11.00

CH102



Date: 21.MAR.2016 14:14:16

CH110



Date: 21.MAR.2016 14:16:13

CH134



Date: 21.MAR.2016 14:17:23

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.68	0.28	4.96	30.00
CH157	5785	6.35	0.28	6.63	30.00
CH165	5825	-0.22	0.28	0.06	30.00

TX CH149



TX CH157



Date: 21.MAR.2016 11:05:48

TX CH165



Date: 21.MAR.2016 11:06:51

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.62	0.37	6.99	30.00
CH157	5785	6.36	0.37	6.73	30.00
CH165	5825	-0.21	0.37	0.16	30.00

TX CH149



Date: 22.MAR.2016 10:31:19

TX CH157



Date: 22.MAR.2016 10:32:44

TX CH165



Date: 22.MAR.2016 10:33:51

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.73	0.67	-0.06	30.00
CH159	5795	-1.96	0.67	-1.29	30.00

TX CH151



Date: 21.MAR.2016 14:18:37

TX CH159



Date: 21.MAR.2016 14:19:45

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.96	0.23	7.19	17.00
CH40	5200	7.84	0.23	8.07	17.00
CH48	5240	7.74	0.23	7.97	17.00

CH36



Date: 21.MAR.2016 11:21:36

CH40



Date: 21.MAR.2016 11:22:43

CH48



Date: 21.MAR.2016 11:23:31

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.43	0.74	3.17	17.00
CH46	5230	3.36	0.74	4.10	17.00

CH38



Date: 21.MAR.2016 14:22:57

CH46



Date: 21.MAR.2016 14:24:43

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.62	1.60	-0.02	17.00

CH42



Date: 21.MAR.2016 14:50:20

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.76	0.23	7.99	11.00
CH60	5300	7.69	0.23	7.92	11.00
CH64	5320	7.28	0.23	7.51	11.00

CH52



Date: 21.MAR.2016 11:24:32

CH60



Date: 21.MAR.2016 11:25:27

CH64



Date: 21.MAR.2016 11:26:17

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.22	0.74	3.96	11.00
CH62	5310	3.12	0.74	3.86	11.00

CH54



Date: 21.MAR.2016 14:25:46

CH62



Date: 21.MAR.2016 14:26:47

Test Mode: UNII-2A/TX AC80 Mode_CH58

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	0.00	1.60	1.60	11.00

CH58



Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.44	0.23	7.67	11.00
CH116	5580	10.39	0.23	10.62	11.00
CH140	5700	8.01	0.23	8.24	11.00

CH100



Date: 21.MAR.2016 11:27:49

CH116



Date: 21.MAR.2016 13:18:05

CH140



Date: 21.MAR.2016 13:19:29

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	0.83	0.74	1.57	11.00
CH110	5550	3.86	0.74	4.60	11.00
CH134	5670	3.69	0.74	4.43	11.00

CH102



Date: 21.MAR.2016 14:27:59

CH110



Date: 21.MAR.2016 14:40:46

CH134



Date: 21.MAR.2016 14:41:52

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.28	1.60	-1.68	11.00
CH122	5610	-2.51	1.60	-0.91	11.00

CH106



Date: 21.MAR.2016 14:55:07

CH122



Date: 21.MAR.2016 14:56:19

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.64	0.23	4.87	30.00
CH157	5785	6.61	0.23	6.84	30.00
CH165	5825	-0.31	0.23	-0.08	30.00

TX CH149



Date: 21.MAR.2016 13:20:27

TX CH157



Date: 21.MAR.2016 13:21:45

TX CH165



Date: 21.MAR.2016 14:07:40

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.23	0.74	0.51	30.00
CH159	5795	-1.94	0.74	-1.20	30.00

TX CH151



Date: 21.MAR.2016 14:43:48

TX CH159



Date: 21.MAR.2016 14:45:05

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-7.00	1.60	-5.40	30.00

TX CH155



For 2TX

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.88	0.28	6.16	17.00
CH40	5200	5.28	0.28	5.56	17.00
CH48	5240	4.86	0.28	5.14	17.00

CH36



CH40



Date: 21.MAR.2016 16:06:50

CH48



Date: 21.MAR.2016 16:07:45

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.92	0.28	5.20	17.00
CH40	5200	5.37	0.28	5.65	17.00
CH48	5240	4.86	0.28	5.14	17.00

CH36



Date: 22.MAR.2016 13:41:45

CH40



Date: 22.MAR.2016 13:42:44

CH48



Date: 22.MAR.2016 13:43:29

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.72	17.00
CH40	5200	8.62	17.00
CH48	5240	8.15	17.00

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.81	0.37	5.18	17.00
CH40	5200	5.24	0.37	5.61	17.00
CH48	5240	4.62	0.37	4.99	17.00

CH36



Date: 21.MAR.2016 16:22:39

CH40



Date: 21.MAR.2016 16:24:24

CH48



Date: 21.MAR.2016 16:25:19

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.27	0.37	4.64	17.00
CH40	5200	5.00	0.37	5.37	17.00
CH48	5240	4.46	0.37	4.83	17.00

CH36



Date: 22.MAR.2016 13:57:31

CH40



Date: 22.MAR.2016 13:58:21

CH48



Date: 22.MAR.2016 13:59:08

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.93	17.00
CH40	5200	8.50	17.00
CH48	5240	7.92	17.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.76	0.67	1.43	17.00
CH46	5230	1.00	0.67	1.67	17.00

CH38



Date: 22.MAR.2016 09:37:20

CH46



Date: 22.MAR.2016 09:38:21

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.24	0.67	0.91	17.00
CH46	5230	0.00	0.67	0.67	17.00

CH38



Date: 22.MAR.2016 14:46:53

CH46



Date: 22.MAR.2016 14:47:47

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	4.19	17.00
CH46	5230	4.21	17.00

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.76	0.28	5.04	11.00
CH60	5300	4.55	0.28	4.83	11.00
CH64	5320	4.25	0.28	4.53	11.00

CH52



Date: 21.MAR.2016 16:08:41

CH60



Date: 21.MAR.2016 16:09:38

CH64



Date: 21.MAR.2016 16:10:39

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.36	0.28	5.64	11.00
CH60	5300	4.95	0.28	5.23	11.00
CH64	5320	4.65	0.28	4.93	11.00

CH52



CH60



Date: 22.MAR.2016 13:45:08

CH64



Date: 22.MAR.2016 13:50:13

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.36	11.00
CH60	5300	8.04	11.00
CH64	5320	7.74	11.00

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.53	0.37	4.90	11.00
CH60	5300	4.37	0.37	4.74	11.00
CH64	5320	4.27	0.37	4.64	11.00

CH52



Date: 21.MAR.2016 16:27:44

CH60



Date: 21.MAR.2016 16:30:32

CH64



Date: 21.MAR.2016 16:31:25

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.74	0.37	5.11	11.00
CH60	5300	4.83	0.37	5.20	11.00
CH64	5320	4.14	0.37	4.51	11.00

CH52



CH60



Date: 22.MAR.2016 14:00:48

CH64



Date: 22.MAR.2016 14:01:30

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.02	11.00
CH60	5300	7.99	11.00
CH64	5320	7.59	11.00

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.28	0.67	1.95	11.00
CH62	5310	0.98	0.67	1.65	11.00

CH54



Date: 22.MAR.2016 09:39:22

CH62



Date: 22.MAR.2016 09:40:23

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.25	0.67	0.92	11.00
CH62	5310	-0.17	0.67	0.50	11.00

CH54



Date: 22.MAR.2016 14:48:36

CH62



Date: 22.MAR.2016 14:49:32

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.48	11.00
CH62	5310	4.12	11.00

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.75	0.28	8.03	11.00
CH116	5580	7.75	0.28	8.03	11.00
CH140	5700	7.34	0.28	7.62	11.00

CH100



Date: 21.MAR.2016 16:11:40

CH116



Date: 21.MAR.2016 16:13:08

CH140



Date: 21.MAR.2016 16:14:39

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.05	0.28	6.33	11.00
CH116	5580	5.87	0.28	6.15	11.00
CH140	5700	6.34	0.28	6.62	11.00

CH100



Date: 22.MAR.2016 13:51:06

CH116



Date: 22.MAR.2016 13:51:55

CH140



Date: 22.MAR.2016 13:52:47

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	10.27	11.00
CH116	5580	10.20	11.00
CH140	5700	10.16	11.00

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.51	0.37	7.88	11.00
CH116	5580	7.44	0.37	7.81	11.00
CH140	5700	7.47	0.37	7.84	11.00

CH100



Date: 21.MAR.2016 16:32:22

CH116



Date: 21.MAR.2016 16:36:38

CH140



Date: 21.MAR.2016 16:37:56

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.86	0.37	6.23	11.00
CH116	5580	5.77	0.37	6.14	11.00
CH140	5700	5.11	0.37	5.48	11.00

CH100



Date: 22.MAR.2016 14:06:27

CH116



Date: 22.MAR.2016 14:07:21

CH140



Date: 22.MAR.2016 14:08:12

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	10.14	11.00
CH116	5580	10.07	11.00
CH140	5700	9.83	11.00

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	0.02	0.67	0.69	11.00
CH110	5550	-0.11	0.67	0.56	11.00
CH134	5670	0.91	0.67	1.58	11.00

CH102



Date: 22.MAR.2016 09:41:24

CH110



Date: 22.MAR.2016 09:42:34

CH134



Date: 22.MAR.2016 09:43:30

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.72	0.67	-0.05	11.00
CH110	5550	-1.17	0.67	-0.50	11.00
CH134	5670	0.00	0.67	0.67	11.00

CH102



Date: 22.MAR.2016 14:50:35

CH110



Date: 22.MAR.2016 14:51:21

CH134



Date: 22.MAR.2016 14:52:19

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.35	11.00
CH110	5550	3.07	11.00
CH134	5670	4.16	11.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.19	0.28	4.47	30.00
CH157	5785	3.94	0.28	4.22	30.00
CH165	5825	3.52	0.28	3.80	30.00

TX CH149



Date: 21.MAR.2016 16:15:19

TX CH157



Date: 21.MAR.2016 16:17:09

TX CH165



Date: 21.MAR.2016 16:18:48

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.80	0.28	3.08	30.00
CH157	5785	2.78	0.28	3.06	30.00
CH165	5825	-1.06	0.28	-0.78	30.00

TX CH149



Date: 22.MAR.2016 13:53:09

TX CH157



Date: 22.MAR.2016 13:54:43

TX CH165



Date: 22.MAR.2016 13:56:28

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.84	30.00
CH157	5785	6.69	30.00
CH165	5825	5.10	30.00

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.96	0.37	4.33	30.00
CH157	5785	3.68	0.37	4.05	30.00
CH165	5825	-0.06	0.37	0.31	30.00

TX CH149



Date: 21.MAR.2016 16:39:36

TX CH157



Date: 22.MAR.2016 09:14:55

TX CH165



Date: 22.MAR.2016 09:16:02

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.57	0.37	2.94	30.00
CH157	5785	2.45	0.37	2.82	30.00
CH165	5825	-1.27	0.37	-0.90	30.00

TX CH149



Date: 22.MAR.2016 14:09:03

TX CH157



Date: 22.MAR.2016 14:09:59

TX CH165



Date: 22.MAR.2016 14:10:57

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.70	30.00
CH157	5785	6.49	30.00
CH165	5825	2.76	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.55	0.67	-0.88	30.00
CH159	5795	-1.71	0.67	-1.04	30.00

TX CH151



Date: 16.MAY.2016 22:03:24

TX CH159



Date: 22.MAR.2016 09:46:31

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-3.66	0.67	-2.99	30.00
CH159	5795	-2.71	0.67	-2.04	30.00

TX CH151



Date: 16.MAY.2016 22:05:54

TX CH159



Date: 22.MAR.2016 14:54:17

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	1.24	30.00
CH159	5795	1.50	30.00

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.45	0.23	5.68	17.00
CH40	5200	5.84	0.23	6.07	17.00
CH48	5240	5.56	0.23	5.79	17.00

CH36



Date: 22.MAR.2016 09:17:14

CH40



Date: 22.MAR.2016 09:20:50

CH48



Date: 22.MAR.2016 09:21:45

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.38	0.23	4.61	17.00
CH40	5200	4.90	0.23	5.13	17.00
CH48	5240	4.47	0.23	4.70	17.00

CH36



Date: 22.MAR.2016 14:12:18

CH40



Date: 22.MAR.2016 14:13:34

CH48



Date: 22.MAR.2016 14:15:49

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.19	17.00
CH40	5200	8.64	17.00
CH48	5240	8.29	17.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.96	0.74	1.70	17.00
CH46	5230	0.83	0.74	1.57	17.00

CH38



Date: 22.MAR.2016 09:48:45

CH46



Date: 22.MAR.2016 09:49:50

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.07	0.74	0.81	17.00
CH46	5230	0.23	0.74	0.97	17.00

CH38



Date: 22.MAR.2016 14:55:20

CH46



Date: 22.MAR.2016 14:57:40

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	4.29	17.00
CH46	5230	4.29	17.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1					
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.98	1.60	-0.38	17.00

CH42



Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.58	1.60	-0.98	17.00

CH42



Date: 22.MAR.2016 15:05:22

Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	2.34	17.00

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 1					
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.89	0.23	6.12	11.00
CH60	5300	5.56	0.23	5.79	11.00
CH64	5320	5.29	0.23	5.52	11.00

CH52



Date: 22.MAR.2016 09:22:42

CH60



Date: 22.MAR.2016 09:23:44

CH64



Date: 22.MAR.2016 09:24:59

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.03	0.23	5.26	11.00
CH60	5300	4.64	0.23	4.87	11.00
CH64	5320	4.23	0.23	4.46	11.00

CH52



Date: 22.MAR.2016 14:16:36

CH60



Date: 22.MAR.2016 14:17:22

CH64



Date: 22.MAR.2016 14:18:34

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.72	11.00
CH60	5300	8.36	11.00
CH64	5320	8.03	11.00

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.23	0.74	1.97	11.00
CH62	5310	0.75	0.74	1.49	11.00

CH54



Date: 22.MAR.2016 09:57:46

CH62



Date: 22.MAR.2016 09:59:08

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.18	0.74	0.92	11.00
CH62	5310	-0.11	0.74	0.63	11.00

CH54



Date: 22.MAR.2016 14:58:29

CH62



Date: 22.MAR.2016 14:59:32

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.49	11.00
CH62	5310	4.09	11.00

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-1.85	1.60	-0.25	11.00

CH58



Date: 22.MAR.2016 10:08:39

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-2.81	1.60	-1.21	11.00

CH58



Date: 22.MAR.2016 15:06:19

Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	2.31	11.00

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.66	0.23	6.89	11.00
CH116	5580	6.61	0.23	6.84	11.00
CH140	5700	7.15	0.23	7.38	11.00

CH100



Date: 22.MAR.2016 09:26:01

CH116



Date: 22.MAR.2016 09:26:56

CH140



Date: 22.MAR.2016 09:29:25

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.01	0.23	6.24	11.00
CH116	5580	5.60	0.23	5.83	11.00
CH140	5700	6.41	0.23	6.64	11.00

CH100



Date: 22.MAR.2016 14:19:30

CH116



Date: 22.MAR.2016 14:20:29

CH140



Date: 22.MAR.2016 14:21:32

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	9.59	11.00
CH116	5580	9.37	11.00
CH140	5700	10.04	11.00

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.12	0.74	0.62	11.00
CH110	5550	-0.29	0.74	0.45	11.00
CH134	5670	0.71	0.74	1.45	11.00

CH102



CH110



Date: 22.MAR.2016 10:02:03

CH134



Date: 22.MAR.2016 10:03:03

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.85	0.74	-0.11	11.00
CH110	5550	-1.21	0.74	-0.47	11.00
CH134	5670	-0.14	0.74	0.60	11.00

CH102



Date: 22.MAR.2016 15:00:27

CH110



Date: 22.MAR.2016 15:01:23

CH134



Date: 22.MAR.2016 15:02:10

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.28	11.00
CH110	5550	3.02	11.00
CH134	5670	4.06	11.00

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-7.44	1.60	-5.84	11.00
CH122	5610	-4.96	1.60	-3.36	11.00

CH106



Date: 16.MAY.2016 22:07:52

CH122



Date: 16.MAY.2016 22:08:15

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-9.73	1.60	-8.13	11.00
CH122	5610	-7.61	1.60	-6.01	11.00

CH106



Date: 16.MAY.2016 22:09:04

CH122



Date: 16.MAY.2016 22:09:27

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.83	11.00
CH122	5610	-1.48	11.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.60	0.23	3.83	30.00
CH157	5785	3.71	0.23	3.94	30.00
CH165	5825	0.77	0.23	1.00	30.00

TX CH149



Date: 22.MAR.2016 09:32:39

TX CH157



Date: 22.MAR.2016 09:34:46

TX CH165



Date: 22.MAR.2016 09:35:55

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.44	0.23	2.67	30.00
CH157	5785	2.61	0.23	2.84	30.00
CH165	5825	-0.25	0.23	-0.02	30.00

TX CH149



Date: 22.MAR.2016 14:23:02

TX CH157



Date: 22.MAR.2016 14:24:12

TX CH165



Date: 22.MAR.2016 14:45:42

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.30	30.00
CH157	5785	6.44	30.00
CH165	5825	3.53	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.61	0.74	-1.87	30.00
CH159	5795	-1.72	0.74	-0.98	30.00

TX CH151



Date: 16.MAY.2016 22:05:20

TX CH159



Date: 22.MAR.2016 10:05:39

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-3.35	0.74	-2.61	30.00
CH159	5795	-2.74	0.74	-2.00	30.00

TX CH151



Date: 16.MAY.2016 22:06:25

TX CH159



Date: 22.MAR.2016 15:04:14

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	0.79	30.00
CH159	5795	1.55	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-8.34	1.60	-6.74	30.00

TX CH155



Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-8.19	1.60	-6.59	30.00

TX CH155



Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-3.66	30.00

For 2TX with Beamforming

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.76	0.36	2.12	17.00
CH40	5200	2.01	0.36	2.37	17.00
CH48	5240	1.58	0.36	1.94	17.00

CH36



CH40



Date: 22.MAR.2016 16:38:22

CH48



Date: 22.MAR.2016 16:39:05

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.27	0.36	1.63	17.00
CH40	5200	1.87	0.36	2.23	17.00
CH48	5240	1.20	0.36	1.56	17.00

CH36



Date: 22.MAR.2016 19:09:38

CH40



Date: 22.MAR.2016 19:10:42

CH48



Date: 22.MAR.2016 19:11:34

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.89	17.00
CH40	5200	5.31	17.00
CH48	5240	4.76	17.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.53	0.95	-1.58	17.00
CH46	5230	-2.62	0.95	-1.67	17.00

CH38



Date: 22.MAR.2016 16:58:44

CH46



Date: 22.MAR.2016 16:59:34

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.88	0.95	-1.93	17.00
CH46	5230	-2.98	0.95	-2.03	17.00

CH38



Date: 22.MAR.2016 19:43:22

CH46



Date: 22.MAR.2016 19:44:26

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.26	17.00
CH46	5230	1.16	17.00

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.50	0.36	1.86	11.00
CH60	5300	1.26	0.36	1.62	11.00
CH64	5320	0.99	0.36	1.35	11.00

CH52



Date: 22.MAR.2016 16:39:50

CH60



Date: 22.MAR.2016 16:41:18

CH64



Date: 22.MAR.2016 16:42:02

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.76	0.36	2.12	11.00
CH60	5300	1.38	0.36	1.74	11.00
CH64	5320	1.09	0.36	1.45	11.00

CH52



Date: 22.MAR.2016 19:12:23

CH60



Date: 22.MAR.2016 19:13:39

CH64



Date: 22.MAR.2016 19:15:05

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.00	11.00
CH60	5300	4.69	11.00
CH64	5320	4.41	11.00

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-3.01	0.95	-2.06	11.00
CH62	5310	-3.15	0.95	-2.20	11.00

CH54



Date: 22.MAR.2016 17:00:23

CH62



Date: 22.MAR.2016 17:01:09

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.72	0.95	-1.77	11.00
CH62	5310	-2.94	0.95	-1.99	11.00

CH54



Date: 22.MAR.2016 19:45:16

CH62



Date: 22.MAR.2016 19:46:15

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.10	11.00
CH62	5310	0.92	11.00

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.74	0.36	5.10	11.00
CH116	5580	4.52	0.36	4.88	11.00
CH140	5700	5.31	0.36	5.67	11.00

CH100



CH116



Date: 22.MAR.2016 16:43:32

CH140



Date: 22.MAR.2016 16:44:17

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.94	0.36	3.30	11.00
CH116	5580	2.52	0.36	2.88	11.00
CH140	5700	4.41	0.36	4.77	11.00

CH100



Date: 22.MAR.2016 19:18:26

CH116



Date: 22.MAR.2016 19:19:12

CH140



Date: 22.MAR.2016 19:19:59

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.30	11.00
CH116	5580	7.00	11.00
CH140	5700	8.25	11.00

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.95	0.95	-1.00	11.00
CH110	5550	-2.16	0.95	-1.21	11.00
CH134	5670	-1.86	0.95	-0.91	11.00

CH102



Date: 22.MAR.2016 17:02:05

CH110



Date: 22.MAR.2016 17:02:58

CH134



Date: 22.MAR.2016 17:04:17

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.76	0.95	-2.81	11.00
CH110	5550	-3.83	0.95	-2.88	11.00
CH134	5670	-2.92	0.95	-1.97	11.00

CH102



Date: 22.MAR.2016 19:47:27

CH110



Date: 22.MAR.2016 19:48:18

CH134



Date: 22.MAR.2016 19:49:08

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.20	11.00
CH110	5550	1.05	11.00
CH134	5670	1.60	11.00

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.98	0.36	1.34	30.00
CH157	5785	1.09	0.36	1.45	30.00
CH165	5825	0.77	0.36	1.13	30.00

TX CH149



Date: 22.MAR.2016 16:45:09

TX CH157



Date: 22.MAR.2016 16:46:03

TX CH165



Date: 22.MAR.2016 16:46:51

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.23	0.36	0.13	30.00
CH157	5785	-0.47	0.36	-0.11	30.00
CH165	5825	-0.19	0.36	0.17	30.00

TX CH149



Date: 22.MAR.2016 19:21:02

TX CH157



Date: 22.MAR.2016 19:22:27

TX CH165



Date: 22.MAR.2016 19:23:26

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.79	30.00
CH157	5785	3.75	30.00
CH165	5825	3.69	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-5.41	0.95	-4.46	30.00
CH159	5795	-1.41	0.95	-0.46	30.00

TX CH151



Date: 22.MAR.2016 17:05:30

TX CH159



Date: 22.MAR.2016 17:06:32

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-6.67	0.95	-5.72	30.00
CH159	5795	-2.63	0.95	-1.68	30.00

TX CH151



Date: 22.MAR.2016 19:50:14

TX CH159



Date: 22.MAR.2016 19:51:47

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.03	30.00
CH159	5795	1.98	30.00

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.79	0.33	2.12	17.00
CH40	5200	2.22	0.33	2.55	17.00
CH48	5240	1.73	0.33	2.06	17.00

CH36



Date: 22.MAR.2016 16:47:58

CH40



Date: 22.MAR.2016 16:49:45

CH48



Date: 22.MAR.2016 16:50:31

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.53	0.33	1.86	17.00
CH40	5200	1.68	0.33	2.01	17.00
CH48	5240	1.44	0.33	1.77	17.00

CH36



Date: 22.MAR.2016 19:24:27

CH40



Date: 22.MAR.2016 19:25:45

CH48



Date: 22.MAR.2016 19:27:04

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.00	17.00
CH40	5200	5.30	17.00
CH48	5240	4.93	17.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.58	1.09	-1.49	17.00
CH46	5230	-2.83	1.09	-1.74	17.00

CH38



Date: 22.MAR.2016 17:07:38

CH46



Date: 22.MAR.2016 17:08:37

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.78	1.09	-1.69	17.00
CH46	5230	-2.87	1.09	-1.78	17.00

CH38



Date: 22.MAR.2016 20:00:24

CH46



Date: 22.MAR.2016 20:01:19

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.42	17.00
CH46	5230	1.25	17.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-5.63	1.33	-4.30	17.00

CH42



Date: 22.MAR.2016 17:16:46

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-5.74	1.33	-4.41	17.00

CH42



Date: 22.MAR.2016 20:10:11

Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.34	17.00

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.50	0.33	1.83	11.00
CH60	5300	1.27	0.33	1.60	11.00
CH64	5320	1.05	0.33	1.38	11.00

CH52



Date: 22.MAR.2016 16:51:13

CH60



Date: 22.MAR.2016 16:51:59

CH64



Date: 22.MAR.2016 16:52:42

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.84	0.33	2.17	11.00
CH60	5300	1.60	0.33	1.93	11.00
CH64	5320	1.19	0.33	1.52	11.00

CH52



Date: 22.MAR.2016 19:28:59

CH60



Date: 22.MAR.2016 19:29:54

CH64



Date: 22.MAR.2016 19:30:52

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.01	11.00
CH60	5300	4.78	11.00
CH64	5320	4.46	11.00

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.97	1.09	-1.88	11.00
CH62	5310	-3.02	1.09	-1.93	11.00

CH54



Date: 22.MAR.2016 17:09:21

CH62



Date: 22.MAR.2016 17:10:15

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.88	1.09	-1.79	11.00
CH62	5310	-3.14	1.09	-2.05	11.00

CH54



Date: 22.MAR.2016 20:02:20

CH62



Date: 22.MAR.2016 20:03:25

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.18	11.00
CH62	5310	1.02	11.00

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-6.03	1.33	-4.70	11.00

CH58



Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 2					
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-5.91	1.33	-4.58	11.00

CH58



Date: 22.MAR.2016 20:11:12

Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-1.63	11.00

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.84	0.33	5.17	11.00
CH116	5580	4.41	0.33	4.74	11.00
CH140	5700	5.52	0.33	5.85	11.00

CH100



Date: 22.MAR.2016 16:53:28

CH116



Date: 22.MAR.2016 16:54:12

CH140



Date: 22.MAR.2016 16:55:03

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.96	0.33	3.29	11.00
CH116	5580	2.56	0.33	2.89	11.00
CH140	5700	4.39	0.33	4.72	11.00

CH100



Date: 22.MAR.2016 19:32:10

CH116



Date: 22.MAR.2016 19:33:00

CH140



Date: 22.MAR.2016 19:34:02

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.34	11.00
CH116	5580	6.92	11.00
CH140	5700	8.33	11.00

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.92	1.09	-0.83	11.00
CH110	5550	-2.03	1.09	-0.94	11.00
CH134	5670	-1.76	1.09	-0.67	11.00

CH102



CH110



Date: 22.MAR.2016 17:11:57

CH134



Date: 22.MAR.2016 17:12:46

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.73	1.09	-2.64	11.00
CH110	5550	-4.00	1.09	-2.91	11.00
CH134	5670	-3.09	1.09	-2.00	11.00

CH102



CH110



Date: 22.MAR.2016 20:05:13

CH134



Date: 22.MAR.2016 20:06:13

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.37	11.00
CH110	5550	1.20	11.00
CH134	5670	1.73	11.00

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-7.96	1.33	-6.63	11.00
CH122	5610	-8.08	1.33	-6.75	11.00

CH106



Date: 22.MAR.2016 17:18:41

CH122



Date: 22.MAR.2016 17:19:38

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-9.74	1.33	-8.41	11.00
CH122	5610	-9.99	1.33	-8.66	11.00

CH106



Date: 22.MAR.2016 20:13:05

CH122



Date: 22.MAR.2016 20:14:37

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-4.42	11.00
CH122	5610	-4.59	11.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.01	0.33	1.34	30.00
CH157	5785	1.03	0.33	1.36	30.00
CH165	5825	0.92	0.33	1.25	30.00

TX CH149



Date: 22.MAR.2016 16:55:53

TX CH157



Date: 22.MAR.2016 16:56:46

TX CH165



Date: 22.MAR.2016 16:57:48

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.34	0.33	-0.01	30.00
CH157	5785	-0.35	0.33	-0.02	30.00
CH165	5825	-1.47	0.33	-1.14	30.00

TX CH149



TX CH157



Date: 22.MAR.2016 19:35:57

TX CH165



Date: 22.MAR.2016 19:36:53

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.73	30.00
CH157	5785	3.73	30.00
CH165	5825	3.23	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-5.35	1.09	-4.26	30.00
CH159	5795	-2.48	1.09	-1.39	30.00

TX CH151



Date: 22.MAR.2016 17:13:44

TX CH159



Date: 22.MAR.2016 17:14:44

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-6.89	1.09	-5.80	30.00
CH159	5795	-3.58	1.09	-2.49	30.00

TX CH151



Date: 22.MAR.2016 20:07:27

TX CH159



Date: 22.MAR.2016 20:08:28

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.95	30.00
CH159	5795	1.11	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-9.72	1.33	-8.39	30.00

TX CH155



Date: 22.MAR.2016 17:20:37

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-10.54	1.33	-9.21	30.00

TX CH155



Date: 22.MAR.2016 20:15:52

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-5.77	30.00

ATTACHMENTI-FREQUENCY STABILITY

Test Mode:	UNII-1

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9600
120	5179.9599
108	5179.9750
Max. Deviation (MHz)	0.0400
Max. Deviation (ppm)	7.7220

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5180.0000
-5	5179.9599
5	5179.9600
15	5179.9750
25	5179.9600
35	5179.9600
45	5179.9599
50	5179.9750
Max. Deviation (MHz)	0.0401
Max. Deviation (ppm)	7.7413

Test Mode:	UNII-2A

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9902
120	5259.9599
108	5259.9750
Max. Deviation (MHz)	0.0250
Max. Deviation (ppm)	4.7529

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5260.0000
-5	5259.9550
5	5259.9750
15	5259.9800
25	5259.9750
35	5259.9599
45	5259.9750
50	5259.9600
Max. Deviation (MHz)	0.0450
Max. Deviation (ppm)	8.5551

Test Mode:	UNII-2C

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5499.9599
120	5499.9600
108	5499.9600
Max. Deviation (MHz)	0.0401
Max. Deviation (ppm)	7.2909

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5500.0000
-5	5499.9550
5	5499.9600
15	5499.9600
25	5499.9750
35	5499.9750
45	5499.9599
50	5499.9599
Max. Deviation (MHz)	0.0450
Max. Deviation (ppm)	8.1818

Test Mode:	UNII-3

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9750
120	5744.9599
108	5744.9750
Max. Deviation (MHz)	0.0250
Max. Deviation (ppm)	4.3516

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5745.0000
-5	5744.9550
5	5744.9599
15	5744.9600
25	5744.9599
35	5744.9599
45	5744.9600
50	5744.9600
Max. Deviation (MHz)	0.0450
Max. Deviation (ppm)	7.8329