

ATTACHMENT F - MAXIMUM OUTPUT POWER

For 1TX Non-Beamforming

Test Mode: UNII-2A/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	18.68	0.17	18.85	23.70	0.23
CH60	5300	18.93	0.17	19.10	23.70	0.23
CH64	5320	18.92	0.17	19.09	23.70	0.23

Test Mode: UNII-2A/TX N20 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	18.69	0.07	18.76	23.70	0.23
CH60	5300	18.97	0.07	19.04	23.70	0.23
CH64	5320	18.95	0.07	19.02	23.70	0.23

Test Mode: UNII-2A/TX N40 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	16.91	0.21	17.12	23.70	0.23
CH62	5310	16.41	0.21	16.62	23.70	0.23

Test Mode: UNII-2C/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	18.68	0.17	18.85	23.70	0.23
CH116	5580	17.91	0.17	18.08	23.70	0.23
CH140	5700	17.64	0.17	17.81	23.70	0.23

Test Mode: UNII-2C/TX N20 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	18.73	0.07	18.80	23.70	0.23
CH116	5580	17.94	0.07	18.01	23.70	0.23
CH140	5700	17.51	0.07	17.58	23.70	0.23

Test Mode: UNII-2C/TX N40 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	16.28	0.21	16.49	23.70	0.23
CH110	5550	16.12	0.21	16.33	23.70	0.23
CH134	5670	15.92	0.21	16.13	23.70	0.23

Test Mode: UNII-2A/TX AC20 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	18.70	0.09	18.79	23.70	0.23
CH60	5300	18.98	0.09	19.07	23.70	0.23
CH64	5320	18.93	0.09	19.02	23.70	0.23

Test Mode: UNII-2A/TX AC40 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	16.94	0.10	17.04	23.70	0.23
CH62	5310	16.24	0.10	16.34	23.70	0.23

Test Mode: UNII-2A/TX AC80 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	15.47	0.41	15.88	23.70	0.23

Test Mode: UNII-2C/TX AC20 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	18.74	0.09	18.83	23.70	0.23
CH116	5580	17.94	0.09	18.03	23.70	0.23
CH140	5700	17.81	0.09	17.90	23.70	0.23

Test Mode: UNII-2C/TX AC40 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	16.39	0.10	16.49	23.70	0.23
CH110	5550	16.13	0.10	16.23	23.70	0.23
CH134	5670	16.17	0.10	16.27	23.70	0.23

Test Mode: UNII-2C/TX AC80 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	14.78	0.41	15.19	23.70	0.23
CH122	5610	14.06	0.41	14.47	23.70	0.23

For 2TX Non-Beamforming

Test Mode: UNII-2A/TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	17.73	0.17	17.90	23.70	0.23
CH60	5300	17.86	0.17	18.03	23.70	0.23
CH64	5320	17.67	0.17	17.84	23.70	0.23

Test Mode: UNII-2A/TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	18.66	0.17	18.83	23.70	0.23
CH60	5300	18.77	0.17	18.94	23.70	0.23
CH64	5320	18.74	0.17	18.91	23.70	0.23

Test Mode: UNII-2A/TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	21.40	23.70	0.23
CH60	5300	21.52	23.70	0.23
CH64	5320	21.42	23.70	0.23

Test Mode: UNII-2A/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	17.83	0.07	17.90	23.70	0.23
CH60	5300	17.86	0.07	17.93	23.70	0.23
CH64	5320	16.72	0.07	16.79	23.70	0.23

Test Mode: UNII-2A/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	17.75	0.07	17.82	23.70	0.23
CH60	5300	18.77	0.07	18.84	23.70	0.23
CH64	5320	17.71	0.07	17.78	23.70	0.23

Test Mode: UNII-2A/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	20.87	23.70	0.23
CH60	5300	21.42	23.70	0.23
CH64	5320	20.32	23.70	0.23

Test Mode: UNII-2A/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	16.83	0.21	17.04	23.70	0.23
CH62	5310	15.89	0.21	16.10	23.70	0.23

Test Mode: UNII-2A/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	16.43	0.21	16.64	23.70	0.23
CH62	5310	15.68	0.21	15.89	23.70	0.23

Test Mode: UNII-2A/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	19.85	23.70	0.23
CH62	5310	19.01	23.70	0.23

Test Mode: UNII-2C/TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	16.72	0.17	16.89	23.70	0.23
CH116	5580	17.49	0.17	17.66	23.70	0.23
CH140	5700	14.34	0.17	14.51	23.70	0.23

Test Mode: UNII-2C/TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	16.29	0.17	16.46	23.70	0.23
CH116	5580	17.87	0.17	18.04	23.70	0.23
CH140	5700	15.24	0.17	15.41	23.70	0.23

Test Mode: UNII-2C/TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	19.69	23.70	0.23
CH116	5580	20.86	23.70	0.23
CH140	5700	17.99	23.70	0.23

Test Mode: UNII-2C/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.84	0.07	15.91	23.70	0.23
CH116	5580	17.42	0.07	17.49	23.70	0.23
CH140	5700	14.58	0.07	14.65	23.70	0.23

Test Mode: UNII-2C/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	16.24	0.07	16.31	23.70	0.23
CH116	5580	17.97	0.07	18.04	23.70	0.23
CH140	5700	15.18	0.07	15.25	23.70	0.23

Test Mode: UNII-2C/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	19.12	23.70	0.23
CH116	5580	20.78	23.70	0.23
CH140	5700	17.97	23.70	0.23

Test Mode: UNII-2C/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.57	0.21	14.78	23.70	0.23
CH110	5550	16.02	0.21	16.23	23.70	0.23
CH134	5670	15.45	0.21	15.66	23.70	0.23

Test Mode: UNII-2C/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.52	0.21	14.73	23.70	0.23
CH110	5550	16.64	0.21	16.85	23.70	0.23
CH134	5670	15.35	0.21	15.56	23.70	0.23

Test Mode: UNII-2C/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	17.77	23.70	0.23
CH110	5550	19.56	23.70	0.23
CH134	5670	18.62	23.70	0.23

Test Mode: UNII-2A/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	17.82	0.09	17.91	23.70	0.23
CH60	5300	17.85	0.09	17.94	23.70	0.23
CH64	5320	16.69	0.09	16.78	23.70	0.23

Test Mode: UNII-2A/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	18.73	0.09	18.82	23.70	0.23
CH60	5300	18.74	0.09	18.83	23.70	0.23
CH64	5320	17.66	0.09	17.75	23.70	0.23

Test Mode: UNII-2A/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	21.40	23.70	0.23
CH60	5300	21.42	23.70	0.23
CH64	5320	20.30	23.70	0.23

Test Mode: UNII-2A/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	16.86	0.10	16.96	23.70	0.23
CH62	5310	14.91	0.10	15.01	23.70	0.23

Test Mode: UNII-2A/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	16.47	0.10	16.57	23.70	0.23
CH62	5310	14.62	0.10	14.72	23.70	0.23

Test Mode: UNII-2A/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	19.78	23.70	0.23
CH62	5310	17.88	23.70	0.23

Test Mode: UNII-2A/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	15.33	0.41	15.74	23.70	0.23

Test Mode: UNII-2A/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	15.17	0.41	15.58	23.70	0.23

Test Mode: UNII-2A/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	18.67	23.70	0.23

Test Mode: UNII-2C/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.81	0.09	15.90	23.70	0.23
CH116	5580	17.42	0.09	17.51	23.70	0.23
CH140	5700	14.59	0.09	14.68	23.70	0.23

Test Mode: UNII-2C/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	16.29	0.09	16.38	23.70	0.23
CH116	5580	17.94	0.09	18.03	23.70	0.23
CH140	5700	15.21	0.09	15.30	23.70	0.23

Test Mode: UNII-2C/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	19.16	23.70	0.23
CH116	5580	20.79	23.70	0.23
CH140	5700	18.01	23.70	0.23

Test Mode: UNII-2C/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.52	0.10	14.62	23.70	0.23
CH110	5550	16.05	0.10	16.15	23.70	0.23
CH134	5670	14.44	0.10	14.54	23.70	0.23

Test Mode: UNII-2C/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.56	0.10	14.66	23.70	0.23
CH110	5550	16.69	0.10	16.79	23.70	0.23
CH134	5670	15.31	0.10	15.41	23.70	0.23

Test Mode: UNII-2C/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	17.65	23.70	0.23
CH110	5550	19.49	23.70	0.23
CH134	5670	18.01	23.70	0.23

Test Mode: UNII-2C/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	12.83	0.41	13.24	23.70	0.23
CH122	5610	13.87	0.41	14.28	23.70	0.23

Test Mode: UNII-2C/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	12.89	0.41	13.30	23.70	0.23
CH122	5610	15.01	0.41	15.42	23.70	0.23

Test Mode: UNII-2C/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	16.28	23.70	0.23
CH122	5610	17.90	23.70	0.23

For 2TX Beamforming

Test Mode: UNII-2A/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	14.79	0.07	14.86	20.70	0.12
CH60	5300	14.68	0.07	14.75	20.70	0.12
CH64	5320	14.54	0.07	14.61	20.70	0.12

Test Mode: UNII-2A/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	14.55	0.07	14.62	20.70	0.12
CH60	5300	14.51	0.07	14.58	20.70	0.12
CH64	5320	14.48	0.07	14.55	20.70	0.12

Test Mode: UNII-2A/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	17.75	20.70	0.12
CH60	5300	17.68	20.70	0.12
CH64	5320	17.59	20.70	0.12

Test Mode: UNII-2A/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	16.74	0.21	16.95	20.70	0.12
CH62	5310	15.62	0.21	15.83	20.70	0.12

Test Mode: UNII-2A/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	16.36	0.21	16.57	20.70	0.12
CH62	5310	15.57	0.21	15.78	20.70	0.12

Test Mode: UNII-2A/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	19.77	20.70	0.12
CH62	5310	18.82	20.70	0.12

Test Mode: UNII-2C/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.93	0.07	15.00	20.70	0.12
CH116	5580	14.78	0.07	14.85	20.70	0.12
CH140	5700	15.02	0.07	15.09	20.70	0.12

Test Mode: UNII-2C/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.63	0.07	14.70	20.70	0.12
CH116	5580	14.86	0.07	14.93	20.70	0.12
CH140	5700	15.26	0.07	15.33	20.70	0.12

Test Mode: UNII-2C/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	17.86	20.70	0.12
CH116	5580	17.90	20.70	0.12
CH140	5700	18.22	20.70	0.12

Test Mode: UNII-2C/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.54	0.21	14.75	20.70	0.12
CH110	5550	16.23	0.21	16.44	20.70	0.12
CH134	5670	15.34	0.21	15.55	20.70	0.12

Test Mode: UNII-2C/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.45	0.21	14.66	20.70	0.12
CH110	5550	16.45	0.21	16.66	20.70	0.12
CH134	5670	15.23	0.21	15.44	20.70	0.12

Test Mode: UNII-2C/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	17.72	20.70	0.12
CH110	5550	19.56	20.70	0.12
CH134	5670	18.51	20.70	0.12

Test Mode: UNII-2A/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	14.14	0.09	14.23	20.70	0.12
CH60	5300	14.61	0.09	14.70	20.70	0.12
CH64	5320	14.46	0.09	14.55	20.70	0.12

Test Mode: UNII-2A/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	13.84	0.09	13.93	20.70	0.12
CH60	5300	14.90	0.09	14.99	20.70	0.12
CH64	5320	13.89	0.09	13.98	20.70	0.12

Test Mode: UNII-2A/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	17.09	20.70	0.12
CH60	5300	17.85	20.70	0.12
CH64	5320	17.28	20.70	0.12

Test Mode: UNII-2A/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	16.54	0.10	16.64	20.70	0.12
CH62	5310	14.43	0.10	14.53	20.70	0.12

Test Mode: UNII-2A/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	16.32	0.10	16.42	20.70	0.12
CH62	5310	14.47	0.10	14.57	20.70	0.12

Test Mode: UNII-2A/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	19.54	20.70	0.12
CH62	5310	17.56	20.70	0.12

Test Mode: UNII-2A/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	15.12	0.41	15.53	20.70	0.12

Test Mode: UNII-2A/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	15.05	0.41	15.46	20.70	0.12

Test Mode: UNII-2A/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	18.51	20.70	0.12

Test Mode: UNII-2C/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.84	0.09	14.93	20.70	0.12
CH116	5580	14.99	0.09	15.08	20.70	0.12
CH140	5700	14.97	0.09	15.06	20.70	0.12

Test Mode: UNII-2C/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.67	0.09	14.76	20.70	0.12
CH116	5580	14.75	0.09	14.84	20.70	0.12
CH140	5700	14.81	0.09	14.90	20.70	0.12

Test Mode: UNII-2C/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	17.85	20.70	0.12
CH116	5580	17.97	20.70	0.12
CH140	5700	17.99	20.70	0.12

Test Mode: UNII-2C/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.47	0.10	14.57	20.70	0.12
CH110	5550	16.14	0.10	16.24	20.70	0.12
CH134	5670	14.35	0.10	14.45	20.70	0.12

Test Mode: UNII-2C/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.55	0.10	14.65	20.70	0.12
CH110	5550	16.23	0.10	16.33	20.70	0.12
CH134	5670	15.25	0.10	15.35	20.70	0.12

Test Mode: UNII-2C/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	17.62	20.70	0.12
CH110	5550	19.30	20.70	0.12
CH134	5670	17.93	20.70	0.12

Test Mode: UNII-2C/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	12.78	0.41	13.19	20.70	0.12
CH122	5610	13.76	0.41	14.17	20.70	0.12

Test Mode: UNII-2C/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	12.74	0.41	13.15	20.70	0.12
CH122	5610	15.09	0.41	15.50	20.70	0.12

Test Mode: UNII-2C/TX AC80 Mode_Total


Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	16.18	20.70	0.12
CH122	5610	17.90	20.70	0.12

ATTACHMENT H - POWER SPECTRAL DENSITY

For 1TX Non-Beamforming


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.95	0.17	8.12	10.70
CH60	5300	8.11	0.17	8.28	10.70
CH64	5320	7.87	0.17	8.04	10.70




Date: 11.OCT.2016 14:09:10

CH60



Date: 11.OCT.2016 14:10:07


CH64



Date: 11.OCT.2016 14:10:58


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.71	0.07	7.78	10.70
CH60	5300	7.76	0.07	7.83	10.70
CH64	5320	7.67	0.07	7.74	10.70




Date: 11.OCT.2016 14:19:30

CH60



Date: 11.OCT.2016 14:20:17

CH64




Date: 11.OCT.2016 14:21:05

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.11	0.21	3.32	10.70
CH62	5310	3.06	0.21	3.27	10.70

CH54



Date: 11.OCT.2016 14:40:59


CH62



Date: 11.OCT.2016 14:41:52


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	8.55	0.17	8.72	10.70
CH116	5580	8.01	0.17	8.18	10.70
CH140	5700	7.33	0.17	7.50	10.70




Date: 11.OCT.2016 14:11:45

CH116



Date: 11.OCT.2016 14:12:35


CH140



Date: 11.OCT.2016 14:13:28


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	8.37	0.07	8.44	10.70
CH116	5580	7.71	0.07	7.78	10.70
CH140	5700	7.17	0.07	7.24	10.70




Date: 11.OCT.2016 14:21:55

CH116



Date: 11.OCT.2016 14:22:42


CH140



Date: 11.OCT.2016 14:23:31


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.59	0.21	3.80	10.70
CH110	5550	3.17	0.21	3.38	10.70
CH134	5670	3.02	0.21	3.23	10.70




Date: 11.OCT.2016 14:42:45

CH110



Date: 11.OCT.2016 14:43:36


CH134



Date: 11.OCT.2016 14:44:26


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.58	0.09	7.67	10.70
CH60	5300	7.75	0.09	7.84	10.70
CH64	5320	7.64	0.09	7.73	10.70




Date: 11.OCT.2016 14:31:43

CH60



Date: 11.OCT.2016 14:32:28

CH64




Date: 11.OCT.2016 14:33:16

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.09	0.10	3.19	10.70
CH62	5310	2.89	0.10	2.99	10.70

CH54



Date: 11.OCT.2016 14:49:13


CH62



Date: 11.OCT.2016 14:50:08

Test Mode: UNII-2A/TX AC80 Mode_CH58


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-1.83	0.41	-1.42	10.70



Date: 11.OCT.2016 15:01:07


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	8.31	0.09	8.40	10.70
CH116	5580	7.71	0.09	7.80	10.70
CH140	5700	7.15	0.09	7.24	10.70




Date: 11.OCT.2016 14:34:02

CH116



Date: 11.OCT.2016 14:34:50


CH140



Date: 11.OCT.2016 14:35:36


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.61	0.10	3.71	10.70
CH110	5550	3.08	0.10	3.18	10.70
CH134	5670	2.88	0.10	2.98	10.70




Date: 11.OCT.2016 14:51:02

CH110



Date: 11.OCT.2016 14:51:52

CH134




Date: 11.OCT.2016 14:54:40

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-1.33	0.41	-0.92	10.70
CH122	5610	-1.95	0.41	-1.54	10.70

CH106



Date: 11.OCT.2016 15:02:07

CH122




Date: 11.OCT.2016 15:03:04

For 2TX Non-Beamforming


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.73	0.17	3.90	10.70
CH60	5300	3.07	0.17	3.24	10.70
CH64	5320	3.27	0.17	3.44	10.70




Date: 9.DEC.2016 11:30:08

CH60



Date: 9.DEC.2016 10:26:37


CH64



Date: 9.DEC.2016 10:37:09


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.01	0.17	6.18	10.70
CH60	5300	5.43	0.17	5.60	10.70
CH64	5320	5.38	0.17	5.55	10.70




Date: 9.DEC.2016 09:35:08

CH60



Date: 9.DEC.2016 09:36:12

CH64




Date: 9.DEC.2016 09:37:08

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.20	10.70
CH60	5300	7.59	10.70
CH64	5320	7.63	10.70


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.85	0.07	2.92	10.70
CH60	5300	3.01	0.07	3.08	10.70
CH64	5320	3.02	0.07	3.09	10.70




Date: 9.DEC.2016 10:45:24

CH60



Date: 9.DEC.2016 10:46:31


CH64



Date: 9.DEC.2016 10:47:32


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.57	0.07	5.64	10.70
CH60	5300	5.32	0.07	5.39	10.70
CH64	5320	5.10	0.07	5.17	10.70




Date: 9.DEC.2016 09:41:15

CH60



Date: 9.DEC.2016 09:42:14

CH64



Date: 9.DEC.2016 09:43:08


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.50	10.70
CH60	5300	7.40	10.70
CH64	5320	7.26	10.70

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.90	0.21	-1.69	10.70
CH62	5310	-1.56	0.21	-1.35	10.70

CH54



Date: 9.DEC.2016 11:02:35

CH62




Date: 9.DEC.2016 11:03:45

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.95	0.21	1.16	10.70
CH62	5310	0.98	0.21	1.19	10.70

CH54



Date: 9.DEC.2016 09:55:47

CH62




Date: 9.DEC.2016 09:57:01

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.98	10.70
CH62	5310	3.11	10.70

CH116



Date: 9.DEC.2016 10:42:38


CH140



Date: 9.DEC.2016 10:44:18


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.34	0.17	6.51	10.70
CH116	5580	6.22	0.17	6.39	10.70
CH140	5700	6.54	0.17	6.71	10.70




Date: 9.DEC.2016 09:38:05

CH116



Date: 9.DEC.2016 09:39:12

CH140




Date: 9.DEC.2016 09:40:02

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.96	10.70
CH116	5580	7.89	10.70
CH140	5700	8.14	10.70


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.16	0.07	2.23	10.70
CH116	5580	2.18	0.07	2.25	10.70
CH140	5700	2.90	0.07	2.97	10.70

CH100



Date: 9.DEC.2016 10:48:51

CH116



Date: 9.DEC.2016 10:49:48


CH140



Date: 9.DEC.2016 10:50:42


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.09	0.07	6.16	10.70
CH116	5580	6.20	0.07	6.27	10.70
CH140	5700	6.35	0.07	6.42	10.70

CH100



Date: 9.DEC.2016 09:44:28

CH116



Date: 9.DEC.2016 09:45:48

CH140




Date: 9.DEC.2016 09:46:45

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.64	10.70
CH116	5580	7.72	10.70
CH140	5700	8.04	10.70


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.46	0.21	-2.25	10.70
CH110	5550	-2.36	0.21	-2.15	10.70
CH134	5670	-2.01	0.21	-1.80	10.70




Date: 9.DEC.2016 11:05:07

CH110



Date: 9.DEC.2016 11:06:18


CH134



Date: 9.DEC.2016 11:07:45


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.70	0.21	1.91	10.70
CH110	5550	1.71	0.21	1.92	10.70
CH134	5670	2.16	0.21	2.37	10.70




Date: 9.DEC.2016 09:58:11

CH110



Date: 9.DEC.2016 09:59:49

CH134




Date: 9.DEC.2016 10:00:58

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.32	10.70
CH110	5550	3.36	10.70
CH134	5670	3.78	10.70

CH60



Date: 9.DEC.2016 10:53:01


CH64



Date: 9.DEC.2016 10:53:54


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.74	0.09	5.83	10.70
CH60	5300	5.41	0.09	5.50	10.70
CH64	5320	5.17	0.09	5.26	10.70




Date: 9.DEC.2016 09:48:01

CH60



Date: 9.DEC.2016 09:49:07

CH64



Date: 9.DEC.2016 09:50:04


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.60	10.70
CH60	5300	7.50	10.70
CH64	5320	7.34	10.70

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.97	0.10	-1.87	10.70
CH62	5310	-1.65	0.10	-1.55	10.70

CH54



Date: 9.DEC.2016 11:08:55

CH62




Date: 9.DEC.2016 11:10:29

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.89	0.10	0.99	10.70
CH62	5310	0.79	0.10	0.89	10.70

CH54



Date: 9.DEC.2016 10:03:23

CH62




Date: 9.DEC.2016 10:04:40

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.80	10.70
CH62	5310	2.85	10.70

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-6.23	0.41	-5.82	10.70



Date: 9.DEC.2016 11:15:42

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-3.83	0.41	-3.42	10.70




Date: 9.DEC.2016 10:10:09

Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-1.45	10.70


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.95	0.09	2.04	10.70
CH116	5580	2.07	0.09	2.16	10.70
CH140	5700	2.81	0.09	2.90	10.70




Date: 9.DEC.2016 10:54:56

CH116



Date: 9.DEC.2016 10:56:08


CH140



Date: 9.DEC.2016 11:00:32


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.05	0.09	6.14	10.70
CH116	5580	6.20	0.09	6.29	10.70
CH140	5700	6.33	0.09	6.42	10.70




Date: 9.DEC.2016 09:51:26

CH116



Date: 9.DEC.2016 09:52:31

CH140




Date: 9.DEC.2016 09:53:22

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.57	10.70
CH116	5580	7.71	10.70
CH140	5700	8.02	10.70


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.72	0.10	-2.62	10.70
CH110	5550	-2.37	0.10	-2.27	10.70
CH134	5670	-1.84	0.10	-1.74	10.70




Date: 9.DEC.2016 11:11:35

CH110



Date: 9.DEC.2016 11:12:57


CH134



Date: 9.DEC.2016 11:13:54


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.63	0.10	1.73	10.70
CH110	5550	1.85	0.10	1.95	10.70
CH134	5670	2.16	0.10	2.26	10.70




Date: 9.DEC.2016 10:06:03

CH110



Date: 9.DEC.2016 10:07:40

CH134



Date: 9.DEC.2016 10:08:34


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.09	10.70
CH110	5550	3.34	10.70
CH134	5670	3.72	10.70

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-7.51	0.41	-7.10	10.70
CH122	5610	-7.45	0.41	-7.04	10.70

CH106



Date: 9.DEC.2016 11:17:07

CH122




Date: 9.DEC.2016 11:18:21

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.19	0.41	-2.78	10.70
CH122	5610	-3.20	0.41	-2.79	10.70

CH106



Date: 9.DEC.2016 10:11:41

CH122



Date: 9.DEC.2016 10:12:57


Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-1.41	10.70
CH122	5610	-1.40	10.70

For 2TX Beamforming


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.63	0.07	4.70	7.70
CH60	5300	4.50	0.07	4.57	7.70
CH64	5320	4.44	0.07	4.51	7.70




Date: 17.JAN.2017 19:33:13

CH60



Date: 17.JAN.2017 19:34:18


CH64



Date: 17.JAN.2017 19:27:44


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.52	0.07	4.59	7.70
CH60	5300	4.61	0.07	4.68	7.70
CH64	5320	4.26	0.07	4.33	7.70




Date: 17.JAN.2017 19:12:59

CH60



Date: 17.JAN.2017 19:27:01

CH64



Date: 17.JAN.2017 19:34:45


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.65	7.70
CH60	5300	7.63	7.70
CH64	5320	7.43	7.70

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.05	0.21	3.26	7.70
CH62	5310	2.07	0.21	2.28	7.70

CH54



Date: 11.OCT.2016 15:52:50

CH62




Date: 11.OCT.2016 15:53:47

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.72	0.21	2.93	7.70
CH62	5310	1.82	0.21	2.03	7.70

CH54



Date: 11.OCT.2016 16:54:04

CH62



Date: 11.OCT.2016 16:55:01

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	6.11	7.70
CH62	5310	5.17	7.70

