




Appendix G

Conducted Emission at Power Port

According to FCC Part 15.207



Channel 6



MEASUREMENT RESULT: QP Detector

Frequency	Level	Transducer	Limit	Margin	Line	PE
MHz	dB μ V	dB	dB μ V	dB		
0.178729	42.9	9.7	64.5	21.6	N	FLO
0.485790	45.8	9.7	56.2	10.4	N	FLO
0.653472	46.9	9.7	56.0	9.1	N	FLO
1.148344	44.5	9.7	56.0	11.5	N	FLO
3.118616	41.1	9.7	56.0	14.9	N	FLO
9.383084	48.9	9.9	60.0	11.1	N	FLO



MEASUREMENT RESULT: AV Detector

Frequency	Level	Transducer	Limit	Margin	Line	PE
MHz	dB μ V	dB	dB μ V	dB		
0.170707	32.8	9.7	54.9	22.1	N	FLO
0.407444	34.9	9.7	47.7	12.8	N	FLO
0.655204	37.1	9.7	46.0	8.9	N	FLO
1.141818	36.4	9.7	46.0	9.6	N	FLO
2.959740	32.6	9.7	46.0	13.4	N	FLO
9.452437	39.5	9.9	50.0	10.5	N	FLO

-----The END-----