


Test Voltage:	AC 120V/60Hz
Test Mode:	USB Copy(EUT with PC) +Earphone+idle
Note:	Earphone:United Electronics Co.Ltd Jiangxi


## Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	58.1300	51.16	-14.55	36.61	40.00	-3.39	QP	
2		142.5200	42.30	-14.34	27.96	43.50	-15.54	QP	
3		291.9000	43.95	-13.65	30.30	46.00	-15.70	QP	
4		399.5700	45.31	-11.10	34.21	46.00	-11.79	QP	
5		572.2300	37.57	-7.74	29.83	46.00	-16.17	QP	
6		884.5700	38.45	-3.15	35.30	46.00	-10.70	QP	

Test Voltage:	AC 120V/60Hz
Test Mode:	USB Copy(EUT with PC) +Earphone+idle
Note:	Earphone:United Electronics Co.Ltd Jiangxi

## Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	!	59.1000	50.40	-14.64	35.76	40.00	-4.24	QP	
2		152.2200	41.44	-14.03	27.41	43.50	-16.09	QP	
3	*	297.7200	56.17	-13.54	42.63	46.00	-3.37	QP	
4		399.5700	50.44	-11.10	39.34	46.00	-6.66	QP	
5		800.1800	38.79	-4.74	34.05	46.00	-11.95	QP	
6		884.5700	39.10	-3.15	35.95	46.00	-10.05	QP	

## **ATTACHMENT C - RADIATED EMISSION (ABOVE 1000MHZ)**

Test Voltage:	AC 120V/60Hz
Test Mode:	Adapter+Earphone+Playing+idle+WiFi+GPS
Note:	Adapter:BYD; Earphone: GOERTEK INC; Deskop


## Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		1360.000	41.25	-4.48	36.77	74.00	-37.23	peak	
2		1360.000	24.95	-4.48	20.47	54.00	-33.53	AVG	
3		1745.000	44.40	-2.99	41.41	74.00	-32.59	peak	
4		1745.000	29.59	-2.99	26.60	54.00	-27.40	AVG	
5		2910.000	41.90	1.52	43.42	74.00	-30.58	peak	
6		2910.000	26.63	1.52	28.15	54.00	-25.85	AVG	
7		3280.000	41.36	2.49	43.85	74.00	-30.15	peak	
8		3280.000	25.84	2.49	28.33	54.00	-25.67	AVG	
9		4885.000	40.95	7.47	48.42	74.00	-25.58	peak	
10		4885.000	23.65	7.47	31.12	54.00	-22.88	AVG	
11		5970.000	40.12	9.72	49.84	74.00	-24.16	peak	
12	*	5970.000	24.85	9.72	34.57	54.00	-19.43	AVG	

Test Voltage:	AC 120V/60Hz
Test Mode:	Adapter+Earphone+Playing+idle+WiFi+GPS
Note:	Adapter:BYD; Earphone: GOERTEK INC; Deskop


## Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2445.000	44.00	-0.14	43.86	74.00	-30.14	peak	
2		2445.000	27.68	-0.14	27.54	54.00	-26.46	AVG	
3		3125.000	41.62	2.13	43.75	74.00	-30.25	peak	
4		3125.000	26.22	2.13	28.35	54.00	-25.65	AVG	
5		3565.000	39.78	3.47	43.25	74.00	-30.75	peak	
6		3565.000	25.00	3.47	28.47	54.00	-25.53	AVG	
7		5035.000	39.82	7.74	47.56	74.00	-26.44	peak	
8		5035.000	24.48	7.74	32.22	54.00	-21.78	AVG	
9		5700.000	39.24	9.39	48.63	74.00	-25.37	peak	
10		5700.000	24.45	9.39	33.84	54.00	-20.16	AVG	
11		5995.000	41.30	9.74	51.04	74.00	-22.96	peak	
12	*	5995.000	25.88	9.74	35.62	54.00	-18.38	AVG	

Test Voltage:	AC 120V/60Hz
Test Mode:	Adapter+Earphone+Playing+idle+WiFi+GPS
Note:	Adapter:BYD; Earphone: United Electronics Co.Ltd Jiangxi; H


## Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2415.000	42.76	-0.25	42.51	74.00	-31.49	peak	
2		2415.000	26.66	-0.25	26.41	54.00	-27.59	AVG	
3		2980.000	42.10	1.78	43.88	74.00	-30.12	peak	
4		2980.000	26.58	1.78	28.36	54.00	-25.64	AVG	
5		3495.000	40.82	2.99	43.81	74.00	-30.19	peak	
6		3495.000	25.43	2.99	28.42	54.00	-25.58	AVG	
7		4830.000	43.88	7.40	51.28	74.00	-22.72	peak	
8		4830.000	23.02	7.40	30.42	54.00	-23.58	AVG	
9		5490.000	39.37	9.11	48.48	74.00	-25.52	peak	
10		5490.000	24.34	9.11	33.45	54.00	-20.55	AVG	
11		6000.000	39.89	9.75	49.64	74.00	-24.36	peak	
12	*	6000.000	25.67	9.75	35.42	54.00	-18.58	AVG	

Test Voltage:	AC 120V/60Hz
Test Mode:	Adapter+Earphone+Playing+idle+WiFi+GPS
Note:	Adapter:BYD; Earphone: United Electronics Co.Ltd Jiangxi; H


## Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		1735.000	43.43	-3.04	40.39	74.00	-33.61	peak	
2		1735.000	28.38	-3.04	25.34	54.00	-28.66	AVG	
3		3185.000	41.74	2.27	44.01	74.00	-29.99	peak	
4		3185.000	27.14	2.27	29.41	54.00	-24.59	AVG	
5		3555.000	40.29	3.40	43.69	74.00	-30.31	peak	
6		3555.000	25.02	3.40	28.42	54.00	-25.58	AVG	
7		4855.000	42.60	7.44	50.04	74.00	-23.96	peak	
8		4855.000	26.89	7.44	34.33	54.00	-19.67	AVG	
9		5540.000	39.77	9.19	48.96	74.00	-25.04	peak	
10		5540.000	24.91	9.19	34.10	54.00	-19.90	AVG	
11		5980.000	39.62	9.72	49.34	74.00	-24.66	peak	
12	*	5980.000	24.95	9.72	34.67	54.00	-19.33	AVG	

Test Voltage:	AC 120V/60Hz
Test Mode:	Adapter+Earphone+Playing+idle+WiFi+GPS
Note:	Adapter:HK; Earphone: United Electronics Co.Ltd Jiangxi; V


## Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2440.000	45.05	-0.16	44.89	74.00	-29.11	peak	
2		2440.000	29.69	-0.16	29.53	54.00	-24.47	AVG	
3		3145.000	41.45	2.18	43.63	74.00	-30.37	peak	
4		3145.000	26.28	2.18	28.46	54.00	-25.54	AVG	
5		3595.000	40.46	3.69	44.15	74.00	-29.85	peak	
6		3595.000	26.43	3.69	30.12	54.00	-23.88	AVG	
7		5010.000	39.32	7.67	46.99	74.00	-27.01	peak	
8		5010.000	24.02	7.67	31.69	54.00	-22.31	AVG	
9		5695.000	39.69	9.37	49.06	74.00	-24.94	peak	
10	*	5695.000	25.05	9.37	34.42	54.00	-19.58	AVG	
11		5985.000	39.45	9.73	49.18	74.00	-24.82	peak	
12		5985.000	24.66	9.73	34.39	54.00	-19.61	AVG	

Test Voltage:	AC 120V/60Hz
Test Mode:	Adapter+Earphone+Playing+idle+WiFi+GPS
Note:	Adapter:HK; Earphone: United Electronics Co.Ltd Jiangxi; V


## Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2415.000	46.17	-0.25	45.92	74.00	-28.08	peak	
2		2415.000	30.67	-0.25	30.42	54.00	-23.58	AVG	
3		2985.000	41.76	1.79	43.55	74.00	-30.45	peak	
4		2985.000	26.63	1.79	28.42	54.00	-25.58	AVG	
5		3185.000	41.79	2.27	44.06	74.00	-29.94	peak	
6		3185.000	27.14	2.27	29.41	54.00	-24.59	AVG	
7		4830.000	40.37	7.40	47.77	74.00	-26.23	peak	
8		4830.000	24.75	7.40	32.15	54.00	-21.85	AVG	
9		5670.000	39.12	9.35	48.47	74.00	-25.53	peak	
10		5670.000	24.50	9.35	33.85	54.00	-20.15	AVG	
11		5980.000	39.95	9.72	49.67	74.00	-24.33	peak	
12	*	5980.000	24.80	9.72	34.52	54.00	-19.48	AVG	

Test Voltage:	AC 120V/60Hz
Test Mode:	Adapter + Earphone +Camera on+BT+idle
Note:	Adapter:HK; Earphone: United Electronics Co.Ltd Jiangxi; V


## Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		1955.000	42.88	-2.08	40.80	74.00	-33.20	peak	
2		1955.000	27.20	-2.08	25.12	54.00	-28.88	AVG	
3		2415.000	44.62	-0.25	44.37	74.00	-29.63	peak	
4		2415.000	29.40	-0.25	29.15	54.00	-24.85	AVG	
5		3165.000	41.18	2.22	43.40	74.00	-30.60	peak	
6		3165.000	26.01	2.22	28.23	54.00	-25.77	AVG	
7		5065.000	38.93	7.84	46.77	74.00	-27.23	peak	
8		5065.000	23.58	7.84	31.42	54.00	-22.58	AVG	
9		5635.000	39.60	9.30	48.90	74.00	-25.10	peak	
10		5635.000	24.37	9.30	33.67	54.00	-20.33	AVG	
11		5975.000	39.74	9.71	49.45	74.00	-24.55	peak	
12	*	5975.000	24.51	9.71	34.22	54.00	-19.78	AVG	

Test Voltage:	AC 120V/60Hz
Test Mode:	Adapter + Earphone +Camera on+BT+idle
Note:	Adapter:HK; Earphone: United Electronics Co.Ltd Jiangxi; V


## Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2435.000	44.36	-0.17	44.19	74.00	-29.81	peak	
2		2435.000	28.62	-0.17	28.45	54.00	-25.55	AVG	
3		2815.000	45.34	1.19	46.53	74.00	-27.47	peak	
4		2815.000	30.45	1.19	31.64	54.00	-22.36	AVG	
5		3125.000	41.38	2.13	43.51	74.00	-30.49	peak	
6		3125.000	26.42	2.13	28.55	54.00	-25.45	AVG	
7		4825.000	43.54	7.39	50.93	74.00	-23.07	peak	
8		4825.000	26.06	7.39	33.45	54.00	-20.55	AVG	
9		4905.000	42.92	7.50	50.42	74.00	-23.58	peak	
10	*	4905.000	28.17	7.50	35.67	54.00	-18.33	AVG	
11		5985.000	39.28	9.73	49.01	74.00	-24.99	peak	
12		5985.000	24.42	9.73	34.15	54.00	-19.85	AVG	

Test Voltage:	AC 120V/60Hz
Test Mode:	Adapter+Traffic
Note:	Adapter:HK; V


## Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2415.000	43.25	-0.25	43.00	74.00	-31.00	peak	
2		2415.000	28.60	-0.25	28.35	54.00	-25.65	AVG	
3		3210.000	41.21	2.33	43.54	74.00	-30.46	peak	
4		3210.000	25.82	2.33	28.15	54.00	-25.85	AVG	
5		3490.000	40.91	2.98	43.89	74.00	-30.11	peak	
6		3490.000	25.36	2.98	28.34	54.00	-25.66	AVG	
7		4740.000	38.18	7.26	45.44	74.00	-28.56	peak	
8		4740.000	23.39	7.26	30.65	54.00	-23.35	AVG	
9		5165.000	38.95	8.14	47.09	74.00	-26.91	peak	
10		5165.000	24.01	8.14	32.15	54.00	-21.85	AVG	
11		6000.000	39.91	9.75	49.66	74.00	-24.34	peak	
12	*	6000.000	24.78	9.75	34.53	54.00	-19.47	AVG	

Test Voltage:	AC 120V/60Hz
Test Mode:	Adapter+Traffic
Note:	Adapter:HK; V


## Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2440.000	44.04	-0.16	43.88	74.00	-30.12	peak	
2		2440.000	27.51	-0.16	27.35	54.00	-26.65	AVG	
3		2965.000	42.23	1.71	43.94	74.00	-30.06	peak	
4		2965.000	27.41	1.71	29.12	54.00	-24.88	AVG	
5		3560.000	40.90	3.43	44.33	74.00	-29.67	peak	
6		3560.000	26.72	3.43	30.15	54.00	-23.85	AVG	
7		4115.000	36.40	6.69	43.09	74.00	-30.91	peak	
8		4115.000	21.64	6.69	28.33	54.00	-25.67	AVG	
9		5435.000	38.66	8.94	47.60	74.00	-26.40	peak	
10		5435.000	23.80	8.94	32.74	54.00	-21.26	AVG	
11		5920.000	39.72	9.66	49.38	74.00	-24.62	peak	
12	*	5920.000	24.92	9.66	34.58	54.00	-19.42	AVG	

Test Voltage:	AC 120V/60Hz
Test Mode:	Playing+idle+WiFi+GPS+Speaker
Note:	V


## Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		1950.000	45.55	-2.10	43.45	74.00	-30.55	peak	
2		1950.000	30.47	-2.10	28.37	54.00	-25.63	AVG	
3		2430.000	45.81	-0.20	45.61	74.00	-28.39	peak	
4		2430.000	30.74	-0.20	30.54	54.00	-23.46	AVG	
5		3135.000	41.31	2.15	43.46	74.00	-30.54	peak	
6		3135.000	26.47	2.15	28.62	54.00	-25.38	AVG	
7		3560.000	40.01	3.43	43.44	74.00	-30.56	peak	
8		3560.000	24.69	3.43	28.12	54.00	-25.88	AVG	
9		5600.000	39.41	9.26	48.67	74.00	-25.33	peak	
10		5600.000	24.49	9.26	33.75	54.00	-20.25	AVG	
11		5990.000	39.23	9.74	48.97	74.00	-25.03	peak	
12	*	5990.000	24.87	9.74	34.61	54.00	-19.39	AVG	

Test Voltage:	AC 120V/60Hz
Test Mode:	Playing+idle+WiFi+GPS+Speaker
Note:	V


## Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2430.000	42.81	-0.20	42.61	74.00	-31.39	peak	
2		2430.000	27.72	-0.20	27.52	54.00	-26.48	AVG	
3		3060.000	41.98	1.98	43.96	74.00	-30.04	peak	
4		3060.000	26.71	1.98	28.69	54.00	-25.31	AVG	
5		3520.000	40.49	3.14	43.63	74.00	-30.37	peak	
6		3520.000	25.27	3.14	28.41	54.00	-25.59	AVG	
7		5340.000	39.32	8.66	47.98	74.00	-26.02	peak	
8		5340.000	24.28	8.66	32.94	54.00	-21.06	AVG	
9		5570.000	38.89	9.23	48.12	74.00	-25.88	peak	
10		5570.000	24.24	9.23	33.47	54.00	-20.53	AVG	
11		5985.000	39.19	9.73	48.92	74.00	-25.08	peak	
12	*	5985.000	24.31	9.73	34.04	54.00	-19.96	AVG	

Test Voltage:	AC 120V/60Hz
Test Mode:	USB Copy(EUT with PC) +Earphone+idle
Note:	Earphone:United Electronics Co.Ltd Jiangxi


## Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		1500.000	50.06	-4.06	46.00	74.00	-28.00	peak	
2		1500.000	37.31	-4.06	33.25	54.00	-20.75	AVG	
3		2000.000	44.96	-1.88	43.08	74.00	-30.92	peak	
4		2000.000	30.29	-1.88	28.41	54.00	-25.59	AVG	
5		2270.000	44.40	-0.82	43.58	74.00	-30.42	peak	
6		2270.000	28.44	-0.82	27.62	54.00	-26.38	AVG	
7		2470.000	42.32	-0.03	42.29	74.00	-31.71	peak	
8		2470.000	27.38	-0.03	27.35	54.00	-26.65	AVG	
9		3200.000	41.74	2.31	44.05	74.00	-29.95	peak	
10		3200.000	27.81	2.31	30.12	54.00	-23.88	AVG	
11		5975.000	39.78	9.71	49.49	74.00	-24.51	peak	
12	*	5975.000	24.71	9.71	34.42	54.00	-19.58	AVG	

Test Voltage:	AC 120V/60Hz
Test Mode:	USB Copy(EUT with PC) +Earphone+idle
Note:	Earphone:United Electronics Co.Ltd Jiangxi


## Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		1195.000	45.11	-4.96	40.15	74.00	-33.85	peak	
2		1195.000	30.30	-4.96	25.34	54.00	-28.66	AVG	
3		1495.000	46.91	-4.08	42.83	74.00	-31.17	peak	
4		1495.000	31.23	-4.08	27.15	54.00	-26.85	AVG	
5		2420.000	51.96	-0.23	51.73	74.00	-22.27	peak	
6		2420.000	30.64	-0.23	30.41	54.00	-23.59	AVG	
7		3090.000	41.44	2.05	43.49	74.00	-30.51	peak	
8		3090.000	26.08	2.05	28.13	54.00	-25.87	AVG	
9	*	4895.000	47.36	7.48	54.84	74.00	-19.16	peak	
10		4895.000	24.04	7.48	31.52	54.00	-22.48	AVG	
11		5970.000	39.67	9.72	49.39	74.00	-24.61	peak	
12		5970.000	24.60	9.72	34.32	54.00	-19.68	AVG	

Test Voltage:	AC 120V/60Hz
Test Mode:	Adapter+Earphone+Playing+idle+WiFi+GPS
Note:	Adapter:BYD; Earphone: GOERTEK INC; Deskop


## Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		7482.000	29.25	15.91	45.16	74.00	-28.84	peak	
2		7482.000	14.43	15.91	30.34	54.00	-23.66	AVG	
3		9529.500	31.14	15.22	46.36	74.00	-27.64	peak	
4		9529.500	16.02	15.22	31.24	54.00	-22.76	AVG	
5		10186.000	31.95	15.29	47.24	74.00	-26.76	peak	
6		10186.000	17.38	15.29	32.67	54.00	-21.33	AVG	
7		11746.000	27.06	21.70	48.76	74.00	-25.24	peak	
8		11746.000	11.77	21.70	33.47	54.00	-20.53	AVG	
9		11973.500	26.71	23.15	49.86	74.00	-24.14	peak	
10		11973.500	11.52	23.15	34.67	54.00	-19.33	AVG	
11		12422.000	31.86	18.56	50.42	74.00	-23.58	peak	
12	*	12422.000	16.54	18.56	35.10	54.00	-18.90	AVG	

Test Voltage:	AC 120V/60Hz
Test Mode:	Adapter+Earphone+Playing+idle+WiFi+GPS
Note:	Adapter:BYD; Earphone: GOERTEK INC; Deskop


## Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		7547.000	28.10	15.99	44.09	74.00	-29.91	peak	
2		7547.000	13.57	15.99	29.56	54.00	-24.44	AVG	
3		9536.000	30.40	15.24	45.64	74.00	-28.36	peak	
4		9536.000	15.18	15.24	30.42	54.00	-23.58	AVG	
5		10173.00	31.48	15.35	46.83	74.00	-27.17	peak	
6		10173.00	16.29	15.35	31.64	54.00	-22.36	AVG	
7		10530.50	32.26	14.38	46.64	74.00	-27.36	peak	
8		10530.50	17.35	14.38	31.73	54.00	-22.27	AVG	
9		12032.00	26.80	22.96	49.76	74.00	-24.24	peak	
10		12032.00	11.20	22.96	34.16	54.00	-19.84	AVG	
11		12480.50	32.48	17.89	50.37	74.00	-23.63	peak	
12	*	12480.50	17.72	17.89	35.61	54.00	-18.39	AVG	

Test Voltage:	AC 120V/60Hz
Test Mode:	Adapter+Earphone+Playing+idle+WiFi+GPS
Note:	Adapter:BYD; Earphone: United Electronics Co.Ltd Jiangxi; H


## Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		7800.500	28.79	16.05	44.84	74.00	-29.16	peak	
2		7800.500	13.99	16.05	30.04	54.00	-23.96	AVG	
3		9568.500	31.59	15.30	46.89	74.00	-27.11	peak	
4		9568.500	16.31	15.30	31.61	54.00	-22.39	AVG	
5		9718.000	31.61	15.56	47.17	74.00	-26.83	peak	
6		9718.000	17.08	15.56	32.64	54.00	-21.36	AVG	
7		9984.500	30.96	16.03	46.99	74.00	-27.01	peak	
8		9984.500	14.91	16.03	30.94	54.00	-23.06	AVG	
9		11765.500	28.19	21.83	50.02	74.00	-23.98	peak	
10	*	11765.500	13.43	21.83	35.26	54.00	-18.74	AVG	
11		12461.000	32.71	18.12	50.83	74.00	-23.17	peak	
12		12461.000	16.52	18.12	34.64	54.00	-19.36	AVG	

Test Voltage:	AC 120V/60Hz
Test Mode:	Adapter+Earphone+Playing+idle+WiFi+GPS
Note:	Adapter:BYD; Earphone: United Electronics Co.Ltd Jiangxi; H


## Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		7664.000	28.18	16.01	44.19	74.00	-29.81	peak	
2		7664.000	14.61	16.01	30.62	74.00	-43.38	peak	
3		8073.500	28.27	15.99	44.26	74.00	-29.74	peak	
4		8073.500	13.48	15.99	29.47	74.00	-44.53	peak	
5		10010.50	31.17	16.02	47.19	74.00	-26.81	peak	
6		10010.50	16.62	16.02	32.64	74.00	-41.36	peak	
7		11583.50	27.79	20.67	48.46	74.00	-25.54	peak	
8		11583.50	13.00	20.67	33.67	74.00	-40.33	peak	
9		12045.00	27.07	22.81	49.88	74.00	-24.12	peak	
10		12045.00	11.86	22.81	34.67	74.00	-39.33	peak	
11	*	12474.00	32.25	17.97	50.22	74.00	-23.78	peak	
12		12474.00	17.19	17.97	35.16	74.00	-38.84	peak	

Test Voltage:	AC 120V/60Hz
Test Mode:	Adapter+Earphone+Playing+idle+WiFi+GPS
Note:	Adapter:HK; Earphone: United Electronics Co.Ltd Jiangxi; V


## Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		7241.500	34.83	14.89	49.72	74.00	-24.28	peak	
2		7241.500	19.32	14.89	34.21	54.00	-19.79	AVG	
3		7774.500	28.58	16.04	44.62	74.00	-29.38	peak	
4		7774.500	14.58	16.04	30.62	54.00	-23.38	AVG	
5		10056.00	30.99	15.83	46.82	74.00	-27.18	peak	
6		10056.00	15.95	15.83	31.78	54.00	-22.22	AVG	
7		10868.50	29.03	18.71	47.74	74.00	-26.26	peak	
8		10868.50	13.45	18.71	32.16	54.00	-21.84	AVG	
9		12259.50	30.24	20.40	50.64	74.00	-23.36	peak	
10	*	12259.50	15.22	20.40	35.62	54.00	-18.38	AVG	
11		12474.00	32.77	17.97	50.74	74.00	-23.26	peak	
12		12474.00	16.81	17.97	34.78	54.00	-19.22	AVG	

Test Voltage:	AC 120V/60Hz
Test Mode:	Adapter+Earphone+Playing+idle+WiFi+GPS
Note:	Adapter:HK; Earphone: United Electronics Co.Ltd Jiangxi; V

## Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		7599.000	28.14	16.00	44.14	74.00	-29.86	peak	
2		7599.000	13.47	16.00	29.47	54.00	-24.53	AVG	
3		8060.500	28.96	16.01	44.97	74.00	-29.03	peak	
4		8060.500	14.14	16.01	30.15	54.00	-23.85	AVG	
5		9562.000	31.10	15.28	46.38	74.00	-27.62	peak	
6		9562.000	15.26	15.28	30.54	54.00	-23.46	AVG	
7		10075.50	31.19	15.74	46.93	74.00	-27.07	peak	
8		10075.50	15.69	15.74	31.43	54.00	-22.57	AVG	
9		11525.00	28.98	20.30	49.28	74.00	-24.72	peak	
10		11525.00	14.36	20.30	34.66	54.00	-19.34	AVG	
11		12103.50	28.00	22.16	50.16	74.00	-23.84	peak	
12	*	12103.50	13.11	22.16	35.27	54.00	-18.73	AVG	