



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11160.00	43.11	16.13	59.24	74.30	-15.06	peak	
2 *	16740.00	42.54	20.57	63.11	74.30	-11.19	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	25709.50	47.62	7.35	54.97	74.30	-19.33	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39797.50	47.49	17.11	64.60	74.30	-9.70	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5575.800	49.98	39.83	89.81	60.00	29.81	AVG	No Limit
2	X	5577.700	60.42	39.84	100.26	80.00	20.26	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11160.00	41.04	16.13	57.17	74.30	-17.13	peak	
2 *	16740.00	42.60	20.57	63.17	74.30	-11.13	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	25650.00	47.35	7.37	54.72	74.30	-19.58	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39851.50	48.27	17.23	65.50	74.30	-8.80	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5705.000	50.96	40.49	91.45	60.00	31.45	AVG	No Limit
2	X	5706.000	60.82	40.50	101.32	80.00	21.32	peak	No Limit
3		5725.000	22.41	40.60	63.01	80.00	-16.99	peak	
4		5725.000	12.79	40.60	53.39	60.00	-6.61	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11400.00	42.08	16.70	58.78	74.30	-15.52	peak	
2 *	17100.00	42.78	21.10	63.88	74.30	-10.42	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	25718.00	47.83	7.35	55.18	74.30	-19.12	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39851.50	47.39	17.23	64.62	74.30	-9.68	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5692.900	49.39	40.43	89.82	60.00	29.82	AVG	No Limit
2	X	5704.400	59.35	40.49	99.84	80.00	19.84	peak	No Limit
3		5725.000	23.03	40.60	63.63	80.00	-16.37	peak	
4		5725.000	12.71	40.60	53.31	60.00	-6.69	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11400.00	39.91	16.70	56.61	74.30	-17.69	peak	
2 *	17100.00	41.43	21.10	62.53	74.30	-11.77	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	26245.00	47.03	7.93	54.96	74.30	-19.34	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39824.50	47.50	17.17	64.67	74.30	-9.63	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	11.64	39.27	50.91	68.30	-17.39	peak	
2		5460.000	1.21	39.27	40.48	54.00	-13.52	AVG	
3		5470.000	16.41	39.31	55.72	68.30	-12.58	peak	
4		5470.000	4.14	39.31	43.45	54.00	-10.55	AVG	
5	X	5506.800	62.60	39.47	102.07	68.30	33.77	peak	No Limit
6	*	5507.700	52.30	39.48	91.78	54.00	37.78	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11000.00	40.95	15.75	56.70	74.30	-17.60	peak	
2 *	16500.00	42.63	20.37	63.00	74.30	-11.30	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	26500.00	46.28	8.64	54.92	74.30	-19.38	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39838.00	47.14	17.21	64.35	74.30	-9.95	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	12.46	39.27	51.73	68.30	-16.57	peak	
2		5460.000	1.10	39.27	40.37	54.00	-13.63	AVG	
3		5470.000	16.04	39.31	55.35	68.30	-12.95	peak	
4		5470.000	3.94	39.31	43.25	54.00	-10.75	AVG	
5	X	5507.600	62.72	39.47	102.19	68.30	33.89	peak	No Limit
6	*	5507.700	52.33	39.48	91.81	54.00	37.81	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11000.00	40.55	15.75	56.30	74.30	-18.00	peak	
2	*	16500.00	42.69	20.37	63.06	74.30	-11.24	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	25599.00	47.82	7.38	55.20	74.30	-19.10	peak	



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	39932.50	46.80	17.43	64.23	74.30	-10.07	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5578.600	59.02	39.84	98.86	68.30	30.56	peak	No Limit
2	*	5587.600	49.05	39.89	88.94	54.00	34.94	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11160.00	42.71	16.13	58.84	74.30	-15.46	peak	
2 *	16740.00	43.47	20.57	64.04	74.30	-10.26	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	26474.50	46.33	8.57	54.90	74.30	-19.40	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39784.00	47.54	17.07	64.61	74.30	-9.69	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5587.800	52.11	39.89	92.00	54.00	38.00	AVG	No Limit
2	X	5588.000	61.72	39.89	101.61	68.30	33.31	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11160.00	39.61	16.13	55.74	74.30	-18.56	peak	
2 *	16740.00	41.83	20.57	62.40	74.30	-11.90	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	25650.00	47.87	7.37	55.24	74.30	-19.06	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39784.00	47.33	17.07	64.40	74.30	-9.90	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5704.100	59.28	40.49	99.77	68.30	31.47	peak	No Limit
2	*	5704.900	48.55	40.49	89.04	54.00	35.04	AVG	No Limit
3		5725.000	15.45	40.60	56.05	68.30	-12.25	peak	
4		5725.000	4.03	40.60	44.63	54.00	-9.37	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11400.00	42.44	16.70	59.14	74.30	-15.16	peak	
2 *	17100.00	42.34	21.10	63.44	74.30	-10.86	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	26253.50	47.00	7.95	54.95	74.30	-19.35	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39811.00	47.54	17.13	64.67	74.30	-9.63	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5692.400	53.12	40.43	93.55	54.00	39.55	AVG	No Limit
2	X	5701.900	63.22	40.47	103.69	68.30	35.39	peak	No Limit
3		5725.000	20.08	40.60	60.68	68.30	-7.62	peak	
4		5725.000	6.53	40.60	47.13	54.00	-6.87	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11400.00	40.41	16.70	57.11	74.30	-17.19	peak	
2 *	17100.00	42.30	21.10	63.40	74.30	-10.90	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	26253.50	46.63	7.95	54.58	74.30	-19.72	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39905.50	46.78	17.37	64.15	74.30	-10.15	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	10.88	39.27	50.15	68.30	-18.15	peak	
2		5460.000	0.59	39.27	39.86	54.00	-14.14	AVG	
3		5470.000	14.69	39.31	54.00	68.30	-14.30	peak	
4		5470.000	2.23	39.31	41.54	54.00	-12.46	AVG	
5	*	5498.200	41.52	39.43	80.95	54.00	26.95	AVG	No Limit
6	X	5500.200	53.05	39.44	92.49	68.30	24.19	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11020.00	40.40	15.80	56.20	74.30	-18.10	peak	
2 *	16530.00	41.90	20.40	62.30	74.30	-12.00	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	25845.50	47.87	7.31	55.18	74.30	-19.12	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39838.00	47.06	17.21	64.27	74.30	-10.03	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	10.61	39.27	49.88	68.30	-18.42	peak	
2		5460.000	1.20	39.27	40.47	54.00	-13.53	AVG	
3		5470.000	18.24	39.31	57.55	68.30	-10.75	peak	
4		5470.000	4.11	39.31	43.42	54.00	-10.58	AVG	
5	*	5498.400	44.81	39.43	84.24	54.00	30.24	AVG	No Limit
6	X	5506.600	56.77	39.47	96.24	68.30	27.94	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11020.00	40.07	15.80	55.87	74.30	-18.43	peak	
2 *	16530.00	43.08	20.40	63.48	74.30	-10.82	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	25752.00	47.74	7.34	55.08	74.30	-19.22	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39932.50	46.94	17.43	64.37	74.30	-9.93	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5538.400	41.23	39.64	80.87	54.00	26.87	AVG	No Limit
2	X	5552.800	52.62	39.71	92.33	68.30	24.03	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11100.00	40.25	15.98	56.23	74.30	-18.07	peak	
2 *	16650.00	41.78	20.49	62.27	74.30	-12.03	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	26253.50	47.02	7.95	54.97	74.30	-19.33	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39851.50	48.11	17.23	65.34	74.30	-8.96	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5558.400	56.30	39.74	96.04	68.30	27.74	peak	No Limit
2	*	5562.000	45.56	39.76	85.32	54.00	31.32	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11100.00	41.34	15.98	57.32	74.30	-16.98	peak	
2 *	16650.00	41.11	20.49	61.60	74.30	-12.70	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	25675.50	47.69	7.36	55.05	74.30	-19.25	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39905.50	46.90	17.37	64.27	74.30	-10.03	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5658.200	42.06	40.25	82.31	54.00	28.31	AVG	No Limit
2	X	5660.600	53.53	40.26	93.79	68.30	25.49	peak	No Limit
3		5725.000	8.85	40.60	49.45	68.30	-18.85	peak	
4		5725.000	-0.11	40.60	40.49	54.00	-13.51	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11340.00	42.09	16.56	58.65	74.30	-15.65	peak	
2 *	17010.00	42.26	20.81	63.07	74.30	-11.23	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	25786.00	47.62	7.33	54.95	74.30	-19.35	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39797.50	47.16	17.11	64.27	74.30	-10.03	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5656.600	58.61	40.24	98.85	68.30	30.55	peak	No Limit
2	*	5658.000	46.87	40.25	87.12	54.00	33.12	AVG	No Limit
3		5725.000	10.17	40.60	50.77	68.30	-17.53	peak	
4		5725.000	0.38	40.60	40.98	54.00	-13.02	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11340.00	41.20	16.56	57.76	74.30	-16.54	peak	
2	*	17010.00	41.35	20.81	62.16	74.30	-12.14	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	26126.00	46.78	7.61	54.39	74.30	-19.91	peak	



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	39946.00	48.10	17.47	65.57	74.30	-8.73	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	23.08	40.54	63.62	68.30	-4.68	peak	
2		5715.000	12.67	40.54	53.21	68.30	-15.09	AVG	
3		5725.000	25.10	40.60	65.70	78.30	-12.60	peak	
4		5725.000	13.70	40.60	54.30	68.30	-14.00	AVG	
5	*	5741.100	60.90	40.68	101.58	78.30	23.28	peak	No Limit
6	X	5749.700	50.19	40.72	90.91	68.30	22.61	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	40.57	16.91	57.48	74.30	-16.82	peak	
2	*	17235.00	41.95	21.53	63.48	74.30	-10.82	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	25930.50	47.23	7.28	54.51	74.30	-19.79	peak	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39838.00	47.43	17.21	64.64	74.30	-9.66	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz




Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	23.01	40.54	63.55	68.30	-4.75	peak	
2		5715.000	12.65	40.54	53.19	68.30	-15.11	AVG	
3		5725.000	24.32	40.60	64.92	78.30	-13.38	peak	
4		5725.000	13.42	40.60	54.02	68.30	-14.28	AVG	
5	*	5749.500	60.34	40.72	101.06	78.30	22.76	peak	No Limit
6	X	5752.400	49.71	40.73	90.44	68.30	22.14	AVG	No Limit


Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

Horizontal



Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz




Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5777.900	49.75	40.86	90.61	68.30	22.31	AVG	No Limit
2	X	5780.400	59.55	40.88	100.43	78.30	22.13	peak	No Limit


Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz

Vertical



Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz


Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5782.500	59.30	40.89	100.19	78.30	21.89	peak	No Limit
2	X	5792.400	48.90	40.94	89.84	68.30	21.54	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11570.00	40.65	17.05	57.70	74.30	-16.60	peak	
2	*	17355.00	41.68	21.91	63.59	74.30	-10.71	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	26330.00	46.74	8.17	54.91	74.30	-19.39	peak	



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	39851.50	47.09	17.23	64.32	74.30	-9.98	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5817.800	47.59	41.07	88.66	68.30	20.36	AVG	No Limit
2	X	5819.100	57.58	41.08	98.66	78.30	20.36	peak	No Limit
3		5850.000	22.13	41.23	63.36	78.30	-14.94	peak	
4		5850.000	12.06	41.23	53.29	68.30	-15.01	AVG	
5		5860.000	21.87	41.29	63.16	68.30	-5.14	peak	
6		5860.000	12.02	41.29	53.31	68.30	-14.99	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11650.00	40.78	17.17	57.95	74.30	-16.35	peak	
2	*	17475.00	41.39	22.29	63.68	74.30	-10.62	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	26143.00	46.78	7.65	54.43	74.30	-19.87	peak	



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	39838.00	47.57	17.21	64.78	74.30	-9.52	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5829.200	55.83	41.12	96.95	78.30	18.65	peak	No Limit
2	X	5831.600	45.55	41.14	86.69	68.30	18.39	AVG	No Limit
3		5850.000	22.54	41.23	63.77	78.30	-14.53	peak	
4		5850.000	12.05	41.23	53.28	68.30	-15.02	AVG	
5		5860.000	21.62	41.29	62.91	68.30	-5.39	peak	
6		5860.000	12.00	41.29	53.29	68.30	-15.01	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11650.00	40.65	17.17	57.82	74.30	-16.48	peak	
2 *	17475.00	41.74	22.29	64.03	74.30	-10.27	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	25811.50	47.20	7.32	54.52	74.30	-19.78	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39865.00	47.38	17.28	64.66	74.30	-9.64	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	23.10	40.54	63.64	68.30	-4.66	peak	
2		5715.000	12.52	40.54	53.06	68.30	-15.24	AVG	
3		5725.000	23.45	40.60	64.05	78.30	-14.25	peak	
4		5725.000	13.20	40.60	53.80	68.30	-14.50	AVG	
5	*	5751.800	57.50	40.73	98.23	78.30	19.93	peak	No Limit
6	X	5752.600	46.87	40.73	87.60	68.30	19.30	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	41.46	16.91	58.37	74.30	-15.93	peak	
2	*	17235.00	42.50	21.53	64.03	74.30	-10.27	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	26202.50	47.09	7.82	54.91	74.30	-19.39	peak	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39919.00	47.14	17.40	64.54	74.30	-9.76	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	21.98	40.54	62.52	68.30	-5.78	peak	
2		5715.000	12.62	40.54	53.16	68.30	-15.14	AVG	
3		5725.000	27.40	40.60	68.00	78.30	-10.30	peak	
4		5725.000	14.48	40.60	55.08	68.30	-13.22	AVG	
5	X	5741.200	52.17	40.68	92.85	68.30	24.55	AVG	No Limit
6	*	5748.800	62.99	40.71	103.70	78.30	25.40	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11490.00	41.57	16.91	58.48	74.30	-15.82	peak	
2	*	17235.00	42.39	21.53	63.92	74.30	-10.38	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	26313.00	46.86	8.13	54.99	74.30	-19.31	peak	



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	39892.00	46.56	17.34	63.90	74.30	-10.40	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5783.800	46.39	40.90	87.29	68.30	18.99	AVG	No Limit
2	X	5786.700	56.34	40.91	97.25	78.30	18.95	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11570.00	42.15	17.05	59.20	74.30	-15.10	peak	
2	*	17355.00	41.46	21.91	63.37	74.30	-10.93	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	25616.00	47.40	7.38	54.78	74.30	-19.52	peak	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	39851.50	47.33	17.23	64.56	74.30	-9.74	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5782.300	62.00	40.89	102.89	78.30	24.59	peak	No Limit
2	X	5783.800	51.58	40.90	92.48	68.30	24.18	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11570.00	40.40	17.05	57.45	74.30	-16.85	peak	
2 *	17355.00	42.63	21.91	64.54	74.30	-9.76	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	26347.00	46.56	8.22	54.78	74.30	-19.52	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39919.00	47.68	17.40	65.08	74.30	-9.22	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5831.400	54.96	41.13	96.09	78.30	17.79	peak	No Limit
2	X	5832.400	44.02	41.14	85.16	68.30	16.86	AVG	No Limit
3		5850.000	22.13	41.23	63.36	78.30	-14.94	peak	
4		5850.000	12.01	41.23	53.24	68.30	-15.06	AVG	
5		5860.000	21.65	41.29	62.94	68.30	-5.36	peak	
6		5860.000	11.97	41.29	53.26	68.30	-15.04	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	41.48	17.17	58.65	74.30	-15.65	peak	
2	*	17475.00	41.31	22.29	63.60	74.30	-10.70	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	26143.00	48.01	7.65	55.66	74.30	-18.64	peak	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	39797.50	47.37	17.11	64.48	74.30	-9.82	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz




Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5832.500	58.87	41.14	100.01	78.30	21.71	peak	No Limit
2	X	5832.600	48.13	41.14	89.27	68.30	20.97	AVG	No Limit
3		5850.000	22.11	41.23	63.34	78.30	-14.96	peak	
4		5850.000	12.10	41.23	53.33	68.30	-14.97	AVG	
5		5860.000	22.93	41.29	64.22	68.30	-4.08	peak	
6		5860.000	11.97	41.29	53.26	68.30	-15.04	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Horizontal



Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	21.60	40.54	62.14	68.30	-6.16	peak	
2		5715.000	12.55	40.54	53.09	68.30	-15.21	AVG	
3		5725.000	23.60	40.60	64.20	78.30	-14.10	peak	
4		5725.000	12.81	40.60	53.41	68.30	-14.89	AVG	
5	*	5743.200	52.50	40.69	93.19	78.30	14.89	peak	No Limit
6	X	5743.200	42.02	40.69	82.71	68.30	14.41	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	11510.00	41.62	16.96	58.58	74.30	-15.72	peak	
2 *	17265.00	42.14	21.62	63.76	74.30	-10.54	peak	




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	26007.00	47.89	7.28	55.17	74.30	-19.13	peak	



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1 *	39770.50	47.33	17.03	64.36	74.30	-9.94	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	21.89	40.54	62.43	68.30	-5.87	peak	
2		5715.000	12.79	40.54	53.33	68.30	-14.97	AVG	
3		5725.000	23.69	40.60	64.29	78.30	-14.01	peak	
4		5725.000	13.72	40.60	54.32	68.30	-13.98	AVG	
5	X	5743.200	46.57	40.69	87.26	68.30	18.96	AVG	No Limit
6	*	5746.200	57.54	40.70	98.24	78.30	19.94	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11510.00	40.24	16.96	57.20	74.30	-17.10	peak	
2	*	17265.00	41.98	21.62	63.60	74.30	-10.70	peak	




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	26500.00	45.93	8.64	54.57	74.30	-19.73	peak	



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	39824.50	47.12	17.17	64.29	74.30	-10.01	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5808.000	53.40	41.02	94.42	78.30	16.12	peak	No Limit
2	X	5808.200	41.26	41.02	82.28	68.30	13.98	AVG	No Limit
3		5850.000	21.85	41.23	63.08	78.30	-15.22	peak	
4		5850.000	11.92	41.23	53.15	68.30	-15.15	AVG	
5		5860.000	21.11	41.29	62.40	68.30	-5.90	peak	
6		5860.000	11.88	41.29	53.17	68.30	-15.13	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11590.00	41.15	17.08	58.23	74.30	-16.07	peak	
2	*	17385.00	42.24	22.00	64.24	74.30	-10.06	peak	



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	26219.50	46.59	7.87	54.46	74.30	-19.84	peak	



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	39797.50	47.92	17.11	65.03	74.30	-9.27	peak	