



1 SAR TEST SETUP PHOTOS



ANNEX H : THE EUT APPEARANCES AND TEST CONFIGURATION



4-a : DUT – slide open view



4-b : DUT - slide close view

Picture 4: Constituents of the sample



5-a : slide open



5-b : slide close

Picture 5: Left Hand Touch Cheek Position



6-a : slide open




6-b : slide close

Picture 6: Left Hand Tilt 15 Degree Position



7-a : slide open



7-b : slide close

Picture 7: Right Hand Touch Cheek Position



8-a : slide open



8-b : slide close

Picture 8: Right Hand Tilt 15 Degree Position



9-a : slide open



9-b : slide close

Picture 9: Body, The EUT display towards ground, the distance from handset to the bottom of the Phantom is 15mm)



10-a : slide open



10-b : slide close

Picture 10: Body, The EUT display towards phantom, the distance from handset to the bottom of the Phantom is 15mm)



11-a : side open




11-b : slide close

Picture 11: Body with the Earphone, towards ground, the distance from handset to the bottom of the Phantom is 15mm)



12-a : slide open



12-b : slide close

Picture 12: Body with the Bluetooth earphone, towards ground, the distance from handset to the bottom of the Phantom is 15mm)



2 EMC TEST SETUP PHOTOS





EUT Appearance

2.1 Radiated Emissions



Radiated Disturbance



2.2 Radiated Spurious Emissions



Radiated Spurious Emission (below 2GHz)



Radiated Spurious Emission (2GHz to18GHz)





Radiated Spurious Emission 18G~26.5GHz



2.3 Conducted Emissions



Conducted Emissions for AC Ports



3 Bluetooth TEST SETUP PHOTOS **(Appendix J)**



3.1 Radiated Spurious Emissions



Radiated Spurious Emission (below 2GHz)



Radiated Spurious Emission (2GHz to 18GHz)



Radiated Spurious Emission (above 18GHz)

3.2 Conducted Emissions



Conducted Emissions for AC Ports