

1 SAR SETUP PHOTOS:

ANNEX H : THE EUT APPEARANCES AND TEST CONFIGURATION




5-a:




5-b:

Picture 6: Constituents of the sample



6-a: slided close



6-b: slided open

Picture 7: Left Hand Touch Cheek Position



7-a:slided close



7-b:slided open

Picture 8: Left Hand Tilt 15 Degree Position



8-a: slided close



8-b: slided open

Picture 9: Right Hand Touch Cheek Position




9-a: slided close



9-b: slided open

Picture 10: Right Hand Tilt 15 Degree Position




11-a: slided close



11-b: slided open

Picture 11: Body, The EUT display towards ground, the distance from handset to the bottom of the Phantom is 15mm)



12-a: slided close



12-b: slided open

Picture 12: Body, The EUT display towards phantom, the distance from handset to the bottom of the Phantom is 15mm)



13-a: slided close



13-b: slided open

Picture 13: Body with earphone, The EUT display towards ground, the distance from handset to the bottom of the Phantom is 15mm)

2 EMC SETUP PHOTOS:



Photo of EUT



U3311 Appearance



Photos of Test Setup



1 Radiated Emissions




Radiated Disturbance



2 Radiated Spurious Emissions



Radiated Spurious Emission (below 2GHz)



Radiated Spurious Emission (2GHz to18GHz)



Radiated Spurious Emission 18G~26.5GHz



3 Conducted Emissions



Conducted Emissions for AC Ports