



# **1 SAR TEST SETUP PHOTOS**



**ANNEX H: THE EUT APPEARANCES AND TEST CONFIGURATION**



4-a: DUT – slide open view



4-b: DUT - slide close view

TA Technology (Shanghai) Co., Ltd.  
Test Report



4-c: Battery - front view



4-d: Battery - rear view

Picture 4: Constituents of the sample



5-a: slide open



5-b: slide close

Picture 5: Left Hand Touch Cheek Position



6-a: slide open



6-b: slide close

Picture 6: Left Hand Tilt 15 Degree Position



7-a: slide open



7-b: slide close

Picture 7: Right Hand Touch Cheek Position



8-a: slide open



8-b: slide close

Picture 8: Right Hand Tilt 15 Degree Position



9-a: slide open



9-b: slide close

Picture 9: Body, The EUT display towards ground, the distance from handset to the bottom of the Phantom is 15mm)



10-a: slide open



10-b: slide close

Picture 10: Body, The EUT display towards phantom, the distance from handset to the bottom of the Phantom is 15mm)



11-a: side open



11-b: slide close

Picture 11: Body with the Earphone, towards ground, the distance from handset to the bottom of the Phantom is 15mm)



12-a: slide open



12-b: slide close

Picture 12: Body with the Bluetooth earphone, towards ground, the distance from handset to the bottom of the Phantom is 15mm)