

ANNEX I: The EUT Appearances and Test Configuration



a: EUT




SN:UNHB119XA0402019



SN: LACA923HI3900456

b: Battery

Picture 8: Constituents of EUT




Picture 9: Left Hand Touch Cheek Position




Picture 10: Left Hand Tilt 15 Degree Position




Picture 11: Right Hand Touch Cheek Position




Picture 12: Right Hand Tilt 15 Degree Position



Picture 13: Body, the EUT display towards ground, the distance from handset to the bottom of the Phantom is 15mm




Picture 14: Body, the EUT display towards phantom, the distance from handset to the bottom of the Phantom is 15mm



Picture 15: Body with earphone, the EUT display towards ground, the distance from handset to the bottom of the Phantom is 15mm



Picture 16: Body, the EUT display towards ground, the distance from handset to the bottom of the Phantom is 10mm



Picture 17: Body, the EUT display towards phantom, the distance from handset to the bottom of the Phantom is 10mm



Picture 18: left edge, the distance from handset to the bottom of the Phantom is 10mm

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RZA1103-0315SAR01R1

Page 180 of 182



Picture 19: right edge, the distance from handset to the bottom of the Phantom is 10mm




Picture 20: top edge, the distance from handset to the bottom of the Phantom is 10mm

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RZA1103-0315SAR01R1

Page 181 of 182



Picture 21: bottom edge, the distance from handset to the bottom of the Phantom is 10mm

ANNEX J: Schematic Diagram of Antenna

