

ANNEX I: The EUT Appearances and Test Configuration



a: EUT




b: Battery(SN:LACA923HI3900373)

TA Technology (Shanghai) Co., Ltd.
Test Report



c: Battery(SN:UNHAA29XA4314746)




c: Back View

Picture 8: Constituents of EUT



Picture 9: Left Hand Touch Cheek Position



Picture 10: Left Hand Tilt 15 Degree Position



Picture 11: Right Hand Touch Cheek Position



Picture 12: Right Hand Tilt 15 Degree Position



Picture 13: Body, The EUT display towards ground, the distance from handset to the bottom of the Phantom is 15mm



Picture 14: Body, The EUT display towards phantom, the distance from handset to the bottom of the Phantom is 15mm



Picture 15: Body with earphone, The EUT display towards ground, the distance from handset to the bottom of the Phantom is 15mm



Picture 16: Body, the EUT display towards ground, the distance from handset to the bottom of the Phantom is 10mm



Picture 17: Body, the EUT display towards phantom, the distance from handset to the bottom of the Phantom is 10mm



Picture 18: left edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 19: right edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 20: top edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 21: bottom edge, the distance from handset to the bottom of the Phantom is 10mm