

## ANNEX I: The EUT Appearances and Test Configuration



a: EUT




b-1: Battery (SN: SGCB402111447870)



b-2: Battery (SN: LGCB628112700252)

b: Battery



d: Back View

Picture 8: Constituents of EUT

**TA Technology (Shanghai) Co., Ltd.**  
**Test Report**

Report No.: RZA1106-1087SAR01R1

Page 209 of 214



Picture 9: Left Hand Touch Cheek Position




Picture 10: Left Hand Tilt 15 Degree Position




Picture 11: Right Hand Touch Cheek Position



Picture 12: Right Hand Tilt 15 Degree Position



Picture 13: Body, the EUT display towards ground, the distance from handset to the bottom of the Phantom is 10mm



Picture 14: Body, the EUT display towards phantom, the distance from handset to the bottom of the Phantom is 10mm



Picture 15: left edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 16: right edge, the distance from handset to the bottom of the Phantom is 10mm

**TA Technology (Shanghai) Co., Ltd.**  
**Test Report**

Report No.: RZA1106-1087SAR01R1

Page 213 of 214



Picture 17: Top edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 18: bottom edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 19: Body with earphone, The EUT display towards ground, the distance from handset to the bottom of the Phantom is 10mm