

ANNEX H: The EUT Appearances and Test Configuration




a: EUT



B: Battery

TA Technology (Shanghai) Co., Ltd.
Test Report



c: Back view



d: Earphone


Picture 6: Constituents of EUT



Picture 7: Left Hand Touch Cheek Position



Picture 8: Right Hand Touch Cheek Position



Picture 9: Body, The EUT display towards ground, the distance from handset to the bottom of the Phantom is 15mm

ANNEX I: Differences between HUAWEI U8800H/U8800H and HUAWEI U8800/U8800

U8800 is a WCDMA/GPRS/GSM mobile phone with Bluetooth and HSPA. The GSM supports four bands. The WCDMA supports W2100 and W900.

U8800H is the handset phone which replaces HSPA of U8800 with HSPA+

The U8800H PCB is the same with U8800.

The only difference between them is value of several NV (Non-Volatile) items which are configured by some software registers, and the SW version is different by NV changing.

The followed table shows the difference:

	U8800	U8800H
GSM four band	support	support
WCDMA 2100M	support	support
WCDMA 900M	support	support
EDGE	support	support
HSDPA/HSUPA	support	support
HSPA+	No	support
FLASH	4GB	4GB
PCB	the same	the same
appearance	the same	the same
Main antenna	The same	The same
BT	The same	The same
BT antenna	The same	The same
WiFi	The same	The same
WiFi antenna	The same	The same
Chipset	Qualcomm MSM7230	Qualcomm MSM7230
External camera	The same	The same
Adapter	The same	The same
Battery	The same	The same
GPS	The same	The same