





802.11n (HT40) , Channel No.: 159, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.165750	49.66	---	65.17	15.51	1000.0	9.000	N	ON	19.2
0.170250	---	36.41	54.95	18.54	1000.0	9.000	N	ON	19.2
0.494250	---	26.38	46.10	19.71	1000.0	9.000	N	ON	19.2
0.498750	41.78	---	56.02	14.24	1000.0	9.000	N	ON	19.2
1.887000	---	22.03	46.00	23.97	1000.0	9.000	N	ON	19.2
2.033250	35.30	---	56.00	20.70	1000.0	9.000	N	ON	19.1
3.003000	---	26.32	46.00	19.68	1000.0	9.000	N	ON	19.1
3.007500	38.39	---	56.00	17.61	1000.0	9.000	N	ON	19.1
9.741750	---	22.42	50.00	27.58	1000.0	9.000	N	ON	19.4
10.131000	28.12	---	60.00	31.88	1000.0	9.000	N	ON	19.4
12.527250	---	20.90	50.00	29.10	1000.0	9.000	N	ON	19.4
12.988500	25.29	---	60.00	34.71	1000.0	9.000	N	ON	19.5


802.11ac (HT20) , Channel No.: 36, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.163500	46.18	---	65.28	19.10	1000.0	9.000	L1	ON	19.1
0.170250	---	38.02	54.95	16.93	1000.0	9.000	L1	ON	19.1
0.413250	---	25.39	47.58	22.20	1000.0	9.000	L1	ON	19.2
0.744000	36.07	---	56.00	19.93	1000.0	9.000	L1	ON	19.2
2.206500	---	24.89	46.00	21.11	1000.0	9.000	L1	ON	19.1
2.206500	40.38	---	56.00	15.62	1000.0	9.000	L1	ON	19.1
3.093000	43.90	---	56.00	12.10	1000.0	9.000	L1	ON	19.1
3.727500	---	31.15	46.00	14.85	1000.0	9.000	L1	ON	19.1
7.041750	37.09	---	60.00	22.91	1000.0	9.000	L1	ON	19.2
7.068750	---	28.28	50.00	21.72	1000.0	9.000	L1	ON	19.2
12.331500	---	33.06	50.00	16.94	1000.0	9.000	L1	ON	19.4
12.374250	41.03	---	60.00	18.97	1000.0	9.000	L1	ON	19.4


802.11ac (HT20) , Channel No.: 36, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	38.05	55.06	17.01	1000.0	9.000	N	ON	19.2
0.170250	50.92	---	64.95	14.03	1000.0	9.000	N	ON	19.2
0.325500	40.95	---	59.57	18.62	1000.0	9.000	N	ON	19.2
0.354750	---	24.12	48.85	24.73	1000.0	9.000	N	ON	19.2
1.979250	---	22.07	46.00	23.93	1000.0	9.000	N	ON	19.1
2.064750	37.14	---	56.00	18.86	1000.0	9.000	N	ON	19.1
3.189750	41.16	---	56.00	14.84	1000.0	9.000	N	ON	19.1
3.909750	---	29.80	46.00	16.20	1000.0	9.000	N	ON	19.0
7.586250	35.13	---	60.00	24.87	1000.0	9.000	N	ON	19.2
7.626750	---	26.63	50.00	23.37	1000.0	9.000	N	ON	19.2
12.552000	31.39	---	60.00	28.61	1000.0	9.000	N	ON	19.4
13.380000	---	24.76	50.00	25.24	1000.0	9.000	N	ON	19.5


802.11ac (HT20) , Channel No.: 40, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.163500	45.45	---	65.28	19.83	1000.0	9.000	L1	ON	19.1
0.170250	---	37.98	54.95	16.97	1000.0	9.000	L1	ON	19.1
0.413250	---	23.68	47.58	23.90	1000.0	9.000	L1	ON	19.2
0.453750	35.95	---	56.81	20.86	1000.0	9.000	L1	ON	19.2
2.089500	38.40	---	56.00	17.60	1000.0	9.000	L1	ON	19.1
2.208750	---	24.21	46.00	21.79	1000.0	9.000	L1	ON	19.1
3.167250	---	29.54	46.00	16.46	1000.0	9.000	L1	ON	19.1
3.193000	42.64	---	56.00	13.37	1000.0	9.000	L1	ON	19.1
10.275000	---	29.13	50.00	20.87	1000.0	9.000	L1	ON	19.4
12.405750	34.42	---	60.00	25.58	1000.0	9.000	L1	ON	19.4
12.466500	34.29	---	60.00	25.71	1000.0	9.000	L1	ON	19.4
12.756750	---	27.79	50.00	22.21	1000.0	9.000	L1	ON	19.5

802.11ac (HT20) , Channel No.: 40, N Line




Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.163500	48.33	---	65.28	16.96	1000.0	9.000	N	ON	19.1
0.168000	---	36.61	55.06	18.45	1000.0	9.000	N	ON	19.2
0.325500	39.67	---	59.57	19.89	1000.0	9.000	N	ON	19.2
0.312250	---	22.78	46.00	23.22	1000.0	9.000	N	ON	19.2
2.141250	36.06	---	56.00	19.94	1000.0	9.000	N	ON	19.1
2.184000	---	22.08	46.00	23.92	1000.0	9.000	N	ON	19.1
3.448500	40.42	---	56.00	15.58	1000.0	9.000	N	ON	19.0
3.799500	---	28.02	46.00	17.98	1000.0	9.000	N	ON	19.0
6.571500	34.23	---	60.00	25.77	1000.0	9.000	N	ON	19.1
10.779000	---	25.13	50.00	24.87	1000.0	9.000	N	ON	19.4
12.590250	28.87	---	60.00	31.13	1000.0	9.000	N	ON	19.4
12.669000	---	22.63	50.00	27.37	1000.0	9.000	N	ON	19.4




802.11ac (HT20) , Channel No.: 48, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.165750	45.40	---	65.17	19.77	1000.0	9.000	L1	ON	19.1
0.174750	---	36.52	54.73	18.21	1000.0	9.000	L1	ON	19.2
0.447000	---	22.11	46.93	24.82	1000.0	9.000	L1	ON	19.2
0.546000	34.12	---	56.00	21.88	1000.0	9.000	L1	ON	19.2
1.974750	---	23.86	46.00	22.14	1000.0	9.000	L1	ON	19.1
2.073750	37.60	---	56.00	18.40	1000.0	9.000	L1	ON	19.1
3.093000	---	29.54	46.00	16.46	1000.0	9.000	L1	ON	19.1
3.255000	41.90	---	56.00	14.10	1000.0	9.000	L1	ON	19.1
10.185000	---	29.08	50.00	20.92	1000.0	9.000	L1	ON	19.4
10.383000	35.15	---	60.00	24.85	1000.0	9.000	L1	ON	19.4
12.777000	33.24	---	60.00	26.76	1000.0	9.000	L1	ON	19.5
12.923250	---	27.62	50.00	22.38	1000.0	9.000	L1	ON	19.5


802.11ac (HT20) , Channel No.: 48, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	36.87	55.06	18.18	1000.0	9.000	N	ON	19.2
0.170250	48.18	---	64.95	16.76	1000.0	9.000	N	ON	19.2
0.582000	33.47	---	56.00	22.53	1000.0	9.000	N	ON	19.3
0.600000	---	20.18	46.00	25.82	1000.0	9.000	N	ON	19.3
1.628250	---	21.22	46.00	24.78	1000.0	9.000	N	ON	19.2
2.085000	33.57	---	56.00	22.43	1000.0	9.000	N	ON	19.1
3.320250	40.75	---	56.00	15.25	1000.0	9.000	N	ON	19.1
3.975000	---	28.71	46.00	17.29	1000.0	9.000	N	ON	19.0
7.194750	34.39	---	60.00	25.61	1000.0	9.000	N	ON	19.2
7.390500	---	25.94	50.00	24.06	1000.0	9.000	N	ON	19.2
12.446250	---	23.82	50.00	26.18	1000.0	9.000	N	ON	19.4
12.797250	29.58	---	60.00	30.42	1000.0	9.000	N	ON	19.5


802.11ac (HT20) , Channel No.: 52, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.172500	---	36.52	54.84	18.32	1000.0	9.000	L1	ON	19.2
0.179250	45.16	---	64.52	19.36	1000.0	9.000	L1	ON	19.2
0.573000	37.83	---	56.00	18.17	1000.0	9.000	L1	ON	19.3
0.575250	---	23.58	46.00	22.42	1000.0	9.000	L1	ON	19.3
2.060250	---	23.59	46.00	22.41	1000.0	9.000	L1	ON	19.1
2.145750	38.05	---	56.00	17.95	1000.0	9.000	L1	ON	19.1
3.187500	---	29.67	46.00	16.33	1000.0	9.000	L1	ON	19.1
3.291000	41.58	---	56.00	14.42	1000.0	9.000	L1	ON	19.1
10.124250	34.91	---	60.00	25.09	1000.0	9.000	L1	ON	19.4
10.169250	---	29.00	50.00	21.00	1000.0	9.000	L1	ON	19.4
12.606000	---	27.56	50.00	22.44	1000.0	9.000	L1	ON	19.5
12.705000	33.22	---	60.00	26.78	1000.0	9.000	L1	ON	19.5


802.11ac (HT20) , Channel No.: 52, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.174750	---	36.01	54.73	18.72	1000.0	9.000	N	ON	19.2
0.181500	46.04	---	64.42	18.38	1000.0	9.000	N	ON	19.2
0.424500	---	23.86	47.36	23.50	1000.0	9.000	N	ON	19.2
0.543750	36.10	---	56.00	19.90	1000.0	9.000	N	ON	19.2
2.139000	---	22.72	46.00	23.28	1000.0	9.000	N	ON	19.1
2.163750	37.06	---	56.00	18.94	1000.0	9.000	N	ON	19.1
3.016500	40.15	---	56.00	15.85	1000.0	9.000	N	ON	19.1
3.801750	---	29.01	46.00	16.99	1000.0	9.000	N	ON	19.0
7.224000	34.74	---	60.00	25.26	1000.0	9.000	N	ON	19.2
7.302750	---	25.99	50.00	24.01	1000.0	9.000	N	ON	19.2
12.619500	---	23.79	50.00	26.21	1000.0	9.000	N	ON	19.4
12.750000	29.89	---	60.00	30.11	1000.0	9.000	N	ON	19.5

802.11ac (HT20) , Channel No.: 56, L Line




Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	36.56	54.95	18.39	1000.0	9.000	L1	ON	19.1
0.177000	45.55	---	64.63	19.07	1000.0	9.000	L1	ON	19.2
0.577500	37.85	---	56.00	18.15	1000.0	9.000	L1	ON	19.3
0.579750	---	22.64	46.00	23.36	1000.0	9.000	L1	ON	19.3
1.974750	---	23.73	46.00	22.27	1000.0	9.000	L1	ON	19.1
2.078250	38.08	---	56.00	17.92	1000.0	9.000	L1	ON	19.1
3.266250	---	29.68	46.00	16.32	1000.0	9.000	L1	ON	19.1
3.385500	41.36	---	56.00	14.64	1000.0	9.000	L1	ON	19.1
10.014000	34.84	---	60.00	25.16	1000.0	9.000	L1	ON	19.4
10.209750	---	29.09	50.00	20.91	1000.0	9.000	L1	ON	19.4
12.588000	33.09	---	60.00	26.91	1000.0	9.000	L1	ON	19.5
12.687000	---	27.81	50.00	22.19	1000.0	9.000	L1	ON	19.5




802.11ac (HT20) , Channel No.: 56, N Line



Final Result

Table with 11 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 13 rows of test data.


802.11ac (HT20) , Channel No.: 64, L Line



Final Result

Table with 11 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 13 rows of test data.


802.11ac (HT20) , Channel No.: 64, N Line



Final Result

Table with 11 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 13 rows of test data.


802.11ac (HT20) , Channel No.: 100, L Line



Final Result

Table with 11 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 13 rows of test data.

802.11ac (HT20) , Channel No.: 100, N Line




Final Result

Table with 11 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 13 rows of test data.




802.11ac (HT20) , Channel No.: 116, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	35.07	55.06	19.99	1000.0	9.000	L1	ON	19.1
0.172500	44.10	---	64.84	20.74	1000.0	9.000	L1	ON	19.2
0.498750	---	24.66	46.02	21.36	1000.0	9.000	L1	ON	19.2
0.636000	38.49	---	56.00	17.51	1000.0	9.000	L1	ON	19.3
2.134500	---	22.22	46.00	23.78	1000.0	9.000	L1	ON	19.1
2.181750	38.71	---	56.00	17.29	1000.0	9.000	L1	ON	19.1
2.915250	39.76	---	56.00	16.24	1000.0	9.000	L1	ON	19.1
3.729750	---	27.37	46.00	18.63	1000.0	9.000	L1	ON	19.1
10.207500	33.68	---	60.00	26.32	1000.0	9.000	L1	ON	19.4
10.259250	---	26.52	50.00	23.48	1000.0	9.000	L1	ON	19.4
12.718500	30.69	---	60.00	29.31	1000.0	9.000	L1	ON	19.5
12.736500	---	24.78	50.00	25.22	1000.0	9.000	L1	ON	19.5


802.11ac (HT20) , Channel No.: 116, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.163500	53.89	---	65.28	11.39	1000.0	9.000	N	ON	19.1
0.170250	---	39.15	54.95	15.80	1000.0	9.000	N	ON	19.2
0.341250	43.70	---	59.17	15.48	1000.0	9.000	N	ON	19.2
0.345750	---	26.45	49.06	22.62	1000.0	9.000	N	ON	19.2
2.078250	---	21.14	46.00	24.86	1000.0	9.000	N	ON	19.1
2.166000	35.90	---	56.00	20.10	1000.0	9.000	N	ON	19.1
3.315750	40.08	---	56.00	15.92	1000.0	9.000	N	ON	19.1
3.817500	---	28.63	46.00	17.37	1000.0	9.000	N	ON	19.0
6.807750	---	25.80	50.00	24.20	1000.0	9.000	N	ON	19.1
7.026000	34.88	---	60.00	25.12	1000.0	9.000	N	ON	19.2
12.534000	---	22.95	50.00	27.05	1000.0	9.000	N	ON	19.4
12.698250	29.63	---	60.00	30.37	1000.0	9.000	N	ON	19.4


802.11ac (HT20) , Channel No.: 144, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.174750	---	33.37	54.73	21.36	1000.0	9.000	L1	ON	19.2
0.179250	43.35	---	64.52	21.17	1000.0	9.000	L1	ON	19.2
0.512250	---	22.43	46.00	23.57	1000.0	9.000	L1	ON	19.2
0.649500	39.35	---	56.00	16.65	1000.0	9.000	L1	ON	19.3
2.053500	---	23.60	46.00	22.40	1000.0	9.000	L1	ON	19.1
2.127750	37.49	---	56.00	18.51	1000.0	9.000	L1	ON	19.1
2.951250	40.04	---	56.00	15.96	1000.0	9.000	L1	ON	19.1
3.079500	---	28.31	46.00	17.69	1000.0	9.000	L1	ON	19.1
9.885750	---	26.16	50.00	23.84	1000.0	9.000	L1	ON	19.4
9.984750	32.72	---	60.00	27.28	1000.0	9.000	L1	ON	19.4
12.502500	---	24.24	50.00	25.76	1000.0	9.000	L1	ON	19.4
12.741000	29.88	---	60.00	30.12	1000.0	9.000	L1	ON	19.5


802.11ac (HT20) , Channel No.: 144, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.172500	47.81	---	64.84	17.03	1000.0	9.000	N	ON	19.2
0.174750	---	34.55	54.73	20.18	1000.0	9.000	N	ON	19.2
0.332250	---	24.68	49.40	24.71	1000.0	9.000	N	ON	19.2
0.546000	32.47	---	56.00	23.53	1000.0	9.000	N	ON	19.2
2.132250	35.17	---	56.00	20.83	1000.0	9.000	N	ON	19.1
2.141250	---	22.09	46.00	23.91	1000.0	9.000	N	ON	19.1
3.378750	39.74	---	56.00	16.26	1000.0	9.000	N	ON	19.1
3.975000	---	28.22	46.00	17.78	1000.0	9.000	N	ON	19.0
6.798750	---	24.60	50.00	25.40	1000.0	9.000	N	ON	19.1
6.825750	33.47	---	60.00	26.53	1000.0	9.000	N	ON	19.1
12.509250	---	22.82	50.00	27.18	1000.0	9.000	N	ON	19.4
12.906250	28.07	---	60.00	31.93	1000.0	9.000	N	ON	19.5

802.11ac (HT20) , Channel No.: 149, L Line




Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	33.21	54.95	21.74	1000.0	9.000	L1	ON	19.1
0.179250	42.06	---	64.52	22.46	1000.0	9.000	L1	ON	19.2
0.377500	39.05	---	56.00	16.95	1000.0	9.000	L1	ON	19.3
0.586500	---	24.54	46.00	21.46	1000.0	9.000	L1	ON	19.3
2.053500	---	23.10	46.00	22.90	1000.0	9.000	L1	ON	19.1
2.091750	37.43	---	56.00	18.57	1000.0	9.000	L1	ON	19.1
3.167250	---	27.47	46.00	18.53	1000.0	9.000	L1	ON	19.1
3.313500	39.72	---	56.00	16.28	1000.0	9.000	L1	ON	19.1
9.712500	---	25.28	50.00	24.72	1000.0	9.000	L1	ON	19.4
9.910500	31.72	---	60.00	28.28	1000.0	9.000	L1	ON	19.4
12.624000	---	23.30	50.00	26.70	1000.0	9.000	L1	ON	19.5
12.855750	29.16	---	60.00	30.84	1000.0	9.000	L1	ON	19.5




802.11ac (HT20) , Channel No.: 149, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.163500	45.86	---	65.28	19.42	1000.0	9.000	N	ON	19.1
0.168000	---	34.32	55.06	20.73	1000.0	9.000	N	ON	19.2
0.336750	38.53	---	59.28	20.76	1000.0	9.000	N	ON	19.2
0.339000	---	25.00	49.23	24.23	1000.0	9.000	N	ON	19.2
2.143500	---	20.26	46.00	25.74	1000.0	9.000	N	ON	19.1
2.199750	36.26	---	56.00	19.74	1000.0	9.000	N	ON	19.1
3.216750	39.12	---	56.00	16.88	1000.0	9.000	N	ON	19.1
3.887250	---	27.27	46.00	18.73	1000.0	9.000	N	ON	19.0
6.933750	32.32	---	60.00	27.68	1000.0	9.000	N	ON	19.2
7.239750	---	23.91	50.00	26.09	1000.0	9.000	N	ON	19.2
12.419250	---	20.68	50.00	29.32	1000.0	9.000	N	ON	19.4
12.977250	26.38	---	60.00	33.62	1000.0	9.000	N	ON	19.5


802.11ac (HT20) , Channel No.: 157, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.165750	---	32.70	55.17	22.47	1000.0	9.000	L1	ON	19.1
0.255750	41.41	---	61.57	20.16	1000.0	9.000	L1	ON	19.1
0.568500	38.41	---	56.00	17.59	1000.0	9.000	L1	ON	19.3
0.575250	---	24.78	46.00	21.22	1000.0	9.000	L1	ON	19.3
2.127750	36.12	---	56.00	19.88	1000.0	9.000	L1	ON	19.1
2.206500	---	22.12	46.00	23.88	1000.0	9.000	L1	ON	19.1
3.084000	---	26.59	46.00	19.41	1000.0	9.000	L1	ON	19.1
3.255000	39.35	---	56.00	16.65	1000.0	9.000	L1	ON	19.1
9.836250	30.61	---	60.00	29.39	1000.0	9.000	L1	ON	19.4
9.892500	---	23.66	50.00	26.34	1000.0	9.000	L1	ON	19.4
12.383250	28.20	---	60.00	31.80	1000.0	9.000	L1	ON	19.4
12.977250	---	21.92	50.00	28.08	1000.0	9.000	L1	ON	19.5


802.11ac (HT20) , Channel No.: 157, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	33.76	55.06	21.30	1000.0	9.000	N	ON	19.2
0.172500	44.47	---	64.84	20.37	1000.0	9.000	N	ON	19.2
0.339000	---	25.59	49.23	23.64	1000.0	9.000	N	ON	19.2
0.429000	36.34	---	57.27	20.94	1000.0	9.000	N	ON	19.2
1.884750	---	16.45	46.00	29.55	1000.0	9.000	N	ON	19.2
1.911750	32.82	---	56.00	23.18	1000.0	9.000	N	ON	19.2
3.342750	---	17.76	46.00	28.24	1000.0	9.000	N	ON	19.1
3.822000	38.37	---	56.00	17.63	1000.0	9.000	N	ON	19.0
6.670500	31.96	---	60.00	28.04	1000.0	9.000	N	ON	19.1
6.983250	---	22.81	50.00	27.19	1000.0	9.000	N	ON	19.2
12.484500	---	21.00	50.00	29.00	1000.0	9.000	N	ON	19.4
12.520500	25.39	---	60.00	34.61	1000.0	9.000	N	ON	19.4


802.11ac (HT20) , Channel No.: 165, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	34.15	54.95	20.80	1000.0	9.000	L1	ON	19.1
0.258000	37.72	---	61.50	23.78	1000.0	9.000	L1	ON	19.1
0.568500	39.72	---	56.00	16.28	1000.0	9.000	L1	ON	19.3
0.579750	---	25.01	46.00	20.99	1000.0	9.000	L1	ON	19.3
1.821750	32.96	---	56.00	23.04	1000.0	9.000	L1	ON	19.2
1.884750	---	20.47	46.00	25.53	1000.0	9.000	L1	ON	19.2
3.174000	---	26.24	46.00	19.76	1000.0	9.000	L1	ON	19.1
3.176250	38.48	---	56.00	17.52	1000.0	9.000	L1	ON	19.1
9.424500	29.16	---	60.00	30.84	1000.0	9.000	L1	ON	19.3
9.692250	---	22.32	50.00	27.68	1000.0	9.000	L1	ON	19.4
12.657750	---	21.29	50.00	28.71	1000.0	9.000	L1	ON	19.5
12.837750	26.26	---	60.00	33.74	1000.0	9.000	L1	ON	19.5

802.11ac (HT20) , Channel No.: 165, N Line




Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	34.15	54.95	20.79	1000.0	9.000	N	ON	19.2
0.253500	39.81	---	61.64	21.84	1000.0	9.000	N	ON	19.1
0.532500	37.40	---	56.00	18.60	1000.0	9.000	N	ON	19.2
0.539250	---	21.40	46.00	24.60	1000.0	9.000	N	ON	19.2
1.630500	---	20.07	46.00	25.93	1000.0	9.000	N	ON	19.2
2.031000	36.94	---	56.00	19.06	1000.0	9.000	N	ON	19.1
3.174000	---	26.71	46.00	19.29	1000.0	9.000	N	ON	19.1
3.185250	39.27	---	56.00	16.73	1000.0	9.000	N	ON	19.1
6.645750	---	22.19	50.00	27.81	1000.0	9.000	N	ON	19.1
6.843750	32.19	---	60.00	27.81	1000.0	9.000	N	ON	19.2
12.489000	---	20.41	50.00	29.59	1000.0	9.000	N	ON	19.4
13.166250	24.42	---	60.00	35.58	1000.0	9.000	N	ON	19.5




802.11ac (HT40) , Channel No.: 38, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 14 rows of test data.


802.11ac (HT40) , Channel No.: 38, N Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 14 rows of test data.


802.11ac (HT40) , Channel No.: 46, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 14 rows of test data.


802.11ac (HT40) , Channel No.: 46, N Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 14 rows of test data.

802.11ac (HT40) , Channel No.: 54, L Line




Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 14 rows of test data.




802.11ac (HT40) , Channel No.: 54, N Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data for Channel No. 54.


802.11ac (HT40) , Channel No.: 62, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data for Channel No. 62.


802.11ac (HT40) , Channel No.: 62, N Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data for Channel No. 62.


802.11ac (HT40) , Channel No.: 102, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data for Channel No. 102.

802.11ac (HT40) , Channel No.: 102, N Line




Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 15 rows of test data for Channel No. 102.




802.11ac (HT40) , Channel No.: 118, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	33.45	55.06	21.61	1000.0	9.000	L1	ON	19.1
0.440250	42.00	---	57.06	15.06	1000.0	9.000	L1	ON	19.2
0.568500	43.56	---	56.00	12.44	1000.0	9.000	L1	ON	19.3
0.577500	---	28.64	46.00	17.36	1000.0	9.000	L1	ON	19.3
2.031000	35.54	---	56.00	20.46	1000.0	9.000	L1	ON	19.1
2.060250	---	23.33	46.00	22.67	1000.0	9.000	L1	ON	19.1
2.908500	37.12	---	56.00	18.88	1000.0	9.000	L1	ON	19.1
2.919750	---	24.45	46.00	21.55	1000.0	9.000	L1	ON	19.1
9.154500	26.17	---	60.00	33.83	1000.0	9.000	L1	ON	19.3
9.431250	---	20.24	50.00	29.76	1000.0	9.000	L1	ON	19.3
13.348500	24.97	---	60.00	35.03	1000.0	9.000	L1	ON	19.5
15.207000	---	20.85	50.00	29.15	1000.0	9.000	L1	ON	19.5


802.11ac (HT40) , Channel No.: 118, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.163500	44.09	---	65.28	21.19	1000.0	9.000	N	ON	19.1
0.168000	---	32.23	55.06	22.83	1000.0	9.000	N	ON	19.2
0.334500	---	25.18	49.34	24.16	1000.0	9.000	N	ON	19.2
0.582000	32.67	---	56.00	23.33	1000.0	9.000	N	ON	19.3
2.098500	32.71	---	56.00	23.29	1000.0	9.000	N	ON	19.1
2.141250	---	21.39	46.00	24.61	1000.0	9.000	N	ON	19.1
3.518250	39.62	---	56.00	16.38	1000.0	9.000	N	ON	19.1
3.885000	---	26.71	46.00	19.29	1000.0	9.000	N	ON	19.0
7.359000	32.62	---	60.00	27.38	1000.0	9.000	N	ON	19.2
7.626750	---	23.79	50.00	26.21	1000.0	9.000	N	ON	19.2
12.590250	---	20.74	50.00	29.26	1000.0	9.000	N	ON	19.4
13.029000	25.53	---	60.00	34.47	1000.0	9.000	N	ON	19.5


802.11ac (HT40) , Channel No.: 142, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.172500	---	33.37	54.84	21.47	1000.0	9.000	L1	ON	19.2
0.440250	42.20	---	57.06	14.86	1000.0	9.000	L1	ON	19.2
0.444750	---	29.41	46.97	17.57	1000.0	9.000	L1	ON	19.2
0.570750	43.07	---	56.00	12.93	1000.0	9.000	L1	ON	19.3
2.085000	---	21.81	46.00	24.19	1000.0	9.000	L1	ON	19.1
2.123250	36.99	---	56.00	19.01	1000.0	9.000	L1	ON	19.1
3.052500	37.70	---	56.00	18.30	1000.0	9.000	L1	ON	19.1
3.093000	---	25.12	46.00	20.88	1000.0	9.000	L1	ON	19.1
12.255000	26.35	---	60.00	33.65	1000.0	9.000	L1	ON	19.4
12.306750	---	20.44	50.00	29.56	1000.0	9.000	L1	ON	19.4
12.419250	26.65	---	60.00	33.35	1000.0	9.000	L1	ON	19.4
15.459000	---	20.45	50.00	29.55	1000.0	9.000	L1	ON	19.4


802.11ac (HT40) , Channel No.: 142, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.163500	48.44	---	65.28	16.85	1000.0	9.000	N	ON	19.1
0.168000	---	37.46	55.06	17.60	1000.0	9.000	N	ON	19.2
0.584250	34.61	---	56.00	21.39	1000.0	9.000	N	ON	19.3
0.816000	---	21.82	46.00	24.18	1000.0	9.000	N	ON	19.2
1.977000	---	22.29	46.00	23.71	1000.0	9.000	N	ON	19.1
2.064750	37.38	---	56.00	18.62	1000.0	9.000	N	ON	19.1
3.192000	41.25	---	56.00	14.75	1000.0	9.000	N	ON	19.1
3.815250	---	30.21	46.00	15.79	1000.0	9.000	N	ON	19.0
6.492750	35.04	---	60.00	24.96	1000.0	9.000	N	ON	19.1
10.556250	---	27.25	50.00	22.75	1000.0	9.000	N	ON	19.4
12.327000	---	25.62	50.00	24.38	1000.0	9.000	N	ON	19.4
12.633000	31.52	---	60.00	28.48	1000.0	9.000	N	ON	19.4

802.11ac (HT40) , Channel No.: 151, L Line




Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	33.14	54.95	21.81	1000.0	9.000	L1	ON	19.1
0.267000	37.66	---	61.21	23.55	1000.0	9.000	L1	ON	19.1
0.448250	---	29.41	46.99	17.48	1000.0	9.000	L1	ON	19.2
0.586500	42.33	---	56.00	13.67	1000.0	9.000	L1	ON	19.3
1.545000	---	23.67	46.00	22.33	1000.0	9.000	L1	ON	19.2
2.132250	36.79	---	56.00	19.21	1000.0	9.000	L1	ON	19.1
2.854500	37.19	---	56.00	18.81	1000.0	9.000	L1	ON	19.0
3.093000	---	24.87	46.00	21.13	1000.0	9.000	L1	ON	19.1
8.846250	27.29	---	60.00	32.71	1000.0	9.000	L1	ON	19.3
12.201000	---	21.18	50.00	28.82	1000.0	9.000	L1	ON	19.4
12.993000	25.94	---	60.00	34.06	1000.0	9.000	L1	ON	19.5
15.213750	---	20.47	50.00	29.53	1000.0	9.000	L1	ON	19.5




802.11ac (HT40) , Channel No.: 151, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.165750	47.02	---	65.17	18.15	1000.0	9.000	N	ON	19.2
0.168000	---	36.00	55.06	19.06	1000.0	9.000	N	ON	19.2
0.498750	---	23.14	46.02	22.88	1000.0	9.000	N	ON	19.2
0.613500	33.73	---	56.00	22.27	1000.0	9.000	N	ON	19.3
1.857750	34.01	---	56.00	21.99	1000.0	9.000	N	ON	19.2
2.130000	---	21.35	46.00	24.65	1000.0	9.000	N	ON	19.1
3.471000	40.77	---	56.00	15.23	1000.0	9.000	N	ON	19.0
4.373250	---	27.75	46.00	18.25	1000.0	9.000	N	ON	19.1
6.447750	34.23	---	60.00	25.77	1000.0	9.000	N	ON	19.1
10.648500	---	25.12	50.00	24.89	1000.0	9.000	N	ON	19.4
12.459750	30.03	---	60.00	29.97	1000.0	9.000	N	ON	19.4
12.615000	---	23.01	50.00	26.99	1000.0	9.000	N	ON	19.4


802.11ac (HT40) , Channel No.: 159, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	32.47	55.06	22.59	1000.0	9.000	L1	ON	19.1
0.172500	41.11	---	64.84	23.73	1000.0	9.000	L1	ON	19.2
0.447000	---	28.98	46.93	17.95	1000.0	9.000	L1	ON	19.2
0.503250	43.13	---	56.00	12.87	1000.0	9.000	L1	ON	19.2
1.545000	---	22.54	46.00	23.46	1000.0	9.000	L1	ON	19.2
1.574250	37.43	---	56.00	18.57	1000.0	9.000	L1	ON	19.2
2.922000	38.82	---	56.00	17.18	1000.0	9.000	L1	ON	19.1
2.922000	---	24.33	46.00	21.67	1000.0	9.000	L1	ON	19.1
11.935500	---	20.98	50.00	29.02	1000.0	9.000	L1	ON	19.4
12.090750	26.50	---	60.00	33.50	1000.0	9.000	L1	ON	19.4
12.642000	---	20.87	50.00	29.13	1000.0	9.000	L1	ON	19.5
13.166250	25.37	---	60.00	34.63	1000.0	9.000	L1	ON	19.5


802.11ac (HT40) , Channel No.: 159, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	34.49	54.95	20.46	1000.0	9.000	N	ON	19.2
0.172500	44.85	---	64.84	19.99	1000.0	9.000	N	ON	19.2
0.537000	---	20.99	46.00	25.01	1000.0	9.000	N	ON	19.2
0.541500	34.53	---	56.00	21.47	1000.0	9.000	N	ON	19.2
1.990500	34.02	---	56.00	21.98	1000.0	9.000	N	ON	19.1
2.053500	---	21.66	46.00	24.34	1000.0	9.000	N	ON	19.1
3.162750	40.15	---	56.00	15.85	1000.0	9.000	N	ON	19.1
3.813000	---	28.61	46.00	17.39	1000.0	9.000	N	ON	19.0
6.843750	33.33	---	60.00	26.67	1000.0	9.000	N	ON	19.2
7.446750	---	25.44	50.00	24.56	1000.0	9.000	N	ON	19.2
12.417000	---	22.82	50.00	27.18	1000.0	9.000	N	ON	19.4
12.520500	28.71	---	60.00	31.29	1000.0	9.000	N	ON	19.4


802.11ac HT80, Channel No.: 42, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	32.67	54.95	22.28	1000.0	9.000	L1	ON	19.1
0.179250	41.17	---	64.52	23.35	1000.0	9.000	L1	ON	19.2
0.456000	42.99	---	56.77	13.77	1000.0	9.000	L1	ON	19.2
0.501000	---	30.13	46.00	15.87	1000.0	9.000	L1	ON	19.2
1.416750	---	22.78	46.00	23.22	1000.0	9.000	L1	ON	19.2
1.439250	37.38	---	56.00	18.62	1000.0	9.000	L1	ON	19.2
2.996250	37.06	---	56.00	18.94	1000.0	9.000	L1	ON	19.1
3.005250	---	24.47	46.00	21.53	1000.0	9.000	L1	ON	19.1
11.424750	27.67	---	60.00	32.33	1000.0	9.000	L1	ON	19.4
12.120000	---	21.05	50.00	28.95	1000.0	9.000	L1	ON	19.4
12.439500	26.40	---	60.00	33.60	1000.0	9.000	L1	ON	19.4
12.882750	---	20.82	50.00	29.18	1000.0	9.000	L1	ON	19.5

802.11ac HT80, Channel No.: 42, N Line




Final Result

Frequency (MHz)	QuasiPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.172500	---	34.38	54.84	20.46	1000.0	9.000	N	ON	19.2
0.440250	41.80	---	57.06	15.26	1000.0	9.000	N	ON	19.2
0.575250	---	28.70	46.00	17.30	1000.0	9.000	N	ON	19.3
0.591000	42.58	---	56.00	13.42	1000.0	9.000	N	ON	19.3
2.060250	---	23.00	46.00	23.00	1000.0	9.000	N	ON	19.1
2.143500	35.00	---	56.00	21.00	1000.0	9.000	N	ON	19.1
3.023250	37.57	---	56.00	18.43	1000.0	9.000	N	ON	19.1
3.178500	---	24.15	46.00	21.85	1000.0	9.000	N	ON	19.1
9.264750	25.86	---	60.00	34.14	1000.0	9.000	N	ON	19.3
12.284250	---	20.07	50.00	29.93	1000.0	9.000	N	ON	19.4
13.006500	---	20.37	50.00	29.63	1000.0	9.000	N	ON	19.5
14.023500	23.97	---	60.00	36.03	1000.0	9.000	N	ON	19.4




802.11ac HT80, Channel No.: 58, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.172500	---	31.63	54.84	23.21	1000.0	9.000	L1	ON	19.2
0.179250	40.35	---	64.52	24.17	1000.0	9.000	L1	ON	19.2
0.501000	---	30.21	46.00	15.79	1000.0	9.000	L1	ON	19.2
0.512250	43.20	---	56.00	12.80	1000.0	9.000	L1	ON	19.2
1.335750	---	19.25	46.00	26.75	1000.0	9.000	L1	ON	19.2
1.601250	32.75	---	56.00	23.25	1000.0	9.000	L1	ON	19.2
2.402250	36.51	---	56.00	19.49	1000.0	9.000	L1	ON	19.0
3.005250	---	24.08	46.00	21.92	1000.0	9.000	L1	ON	19.1
12.023250	---	20.45	50.00	29.55	1000.0	9.000	L1	ON	19.4
12.070500	26.19	---	60.00	33.81	1000.0	9.000	L1	ON	19.4
12.599250	---	19.88	50.00	30.12	1000.0	9.000	L1	ON	19.5
12.698250	25.67	---	60.00	34.33	1000.0	9.000	L1	ON	19.5


802.11ac HT80, Channel No.: 58, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.165750	43.59	---	65.17	21.58	1000.0	9.000	N	ON	19.2
0.172500	---	34.04	54.84	20.80	1000.0	9.000	N	ON	19.2
0.568500	43.35	---	56.00	12.65	1000.0	9.000	N	ON	19.3
0.584250	---	28.28	46.00	17.72	1000.0	9.000	N	ON	19.3
2.145750	---	22.05	46.00	23.95	1000.0	9.000	N	ON	19.1
2.148000	36.63	---	56.00	19.37	1000.0	9.000	N	ON	19.1
2.773500	36.45	---	56.00	19.55	1000.0	9.000	N	ON	19.0
3.005250	---	24.58	46.00	21.42	1000.0	9.000	N	ON	19.1
9.818250	25.74	---	60.00	34.26	1000.0	9.000	N	ON	19.4
12.345000	---	20.23	50.00	29.77	1000.0	9.000	N	ON	19.4
12.545250	---	20.37	50.00	29.63	1000.0	9.000	N	ON	19.4
12.923250	25.31	---	60.00	34.69	1000.0	9.000	N	ON	19.5


802.11ac HT80, Channel No.: 106, L Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	30.47	55.06	24.59	1000.0	9.000	L1	ON	19.1
0.411000	37.49	---	57.63	20.14	1000.0	9.000	L1	ON	19.2
0.494250	---	29.38	46.10	16.71	1000.0	9.000	L1	ON	19.2
0.503250	44.47	---	56.00	11.53	1000.0	9.000	L1	ON	19.2
1.452750	36.13	---	56.00	19.87	1000.0	9.000	L1	ON	19.2
2.060250	---	20.39	46.00	25.61	1000.0	9.000	L1	ON	19.1
2.742000	35.22	---	56.00	20.78	1000.0	9.000	L1	ON	19.0
3.005250	---	22.36	46.00	23.64	1000.0	9.000	L1	ON	19.1
9.397500	---	19.70	50.00	30.30	1000.0	9.000	L1	ON	19.3
10.767750	22.85	---	60.00	37.15	1000.0	9.000	L1	ON	19.4
12.367500	26.00	---	60.00	34.00	1000.0	9.000	L1	ON	19.4
14.529750	---	18.80	50.00	31.20	1000.0	9.000	L1	ON	19.5


802.11ac HT80, Channel No.: 106, N Line



Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.170250	---	35.36	54.95	19.59	1000.0	9.000	N	ON	19.2
0.325500	39.77	---	59.57	19.80	1000.0	9.000	N	ON	19.2
0.537000	43.04	---	56.00	12.96	1000.0	9.000	N	ON	19.2
0.539250	---	27.39	46.00	18.61	1000.0	9.000	N	ON	19.2
1.545000	---	19.16	46.00	26.84	1000.0	9.000	N	ON	19.2
2.161500	36.15	---	56.00	19.85	1000.0	9.000	N	ON	19.1
2.811750	37.48	---	56.00	18.52	1000.0	9.000	N	ON	19.0
3.289500	---	24.27	46.00	21.73	1000.0	9.000	N	ON	19.1
9.170250	---	19.97	50.00	30.03	1000.0	9.000	N	ON	19.3
9.945500	27.16	---	60.00	32.84	1000.0	9.000	N	ON	19.4
12.408000	25.40	---	60.00	34.60	1000.0	9.000	N	ON	19.4
12.536250	---	19.24	50.00	30.76	1000.0	9.000	N	ON	19.4

802.11ac HT80, Channel No.: 122, L Line




Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	---	25.55	55.06	29.51	1000.0	9.000	L1	ON	19.1
0.447000	36.61	---	56.93	20.33	1000.0	9.000	L1	ON	19.2
0.496500	---	24.82	46.06	21.43	1000.0	9.000	L1	ON	19.2
0.503250	41.28	---	56.00	14.72	1000.0	9.000	L1	ON	19.2
1.488750	31.90	---	56.00	24.10	1000.0	9.000	L1	ON	19.2
2.148000	---	18.44	46.00	27.56	1000.0	9.000	L1	ON	19.1
2.645250	32.12	---	56.00	23.88	1000.0	9.000	L1	ON	19.0
3.007500	---	20.02	46.00	25.98	1000.0	9.000	L1	ON	19.1
9.296250	---	16.10	50.00	33.90	1000.0	9.000	L1	ON	19.3
12.302250	23.10	---	60.00	36.90	1000.0	9.000	L1	ON	19.4
12.590250	22.96	---	60.00	37.04	1000.0	9.000	L1	ON	19.5
13.677000	---	16.84	50.00	33.16	1000.0	9.000	L1	ON	19.5




802.11ac HT80, Channel No.: 122, N Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 13 rows of test data.


802.11ac HT80, Channel No.: 138, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 13 rows of test data.


802.11ac HT80, Channel No.: 138, N Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 13 rows of test data.


802.11ac HT80, Channel No.: 155, L Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 13 rows of test data.

802.11ac HT80, Channel No.: 155, N Line



Final Result

Table with 10 columns: Frequency (MHz), QuasiPeak (dBµV), Average (dBµV), Limit (dBµV), Margin (dB), Meas. Time (ms), Bandwidth (kHz), Line, Filter, Corr. (dB). Contains 13 rows of test data.

6. Main Test Instruments

Name	Type	Manufacturer	Serial Number	Calibration Date	Expiration Time
Spectrum Analyzer	FSV30	R&S	100815	2015-12-17	2016-12-16
EMI Test Receiver	ESCI	R&S	100948	2016-06-01	2017-05-31
Loop Antenna	FMZB1519	SCHWARZBECK	1519-047	2014-02-29	2017-02-28
TRILOG Broadband Antenna	VULB 9163	Schwarzbeck	9163-201	2014-12-06	2017-12-05
Double Ridged Waveguide Horn Antenna	HF907	R&S	100126	2014-12-06	2017-12-05
Standard Gain Horn	3160-09	ETS-Lindgren	00102644	2015-01-30	2018-01-29
Broadband Horn Antenna	BBHA9170	Schwarzbeck	MRTSUE06024	2016-11-23	2017-02-22
EMI Test Receiver	ESCS30	R&S	100138	2015-12-17	2016-12-16
LISN	ENV216	R&S	101171	2013-12-18	2016-12-17
Spectrum Analyzer	N9010A	Agilent	MY47191109	2016-05-21	2017-05-20
MOB COMMS DC SUPPLY	66319D	Agilent	MY43004105	2016-05-21	2017-05-20
Peak Power Meter	U2021XA	Keysight	MY55240003	2016-06-26	2017-06-25
RF Cable	SMA 15cm	Agilent	0001	2016-11-04	2017-01-03

ANNEX B: Product Change Description

Model	VKY-L29	VKY-L09
Trade mark	HUAWEI	HUAWEI
Frequency-GSM	the same	the same
Frequency-WCDMA	the same	the same
Frequency-LTE	the same	the same
Frequency-LTE	the same	the same
SIM Card	Dual	Single
Hardware Version	the same	the same
Software Version	different	different
Dimensions	the same	the same
Appearance	the same	the same
main antenna	the same	the same
BT/Wi-Fi antenna	the same	the same
DIV antenna	the same	the same
Supported CA configurations for Inter-band CA	CA_3A-8A, CA_3A-20A, CA_3A-7A-8A,CA_3A-7A-20A, CA_3A-7A-28A Unsupported	CA_3A-8A, CA_3A-20A, CA_3A-7A-8A,CA_3A-7A-20A, CA_3A-7A-28A Supported
Others	the same	the same

*****END OF REPORT *****