

Page: 1 of 270

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART E AND INDUSTRY CANADA RSS 247 REQUIREMENT

OF

FCC Applicant: Huawei Technologies Co., Ltd.

Administration Building, Headquarters of Huawei Technologies Co.,

Ltd., Bantian, Longgang District, Shenzhen, 518129, China

IC Applicant: Huawei Technologies Co., Ltd.

> Administration Building, Headquarters of Huawei Technologies Co., Ltd., Bantian, Longgang District, Shenzhen, 518129, China(Peoples

Republic Of)

HUAWEI MateBook Product Name:

Brand Name: HUAWEI

Model No.: VLT-W10, VLT-W50, VLT-W60

Model Difference: For Marketing Purpose

FCC ID: QISVLT-WX0 IC: 6369A-VLTWX0 **Report Number:** E2/2018/10026 **FCC Rule Part:** §15.407, Cat:NII

IC Rule: RSS-247 issue 2 Feb. 2017

Issue Date: Mar. 02, 2018

Date of Test: Jan. 10, 2018 ~ Feb. 23, 2018

Date of EUT Received: Jan. 10, 2018

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Prepared By: Karen Huang / Clerk

Approved By: Jim Chang / Manager





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 2 of 270

Revision History

Report Number	Revision	Description	Issue Date
E2/2018/10026	Rev.00	Initial creation of document	Mar. 02, 2018

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the structor of the content or appearance of this document is unlawful and offenders with the fulled extent of the struct of the s may be prosecuted to the fullest extent of the law.



Page: 3 of 270

Contents

1	GENERAL INFORMATIONN	4
2	SYSTEM TEST CONFIGURATION	8
3	SUMMARY OF TEST RESULT	10
4	DESCRIPTION OF TEST MODES	11
5	MEASUREMENT UNCERTAINTY	15
6	CONDUCTED EMISSION TEST	16
7	DUTY CYCLE TEST SIGNAL	20
8	26dB & 6dB EMISSION BANDWIDTH MEASUREMENT	23
9	MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT	64
10	PEAK POWER SPECTRAL DENSITY	85
11	UNDESIRABLE RADIATED EMISSION MEASUREMENT	98
12	TRANSMISSION IN THE ABSENCE OF DATA	248
13	FREQUENCY STABILITY	249
14	ANTENNA REQUIREMENT	270

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the structor of the content or appearance of this document is unlawful and offenders with the fulled extent of the struct of the s may be prosecuted to the fullest extent of the law.



Page: 4 of 270

GENERAL INFORMATIOQN

1.1 Product Description

General:

iorai.				
Product Name:	HUAWEI MateBook			
Brand Name:	HUAWEI			
Model No.:	VLT-W10,	VLT-W50,VLT-W60		
Model Difference:	For Marke	ting Purpose		
Product SW/HW version:	1.3.0.5(C001) / B2B			
Radio SW/HW version:	Wi-Fi Component: 20.0 / Wi-Fi Component: 8265			
Test SW Version:	N/A			
RF power setting in TEST SW:	/: N/A			
	7.6Vdc from Rechargeable Li-ion Battery or 5Vdc / 9Vdc / 12Vdc / 15Vdc / 20Vdc from AC/DC Adapter.			
Power Supply:	Battery:	Model No.: HB4593R1ECW, Supplier: HUAWEI		
	Adapter:	Model No.: HW-200325UP0, Supplier: HUAWEI		

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the structor of the content or appearance of this document is unlawful and offenders with the fulled extent of the struct of the s may be prosecuted to the fullest extent of the law.



Page: 5 of 270

FCC WLAN 5GHz:

Wi-Fi	Frequency Range	Channels	Avg. Power (dBm)	Modulation Technology
	5150~5250	4	14.97	OFDM
44 - 00	5250~5350	4	14.97	
11a_20	5470~5725	12	13.96	
	5725~5850	5	13.96	
	5150~5250	4	HT: 14.98	
11n_HT /	5250~5350	4	HT: 14.99	OFDM
ac_VHT 20M	5470~5725	12	HT: 13.99	OFDM
20111	5725~5850	5	HT: 13.97	
	5150~5250	2	HT: 14.97	
11n_HT /	5250~5350	2	HT: 14.99	OFDM
ac_VHT 40M	5470~5725	6	HT: 13.99	
40101	5725~5850	2	HT: 13.98	
	5150~5250	1	13.91	
11ac	5250~5350	1	11.96	OFDM
VHT80M	5470~5725	3	13.92	
	5725~5850	1	13.89	
Antenna Designation:		5250~5350M 5470~5725M 5725~5850M Aux Antenna: 5150~5250M 5250~5350M 5470~5725M	a: Hz Peak Gain: 1.8dB Hz Peak Gain: 1.8dB Hz Peak Gain: 1.84d Hz Peak Gain: 1.84d	i Bi Bi HBi Bi Bi

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the falled may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 6 of 270

IC WLAN 5GHz:

\\\(\(\(\) \:	Frequency	Charast	Avg.	Rated	Modulation	
Wi-Fi	Range	Channels	or EIRP	Power(dBm)	Technology	
	5180~5240	4	EIRP	19.68		
	5260~5320	4	Avg.	14.97		
11a	5500~5580	5	Avg.	13.96	OFDM	
	5660~5700	3	Avg.	13.92		
	5745~5825	5	Avg.	13.96		
	5180~5240	4	EIRP	HT: 19.70		
11n_HT /	5260~5320	4	Avg.	HT: 14.99		
ac_VHT	5500~5580	5	Avg.	HT: 13.99	OFDM	
20M	5660~5720	4	Avg.	HT: 13.94		
	5745~5825	5	Avg.	HT: 13.97		
	5190~5230	2	EIRP	HT: 19.75	OFDM	
11n_HT /	5270~5310	2	Avg.	HT: 14.99		
ac_VHT	5510~5550	2	Avg.	HT: 13.96		
40M	5670~5710	2	Avg.	HT: 13.99		
	5755~5795	2	Avg.	HT: 13.98		
	5210~5210	1	EIRP	18.66		
	5290~5290	1	Avg.	11.96	OFDM	
11ac VHT80M	5530~5530	1	Avg.	13.92	OFDINI	
VIIIOOW	5690~5690	1	Avg.	13.72		
	5775~5775	1	Avg.	13.89		
Modula	ation type	64QAM, 16QAM, QPSK, BPSK for OFDM 256QAM for OFDM in 802.11ac only				
Transition Rate:		802.11 a: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 – 144.4Mbps 802.11 n_40MHz: 13.5 - 300.0Mbps 802.11 ac_20MHz: 6.5 –144.4Mbps 802.11 ac_40MHz: 13.5 -300.0Mbps 802.11 ac_80MHz: 29.3 – 650Mbps			5	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the structor of the content or appearance of this document is unlawful and offenders with the fulled extent of the struct of the s may be prosecuted to the fullest extent of the law.



Page: 7 of 270

1.2 Test Methodology of Applied Standards

FCC Part 15, Subpart E §15.407

FCC KDB 789033 D02 General UNII Test Procedures New Rules

KDB 789033 D02 v01r04 General UNII Test Procedures New Rules

KDB 644545 D03 v01 Guidance for IEEE 802.11ac

RSS-247 issue 2 Feb. 2017

RSS-Gen issue4 Nov. 2014

ANSI C63.10:2013

Note: All test items have been performed and record as per the above standards.

1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333 (TAF code 0513)

FCC Registration Numbers are: 735305 / TW0002

Canada Registration Number: 4620A-5

1.4 Special Accessories

There are no special accessories used while test was conducted.

1.5 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report efter only to the sample(s) tested and such as an piets). Re #B a fixed and such as may be prosecuted to the fullest extent of the law.



Page: 8 of 270

SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 **Conducted Emissions**

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz., The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 **Radiated Emissions**

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plan. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report eiter only to the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and such as a feet and the sample(s) tested and such as a feet and su may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 9 of 270

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor. Following shows an offset computation example with cable loss and attenuator. SISO offset = RF cable loss (dB)+ attenuation factor(dB)=11.5(dB) MIMO offset = RF cable loss (dB)+ attenuation factor(dB)=14.5(dB)

2.5 Configuration of Tested System

Fig. 2-1 Radiated Emission Configuration



Fig.2-3 Conducted Emission (Antenna Port) Configuration



Fig. 2-2 Conducted Emission (AC Power Line) Configuration




Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1	WLAN Test Software	N/A	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report eiter only to the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and such as a feet and the sample(s) tested and such as a feet and su may be prosecuted to the fullest extent of the law.



Page: 10 of 270

SUMMARY OF TEST RESULT

FCC Rules	IC Rules	Description Of Test	Result
§15.207	RSS-Gen §8.8	AC Power Line Conducted Emission	Compliant
§15.403(i) §15.407(e)	RSS-247 §6.2.1~ 4 (1) RSS-Gen §6.6	26 dB & 6dB & 99% Emission Bandwidth	Compliant
§15.407(a)	RSS-247 §6.2.1~ 4 (1)	Maximum Conducted Output Power	Compliant
§15.407(a)	RSS-247 §6.2.1~ 4 (1)	Power Spectral Density	Compliant
§15.407(b)	RSS-247 §6.2.1~ 4 (2)	Undesirable Radiated Emissions	Compliant
§15.407(c)	RSS-247 §6.4	Transmission in case of Absence of Information	Compliant
§15.407(g)	RSS-Gen §6.11	Frequency Stability	Compliant
§15.203 §15.407(a)	RSS- Gen §6.7 RSS- Gen §8.3	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukungRand.NewTaipeiIndustrialPark Wukupistrict.NewTaipeiCityTaiwan24803/新·t·市 无 股 原新·t·產業 图 原 无 28 134 號



Page: 11 of 270

DESCRIPTION OF TEST MODES

4.1 Operated in U-NII Bands

Operated band in 5150 MHz ~5250 MHz:

4 channels are provided for 802.11a, 802.11n_HT20, 802.11ac_VHT20

CHANNE	L FREC	QUENCY	CHANNEL	FREQUENCY
36	5180) MHz	44	5220 MHz
40	5200) MHz	48	5240 MHz

2 channels are provided for 802.11n_HT40, 802.11ac_VHT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
38	5190 MHz	46	5230 MHz

1 channel is provided for 802.11ac VHT80

CHANNEL	FREQUENCY
42	5210 MHz

Operated band in 5250 MHz ~5350 MHz:

4 channels are provided for 802.11a, 802.11n_HT20, 802.11ac_VHT20

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
52	5260 MHz	60	5300 MHz
56	5280 MHz	64	5320 MHz

2 channels are provided for 802.11n_HT40, 802.11ac_VHT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
54	5270 MHz	62	5310 MHz

1 channel is provided for 802.11ac_VHT80

	1
CHANNEL	FREQUENCY
58	5290 MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 12 of 270

Operated band in 5470 MHz ~5725 MHz:

11 channels are provided for 802.11a, 802.11n HT20, 802.11ac VHT20

	, <u>-</u>	-,	•
CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
100	5500 MHz	124	5620 MHz
104	5520 MHz	128	5640 MHz
108	5540 MHz	132	5660 MHz
112	5560 MHz	136	5680 MHz
116	5580 MHz	140	5700 MHz
120	5600 MHz	144	5720 MHz

5 channels are provided for 802.11n_HT40, 802.11ac_VHT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
102	5510 MHz	126	5630 MHz
110	5550 MHz	134	5670 MHz
118	5590 MHz	142	5710 MHz

3 channels are provided for 802.11ac_VHT80

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
106	5530 MHz	138	5690 MHz
122	5610 MHz		

Operated band in 5725 MHz ~5850 MHz:

5 channels are provided for 802.11a, 802.11n_HT20, 802.11ac_VHT20

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
149	5745 MHz	161	5805 MHz
153	5765 MHz	165	5825 MHz
157	5785 MHz		

2 channels are provided for 802.11n_HT40, 802.11ac_VHT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
151	5755 MHz	159	5795 MHz

1 channel is provided for 802.11ac_VHT80

CHANNEL	FREQUENCY
155	5775 MHz

Remark: The device will not operate in 5600~5650MHz band for IC.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page: 13 of 270

4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.
- 4. The given UE is pre-scanned among 802.11n and ac modes, and 802.11n yields the highest reading that generates the highest emission.
- 5. The given UE is pre-scanned among SISO Main, SISO Aux and MIMO modes, and SISO Main mode yields the highest reading that generates the highest emission. Therefore, 802.11ac+SISO Main as the mode of radiated test configuration is chosen to carry out the relevantly mandatory test items.

RADIATED EMISSION TEST

NADIAI LD LIVII	RADIATED EMISSION TEST:					
	RADIATED EMISSION TEST (BELOW 1 GHz)					
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT
802.11a	5180~5240	36 to 48	36,44,48	OFDM	6	MAIN
802.11a	5260~5320	52 to 64	52,60,64	OFDM	6	MAIN
802.11a	5500~5720	100 to 140	100,116,140	OFDM	6	MAIN
802.11a	5745~5825	149 to 165	149,157,165	OFDM	6	MAIN
	RADIATED EMISSION TEST (ABOVE 1 GHz)					
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT
802.11a	5180~5240	36 to 48	26 44 49	OFDM	6	MAIN
802.11n_HT20	5160~5240	30 10 46	36,44,48	OFDM	MCS8	MAIN
802.11n_HT40	5190~5230	38 to 46	38,46	OFDM	MCS8	MAIN
802.11ac_VHT80	5210	42	42	OFDM	MCS8	MAIN
802.11a	5260~5320	52 to 64	52,60,64	OFDM	6	MAIN
802.11n_HT20	3200~3320	32 10 04	32,00,04	OFDM	MCS8	MAIN
802.11n_HT40	5270~5310	54 to 62	54,62	OFDM	MCS8	MAIN
802.11ac_VHT80	5290	58	58	OFDM	MCS8	MAIN

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 14 of 270

MODE	FREQUENCY BAND (MHz)		TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT
802.11a	5500~5720	100 to 144	100,116,140	OFDM	6	MAIN
802.11n_HT20	5500~5720	100 10 144	100,116,140	OFDM	MCS8	MAIN
802.11n_HT40	5510~5710	102 to 142	102,110,134	OFDM	MCS8	MAIN
802.11ac_VHT80	5530~5690	106 to 138	106,122,138	OFDM	MCS8	MAIN
802.11a	5745~5825	149 to 165	149,157,165	OFDM	6	MAIN
802.11n_HT20	3743~3623	149 (0 103	149,157,165	OFDM	MCS8	MAIN
802.11n_HT40	5755~5795	151 to 159	151,159	OFDM	MCS8	MAIN
802.11ac_VHT80	5775	155	155	OFDM	MCS8	MAIN

Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11a/n/ac WLAN Transmitter for channel Low, Mid and High, the worst case H position was reported.

ANTENNA PORT CONDUCTED MEASUREMENT:

	CONDUCTED TEST					
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT
802.11a				OFDM	6	MAIN
802.11n_HT20 802.11ac_VHT20	5180~5240	36 to 48	36,44,48	OFDM	MCS8	MAIN
802.11n_HT40 802.11ac_VHT40	5190~5230	38 to 46	38,46	OFDM	MCS8	MAIN
802.11ac_VHT80	5210	42	42	OFDM	MCS8	MAIN
802.11a				OFDM	6	MAIN
802.11n_HT20 802.11ac_VHT20	5260~5320	52 to 64	52,60,64	OFDM	MCS8	MAIN
802.11n_HT40 802.11ac_VHT40	5270~5310	54 to 62	54,62	OFDM	MCS8	MAIN
802.11ac_VHT80		58	58	OFDM	MCS8	MAIN
802.11a				OFDM	6	MAIN
802.11n_HT20 802.11ac_VHT20	5500~5720	100 to 144	100,116,140,144	OFDM	MCS8	MAIN
802.11n_HT40 802.11ac_VHT40	5510~5710	102 to 142	102,110,134,142	OFDM	MCS8	MAIN
802.11ac_VHT80	5530~5690	106 to 138	106,122,138	OFDM	MCS8	MAIN
802.11a				OFDM	6	MAIN
802.11n_HT20 802.11ac_VHT20	5745~5825	149 to 165	149,157,165	OFDM	MCS8	MAIN
802.11n_HT40 802.11ac_VHT40	5755~5795	151 to 159	151,159	OFDM	MCS8	MAIN
802.11ac_VHT80	5775	155	155	OFDM	MCS8	MAIN

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which proved the test of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

t (886-2) 2299-3279

www.tw.sqs.com



Page: 15 of 270

MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
26dB & 6dB Emission Bandwidth	+/- 123.36 Hz
The Maximum Output Power Measurement	+/- 0.96 dB
Peak Power Spectral Density Measurement	+/- 1.67 dB
Frequency Stability	+/- 123.36 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

Radiated Spurious Emission:

	9kHz-30MHz: +/-2.87dB
	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	9kHz-30MHz: +/-2.87dB
	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkunRoand.NewTaipeiIndustrialPark. WulkunDistrict. NewTaipeiCity.Taiwan 24803/新 北市 五股區新北產業園區五工路 134 號



Page: 16 of 270

CONDUCTED EMISSION TEST

6.1 Standard Applicable

Frequency range within 150 kHz to 30 MHz shall not exceed the Limit table as below.

Frequency range	Lin dB(nits uV)
MHz	Quasi-peak	Average
0.15 to 0.50	66 to 56	56 to 46
0.50 to 5	56	46
5 to 30	60	50

Note

6.2 Measurement Equipment Used

	Conducted Emission Test Site										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.						
EMI Test Receiver	R&S	ESCI 7	100950	12/24/2017	12/23/2018						
Coaxial Cables	N/A	N30N30-1042-1 50cm	N/A	08/30/2017	08/29/2018						
LISN	Schwarzbeck	NSLK 8127	8127-648	06/18/2017	06/17/2018						
Test Software	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.						

6.3 EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The rear of the EUT and peripherals were placed flushed with the rear of the tabletop.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488


^{1.} The lower limit shall apply at the transition frequencies

^{2.} The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50



Page: 17 of 270

6.4 Test SET-UP



6.5 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed.

6.6 Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Operation Mode: Operation mode

Report No.: E2/2018/10026

Page: 18 of 270

Pony

Test By:

AC POWER LINE CONDUCTED EMISSION TEST DATA

16 17 Conduction Room Temperature: Phase: L1 AC 120V/60Hz Humidity. 63 % Limit: FCC Class B Conduction(QP) Power: Mode: Note: Conducted Emission Data #34 Date: 2018/2/8 File Conduction Time: 上午 08:41:40 FCC Class B Conduction(DP)

No	Mk	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1		0.1940	26.02	19.69	45.71	63.86	-18.15	peak	
2		0.2100	22.76	19.71	42.47	63.21	-20.74	peak	
3		0.2820	17.89	19.83	37.72	60.76	-23.04	peak	
4	*	0.5740	23.33	20.15	43.48	56.00	-12.52	peak	
5	-	2 5980	14.40	20.58	34.98	56.00	-21.02	peak	
6		6.7620	13.46	20.34	33 80	60.00	-26.20	peak	
_									

(MHz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

11.5

Onless otherwise stated the results shown in this less report relear only to the samplets) tested and such carriagness are tellaned for 90 days only.

Ref. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquisited and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

0.150


30 000



Page: 19 of 270

Conduction Room Site : Phase: N Temperature: 16 AC 120V/60Hz Humidity: 47 % Limit: FCC Class B Conduction(QP) Power:

Mode: Note:



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1	*	0.1580	32.64	19.68	52.32	65.57	-13.25	peak	
2		0.1660	30.03	19.68	49.71	65.16	-15.45	peak	
3		0.2100	23.25	19.69	42 94	63.21	-20,27	peak	
4		0.2980	13.81	19.83	33.64	60.30	-26.66	peak	
5		0.5660	22.36	20.12	42 48	56.00	-13.52	peak	
6		4.0980	16.12	20.29	36.41	56.00	-19.59	peak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of the indexented to the full set extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 20 of 270

DUTY CYCLE TEST SIGNAL

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

Formula:

Duty Cycle = Ton / (Ton+Toff)

Measurement Procedure:

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

Duty Cycle:

Mode	Duty Cycle (%)	Duty Factor (dB) =10*log (1/Duty Cycle
802.11a	94.91	0.23
802.11n_20	95.59	0.20
802.11ac_20	95.61	0.20
802.11n_40	84.33	0.74
802.11ac_40	84.48	0.73
802.11ac_80	84.01	0.76

Duty Cycle Factor: $10 * \log(1/0.949074074074074) = 0.23$ Duty Cycle Factor: $10 * \log(1/0.955911823647294) = 0.2$ Duty Cycle Factor: $10 * \log(1/0.956087824351297) = 0.2$ Duty Cycle Factor: $10 * \log(1/0.843282236248873) = 0.74$ Duty Cycle Factor: $10 * \log(1/0.844762757385855) = 0.73$ Duty Cycle Factor: 10 * log(1/0.840095029239766) = 0.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 21 of 270

DUTY CYCLE TEST SIGNAL Measurement Result 802.11a



802.11n HT20



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Onless otherwise stated the results shown in this test report relear only to the sample(s) tested and such carriagne(s) are retained for 90 days only.

Ref. 8月 有说明,此報告结果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price of this document is pulsually and office the previous of this document is pulsually and office the previous desired and such as a constant of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Page: 22 of 270

802.11n HT 40



802.11 ac VHT 80



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report relear only to the sample(s) tested and such carriagne(s) are retained for 90 days only.

Ref. 8月 有说明,此報告结果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price of this document is pulsually and office the previous of this document is pulsually and office the previous desired and such as a constant of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

t (886-2) 2299-3279

www.tw.sqs.com



Page: 23 of 270

26DB & 6DB EMISSION BANDWIDTH MEASUREMENT

8.1 Standard Applicable

There is no limit bandwidth for U-NII-1, U-NII-2-A and U-NII-2-C.

The minimum of 6dB Bandwidth measurement is 0.5 MHz for U-NII-3

8.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the Antenna port to the spectrum analyzer.
 - a. 26dB Band width Measurement: Set the spectrum analyzer as 1% of emission BW Sweep=auto, Detector = Peak, Trace Mode = Max Hold, Manually readjust RBW until the RBW/EBW ratio is 1% based on EBW as observed on the result of pre-sequence measurement.
 - b. Mark the peak frequency and -26dB (upper and lower) frequency.
- 4. Repeat the procedures as list above until all test default channels (low, middle, and high) are completed.
- 5. Minimum Emission Bandwidth for the band 5.725-5.850GHz.
 - a. Set the spectrum analyzer as RBW = 100 kHz, VBW = 3*RBW, Span = 30M/50MHz, Detector=Peak,
 - Sweep=auto
 - b. Mark the peak frequency and –6dB (upper and lower) frequency.
- 6. Repeat above procedures until all test default channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.




Page: 24 of 270

8.3 Measurement Equipment Used

	SGS Conducted Room									
Name of Equip- ment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due					
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018					
Coaxial Cable 30cm	WOKEN	00100A1F1A195C	RF01	12/24/2017	12/23/2018					
DC Block	PASTERNACK	PE8210	RF29	12/24/2017	12/23/2018					
Attenuator	WOKEN	218FS-10	RF23	12/24/2017	12/23/2018					
DC Power Supply	Agilent	E3640A	MY53140006	05/02/2017	05/01/2018					

8.4 Test Set-up



8.5 Measurement Result

26dB and 6dB Bandwidth

802.11a_Main

802.11a_Aux1

Frequency (MHz)	26dB BW (MHz)	Offset	10 Log (B) (dB)	Frequency (MHz)	26dB BW (MHz)	Offset	10 Log (B) (dB)
5180	22.78	11.50	13.575	5180	23.68	11.50	13.743
5220	23.79	11.50	13.764	5220	23.12	11.50	13.641
5240	22.44	11.50	13.510	5240	22.62	11.50	13.546
5260	23.60	11.50	13.729	5260	21.72	11.50	13.369
5300	21.97	11.50	13.419	5300	21.55	11.50	13.335
5320	22.30	11.50	13.482	5320	22.52	11.50	13.526
5500	22.38	11.50	13.498	5500	23.60	11.50	13.729
5580	23.41	11.50	13.694	5580	22.24	11.50	13.472
5700	21.48	11.50	13.321	5700	23.06	11.50	13.629

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of the indexented to the full set extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 25 of 270

802.11a_Main

802.11a_Aux1

Frequency (MHz)	6dB BW (MHz)	Offset	10 Log (B) (dB)	Frequency (MHz)	6dB BW (MHz)	Offset	10 Log (B) (dB)
5745	16.07	11.50	12.060	5745	16.34	11.50	12.133
5785	13.61	11.50	11.340	5785	14.84	11.50	11.715
5825	16.36	11.50	12.137	5825	16.37	11.50	12.141

802.11n_HT20_Main

802.11n_HT20_Aux1

Frequency (MHz)	26dB BW (MHz)	Offset	10 Log (B) (dB)	Frequency (MHz)	26dB BW (MHz)	Offset	10 Log (B) (dB)
5180	23.54	11.50	13.718	5180	22.98	11.50	13.613
5220	22.90	11.50	13.598	5220	23.15	11.50	13.646
5240	23.51	11.50	13.712	5240	22.71	11.50	13.563
5260	23.21	11.50	13.657	5260	22.56	11.50	13.533
5300	23.02	11.50	13.622	5300	22.18	11.50	13.460
5320	22.57	11.50	13.536	5320	23.07	11.50	13.630
5500	23.44	11.50	13.700	5500	24.13	11.50	13.825
5580	23.84	11.50	13.774	5580	23.51	11.50	13.713
5700	22.18	11.50	13.459	5700	22.45	11.50	13.512
5720 (band 3)	16.00	12.00	12.041	5720 (band 3)	15.44	12.00	11.886
5720 (band 4)	4.83	12.00	6.842	5720 (band 4)	4.66	12.00	6.687

802.11n HT20 Main

802.11n HT20 Aux1

Frequency (MHz)	6dB BW (MHz)	Offset	10 Log (B) (dB)	Frequency (MHz)	6dB BW (MHz)	Offset	10 Log (B) (dB)
5745	12.68	11.50	11.031	5745	17.57	11.50	12.447
5785	13.34	11.50	11.253	5785	11.80	11.50	10.718
5825	16.24	11.50	12.106	5825	13.82	11.50	11.406

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukungRand.NewTaipeiIndustrialPark Wukupistrict.NewTaipeiCityTaiwan24803/新·t·市 无 股 原新·t·產業 图 原 无 28 134 號



Page: 26 of 270

802.11n _HT40_Main

802.11n _HT40_Aux1

Frequency (MHz)	26dB BW (MHz)	Offset	10 Log (B) (dB)	Frequency (MHz)	26dB BW (MHz)	Offset	10 Log (B) (dB)
5190	44.83	11.50	16.516	5190	44.45	11.50	16.479
5230	44.73	11.50	16.506	5230	44.32	11.50	16.466
5270	44.42	11.50	16.476	5270	44.68	11.50	16.501
5310	45.49	11.50	16.579	5310	46.01	11.50	16.629
5510	45.43	11.50	16.574	5510	44.66	11.50	16.499
5550	44.48	11.50	16.481	5550	44.66	11.50	16.499
5670	45.26	11.50	16.557	5670	45.99	11.50	16.627
5710 (band 3)	39.86	12.00	16.006	5710 (band 3)	40.33	12.00	16.057
5710 (band 4)	4.78	12.00	6.793	5710 (band 4)	4.84	12.00	6.844

802.11n_HT40_Main

802.11n_HT40_Aux1

Frequency (MHz)	6dB BW (MHz)	Offset	10 Log (B) (dB)	Frequency (MHz)	6dB BW (MHz)	Offset	10 Log (B) (dB)
5755	35.13	11.50	15.456	5755	33.88	11.50	15.300
5795	35.12	11.50	15.456	5795	33.89	11.50	15.301

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukungRand.NewTaipeiIndustrialPark Wukupistrict.NewTaipeiCityTaiwan24803/新·t·市 无 股 原新·t·產業 图 原 无 28 134 號



Page: 27 of 270

802.11ac _VHT80_Main

802.11ac _VHT80_Aux1

Frequency (MHz)	26dB BW (MHz)	Offset	10 Log (B) (dB)	Frequency (MHz)	26dB BW (MHz)	Offset	10 Log (B) (dB)
5210	86.17	11.50	19.354	5210	86.03	11.50	19.347
5290	84.93	11.50	19.291	5290	85.34	11.50	19.311
5530	85.45	11.50	19.317	5530	85.88	11.50	19.339
5610	84.50	11.50	19.268	5610	85.86	11.50	19.338

802.11ac _VHT80_Main

802.11ac _VHT80_Aux1

Frequency (MHz)	6dB BW (MHz)	Offset	10 Log (B) (dB)	Frequency (MHz)	6dB BW (MHz)	Offset	10 Log (B) (dB)
5690(band 3)	78.97	12.00	18.974	5690(band 3)	79.14	12.00	18.984
5690(band 4)	4.26	12.00	6.297	5690(band 4)	4.27	12.00	6.306
5775	70.15	11.50	18.460	5775	72.55	11.50	18.606

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior withen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlawful and effenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 28 of 270

99% Bandwidth

802.11a Main

Frequency (MHz)	99% BW (MHz)	Offset	10 Log (B) (dB)
5180	16.606	11.500	12.203
5220	16.580	11.500	12.196
5240	16.589	11.500	12.198
5260	16.597	11.500	12.200
5300	16.534	11.500	12.184
5320	16.587	11.500	12.198
5500	16.529	11.500	12.182
5580	16.617	11.500	12.206
5700	16.571	11.500	12.193

802.11a Aux1

Frequency (MHz)	99% BW (MHz)	Offset	10 Log (B) (dB)
5180	16.591	11.500	12.199
5220	16.609	11.500	12.203
5240	16.579	11.500	12.196
5260	16.565	11.500	12.192
5300	16.553	11.500	12.189
5320	16.607	11.500	12.203
5500	16.607	11.500	12.203
5580	16.677	11.500	12.221
5700	16.525	11.500	12.181

802.11a_Main

802.11a_Aux1

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)	Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5240	5248.25	< 5250	5240	5248.25	< 5250
5745	5736.78	> 5725	5745	5736.72	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukungRand.NewTaipeiIndustrialPark Wukupistrict.NewTaipeiCityTaiwan24803/新·t·市 无 股 原新·t·產業 图 原 无 28 134 號



Page: 29 of 270

802.11n_HT20_Main

Frequency (MHz)	99% BW (MHz)	Offset	10 Log (B) (dB)
5180	17.748	11.500	12.491
5220	17.803	11.500	12.505
5240	17.708	11.500	12.482
5260	17.768	11.500	12.496
5300	17.762	11.500	12.495
5320	17.740	11.500	12.490
5500	17.699	11.500	12.479
5580	17.707	11.500	12.481
5700	17.741	11.500	12.490
5720 (band 3)	13.628	12.000	11.344
5720 (band 4)	4.117	12.000	6.146
5720	17.713	12.000	12.483

802.11n_HT20_Aux1

Frequency (MHz)	99% BW (MHz)	Offset	10 Log (B) (dB)
5180	17.716	11.500	12.484
5220	17.696	11.500	12.479
5240	17.752	11.500	12.492
5260	17.738	11.500	12.489
5300	17.760	11.500	12.494
5320	17.748	11.500	12.491
5500	17.716	11.500	12.484
5580	17.738	11.500	12.489
5700	17.676	11.500	12.474
5720 (band 3)	13.634	12.000	11.346
5720 (band 4)	4.119	12.000	6.148
5720	17.739	12.000	12.489

802.11n_HT20_Main

802.11n_HT20_Aux1

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)	Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5240	5248.85	< 5250	5240	5248.85	< 5250
5745	5736.12	> 5725	5745	5736.15	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukungRand.NewTaipeiIndustrialPark Wukupistrict.NewTaipeiCityTaiwan24803/新·t·市 无 股 原新·t·產業 图 原 无 28 134 號



Page: 30 of 270

802.11n _HT40_Main

Frequency (MHz)	99% BW (MHz)	Offset	10 Log (B) (dB)
5190	36.100	11.500	15.575
5230	36.038	11.500	15.568
5270	36.066	11.500	15.571
5310	36.100	11.500	15.575
5510	36.045	11.500	15.568
5550	36.052	11.500	15.569
5670	36.050	11.500	15.569
5710 (band 3)	32.168	12.000	15.074
5710 (band 4)	3.856	12.000	5.862

802.11n HT40 Aux1

Frequency (MHz)	99% BW (MHz)	Offset	10 Log (B) (dB)
5190	36.127	11.500	15.578
5230	36.059	11.500	15.570
5270	36.074	11.500	15.572
5310	36.092	11.500	15.574
5510	36.080	11.500	15.573
5550	36.091	11.500	15.574
5670	36.114	11.500	15.577
5710 (band 3)	32.178	12.000	15.076
5710 (band 4)	3.858	12.000	5.863

802.11n _HT40_Main

802.11n _HT40_Aux1

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)	Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5230	5248.05	< 5250	5230	5248.05	< 5250
5755	5736.95	> 5725	5755	5736.90	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukungRand.NewTaipeiIndustrialPark Wukupistrict.NewTaipeiCityTaiwan24803/新·t·市 无 股 原新·t·產業 图 原 无 28 134 號

SGS Taiwan Ltd.



Page: 31 of 270

802.11ac VHT80 Main

OUZ. I I aC _VIII OU_IVIAIII						
Frequency (MHz)	99% BW (MHz)	Offset	10 Log (B) (dB)			
5210	75.022	11.500	18.752			
5290	74.997	11.500	18.750			
5530	74.940	11.500	18.747			
5610	74.891	11.500	18.744			
5690 (band 3)	71.064	12.000	18.516			
5690 (band 4)	3.836	12.000	5.839			

802.11ac VHT80 Aux1

00211140 _ V11100_744X1						
Frequency (MHz)	99% BW (MHz)	Offset	10 Log (B) (dB)			
5210	75.042	11.500	18.753			
5290	74.922	11.500	18.746			
5530	75.030	11.500	18.752			
5610	74.837	11.500	18.741			
5690 (band 3)	71.091	12.000	18.518			
5690 (band 4)	3.838	12.000	5.841			

802.11ac _VHT80_Main

802.11n	HTRO	Διιχ1

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)	Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5210	5247.50	< 5250	5210	5247.40	< 5250
5775	5737.50	> 5725	5775	5737.50	> 5725


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukungRand.NewTaipeiIndustrialPark Wukupistrict.NewTaipeiCityTaiwan24803/新·t·市 无 股 原新·t·產業 图 原 无 28 134 號



Page: 32 of 270

FCC 802.11a 20MHz Main 5180MHz




FCC_802.11a_20MHz_Main_5220MHz




FCC 802.11a 20MHz Main 5240MHz



FCC_802.11a_20MHz_Main_5260MHz



FCC_802.11a_20MHz_Main_5300MHz



FCC 802.11a 20MHz Main 5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 33 of 270


FCC 802.11a 20MHz Main 5500MHz



FCC_802.11a_20MHz_Main_5580MHz



FCC 802.11a 20MHz Main 5700MHz



FCC_802.11a_20MHz_Main_5745MHz



FCC_802.11a_20MHz_Main_5785MHz



FCC 802.11a 20MHz Main 5825MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 34 of 270

FCC 802.11a 20MHz AUX1 5180MHz



FCC_802.11a_20MHz_AUX1_5220MHz




FCC 802.11a 20MHz AUX1 5240MHz



FCC_802.11a_20MHz_AUX1_5260MHz



FCC_802.11a_20MHz_AUX1_5300MHz



FCC 802.11a 20MHz AUX1 5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 35 of 270

FCC 802.11a 20MHz AUX1 5500MHz



FCC_802.11a_20MHz_AUX1_5580MHz




FCC 802.11a 20MHz AUX1 5700MHz




FCC_802.11a_20MHz_AUX1_5745MHz



FCC_802.11a_20MHz_AUX1_5785MHz



FCC 802.11a 20MHz AUX1 5825MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 36 of 270


FCC 802.11n 20MHz Main 5180MHz



FCC_802.11n_20MHz_Main_5220MHz




FCC 802.11n 20MHz Main 5240MHz



FCC_802.11n_20MHz_Main_5260MHz



FCC_802.11n_20MHz_Main_5300MHz



FCC 802.11n 20MHz Main 5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 37 of 270

FCC 802.11n 20MHz Main 5500MHz




FCC_802.11n_20MHz_Main_5580MHz




FCC 802.11n 20MHz Main 5700MHz



FCC_802.11n_20MHz_Main_5720MHz



FCC_802.11n_20MHz_Main_5745MHz



FCC 802.11n 20MHz Main 5785MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 38 of 270


FCC 802.11n 20MHz Main 5825MHz



FCC_802.11n_20MHz_AUX1_5180MHz



FCC 802.11n 20MHz AUX1 5220MHz



FCC_802.11n_20MHz_AUX1_5240MHz



FCC_802.11n_20MHz_AUX1_5260MHz



FCC 802.11n 20MHz AUX1 5300MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 39 of 270

FCC_802.11n_20MHz_AUX1_5320MHz



FCC_802.11n_20MHz_AUX1_5500MHz




FCC 802.11n 20MHz AUX1 5580MHz



FCC_802.11n_20MHz_AUX1_5700MHz



FCC_802.11n_20MHz_AUX1_5720MHz



FCC 802.11n 20MHz AUX1 5745MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 40 of 270

FCC_802.11n_20MHz_AUX1_5785MHz



FCC_802.11n_20MHz_AUX1_5825MHz




FCC_802.11n_40MHz_Main_5190MHz



FCC_802.11n_40MHz_Main_5230MHz



FCC_802.11n_40MHz_Main_5270MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 41 of 270


FCC 802.11n 40MHz Main 5310MHz



FCC_802.11n_40MHz_Main_5510MHz




FCC 802.11n 40MHz Main 5550MHz




FCC_802.11n_40MHz_Main_5670MHz



FCC_802.11n_40MHz_Main_5710MHz



FCC 802.11n 40MHz Main 5755MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 42 of 270


FCC 802.11n 40MHz Main 5795MHz



FCC_802.11n_40MHz_AUX1_5190MHz




FCC 802.11n 40MHz AUX1 5230MHz




FCC_802.11n_40MHz_AUX1_5270MHz



FCC_802.11n_40MHz_AUX1_5310MHz



FCC 802.11n 40MHz AUX1 5510MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 43 of 270

FCC 802.11n 40MHz AUX1 5550MHz



FCC_802.11n_40MHz_AUX1_5670MHz




FCC 802.11n 40MHz AUX1 5710MHz



FCC_802.11n_40MHz_AUX1_5755MHz



FCC_802.11n_40MHz_AUX1_5795MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 44 of 270


FCC_802.11ac_80MHz_Main_5210MHz




FCC_802.11ac_80MHz_Main_5290MHz



FCC_802.11ac_80MHz_Main_5530MHz




FCC_802.11ac_80MHz_Main_5610MHz



FCC_802.11ac_80MHz_Main_5690MHz



FCC 802.11ac 80MHz Main 5775MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 45 of 270


FCC_802.11ac_80MHz_AUX1_5210MHz



FCC_802.11ac_80MHz_AUX1_5290MHz



FCC 802.11ac 80MHz AUX1 5530MHz




FCC_802.11ac_80MHz_AUX1_5610MHz



FCC_802.11ac_80MHz_AUX1_5690MHz



FCC 802.11ac 80MHz AUX1 5775MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 46 of 270

99% BW to prove that all signals in band I is no over band U-NII-1

802.11a_5240MHz (Main)



802.11a 5240MHz (Aux)



802.11n_20MHz_5240MHz (Main)



802.11n_20MHz _5240MHz (Aux)



802.11n_40MHz_5230MHz (Main)



802.11n_40MHz _5230MHz (Aux)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 47 of 270

802.11n_80MHz_5210MHz (Main)



802.11n_80MHz _5210MHz (Aux)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 48 of 270

99% BW to prove that all signals in band I is no over band U-NII-3

802.11a_5745MHz (Main)



802.11a 5745MHz (Aux)



802.11n_20MHz_5745MHz (Main)




802.11n_20MHz _5745MHz (Aux)



802.11n 40MHz 5775MHz (Main)



802.11n_40MHz _5775MHz (Aux)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 49 of 270

802.11n_80MHz_5775MHz (Main)



802.11n_80MHz _5775MHz (Aux)




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 50 of 270

For 99%.


IC_802.11a_20MHz_Main_5180MHz




IC 802.11a 20MHz Main 5220MHz




IC_802.11a_20MHz_Main_5240MHz



IC_802.11a_20MHz_Main_5260MHz



IC_802.11a_20MHz_Main_ 5300MHz



IC_802.11a_20MHz_Main_ 5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則・近報告題未僅對測成之樣态資質・同時武様态度体質切入。本報告未整公司書面計引・不引命的複製。
This document is issued by the Company subject to its General Conditions of Seneral Conditions of India Seneral Conditions of India Seneral Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 51 of 270

IC_802.11a_20MHz_Main_5500MHz




IC_802.11a_20MHz_Main_5745MHz




IC_802.11a_20MHz_Main_5580MHz



IC_802.11a_20MHz_Main_5785MHz



IC_802.11a_20MHz_Main_5700MHz



IC_802.11a_20MHz_Main_5825MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則・近報告題未僅對測成之樣态資質・同時武様态度体質切入。本報告未整公司書面計引・不引命的複製。
This document is issued by the Company subject to its General Conditions of Seneral Conditions of India Seneral Conditions of India Seneral Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 52 of 270


IC 802.11a 20MHz AUX1 5180MHz



IC_802.11a_20MHz_AUX1_5260MHz




IC_802.11a_20MHz_AUX1_5220MHz



IC_802.11a_20MHz_AUX1_ 5300MHz



IC_802.11a_20MHz_AUX1_5240MHz



IC_802.11a_20MHz_AUX1_5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則・近報告題未僅對測成之樣态資質・同時武様态度体質切入。本報告未整公司書面計引・不引命的複製。
This document is issued by the Company subject to its General Conditions of Seneral Conditions of India Seneral Conditions of India Seneral Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 53 of 270

IC 802.11a 20MHz AUX1 5500MHz




IC_802.11a_20MHz_AUX1_5745MHz




IC_802.11a_20MHz_AUX1_5580MHz



IC_802.11a_20MHz_AUX1_5785MHz



IC_802.11a_20MHz_AUX1_5700MHz



IC_802.11a_20MHz_AUX1_ 5825MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則・近報告題未僅對測成之樣态資質・同時武様态度体質切入。本報告未整公司書面計引・不引命的複製。
This document is issued by the Company subject to its General Conditions of Seneral Conditions of India Seneral Conditions of India Seneral Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 54 of 270


IC 802.11n 20MHz Main 5180MHz



IC_802.11n_20MHz_Main_5260MHz




IC_802.11n_20MHz_Main_5220MHz




IC_802.11n_20MHz_Main_5300MHz



IC_802.11n_20MHz_Main_5240MHz



IC_802.11n_20MHz_Main_5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則・近報告題未僅對測成之樣态資質・同時武様态度体質切入。本報告未整公司書面計引・不引命的複製。
This document is issued by the Company subject to its General Conditions of Seneral Conditions of India Seneral Conditions of India Seneral Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 55 of 270

IC 802.11n 20MHz Main 5500MHz




IC_802.11n_20MHz_Main_5720MHz




IC_802.11n_20MHz_Main_5580MHz



IC_802.11n_20MHz_Main_5745MHz



IC_802.11n_20MHz_Main_5700MHz



IC_802.11n_20MHz_Main_5785MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則・近報告題未僅對測成之樣态資質・同時武様态度体質切入。本報告未整公司書面計引・不引命的複製。
This document is issued by the Company subject to its General Conditions of Seneral Conditions of India Seneral Conditions of India Seneral Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 56 of 270

IC 802.11n 20MHz Main 5825MHz



IC_802.11n_20MHz_AUX1_5240MHz



IC_802.11n_20MHz_AUX1_5180MHz



IC_802.11n_20MHz_AUX1_ 5260MHz



IC_802.11n_20MHz_AUX1_5220MHz



IC_802.11n_20MHz_AUX1_ 5300MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則・近報告題未僅對測成之樣态資質・同時武様态度体質切入。本報告未整公司書面計引・不引命的複製。
This document is issued by the Company subject to its General Conditions of Seneral Conditions of India Seneral Conditions of India Seneral Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 57 of 270

IC 802.11n 20MHz AUX1 5320MHz



IC_802.11n_20MHz_AUX1_5700MHz




IC_802.11n_20MHz_AUX1_5500MHz




IC_802.11n_20MHz_AUX1_5720MHz



IC_802.11n_20MHz_AUX1_5580MHz



IC_802.11n_20MHz_AUX1_5745MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則・近報告題未僅對測成之樣态資質・同時武様态度体質切入。本報告未整公司書面計引・不引命的複製。
This document is issued by the Company subject to its General Conditions of Seneral Conditions of India Seneral Conditions of India Seneral Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 58 of 270


IC_802.11n_20MHz_AUX1_5785MHz



IC_802.11n_20MHz_AUX1_5825MHz



IC_802.11n_40MHz_Main_5190MHz



IC_802.11n_40MHz_Main_5230MHz



IC_802.11n_40MHz_Main_5270MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 就明 ・ 近報告籍末性對调減之樣态員實 ・ 同時武稼态性体留切犬 ・ 本報告末極公司書面計引・不引命份複製 ・ This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 59 of 270


IC 802.11n 40MHz Main 5310MHz




IC_802.11n_40MHz_Main_5670MHz



IC_802.11n_40MHz_Main_5510MHz



IC_802.11n_40MHz_Main_5710MHz



IC 802.11n 40MHz Main 5550MHz



IC_802.11n_40MHz_Main_5755MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則・近報告題未僅對測成之樣态資質・同時武様态度体質切入。本報告未整公司書面計引・不引命的複製。
This document is issued by the Company subject to its General Conditions of Seneral Conditions of India Seneral Conditions of India Seneral Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 60 of 270

IC 802.11n 40MHz Main 5795MHz



IC_802.11n_40MHz_AUX1_5270MHz




IC_802.11n_40MHz_AUX1_5190MHz



IC_802.11n_40MHz_AUX1_5310MHz



IC_802.11n_40MHz_AUX1_5230MHz



IC_802.11n_40MHz_AUX1_5510MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則・近報告題未僅對測成之樣态資質・同時武様态度体質切入。本報告未整公司書面計引・不引命的複製。
This document is issued by the Company subject to its General Conditions of Seneral Conditions of India Seneral Conditions of India Seneral Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 61 of 270


IC 802.11n 40MHz AUX1 5550MHz



IC_802.11n_40MHz_AUX1_5755MHz




IC_802.11n_40MHz_AUX1_5670MHz



IC_802.11n_40MHz_AUX1_5795MHz



IC_802.11n_40MHz_AUX1_5710MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則・近報告題未僅對測成之樣态資質・同時武様态度体質切入。本報告未整公司書面計引・不引命的複製。
This document is issued by the Company subject to its General Conditions of Seneral Conditions of India Seneral Conditions of India Seneral Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 62 of 270


IC 802.11ac 80MHz Main 5210MHz



IC_802.11ac_80MHz_Main_5610MHz




IC_802.11ac_80MHz_Main_5290MHz




IC_802.11ac_80MHz_Main_5690MHz



IC_802.11ac_80MHz_Main_5530MHz



IC_802.11ac_80MHz_Main_5775MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則・近報告題未僅對測成之樣态資質・同時武様态度体質切入。本報告未整公司書面計引・不引命的複製。
This document is issued by the Company subject to its General Conditions of Seneral Conditions of India Seneral Conditions of India Seneral Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 63 of 270


IC 802.11ac 80MHz AUX1 5210MHz



IC_802.11ac_80MHz_AUX1_5610MHz




IC_802.11ac_80MHz_AUX1_5290MHz




IC_802.11ac_80MHz_AUX1_5690MHz



IC_802.11ac_80MHz_AUX1_5530MHz



IC_802.11ac_80MHz_AUX1_5775MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則・近報告題未僅對測成之樣态資質・同時武様态度体質切入。本報告未整公司書面計引・不引命的複製。
This document is issued by the Company subject to its General Conditions of Seneral Conditions of India Seneral Conditions of India Seneral Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 64 of 270

MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT

9.1 Standard Applicable

FCC

OPERZTION Band		EUT CATEGORY	LIMIT
U-NII-1		Access Point (Mater device)	1 Watt(30dBm)
		Fixed point-to-point Acess Ponit	1 Watt(30dBm)
	V	Mobile and portable clinet device	250mW(23.98dBm)
U-NII-2A			250mW(23.98dBm) or 11dBm+10 log B
U-NII-2C	√		250mW(23.98dBm) or 11dBm+10 log B
U-NII-3			1 Watt(30dBm)

IC

OPERZTION FREQUENCY BAND	LIMIT
5150~5250 MHz	EIRP shall not exceed 200 mW or 10 + 10 log ₁₀ B, dBm
5250~5350 MHz	Conducted output power shall not exceed 250 mW or 11 +10 log10B EIRP shall not exceed 1.0 W or 17 + 10 log10B, dBm
5470-5600 MHz and 5650-5725 MHz	Conducted output power shall not exceed 250 mW or 11 +10 log10 B EIRP shall not exceed 1.0 W or 17 + 10 log10B, dBm
5725~5850 MHz	Conducted output power shall not exceed 1 W

If transmitting antennas of directional gain greater than 6 dBi are used, both the peak transmit power and the peak power spectral density shall be reduced by the amount in dB that the direction-al gain of the antenna exceeds 6 dBi.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 65 of 270

Note: 5.15-5.25G

Antenna1 Gain: 1.8 dBi Antenna2 Gain: -0.55 dBi Number Antenna: 2 pcs

Directional gain = gain of antenna element + 10 log (# of TX antenna elements)

Effective Legacy Gain (dBi) = 4.81 dBi

Limit: 23.98dBm

Note: 5.25-5.35G

Antenna1 Gain: 1.8 dBi Antenna2 Gain: 1.34 dBi Number Antenna: 2 pcs

Directional gain = gain of antenna element + 10 log (# of TX antenna elements)

Effective Legacy Gain (dBi) = 4.81 dBi

Limit: 23.98dBm

Note: 5.47-5.725G

Antenna1 Gain: 1.84 dBi Antenna2 Gain: 1.46 dBi Number Antenna: 2 pcs

Directional gain = gain of antenna element + 10 log (# of TX antenna elements)

Effective Legacy Gain (dBi) = 4.85 dBi

Limit: 23.968dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report eiter only to the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and such as a feet and the sample(s) tested and such as a feet and su may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 66 of 270


9.2 Measurement Procedure

- Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter
- Power Meter is used as the auxiliary test equipment to conduct the output power measurement.
- Record the max. reading and add 10 log(1/duty cycle).
- Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.

9.3 Measurement Equipment Used

	SGS Conducted Room												
Name of Equip- ment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due								
Power Meter	Anritsu	ML2496A	1326001	06/23/2017	06/22/2018								
Power Sensor	Anritsu	MA2411B	1315048	06/23/2017	06/22/2018								
Power Sensor	Anritsu	MA2411B	1315049	06/23/2017	06/22/2018								
Coaxial Cable 30cm	WOKEN	00100A1F1A195C	RF01	12/24/2017	12/23/2018								
DC Block	PASTERNACK	PE8210	RF29	12/24/2017	12/23/2018								
Attenuator	WOKEN	218FS-10	RF23	12/24/2017	12/23/2018								
DC Power Supply	Agilent	E3640A	MY53140006	05/02/2017	05/01/2018								

9.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report eiter only to the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and such as a feet and the sample(s) tested and such as a feet and su may be prosecuted to the fullest extent of the law.



Page: 67 of 270

9.5 Measurement Result

Conducted output power (FCC)

Ω∩2 11a Main

802.11a_	IVIAIII							
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	6	14.97	31.383		23.98		PASS
44	5220	6	14.96	31.311		23.98		PASS
48	5240	6	14.91	30.953		23.98		PASS
52	5260	6	14.93	31.096	23.98	or 11+10log(B) =	24.73	PASS
60	5300	6	14.97	31.383	23.98	or 11+10log(B) =	24.42	PASS
64	5320	6	14.94	31.167	23.98	or 11+10log(B) =	24.48	PASS
100	5500	6	13.93	24.700	23.98	or 11+10log(B) =	24.50	PASS
116	5580	6	13.96	24.871	23.98	or 11+10log(B) =	24.69	PASS
140	5700	6	13.92	24.643	23.98	or 11+10log(B) =	24.32	PASS
149	5745	6	13.95	24.814		30		PASS
157	5785	6	13.96	24.871		30		PASS
165	5825	6	13.94	24.757		30		PASS

802.11a Aux1

002.11a_								
CII	Frequency	Data	TOTAL	TOTAL		REQUIRED		DECLUT
СН	(MHz)	Rate	POWER	POWER		LIMIT		RESULT
	, ,		(dBm)	(mW)	(dBm)			
36	5180	6	14.93	31.096		23.98		PASS
44	5220	6	14.85	30.528		23.98		PASS
48	5240	6	14.89	30.811		23.98		PASS
52	5260	6	14.93	31.096	23.98	or 11+10log(B) =	24.37	PASS
60	5300	6	14.86	30.598	23.98	or 11+10log(B) =	24.33	PASS
64	5320	6	14.91	30.953	23.98	or 11+10log(B) =	24.53	PASS
100	5500	6	13.94	24.757	23.98	or 11+10log(B) =	24.73	PASS
116	5580	6	13.84	24.194	23.98	or 11+10log(B) =	24.47	PASS
140	5700	6	13.92	24.643	23.98	or 11+10log(B) =	24.63	PASS
149	5745	6	13.95	24.814		30		PASS
157	5785	6	13.85	24.249		30		PASS
165	5825	6	13.91	24.587		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders way he preserved the full between the fulled extent of the fulled extent may be prosecuted to the fullest extent of the law.



Page: 68 of 270

011	Frequency	Data	Avg. POV	VER (dBm)	TOTAL	TOTAL		REQUIRED		DECLUT
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)		LIMIT (dBm)		RESULT
36	5180	6	11.72	11.53	14.86	29.083		23.98		PASS
44	5220	6	11.67	11.6	14.87	29.144		23.98		PASS
48	5240	6	11.62	11.52	14.81	28.712		23.98		PASS
52	5260	6	11.73	11.59	14.90	29.315	23.98	or 11+10log(B) =	24.37	PASS
60	5300	6	11.8	11.37	14.83	28.844	23.98	or 11+10log(B) =	24.33	PASS
64	5320	6	11.83	11.37	14.84	28.949	23.98	or 11+10log(B) =	24.48	PASS
100	5500	6	10.81	10.48	13.89	23.219	23.98	or 11+10log(B) =	24.50	PASS
116	5580	6	10.84	10.43	13.88	23.175	23.98	or 11+10log(B) =	24.47	PASS
140	5700	6	10.83	10.5	13.91	23.326	23.98	or 11+10log(B) =	24.32	PASS
149	5745	6	10.84	10.46	13.89	23.251		30		PASS
157	5785	6	10.8	10.45	13.87	23.114		30		PASS
165	5825	6	10.71	10.51	13.85	23.022		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders way he preserved the full between the fulled extent of the fulled extent may be prosecuted to the fullest extent of the law.



Page: 69 of 270

802.11n_HT20_Main

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	MCS0	14.97	31.375		23.98		PASS
44	5220	MCS0	14.98	31.447		23.98		PASS
48	5240	MCS0	14.96	31.303		23.98		PASS
52	5260	MCS0	14.97	31.375	23.98	or 11+10log(B) =	24.66	PASS
60	5300	MCS0	14.99	31.520	23.98	or 11+10log(B) =	24.62	PASS
64	5320	MCS0	14.93	31.087	23.98	or 11+10log(B) =	24.54	PASS
100	5500	MCS0	13.95	24.807	23.98	or 11+10log(B) =	24.70	PASS
116	5580	MCS0	13.99	25.037	23.98	or 11+10log(B) =	24.77	PASS
140	5700	MCS0	13.94	24.750	23.98	or 11+10log(B) =	24.46	PASS
144	5720 (band 3)	MCS0	12.83	19.184	23.98	or 11+10log(B) =	23.04	PASS
144	5720 (band 4)	MCS0	1.35	1.363	23.98	or 11+10log(B) =	17.84	PASS
149	5745	MCS0	13.93	24.693	30			PASS
157	5785	MCS0	13.93	24.693	30			PASS
165	5825	MCS0	13.97	24.922		30		PASS

802.11n HT20 Aux1

	III ZU_AUX I							
	Frequency	Data	TOTAL	TOTAL		REQUIRED		
СН	(MHz)	Rate	POWER	POWER		LIMIT		RESULT
	(1411 12)	Rate	(dBm)	(mW)	(dBm)			
36	5180	MCS0	14.88	30.731		23.98		PASS
44	5220	MCS0	14.87	30.661		23.98		PASS
48	5240	MCS0	14.84	30.450		23.98		PASS
52	5260	MCS0	14.88	30.731	23.98	or 11+10log(B) =	24.53	PASS
60	5300	MCS0	14.92	31.016	23.98	or 11+10log(B) =	24.46	PASS
64	5320	MCS0	14.86	30.590	23.98	or 11+10log(B) =	24.63	PASS
100	5500	MCS0	13.87	24.355	23.98	or 11+10log(B) =	24.83	PASS
116	5580	MCS0	13.90	24.523	23.98	or 11+10log(B) =	24.71	PASS
140	5700	MCS0	13.86	24.299	23.98	or 11+10log(B) =	24.51	PASS
144	5720 (band 3)	MCS0	12.77	18.921	23.98	or 11+10log(B) =	22.89	PASS
144	5720 (band 4)	MCS0	1.35	1.363	23.98	or 11+10log(B) =	17.69	PASS
149	5745	MCS0	13.81	24.021		30		PASS
157	5785	MCS0	13.84	24.187	30			PASS
165	5825	MCS0	13.85	24.243		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders when the fulled extent of the falled may be prosecuted to the fullest extent of the law.



Page: 70 of 270

802.11n HT20 MIMO

	Frequency	Data	Avg. POV	/ER (dBm)	TOTAL	TOTAL		REQUIRED		
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)		LIMIT (dBm)		RESULT
36	5180	MCS8	11.7	11.59	14.85	29.212		23.98		PASS
44	5220	MCS8	11.69	11.63	14.87	29.312		23.98		PASS
48	5240	MCS8	11.7	11.66	14.89	29.447		23.98		PASS
52	5260	MCS8	11.75	11.62	14.89	29.483	23.98	or 11+10log(B) =	24.53	PASS
60	5300	MCS8	11.93	11.43	14.89	29.495	23.98	or 11+10log(B) =	24.46	PASS
64	5320	MCS8	11.92	11.52	14.93	29.750	23.98	or 11+10log(B) =	24.54	PASS
100	5500	MCS8	10.86	10.48	13.88	23.359	23.98	or 11+10log(B) =	24.70	PASS
116	5580	MCS8	10.79	10.53	13.87	23.293	23.98	or 11+10log(B) =	24.71	PASS
140	5700	MCS8	10.76	10.58	13.88	23.341	23.98	or 11+10log(B) =	24.46	PASS
144	5720 (band 3)	MCS8	9.66	9.45	12.77	18.072	23.98	or 11+10log(B) =	17.69	PASS
144	5720 (band 4)	MCS8	1.15	1.15	4.36	2.606	23.98	or 11+11log(B) =	11.00	PASS
149	5745	MCS8	10.86	10.47	13.88	23.333		30		PASS
157	5785	MCS8	10.86	10.52	13.90	23.462		30		PASS
165	5825	MCS8	10.75	10.61	13.89	23.393		30		PASS

802 11ac VHT20 Main

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	MCS0	14.90	30.868		23.98		PASS
44	5220	MCS0	14.88	30.726		23.98		PASS
48	5240	MCS0	14.89	30.797		23.98		PASS
52	5260	MCS0	14.89	30.797	23.98	or 11+10log(B) =	24.66	PASS
60	5300	MCS0	14.90	30.868	23.98	or 11+10log(B) =	24.62	PASS
64	5320	MCS0	14.83	30.374	23.98	or 11+10log(B) =	24.54	PASS
100	5500	MCS0	13.87	24.350	23.98	or 11+10log(B) =	24.70	PASS
116	5580	MCS0	13.89	24.463	23.98	or 11+10log(B) =	24.77	PASS
140	5700	MCS0	13.87	24.350	23.98	or 11+10log(B) =	24.46	PASS
149	5745	MCS0	13.84	24.183		30		PASS
157	5785	MCS0	13.82	24.071		30		PASS
165	5825	MCS0	13.87	24.350		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders when the fulled extent of the falled may be prosecuted to the fullest extent of the law.



Page: 71 of 270

802.11ac VHT20 Aux1

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	MCS0	14.78	30.026		23.98		PASS
44	5220	MCS0	14.80	30.165		23.98		PASS
48	5240	MCS0	14.77	29.957		23.98		PASS
52	5260	MCS0	14.78	30.026	23.98	or 11+10log(B) =	24.53	PASS
60	5300	MCS0	14.81	30.234	23.98	or 11+10log(B) =	24.46	PASS
64	5320	MCS0	14.78	30.026	23.98	or 11+10log(B) =	24.63	PASS
100	5500	MCS0	13.80	23.961	23.98	or 11+10log(B) =	24.83	PASS
116	5580	MCS0	13.78	23.851	23.98	or 11+10log(B) =	24.71	PASS
140	5700	MCS0	13.75	23.687	23.98	or 11+10log(B) =	24.51	PASS
149	5745	MCS0	13.72	23.524		30		PASS
157	5785	MCS0	13.73	23.578			PASS	
165	5825	MCS0	13.76	23.741		30		PASS

802.11ac VHT20 MIMO

CU	Frequency	Data	Avg. POV	VER (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED		RESULT
СН	(MHz)	Rate	CH 0	CH 1	(dBm)	(mW)		LIMIT (dBm)		RESULI
36	5180	MCS8	11.62	11.48	14.76	28.582		23.98		PASS
44	5220	MCS8	11.59	11.51	14.76	28.579		23.98		PASS
48	5240	MCS8	11.63	11.58	14.81	28.943		23.98		PASS
52	5260	MCS8	11.66	11.51	14.79	28.813	23.98	or 11+10log(B) =	24.53	PASS
60	5300	MCS8	11.83	11.33	14.79	28.824	23.98	or 11+10log(B) =	24.46	PASS
64	5320	MCS8	11.81	11.41	14.82	29.006	23.98	or 11+10log(B) =	24.54	PASS
100	5500	MCS8	10.76	10.36	13.77	22.777	23.98	or 11+10log(B) =	24.70	PASS
116	5580	MCS8	10.69	10.45	13.78	22.814	23.98	or 11+10log(B) =	24.71	PASS
140	5700	MCS8	10.67	10.47	13.78	22.811	23.98	or 11+10log(B) =	24.46	PASS
149	5745	MCS8	10.78	10.35	13.78	22.807		30		PASS
157	5785	MCS8	10.76	10.43	13.80	22.953		30		PASS
165	5825	MCS8	10.66	10.49	13.78	22.836		30		PASS

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders when the fulled extent of the falled may be prosecuted to the fullest extent of the law.



Page: 72 of 270

802.11n HT40 Main

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	MCS0	14.97	31.407		23.98		PASS
46	5230	MCS0	14.94	31.191		23.98		PASS
54	5270	MCS0	14.99	31.552	23.98	or 11+10log(B) =	27.48	PASS
62	5310	MCS0	11.97	15.741	23.98	or 11+10log(B) =	27.58	PASS
102	5510	MCS0	13.96	24.890	23.98	or 11+10log(B) =	27.57	PASS
110	5550	MCS0	13.95	24.833	23.98	or 11+10log(B) =	27.48	PASS
134	5670	MCS0	13.99	25.063	23.98	or 11+10log(B) =	27.56	PASS
142	5710 (band 3)	MCS0	13.50	22.380	23.98	or 11+10log(B) =	27.01	PASS
142	5710 (band 4)	MCS0	1.23	1.327	23.98	or 11+10log(B) =	17.79	PASS
151	5755	MCS0	13.98	25.005		30		PASS
159	5795	MCS0	13.95	24.833		30		PASS

002 445 UT40 Aux4

802.11n_HT40_Aux1											
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT			
38	5190	MCS0	14.87	30.692		23.98		PASS			
46	5230	MCS0	14.83	30.411		23.98		PASS			
54	5270	MCS0	14.90	30.905	23.98	or 11+10log(B) =	27.50	PASS			
62	5310	MCS0	11.87	15.383	23.98	or 11+10log(B) =	27.63	PASS			
102	5510	MCS0	13.86	24.324	23.98	or 11+10log(B) =	27.50	PASS			
110	5550	MCS0	13.88	24.436	23.98	or 11+10log(B) =	27.50	PASS			
134	5670	MCS0	13.91	24.605	23.98	or 11+10log(B) =	27.63	PASS			
142	5710 (band 3)	MCS0	13.47	22.226	23.98	or 11+10log(B) =	27.06	PASS			
142	5710 (band 4)	MCS0	1.23	1.327	23.98	or 11+10log(B) =	17.84	PASS			
151	5755	MCS0	13.90	24.549		30		PASS			
159	5795	MCS0	13.84	24.212		30		PASS			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders when the fulled extent of the falled may be prosecuted to the fullest extent of the law.



Page: 73 of 270

802.11n HT40 MIMO

CII	Frequency	Data	Avg. POV	/ER (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
СН	(MHz)	Rate	CH 0	CH 1	(dBm)	(mW)		(dBm)		RESULI
38	5190	MCS8	11.23	11.14	14.94	26.276		23.98		PASS
46	5230	MCS8	11.22	11.11	14.92	26.156		23.98		PASS
54	5270	MCS8	11.32	11.02	14.92	26.199	23.98	or 11+10log(B) =	27.48	PASS
62	5310	MCS8	8.54	7.77	11.92	13.129	23.98	or 11+10log(B) =	27.58	PASS
102	5510	MCS8	10.32	10.03	13.93	20.834	23.98	or 11+10log(B) =	27.50	PASS
110	5550	MCS8	10.31	10.02	13.92	20.786	23.98	or 11+10log(B) =	27.48	PASS
134	5670	MCS8	10.27	10.06	13.92	20.781	23.98	or 11+10log(B) =	27.56	PASS
142	5710 (band 3)	MCS8	9.78	9.63	13.45	18.682	23.98	or 11+10log(B) =	27.01	PASS
142	5710 (band 4)	MCS8	0.49	0.49	4.24	2.239	23.98	or 11+10log(B) =	17.79	PASS
151	5755	MCS8	10.32	10.04	13.93	20.857		30		PASS
159	5795	MCS8	10.27	10.02	13.90	20.688		30		PASS

802.11ac VHT40 Main

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)			RESULT
38	5190	MCS0	14.86	30.638		23.98		PASS
46	5230	MCS0	14.82	30.357		23.98		PASS
54	5270	MCS0	14.87	30.709	23.98	or 11+10log(B) =	27.48	PASS
62	5310	MCS0	11.86	15.356	23.98	or 11+10log(B) =	27.58	PASS
102	5510	MCS0	13.87	24.393	23.98	or 11+10log(B) =	27.57	PASS
110	5550	MCS0	13.86	24.337	23.98	or 11+10log(B) =	27.48	PASS
151	5755	MCS0	13.89	24.506		30	•	PASS
159	5795	MCS0	13.85	24.281		30	•	PASS

802.11ac VHT40 Aux1

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)			RESULT
38	5190	MCS0	14.74	29.803		23.98		PASS
46	5230	MCS0	14.71	29.598		23.98		PASS
54	5270	MCS0	14.79	30.148	23.98	or 11+10log(B) =	27.50	PASS
62	5310	MCS0	11.77	15.041	23.98	or 11+10log(B) =	27.63	PASS
102	5510	MCS0	13.74	23.674	23.98	or 11+10log(B) =	27.50	PASS
110	5550	MCS0	13.75	23.728	23.98	or 11+10log(B) =	27.50	PASS
151	5755	MCS0	13.77	23.838		30	•	PASS
159	5795	MCS0	13.75	23.728		30	•	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms=e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders were the acceptant of the full response to the fall of the full response to the full response to the fall of the full response to the full re may be prosecuted to the fullest extent of the law.



Page: 74 of 270

802.11ac VHT40 MIMO

011	Frequency	Data	Avg. POW	VER (dBm)	TOTAL	TOTAL		REQUIRED		DEOLU T
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)	LIMIT (dBm)			RESULT
38	5190	MCS8	11.13	11.03	14.82	25.648		23.98		PASS
46	5230	MCS8	11.14	11.03	14.83	25.678		23.98		PASS
54	5270	MCS8	11.25	10.92	14.83	25.695	23.98	or 11+10log(B) =	27.48	PASS
62	5310	MCS8	8.46	7.68	11.83	12.876	23.98	or 11+10log(B) =	27.58	PASS
102	5510	MCS8	10.21	9.91	13.81	20.290	23.98	or 11+10log(B) =	27.50	PASS
110	5550	MCS8	10.21	9.92	13.81	20.313	23.98	or 11+10log(B) =	27.48	PASS
151	5755	MCS8	10.24	9.93	13.83	20.408		30		PASS
159	5795	MCS8	10.15	9.94	13.79	20.214		30		PASS

802 11ac VHT80 Main

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
42	5210	MCS0	13.91	24.585		23.98		PASS
58	5290	MCS0	11.96	15.692	23.98	or 11+10log(B) =	30.29	PASS
106	5530	MCS0	13.92	24.642	23.98	or 11+10log(B) =	30.32	PASS
122	5610	MCS0	13.88	24.416	23.98	or 11+10log(B) =	30.27	PASS
138	5690 (band 3)	MCS0	13.72	23.542	23.98	or 11+10log(B) =	29.97	PASS
138	5690 (band 4)	MCS0	0.99	1.255	23.98	or 11+10log(B) =	17.30	PASS
155	5775	MCS0	13.88	24.416		30		PASS

802 11ac VHT80 Aux1

002.11ac	_VIII00_Aux	1						
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)			RESULT
42	5210	MCS0	13.90	24.529		23.98		PASS
58	5290	MCS0	11.92	15.548	23.98	or 11+10log(B) =	30.31	PASS
106	5530	MCS0	13.89	24.472	23.98	or 11+10log(B) =	30.34	PASS
122	5610	MCS0	13.89	24.472	23.98	or 11+10log(B) =	30.34	PASS
138	5690 (band 3)	MCS0	13.72	23.542	23.98	or 11+10log(B) =	29.98	PASS
138	5690 (band 4)	MCS0	0.99	1.255	23.98	or 11+10log(B) =	17.31	PASS
155	5775	MCS0	13.89	24.472		30		PASS

802.11ac VHT80 MIMO

CU	Frequency	Data	Avg. POW	/ER (dBm)	TOTAL	TOTAL		REQUIRED		DECLUT
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)		LIMIT (dBm)		RESULT
42	5210	MCS8	9.91	10.25	13.85	20.387		23.98		PASS
58	5290	MCS8	8.25	8.08	11.93	13.110	23.98	or 11+10log(B) =	30.29	PASS
106	5530	MCS8	10.16	9.98	13.84	20.329	23.98	or 11+10log(B) =	30.32	PASS
122	5610	MCS8	10.37	9.81	13.87	20.461	23.98	or 11+10log(B) =	30.27	PASS
138	5690 (band 3)	MCS8	10.14	9.62	13.66	19.497	23.98	or 11+11log(B) =	29.97	PASS
138	5690 (band 4)	MCS8	0.23	0.23	4.00	2.109	23.98	or 11+12log(B) =	17.30	PASS
155	5775	MCS8	10.43	9.79	13.89	20.569		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms=e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders were the acceptant of the full response to the fall of the full response to the full response to the fall of the full response to the full re may be prosecuted to the fullest extent of the law.



Page: 75 of 270

Conducted output power (IC)

802.11a Main

<u></u>							
СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	14.93	31.096	23.98	or 11+10log(B) =	23.20	PASS
60	5300	14.97	31.383	23.98	or 11+10log(B) =	23.18	PASS
64	5320	14.94	31.167	23.98	or 11+10log(B) =	23.20	PASS
100	5500	13.93	24.700	23.98	or 11+10log(B) =	23.18	PASS
116	5580	13.96	24.871	23.98	or 11+10log(B) =	23.21	PASS
140	5700	13.92	24.643	23.98	or 11+10log(B) =	23.19	PASS
149	5745	13.95	24.814		30		PASS
157	5785	13.96	24.871		30		PASS
165	5825	13.94	24.757		30	•	PASS

802.11a Aux1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	14.93	31.096	23.98	or 11+10log(B) =	23.19	PASS
60	5300	14.86	30.598	23.98	or 11+10log(B) =	23.19	PASS
64	5320	14.91	30.953	23.98	or 11+10log(B) =	23.20	PASS
100	5500	13.94	24.757	23.98	or 11+10log(B) =	23.20	PASS
116	5580	13.84	24.194	23.98	or 11+10log(B) =	23.22	PASS
140	5700	13.92	24.643	23.98	or 11+10log(B) =	23.18	PASS
149	5745	13.95	24.814		30		PASS
157	5785	13.85	24.249		30		PASS
165	5825	13.91	24.587		30		PASS

802.11a MIMO

002.11a_inimO									
СН	Frequency (MHz)	POWER CH 0		TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	11.73	11.59	14.90	29.315	23.98	or 11+10log(B) =	23.19	PASS
60	5300	11.8	11.37	14.83	28.844	23.98	or 11+10log(B) =	23.18	PASS
64	5320	11.83	11.37	14.84	28.949	23.98	or 11+10log(B) =	23.20	PASS
100	5500	10.81	10.48	13.89	23.219	23.98	or 11+10log(B) =	23.18	PASS
116	5580	10.84	10.43	13.88	23.175	23.98	or 11+10log(B) =	23.21	PASS
140	5700	10.83	10.5	13.91	23.326	23.98	or 11+10log(B) =	23.18	PASS
149	5745	10.84	10.46	13.89	23.251		30		PASS
157	5785	10.8	10.45	13.87	23.114		30		PASS
165	5825	10.71	10.51	13.85	23.022		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 76 of 270

802.11n HT20 Main

<u> </u>							
СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	14.97	31.375	23.98	or 11+10log(B) =	23.50	PASS
60	5300	14.99	31.520	23.98	or 11+10log(B) =	23.49	PASS
64	5320	14.93	31.087	23.98	or 11+10log(B) =	23.49	PASS
100	5500	13.95	24.807	23.98	or 11+10log(B) =	23.48	PASS
116	5580	13.99	25.037	23.98	or 11+10log(B) =	23.48	PASS
140	5700	13.94	24.750	23.98	or 11+10log(B) =	23.49	PASS
144	5720 (band 3)	12.83	19.19	23.98	or 11+10log(B) =	22.34	PASS
144	5720 (band 4)	1.35	1.36	23.98	or 11+10log(B) =	17.15	PASS
149	5745	13.93	24.693		30		PASS
157	5785	13.93	24.693		30		PASS
165	5825	13.97	24.922		30		PASS

802.11n_HT20_Aux1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	14.88	30.731	23.98	or 11+10log(B) =	23.49	PASS
60	5300	14.92	31.016	23.98	or 11+10log(B) =	23.49	PASS
64	5320	14.86	30.590	23.98	or 11+10log(B) =	23.49	PASS
100	5500	13.87	24.355	23.98	or 11+10log(B) =	23.48	PASS
116	5580	13.90	24.523	23.98	or 11+10log(B) =	23.49	PASS
140	5700	13.86	24.299	23.98	or 11+10log(B) =	23.47	PASS
144	5720 (band 3)	12.77	18.92	23.98	or 11+10log(B) =	22.35	PASS
144	5720 (band 4)	1.15	1.35	23.98	or 11+10log(B) =	17.15	PASS
149	5745	13.81	24.021		30		PASS
157	5785	13.84	24.187		30		PASS
165	5825	13.85	24.243		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be precedured the full and the law. may be prosecuted to the fullest extent of the law.



Page: 77 of 270

802.11n HT20 MIMO

СН	Frequency		RAGE R (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
	(MHz)	CH 0	CH 1	(dBm)	(mW)				
52	5260	11.75	11.62	14.89	29.483	23.98	or 11+10log(B) =	23.49	PASS
60	5300	11.93	11.43	14.89	29.495	23.98	or 11+10log(B) =	23.49	PASS
64	5320	11.92	11.52	14.93	29.750	23.98	or 11+10log(B) =	23.49	PASS
100	5500	10.86	10.48	13.88	23.359	23.98	or 11+10log(B) =	23.48	PASS
116	5580	10.79	10.53	13.87	23.293	23.98	or 11+10log(B) =	23.48	PASS
140	5700	10.76	10.58	13.88	23.341	23.98	or 11+10log(B) =	23.47	PASS
144	5720 (band 3)	9.66	9.45	12.77	18.072	23.98	or 11+10log(B) =	22.34	PASS
144	5720 (band 4)	1.15	1.15	4.36	2.606	23.98	or 11+10log(B) =	17.15	PASS
149	5745	10.86	10.47	13.88	23.333		30		PASS
157	5785	10.86	10.52	13.90	23.462		30		PASS
165	5825	10.75	10.61	13.89	23.393		30	•	PASS

802.11ac VHT20 Main

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	14.89	30.797	23.98	or 11+10log(B) =	23.50	PASS
60	5300	14.90	30.868	23.98	or 11+10log(B) =	23.49	PASS
64	5320	14.83	30.374	23.98	or 11+10log(B) =	23.49	PASS
100	5500	13.87	24.350	23.98	or 11+10log(B) =	23.48	PASS
116	5580	13.89	24.463	23.98	or 11+10log(B) =	23.48	PASS
140	5700	13.87	24.350	23.98	or 11+10log(B) =	23.49	PASS
149	5745	13.84	24.183		30		PASS
157	5785	13.82	24.071		30		PASS
165	5825	13.87	24.350		30		PASS

802.11ac VHT20 Aux1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	14.78	30.026	23.98	or 11+10log(B) =	23.49	PASS
60	5300	14.81	30.234	23.98	or 11+10log(B) =	23.49	PASS
64	5320	14.78	30.026	23.98	or 11+10log(B) =	23.49	PASS
100	5500	13.80	23.961	23.98	or 11+10log(B) =	23.48	PASS
116	5580	13.78	23.851	23.98	or 11+10log(B) =	23.49	PASS
140	5700	13.75	23.687	23.98	or 11+10log(B) =	23.47	PASS
149	5745	13.72	23.524		30		PASS
157	5785	13.73	23.578		30		PASS
165	5825	13.76	23.741		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the preserved the full between the full and offenders. may be prosecuted to the fullest extent of the law.



Page: 78 of 270

802.11ac_VHT20_MIMO

СН	Frequency		RAGE R (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
0.1	(MHz) CH 0		CH 1	(dBm)	(mW)			NEGOE!	
52	5260	11.66	11.51	14.79	28.813	23.98	or 11+10log(B) =	23.49	PASS
60	5300	11.83	11.33	14.79	28.824	23.98	or 11+10log(B) =	23.49	PASS
64	5320	11.81	11.41	14.82	29.006	23.98	or 11+10log(B) =	23.49	PASS
100	5500	10.76	10.36	13.77	22.777	23.98	or 11+10log(B) =	23.48	PASS
116	5580	10.69	10.45	13.78	22.814	23.98	or 11+10log(B) =	23.48	PASS
140	5700	10.67	10.47	13.78	22.811	23.98	or 11+10log(B) =	23.47	PASS
149	5745	10.78	10.35	13.78	22.807		30		PASS
157	5785	10.76	10.43	13.80	22.953		30	·	PASS
165	5825	10.66	10.49	13.78	22.836		30	•	PASS

802.11n HT40 Main

	<u></u>						
СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
54	5270	14.99	31.552	23.98	or 11+10log(B) =	26.57	PASS
62	5310	11.97	15.741	23.98	or 11+10log(B) =	26.58	PASS
102	5510	13.96	24.890	23.98	or 11+10log(B) =	26.57	PASS
110	5550	13.95	24.833	23.98	or 11+10log(B) =	26.57	PASS
134	5670	13.99	25.063	23.98	or 11+10log(B) =	26.57	PASS
142	5710 (band 3)	13.50	22.39	23.98	or 11+10log(B) =	26.07	PASS
142	5710 (band 4)	1.23	1.33	23.98	or 11+10log(B) =	16.86	PASS
151	5755	13.98	25.005		30		PASS
159	5795	13.95	24.833		30		PASS

802.11n_HT40_Aux1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
54	5270	14.90	30.905	23.98	or 11+10log(B) =	26.57	PASS
62	5310	11.87	15.383	23.98	or 11+10log(B) =	26.57	PASS
102	5510	13.86	24.324	23.98	or 11+10log(B) =	26.57	PASS
110	5550	13.88	24.436	23.98	or 11+10log(B) =	26.57	PASS
134	5670	13.91	24.605	23.98	or 11+10log(B) =	26.58	PASS
142	5710 (band 3)	13.47	22.23	23.98	or 11+10log(B) =	26.08	PASS
142	5710 (band 4)	1.23	1.33	23.98	or 11+10log(B) =	16.86	PASS
151	5755	13.90	24.549		30	•	PASS
159	5795	13.84	24.212		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the structor of the content or appearance of this document is unlawful and offenders with the fulled extent of the struct of the s may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 79 of 270

802.11n HT40 MIMO

002.1111_11140_HIHIO									
СН	Frequency (MHz)	POWE	RAGE R (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT (dBm)		RESULT
	(CH 0	CH 1	(dBm)	(mW)				
54	5270	11.32	11.02	14.92	26.199	23.98	or 11+10log(B) =	26.57	PASS
62	5310	8.54	7.77	11.92	13.129	23.98	or 11+10log(B) =	26.57	PASS
102	5510	10.32	10.03	13.93	20.834	23.98	or 11+10log(B) =	26.57	PASS
110	5550	10.31	10.02	13.92	20.786	23.98	or 11+10log(B) =	26.57	PASS
134	5670	10.27	10.06	13.92	20.781	23.98	or 11+10log(B) =	26.57	PASS
142	5710 (band 3)	9.78	9.63	13.45	18.682	23.98	or 11+10log(B) =	26.07	PASS
142	5710 (band 4)	0.49	0.49	4.24	2.239	23.98	or 11+10log(B) =	16.86	PASS
151	5755	10.32	10.04	13.93	20.857		30		PASS
159	5795	10.27	10.02	13.90	20.688		30		PASS

802.11ac VHT40 Main

	_						
СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
54	5270	14.87	30.709	23.98	or 11+10log(B) =	26.57	PASS
62	5310	11.86	15.356	23.98	or 11+10log(B) =	26.58	PASS
102	5510	13.87	24.393	23.98	or 11+10log(B) =	26.57	PASS
110	5550	13.86	24.337	23.98	or 11+10log(B) =	26.57	PASS
134	5670	13.88	24.449	23.98	or 11+10log(B) =	26.57	PASS
151	5755	13.89	24.506		30		PASS
159	5795	13.85	24.281		30		PASS

802.11ac _VHT40_Aux1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
54	5270	14.79	30.148	23.98	or 11+10log(B) =	26.57	PASS
62	5310	11.77	15.041	23.98	or 11+10log(B) =	26.57	PASS
102	5510	13.74	23.674	23.98	or 11+10log(B) =	26.57	PASS
110	5550	13.75	23.728	23.98	or 11+10log(B) =	26.57	PASS
134	5670	13.81	24.058	23.98	or 11+10log(B) =	26.58	PASS
151	5755	13.77	23.838		30		PASS
159	5795	13.75	23.728		30	•	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was to prescribed to the full set extent of the law. may be prosecuted to the fullest extent of the law.



Page: 80 of 270

802.11ac_VHT40_MIMO

СН	Frequency		RAGE R (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
(MHz)		CH 0	CH 1	(dBm)	(mW)			KLOOLI	
54	5270	11.25	10.92	14.83	25.695	23.98	or 11+10log(B) =	26.57	PASS
62	5310	8.46	7.68	11.83	12.876	23.98	or 11+10log(B) =	26.57	PASS
102	5510	10.21	9.91	13.81	20.290	23.98	or 11+10log(B) =	26.57	PASS
110	5550	10.21	9.92	13.81	20.313	23.98	or 11+10log(B) =	26.57	PASS
134	5670	10.19	9.95	13.81	20.333	23.98	or 11+10log(B) =	26.57	PASS
151	5755	10.24	9.93	13.83	20.408		30		PASS
159	5795	10.15	9.94	13.79	20.214		30		PASS

802.11ac VHT80 Main

	_ viii 00_iiiaiii						
СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
58	5290	11.96	15.692	23.98	or 11+10log(B) =	29.75	PASS
106	5530	13.92	24.642	23.98	or 11+10log(B) =	29.75	PASS
138	5690 (band 3)	13.72	23.55	23.98	or 11+12log(B) =	29.52	PASS
138	5690 (band 4)	0.99	1.26	23.98	or 11+13log(B) =	16.84	PASS
155	5775	13.88	24.416		30		PASS

802.11ac VHT80 Aux1

	<u> </u>						
СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
58	5290	11.92	15.548	23.98	or 11+10log(B) =	29.75	PASS
106	5530	13.89	24.472	23.98	or 11+10log(B) =	29.75	PASS
138	5690 (band 3)	13.72	23.55	23.98	or 11+12log(B) =	29.52	PASS
138	5690 (band 4)	0.99	1.26	23.98	or 11+13log(B) =	16.84	PASS
155	5775	13.89	24.472		30		PASS

802.11ac_VHT80_MIMO

СН	Frequency		RAGE R (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
Сп	(MHz)	CH 0	CH 1	(dBm)	(mW)		(dBm)		RESULI
58	5290	8.25	8.08	11.93	13.110	23.98	or 11+10log(B) =	29.75	PASS
106	5530	10.16	9.98	13.84	20.329	23.98	or 11+10log(B) =	29.75	PASS
138	5690 (band 3)	10.14	9.62	13.66	19.497	23.98	or 11+12log(B) =	29.52	PASS
138	5690 (band 4)	0.23	0.23	4.00	2.109	23.98	or 11+13log(B) =	16.84	PASS
155	5775	10.43	9.79	13.89	20.569		30	•	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was to prescribed to the full set extent of the law. may be prosecuted to the fullest extent of the law.



Page: 81 of 270

EIRP

802.11a Main

002.11u									
СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	14.97	1.800	16.77	47.501	23.01	or 10+10log(B)=	22.20	PASS
44	5220	14.96	1.800	16.76	47.391	23.01	or 10+10log(B)=	22.20	PASS
48	5240	14.91	1.800	16.71	46.849	23.01	or 10+10log(B)=	22.20	PASS
52	5260	14.93	1.800	16.73	47.065	30	or 17+10log(B)=	29.20	PASS
60	5300	14.97	1.800	16.77	47.501	30	or 17+10log(B)=	29.18	PASS
64	5320	14.94	1.800	16.74	47.174	30	or 17+10log(B)=	29.20	PASS
100	5500	13.93	1.840	15.77	37.731	30	or 17+10log(B)=	29.18	PASS
116	5580	13.96	1.840	15.80	37.993	30	or 17+10log(B)=	29.21	PASS
140	5700	13.92	1.840	15.76	37.644	30	or 17+10log(B)=	29.19	PASS

802.11a Aux1

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	14.93	-0.55	14.38	27.397	23.01	or 10+10log(B)=	22.20	PASS
44	5220	14.85	-0.55	14.30	26.897	23.01	or 10+10log(B)=	22.20	PASS
48	5240	14.89	-0.55	14.34	27.146	23.01	or 10+10log(B)=	22.20	PASS
52	5260	14.93	1.34	16.27	42.335	30	or 17+10log(B)=	29.19	PASS
60	5300	14.86	1.34	16.20	41.658	30	or 17+10log(B)=	29.19	PASS
64	5320	14.91	1.34	16.25	42.141	30	or 17+10log(B)=	29.20	PASS
100	5500	13.94	1.46	15.40	34.650	30	or 17+10log(B)=	29.20	PASS
116	5580	13.84	1.46	15.30	33.861	30	or 17+10log(B)=	29.22	PASS
140	5700	13.92	1.46	15.38	34.491	30	or 17+10log(B)=	29.18	PASS

802 11a MIMO

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	14.86	4.810	19.67	92.754	23.01	or $10+10\log(B)=$	22.20	PASS
44	5220	14.87	4.810	19.68	92.949	23.01	or 10+10log(B)=	22.20	PASS
48	5240	14.81	4.810	19.62	91.571	23.01	or 10+10log(B)=	22.20	PASS
52	5260	14.90	4.810	19.71	93.495	30	or 17+10log(B)=	29.19	PASS
60	5300	14.83	4.810	19.64	91.994	30	or 17+10log(B)=	29.18	PASS
64	5320	14.84	4.810	19.65	92.329	30	or 17+10log(B)=	29.20	PASS
100	5500	13.89	4.850	18.74	74.738	30	or 17+10log(B)=	29.18	PASS
116	5580	13.88	4.850	18.73	74.596	30	or 17+10log(B)=	29.21	PASS
140	5700	13.91	4.850	18.76	75.083	30	or 17+10log(B)=	29.18	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the preserved the full between the full and offenders. may be prosecuted to the fullest extent of the law.



Page: 82 of 270

802.11n_HT20_Main

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	14.97	1.800	16.77	47.488	23.01	or 10+10log(B)=	22.49	PASS
44	5220	14.98	1.800	16.78	47.597	23.01	or 10+10log(B)=	22.50	PASS
48	5240	14.96	1.800	16.76	47.379	23.01	or 10+10log(B)=	22.48	PASS
52	5260	14.97	1.800	16.77	47.488	30	or 17+10log(B)=	29.50	PASS
60	5300	14.99	1.800	16.79	47.707	30	or 17+10log(B)=	29.49	PASS
64	5320	14.93	1.800	16.73	47.052	30	or 17+10log(B)=	29.49	PASS
100	5500	13.95	1.840	15.79	37.895	30	or 17+10log(B)=	29.48	PASS
116	5580	13.99	1.840	15.83	38.246	30	or 17+10log(B)=	29.48	PASS
140	5700	13.94	1.840	15.78	37.808	30	or 17+10log(B)=	29.49	PASS

802 11n HT20 Aux1

002.1111	_11120_Aux1								
СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	14.88	-0.55	14.33	27.076	23.01	or 10+10log(B)=	22.48	PASS
44	5220	14.87	-0.55	14.32	27.014	23.01	or 10+10log(B)=	22.48	PASS
48	5240	14.84	-0.55	14.29	26.828	23.01	or 10+10log(B)=	22.49	PASS
52	5260	14.88	1.34	16.22	41.839	30	or 17+10log(B)=	29.49	PASS
60	5300	14.92	1.34	16.26	42.226	30	or 17+10log(B)=	29.49	PASS
64	5320	14.86	1.34	16.20	41.647	30	or 17+10log(B)=	29.49	PASS
100	5500	13.87	1.46	15.33	34.086	30	or 17+10log(B)=	29.48	PASS
116	5580	13.90	1.46	15.36	34.323	30	or 17+10log(B)=	29.49	PASS
140	5700	13.86	1.46	15.32	34.008	30	or 17+10log(B)=	29.47	PASS

802.11n HT20 MIMO

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	14.85	4.810	19.66	92.501	23.01	or 10+10log(B)=	22.48	PASS
44	5220	14.87	4.810	19.68	92.816	23.01	or 10+10log(B)=	22.48	PASS
48	5240	14.89	4.810	19.70	93.243	23.01	or 10+10log(B)=	22.48	PASS
52	5260	14.89	4.810	19.70	93.360	30	or 17+10log(B)=	29.49	PASS
60	5300	14.89	4.810	19.70	93.397	30	or 17+10log(B)=	29.49	PASS
64	5320	14.93	4.810	19.74	94.205	30	or 17+10log(B)=	29.49	PASS
100	5500	13.88	4.850	18.73	74.650	30	or 17+10log(B)=	29.48	PASS
116	5580	13.87	4.850	18.72	74.440	30	or 17+10log(B)=	29.48	PASS
140	5700	13.88	4.850	18.73	74.594	30	or 17+10log(B)=	29.47	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms=e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be presented the full and the law. may be prosecuted to the fullest extent of the law.



Page: 83 of 270

802.11n HT40 Main

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	14.97	1.800	16.77	47.536	23.01	or 10+10log(B)=	25.58	PASS
46	5230	14.94	1.800	16.74	47.209	23.01	or 10+10log(B)=	25.57	PASS
54	5270	14.99	1.800	16.79	47.756	30	or 17+10log(B)=	32.57	PASS
62	5310	11.97	1.800	13.77	23.825	30	or 17+10log(B)=	32.58	PASS
102	5510	13.96	1.840	15.80	38.021	30	or 17+10log(B)=	32.57	PASS
110	5550	13.95	1.840	15.79	37.934	30	or 17+10log(B)=	32.57	PASS
134	5670	13.99	1.840	15.83	38.285	30	or 17+10log(B)=	32.57	PASS

802 11n HT40 Aux1

002.1111_11140_Aux1										
СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT	
38	5190	14.87	-0.55	14.32	27.041	23.01	or 10+10log(B)=	25.58	PASS	
46	5230	14.83	-0.55	14.28	26.793	23.01	or 10+10log(B)=	25.57	PASS	
54	5270	14.90	1.34	16.24	42.075	30	or 17+10log(B)=	32.57	PASS	
62	5310	11.87	1.34	13.21	20.942	30	or 17+10log(B)=	32.57	PASS	
102	5510	13.86	1.46	15.32	34.043	30	or 17+10log(B)=	32.57	PASS	
110	5550	13.88	1.46	15.34	34.200	30	or 17+10log(B)=	32.57	PASS	
134	5670	13.91	1.46	15.37	34.437	30	or 17+10log(B)=	32.58	PASS	

802.11n HT40 MIMO

00211111									
СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	14.94	4.810	19.75	94.315	23.01	or 10+10log(B)=	25.58	PASS
46	5230	14.92	4.810	19.73	93.884	23.01	or 10+10log(B)=	25.57	PASS
54	5270	14.92	4.810	19.73	94.041	30	or 17+10log(B)=	32.57	PASS
62	5310	11.92	4.810	16.73	47.126	30	or 17+10log(B)=	32.57	PASS
102	5510	13.93	4.850	18.78	75.474	30	or 17+10log(B)=	32.57	PASS
110	5550	13.92	4.850	18.77	75.301	30	or 17+10log(B)=	32.57	PASS
134	5670	13.92	4.850	18.77	75.281	30	or 17+10log(B)=	32.57	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms=e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders were the acceptant of the full response to the fall of the full response to the full response to the fall of the full response to the full re may be prosecuted to the fullest extent of the law.



Page: 84 of 270

802.11ac_VHT80_Main

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
42	5210	13.91	1.800	15.71	37.211	23.01	or 10+10log(B)=	28.75	PASS
58	5290	11.96	1.800	13.76	23.750	30	or 17+10log(B)=	35.75	PASS
106	5530	13.92	1.840	15.76	37.642	30	or 17+10log(B)=	35.75	PASS

802.11ac_VHT80_Aux1

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)			RESULT
42	5210	13.90	-0.55	13.35	21.611	23.01	or 10+10log(B)=	28.75	PASS
58	5290	11.92	1.34	13.26	21.168	30	or 17+10log(B)=	35.75	PASS
106	5530	13.89	1.46	15.35	34.251	30	or 17+10log(B)=	35.75	PASS

802.11ac VHT80 MIMO

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
42	5210	13.85	4.810	18.66	73.457	23.01	or 10+10log(B)=	28.75	PASS
58	5290	11.93	4.810	16.74	47.237	30	or 17+10log(B)=	35.75	PASS
106	5530	13.84	4.850	18.69	73.926	30	or 17+10log(B)=	35.75	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be precedured the full and the law. may be prosecuted to the fullest extent of the law.



Page: 85 of 270

10 PEAK POWER SPECTRAL DENSITY

10.1 Standard Applicable

FCC

OPERZTION Band	EUT CATEGORY	LIMIT
U-NII-1	Access Point (Mater device)	17dBm/ MHz
	Fixed point-to-point Acess Ponit	
	 Mobile and portable clinet device	11dBm/ MHz
U-NII-2A		11dBm/ MHz
U-NII-2C		11dBm/ MHz
U-NII-3		30dBm/ 500kHz

IC

OPERZTION FREQUENCY BAND	LIMIT
5150~5250 MHz	EIRP spectral density 10 dBm / MHz
5250~5350 MHz	11dBm / MHz
5470-5600 MHz and 5650-5725 MHz	11dBm / MHz
5725~5850 MHz	30dBm / 500 kHz

If transmitting antennas of directional gain greater than 6 dBi are used, both the peak transmit power and the peak power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Note: 5.15-5.25G

Antenna1 Gain: 1.8 dBi Antenna2 Gain: -0.55 dBi Number Antenna: 2 pcs

Directional gain = gain of antenna element + 10 log (# of TX antenna elements)

Effective Legacy Gain (dBi) = 4.81 dBi

Limit: 11dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.



Page: 86 of 270

10.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.

4. For U-NII1, U-NII-2A, U-NII-2C Band:

Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

For U-NII-3 Band:

Set RBW=500 kHz, VBW≥ 3RBW, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)


- 5. User the cursor on spectrum to peak search the highest level of trace
- 6. Record the max. reading and add 10 log(1/duty cycle).
- 7. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Note: For the test of PSD at MIMO mode, the highest emission of worst case employing Measure and add 10 log (N) technical is reported on this report after the comparison between Main Antenna at single transmitting mode and Aux that yields the higher value. The MIMO transmitting mode produces higher value of outcome

10.3 **Measurement Equipment Used**

	SGS Conducted Room											
Name of Equip- ment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due							
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018							
Coaxial Cable 30cm	WOKEN	00100A1F1A195C	RF01	12/24/2017	12/23/2018							
DC Block	PASTERNACK	PE8210	RF29	12/24/2017	12/23/2018							
Attenuator	WOKEN	218FS-10	RF23	12/24/2017	12/23/2018							
DC Power Supply	Agilent	E3640A	MY53140006	05/02/2017	05/01/2018							

Test Set-up 10.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report eiter only to the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and the sample(s) tested and such as a feet and such as a feet and the sample(s) tested and such as a feet and su may be prosecuted to the fullest extent of the law.



Page: 87 of 270

10.5 **Measurement Result**

	POWER DEN	NSITY 802			
Frequency (MHz)			PPSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5180	-0.42	0.23	-0.19	11	-11.19
5220	0.11	0.23	0.34	11	-10.66
5240	1.90	0.23	2.13	11	-8.87
5260	0.54	0.23	0.77	11	-10.23
5300	1.05	0.23	1.28	11	-9.72
5320	2.11	0.23	2.34	11	-8.66
5500	1.60	0.23	1.83	11	-9.17
5580	-0.49	0.23	-0.26	11	-11.26
5700	-1.30	0.23	-1.07	11	-12.07
5745	5.05	0.23	5.05	30	-24.95
5785	4.93	0.23	4.93	30	-25.07
5825	5.22	0.23	5.22	30	-24.78

	POWER DENSITY 802.11n HT20 MODE									
Frequency (MHz)	PPSD W/O Duty Factor (dBm) Duty Factor		PPSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)					
5180	-1.89	0.20	-1.69	11	-12.69					
5220	-0.10	0.20	0.10	11	-10.90					
5240	0.51	0.20	0.71	11	-10.29					
5260	1.69	0.20	1.89	11	-9.11					
5300	-0.20	0.20	0.00	11	-11.00					
5320	1.55	0.20	1.75	11	-9.25					
5500	1.17	0.20	1.37	11	-9.63					
5580	-0.80	0.20	-0.60	11	-11.60					
5700	-2.16	0.20	-1.96	11	-12.96					
5720 (band 3)	9.74	0.20	9.94	11	-1.06					
5720 (band 4)	8.18	0.20	8.38	11	-2.62					
5745	4.54	0.20	4.54	30	-25.46					
5785	3.79	0.20	3.79	30	-26.21					
5825	4.84	0.20	4.84	30	-25.16					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the structor of the content or appearance of this document is unlawful and offenders with the fulled extent of the struct of the s may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKung Road, New Taipeilndustrial Park, Wuku District, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

www.tw.sqs.com



Page: 88 of 270

	POWER DENSITY 802.11n HT40 MODE										
Frequency (MHz)	PPSD W/O Duty Factor (dBm)	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)						
5190	-8.82	0.74	-8.08	11	-19.08						
5230	-8.4	0.74	-7.66	11	-18.66						
5270	-9.46	0.74	-8.72	11	-19.72						
5310	-9.84	0.74	-9.10	11	-20.10						
5510	-7.23	0.74	-6.49	11	-17.49						
5550	-8.25	0.74	-7.51	11	-18.51						
5670	-9.63	0.74	-8.89	11	-19.89						
5710 (band 3)	6.19	0.74	6.93	11	-4.07						
5710 (band 4)	1.37	0.73	2.10	11	-8.90						
5755	2.99	0.74	2.99	30	-27.01						
5795	2.07	0.74	2.07	30	-27.93						

POWER DENSITY 802.11ac VHT80 MODE										
Frequency (MHz)	PPSD W/O Duty Factor (dBm)	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)					
5210	-10.18	0.76	-9.42	11	-20.42					
5290	-13.02	0.76	-12.26	11	-23.26					
5530	-10.17	0.76	-9.41	11	-20.41					
5610	-10.01	0.76	-9.25	11	-20.25					
5690 (band 3)	3.92	0.76	4.67	11	-6.33					
5690 (band 4)	-1.79	0.00	-1.79	11	-12.79					
5775	0.09	0.76	0.09	30	-29.91					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the structor of the content or appearance of this document is unlawful and offenders with the fulled extent of the struct of the s may be prosecuted to the fullest extent of the law.



Page: 89 of 270

EIRP spectral density 802.11a MODE										
Freq. (MHz)	PPSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)					
5180	-0.19	1.80	1.61	10	-10.19					
5220	0.34	1.80	2.14	10	-9.66					
5240	2.13	1.80	3.93	10	-7.87					

EID	EIRP spectral density 802.11n HT20 MODE					EIRP	spectral	density	802.11a	c VHT20	MODE
Freq. (MHz)	PPSD (dBm)	Ant. Gain	EIRP SD	Limit (dBm)	Margin (dB)	Freq. (MHz)	PPSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)
5180	-1.69	(dBi) 1.80	(dBm) 0.11	10	-11.69	5180	0.20	1.80	2.00	10	-9.80
5220	0.10	1.80	1.90	10	-9.90	5220	0.20	1.80	2.00	10	-9.80
5240	0.71	1.80	2.51	10	-9.29	5240	0.20	1.80	2.00	10	-9.80

EIR	EIRP spectral density 802.11n HT40 MODE					EIRP	spectral	density	802.11a	c VHT40	MODE
Freq. (MHz)	PPSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)	Freq. (MHz)	PPSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)
5180	-8.08	1.80	-6.28	10	-18.08	5190	0.73	1.80	2.53	10	-9.27
5220	-7.66	1.80	-5.86	10	-17.66	5230	0.73	1.80	2.53	10	-9.27

EIRP spectral density 802.11ac VHT80 MODE									
Freq. (MHz)	PPSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)				
5210	-9.42	1.80	-7.62	10	-19.42				

Note:

SISO offset= 11.5 dB MIMO offset= 14.5 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the structor of the content or appearance of this document is unlawful and offenders with the fulled extent of the struct of the s may be prosecuted to the fullest extent of the law.



Page: 90 of 270

802.11a 20MHz 5180MHz



802.11a_20MHz_5220MHz



802.11a_20MHz_5240MHz



802.11a_20MHz_5260MHz



802.11a_20MHz_5300MHz



802.11a_20MHz_5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 就明 ・ 近報告籍末性對调減之樣态員實 ・ 同時武稼态性体留切犬 ・ 本報告末極公司書面計引・不引命份複製 ・ This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 91 of 270

802.11a 20MHz 5500MHz




802.11a_20MHz_5580MHz



802.11a_20MHz_5700MHz



802.11a 20MHz 5745MHz



802.11a_20MHz_5785MHz



802.11a_20MHz_5825MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering and retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic Documents at www.sgs.com/terms e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

|No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 92 of 270

802.11n 20MHz 5180MHz



802.11n_20MHz_5220MHz



802.11n_20MHz_5240MHz



802.11n 20MHz 5260MHz



802.11n_20MHz_5300MHz



802.11n_20MHz_5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 就明 ・ 近報告籍末性對调減之樣态員實 ・ 同時武稼态性体留切犬 ・ 本報告末極公司書面計引・不引命份複製 ・ This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 93 of 270

802.11n 20MHz 5500MHz




802.11n_20MHz_5580MHz




802.11n_20MHz_5700MHz



802.11n 20MHz 5720MHz



802.11n_20MHz_5745MHz



802.11n_20MHz_5785MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering and retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic Documents at www.sgs.com/terms e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.

|No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 94 of 270


802.11n 20MHz 5825MHz




802.11n 40MHz 5190MHz



802.11n_40MHz_5230MHz



802.11n_40MHz_5270MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering and retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic Documents at www.sgs.com/terms e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.

|No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號