


#### 4.8.2.177 11N40\_134 \_MIMO\_ANT 1\_Vertical




| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6943.59     | 45.13          | 12.56       | 54.00          | 8.87        | 150         | 226       | Vertical |
| 2              | 11340.0     | 50.17          | -4.59       | 74.00          | 23.83       | 150         | 18        | Vertical |
| 3              | 11340.0     | 39.73          | -4.59       | 54.00          | 14.27       | 150         | 302       | Vertical |
| 4              | 17010.0     | 52.99          | -3.20       | 74.00          | 21.01       | 150         | 218       | Vertical |
| 5              | 17010.0     | 41.16          | -3.20       | 54.00          | 12.84       | 150         | 47        | Vertical |
| 6              | 17392.7     | 45.27          | -1.00       | 54.00          | 8.73        | 150         | 132       | Vertical |
| 7              | 17514.8     | 59.05          | 0.54        | 74.00          | 14.95       | 150         | 104       | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

#### 4.8.2.178 11N40\_151\_MIMO\_ ANT 1\_Vertical




| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6893.79     | 45.06          | 12.38       | 54.00          | 8.94        | 150         | 75        | Vertical |
| 2              | 11510.0     | 48.27          | -5.50       | 74.00          | 25.73       | 150         | 276       | Vertical |
| 3              | 11510.0     | 37.12          | -5.50       | 54.00          | 16.88       | 150         | 332       | Vertical |
| 4              | 17265.0     | 54.79          | -1.33       | 74.00          | 19.21       | 150         | 46        | Vertical |
| 5              | 17265.0     | 44.69          | -1.33       | 54.00          | 9.31        | 150         | 75        | Vertical |
| 6              | 17532.4     | 46.82          | 0.77        | 54.00          | 7.18        | 150         | 276       | Vertical |
| 7              | 17544.5     | 58.49          | 0.92        | 74.00          | 15.51       | 150         | 18        | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

#### 4.8.2.179 11N40\_159\_MIMO\_ANT 1\_Vertical




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6969.39     | 44.57          | 12.66       | 54.00          | 9.43        | 150         | 218       | Vertical |
| 2   | 11590.0     | 49.07          | -3.32       | 74.00          | 24.93       | 150         | 273       | Vertical |
| 3   | 11590.0     | 38.34          | -3.32       | 54.00          | 15.66       | 150         | 103       | Vertical |
| 4   | 17385.0     | 56.49          | -1.02       | 74.00          | 17.51       | 150         | 75        | Vertical |
| 5   | 17385.0     | 43.81          | -1.02       | 54.00          | 10.19       | 150         | 216       | Vertical |
| 6   | 17508.8     | 45.78          | 0.46        | 54.00          | 8.22        | 150         | 75        | Vertical |
| 7   | 17545.6     | 58.49          | 0.93        | 74.00          | 15.51       | 150         | 160       | Vertical |




#### 4.8.2.180 11N40\_38\_MIMO\_ ANT 1\_Horizontal



| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6844.59     | 44.71          | 12.19       | 54.00          | 9.29        | 150         | 313       | Horizontal |
| 2              | 10380.0     | 49.59          | -5.36       | 74.00          | 24.41       | 150         | 84        | Horizontal |
| 3              | 10380.0     | 38.37          | -5.36       | 54.00          | 15.63       | 150         | 170       | Horizontal |
| 4              | 15570.0     | 38.18          | -4.02       | 54.00          | 15.82       | 150         | 342       | Horizontal |
| 5              | 15570.0     | 49.54          | -4.02       | 74.00          | 24.46       | 150         | 54        | Horizontal |
| 6              | 17547.3     | 46.85          | 0.96        | 54.00          | 7.15        | 150         | 256       | Horizontal |
| 7              | 17566.0     | 59.34          | 1.20        | 74.00          | 14.66       | 150         | 113       | Horizontal |

#### 4.8.2.181 11N40\_46\_MIMO\_ANT 1\_Horizontal




| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6973.89     | 45.62          | 12.67       | 54.00          | 8.38        | 150         | 142       | Horizontal |
| 2              | 10460.0     | 50.50          | -4.70       | 74.00          | 23.50       | 150         | 285       | Horizontal |
| 3              | 10460.0     | 38.99          | -4.70       | 54.00          | 15.01       | 150         | 229       | Horizontal |
| 4              | 15690.0     | 39.96          | -2.93       | 54.00          | 14.04       | 150         | 30        | Horizontal |
| 5              | 15690.0     | 50.99          | -2.93       | 74.00          | 23.01       | 150         | 257       | Horizontal |
| 6              | 17298.7     | 45.46          | -1.18       | 54.00          | 8.54        | 150         | 86        | Horizontal |
| 7              | 17541.2     | 58.73          | 0.88        | 74.00          | 15.27       | 150         | 257       | Horizontal |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

#### 4.8.2.182 11N40\_54\_MIMO\_ ANT 1\_Horizontal



#### Suspected List


| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6997.59     | 45.05          | 12.76       | 54.00          | 8.95        | 150         | 310       | Horizontal |
| 2   | 10540.0     | 50.17          | -4.46       | 74.00          | 23.83       | 150         | 199       | Horizontal |
| 3   | 10540.0     | 39.30          | -4.46       | 54.00          | 14.70       | 150         | 29        | Horizontal |
| 4   | 15810.0     | 40.17          | -2.42       | 54.00          | 13.83       | 150         | 342       | Horizontal |
| 5   | 15810.0     | 51.84          | -2.42       | 74.00          | 22.16       | 150         | 342       | Horizontal |
| 6   | 17401.5     | 57.67          | -0.97       | 74.00          | 16.33       | 150         | 342       | Horizontal |
| 7   | 17549.5     | 46.57          | 0.98        | 54.00          | 7.43        | 150         | 85        | Horizontal |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

#### 4.8.2.183 11N40\_62\_MIMO\_ ANT 1\_Horizontal




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6867.39     | 44.67          | 12.28       | 54.00          | 9.33        | 150         | 342       | Horizontal |
| 2   | 10620.0     | 50.73          | -4.72       | 74.00          | 23.27       | 150         | 142       | Horizontal |
| 3   | 10620.0     | 39.05          | -4.72       | 54.00          | 14.95       | 150         | 256       | Horizontal |
| 4   | 15930.0     | 50.40          | -3.73       | 74.00          | 23.60       | 150         | 2         | Horizontal |
| 5   | 15930.0     | 39.59          | -3.73       | 54.00          | 14.41       | 150         | 170       | Horizontal |
| 6   | 17246.4     | 57.54          | -1.42       | 74.00          | 16.46       | 150         | 284       | Horizontal |
| 7   | 17553.3     | 46.59          | 1.03        | 54.00          | 7.41        | 150         | 170       | Horizontal |



#### 4.8.2.184 11N40\_102\_MIMO\_ANT 1\_Horizontal




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6983.49     | 45.38          | 12.71       | 54.00          | 8.62        | 150         | 28        | Horizontal |
| 2   | 11020.0     | 50.22          | -4.09       | 74.00          | 23.78       | 150         | 2         | Horizontal |
| 3   | 11020.0     | 38.84          | -4.09       | 54.00          | 15.16       | 150         | 284       | Horizontal |
| 4   | 16530.0     | 51.87          | -3.84       | 74.00          | 22.13       | 150         | 342       | Horizontal |
| 5   | 16530.0     | 40.56          | -3.84       | 54.00          | 13.44       | 150         | 342       | Horizontal |
| 6   | 17518.1     | 57.68          | 0.58        | 74.00          | 16.32       | 150         | 2         | Horizontal |
| 7   | 17529.1     | 46.60          | 0.72        | 54.00          | 7.40        | 150         | 113       | Horizontal |



#### 4.8.2.185 11N40\_110\_MIMO\_ANT 1\_Horizontal




| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6879.09     | 45.08          | 12.32       | 54.00          | 8.92        | 150         | 313       | Horizontal |
| 2              | 11100.0     | 51.24          | -3.36       | 74.00          | 22.76       | 150         | 257       | Horizontal |
| 3              | 11100.0     | 40.12          | -3.36       | 54.00          | 13.88       | 150         | 87        | Horizontal |
| 4              | 16650.0     | 51.99          | -4.20       | 74.00          | 22.01       | 150         | 3         | Horizontal |
| 5              | 16650.0     | 40.76          | -4.20       | 54.00          | 13.24       | 150         | 58        | Horizontal |
| 6              | 17512.1     | 58.22          | 0.51        | 74.00          | 15.78       | 150         | 144       | Horizontal |
| 7              | 17532.4     | 46.65          | 0.77        | 54.00          | 7.35        | 150         | 115       | Horizontal |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

#### 4.8.2.186 11N40\_134\_MIMO\_ANT 1\_Horizontal




| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6916.29     | 44.65          | 12.46       | 54.00          | 9.35        | 150         | 255       | Horizontal |
| 2              | 11340.0     | 50.81          | -4.59       | 74.00          | 23.19       | 150         | 342       | Horizontal |
| 3              | 11340.0     | 39.47          | -4.59       | 54.00          | 14.53       | 150         | 342       | Horizontal |
| 4              | 17010.0     | 51.86          | -3.20       | 74.00          | 22.14       | 150         | 284       | Horizontal |
| 5              | 17010.0     | 40.78          | -3.20       | 54.00          | 13.22       | 150         | 57        | Horizontal |
| 6              | 17551.7     | 46.42          | 1.01        | 54.00          | 7.58        | 150         | 313       | Horizontal |
| 7              | 17558.8     | 58.73          | 1.10        | 74.00          | 15.27       | 150         | 342       | Horizontal |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

#### 4.8.2.187 11N40\_151 \_MIMO\_ANT 1\_Horizontal




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6942.99     | 45.17          | 12.56       | 54.00          | 8.83        | 150         | 313       | Horizontal |
| 2   | 11510.0     | 47.94          | -5.50       | 74.00          | 26.06       | 150         | 171       | Horizontal |
| 3   | 11510.0     | 37.19          | -5.50       | 54.00          | 16.81       | 150         | 314       | Horizontal |
| 4   | 17265.0     | 55.16          | -1.33       | 74.00          | 18.84       | 150         | 284       | Horizontal |
| 5   | 17265.0     | 44.82          | -1.33       | 54.00          | 9.18        | 150         | 57        | Horizontal |
| 6   | 17525.3     | 46.73          | 0.67        | 54.00          | 7.27        | 150         | 143       | Horizontal |
| 7   | 17532.4     | 58.60          | 0.77        | 74.00          | 15.40       | 150         | 29        | Horizontal |



#### 4.8.2.188 11N40\_159\_MIMO\_ANT 1\_Horizontal



#### Suspected List


| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6993.39     | 44.59          | 12.75       | 54.00          | 9.41        | 150         | 142       | Horizontal |
| 2   | 11590.0     | 49.66          | -3.32       | 74.00          | 24.34       | 150         | 86        | Horizontal |
| 3   | 11590.0     | 38.98          | -3.32       | 54.00          | 15.02       | 150         | 29        | Horizontal |
| 4   | 17385.0     | 55.64          | -1.02       | 74.00          | 18.36       | 150         | 114       | Horizontal |
| 5   | 17385.0     | 44.05          | -1.02       | 54.00          | 9.95        | 150         | 58        | Horizontal |
| 6   | 17540.1     | 58.47          | 0.86        | 74.00          | 15.53       | 150         | 114       | Horizontal |
| 7   | 17602.3     | 46.60          | 1.57        | 54.00          | 7.40        | 150         | 171       | Horizontal |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

#### 4.8.2.189 11AC20\_36\_MIMO\_ANT 1\_Vertical




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6973.59     | 44.36          | 12.67       | 54.00          | 9.64        | 150         | 161       | Vertical |
| 2   | 10360.0     | 48.86          | -5.35       | 74.00          | 25.14       | 150         | 18        | Vertical |
| 3   | 10360.0     | 37.96          | -5.35       | 54.00          | 16.04       | 150         | 161       | Vertical |
| 4   | 15540.0     | 50.24          | -3.26       | 74.00          | 23.76       | 150         | 76        | Vertical |
| 5   | 15540.0     | 38.68          | -3.26       | 54.00          | 15.32       | 150         | 219       | Vertical |
| 6   | 17526.9     | 46.24          | 0.70        | 54.00          | 7.76        | 150         | 276       | Vertical |
| 7   | 17558.3     | 58.85          | 1.10        | 74.00          | 15.15       | 150         | 219       | Vertical |



#### 4.8.2.190 11AC20\_44\_MIMO\_ANT 1\_Vertical




| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6897.09     | 44.51          | 12.39       | 54.00          | 9.49        | 150         | 189       | Vertical |
| 2              | 10440.0     | 50.00          | -4.92       | 74.00          | 24.00       | 150         | 189       | Vertical |
| 3              | 10440.0     | 39.00          | -4.92       | 54.00          | 15.00       | 150         | 245       | Vertical |
| 4              | 15660.0     | 49.91          | -3.54       | 74.00          | 24.09       | 150         | 357       | Vertical |
| 5              | 15660.0     | 38.89          | -3.54       | 54.00          | 15.11       | 150         | 18        | Vertical |
| 6              | 17539.0     | 46.46          | 0.85        | 54.00          | 7.54        | 150         | 18        | Vertical |
| 7              | 17823.4     | 58.39          | -0.85       | 74.00          | 15.61       | 150         | 330       | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

#### 4.8.2.191 11AC20\_48\_MIMO\_ANT 1\_Vertical



#### Suspected List


| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6992.19     | 45.12          | 12.74       | 54.00          | 8.88        | 150         | 104       | Vertical |
| 2   | 10480.0     | 49.86          | -4.49       | 74.00          | 24.14       | 150         | 163       | Vertical |
| 3   | 10480.0     | 39.44          | -4.49       | 54.00          | 14.56       | 150         | 224       | Vertical |
| 4   | 15720.0     | 51.80          | -2.65       | 74.00          | 22.20       | 150         | 281       | Vertical |
| 5   | 15720.0     | 39.84          | -2.65       | 54.00          | 14.16       | 150         | 18        | Vertical |
| 6   | 17549.5     | 46.39          | 0.98        | 54.00          | 7.61        | 150         | 309       | Vertical |
| 7   | 17613.3     | 59.00          | 1.28        | 74.00          | 15.00       | 150         | 163       | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

#### 4.8.2.192 11AC20\_52 \_MIMO\_ANT 1\_Vertical



#### Suspected List


| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6933.69     | 44.66          | 12.52       | 54.00          | 9.34        | 150         | 276       | Vertical |
| 2   | 10520.0     | 49.86          | -4.37       | 74.00          | 24.14       | 150         | 104       | Vertical |
| 3   | 10520.0     | 39.38          | -4.37       | 54.00          | 14.62       | 150         | 133       | Vertical |
| 4   | 15780.0     | 51.14          | -2.36       | 74.00          | 22.86       | 150         | 161       | Vertical |
| 5   | 15780.0     | 39.61          | -2.36       | 54.00          | 14.39       | 150         | 218       | Vertical |
| 6   | 17550.6     | 46.03          | 1.00        | 54.00          | 7.97        | 150         | 246       | Vertical |
| 7   | 17811.3     | 58.98          | -0.81       | 74.00          | 15.02       | 150         | 218       | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


#### 4.8.2.193 11AC20\_60\_MIMO\_ANT 1\_Vertical



| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6951.69     | 44.72          | 12.59       | 54.00          | 9.28        | 150         | 18        | Vertical |
| 2              | 10600.0     | 50.63          | -4.75       | 74.00          | 23.37       | 150         | 245       | Vertical |
| 3              | 10600.0     | 39.06          | -4.75       | 54.00          | 14.94       | 150         | 302       | Vertical |
| 4              | 15900.0     | 49.59          | -3.75       | 74.00          | 24.41       | 150         | 160       | Vertical |
| 5              | 15900.0     | 38.77          | -3.75       | 54.00          | 15.23       | 150         | 131       | Vertical |
| 6              | 17805.2     | 58.67          | -0.79       | 74.00          | 15.33       | 150         | 216       | Vertical |
| 7              | 17973.5     | 46.22          | -0.55       | 54.00          | 7.78        | 150         | 74        | Vertical |



#### 4.8.2.194 11AC20\_64\_MIMO\_ANT 1\_Vertical




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6909.39     | 44.82          | 12.43       | 54.00          | 9.18        | 150         | 18        | Vertical |
| 2   | 10640.0     | 51.27          | -4.69       | 74.00          | 22.73       | 150         | 333       | Vertical |
| 3   | 10640.0     | 39.45          | -4.69       | 54.00          | 14.55       | 150         | 104       | Vertical |
| 4   | 15960.0     | 50.05          | -3.70       | 74.00          | 23.95       | 150         | 132       | Vertical |
| 5   | 15960.0     | 38.68          | -3.70       | 54.00          | 15.32       | 150         | 333       | Vertical |
| 6   | 17525.8     | 59.23          | 0.68        | 74.00          | 14.77       | 150         | 304       | Vertical |
| 7   | 17555.0     | 46.51          | 1.05        | 54.00          | 7.49        | 150         | 161       | Vertical |



#### 4.8.2.195 11AC20\_100\_MIMO\_ANT 1\_Vertical



#### Suspected List


| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6895.59     | 44.54          | 12.38       | 54.00          | 9.46        | 150         | 304       | Vertical |
| 2   | 11000.0     | 49.54          | -4.28       | 74.00          | 24.46       | 150         | 335       | Vertical |
| 3   | 11000.0     | 38.23          | -4.28       | 54.00          | 15.77       | 150         | 160       | Vertical |
| 4   | 16500.0     | 51.76          | -3.62       | 74.00          | 22.24       | 150         | 189       | Vertical |
| 5   | 16500.0     | 40.53          | -3.62       | 54.00          | 13.47       | 150         | 18        | Vertical |
| 6   | 17531.9     | 46.33          | 0.76        | 54.00          | 7.67        | 150         | 47        | Vertical |
| 7   | 17564.3     | 58.43          | 1.17        | 74.00          | 15.57       | 150         | 132       | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

#### 4.8.2.196 11AC20\_116 \_MIMO\_ANT 1\_Vertical




| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6897.39     | 44.46          | 12.39       | 54.00          | 9.54        | 150         | 75        | Vertical |
| 2              | 11160.0     | 51.93          | -3.43       | 74.00          | 22.07       | 150         | 189       | Vertical |
| 3              | 11160.0     | 40.44          | -3.43       | 54.00          | 13.56       | 150         | 274       | Vertical |
| 4              | 16740.0     | 50.84          | -3.33       | 74.00          | 23.16       | 150         | 274       | Vertical |
| 5              | 16740.0     | 40.18          | -3.33       | 54.00          | 13.82       | 150         | 47        | Vertical |
| 6              | 17554.4     | 46.38          | 1.05        | 54.00          | 7.62        | 150         | 358       | Vertical |
| 7              | 17970.8     | 58.55          | -0.57       | 74.00          | 15.45       | 150         | 303       | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

#### 4.8.2.197 11AC20\_140\_MIMO\_ANT 1\_Vertical



#### Suspected List


| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6996.99     | 44.64          | 12.76       | 54.00          | 9.36        | 150         | 246       | Vertical |
| 2   | 11400.0     | 50.78          | -4.42       | 74.00          | 23.22       | 150         | 188       | Vertical |
| 3   | 11400.0     | 39.07          | -4.42       | 54.00          | 14.93       | 150         | 103       | Vertical |
| 4   | 17100.0     | 53.13          | -3.09       | 74.00          | 20.87       | 150         | 132       | Vertical |
| 5   | 17100.0     | 42.21          | -3.09       | 54.00          | 11.79       | 150         | 302       | Vertical |
| 6   | 17530.2     | 58.59          | 0.74        | 74.00          | 15.41       | 150         | 47        | Vertical |
| 7   | 17555.0     | 46.51          | 1.05        | 54.00          | 7.49        | 150         | 18        | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


#### 4.8.2.198 11AC20\_149\_MIMO\_ANT 1\_Vertical



| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6833.19     | 44.96          | 12.15       | 54.00          | 9.04        | 150         | 218       | Vertical |
| 2              | 11490.0     | 48.30          | -5.65       | 74.00          | 25.70       | 150         | 75        | Vertical |
| 3              | 11490.0     | 37.04          | -5.65       | 54.00          | 16.96       | 150         | 218       | Vertical |
| 4              | 17235.0     | 54.70          | -1.47       | 74.00          | 19.30       | 150         | 47        | Vertical |
| 5              | 17235.0     | 44.07          | -1.47       | 54.00          | 9.93        | 150         | 274       | Vertical |
| 6              | 17535.7     | 46.20          | 0.81        | 54.00          | 7.80        | 150         | 75        | Vertical |
| 7              | 17776.1     | 58.73          | -0.82       | 74.00          | 15.27       | 150         | 47        | Vertical |



#### 4.8.2.199 11AC20\_157\_MIMO\_ANT 1\_Vertical



#### Suspected List


| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6906.39     | 45.19          | 12.42       | 54.00          | 8.81        | 150         | 104       | Vertical |
| 2   | 11570.0     | 48.69          | -3.87       | 74.00          | 25.31       | 150         | 159       | Vertical |
| 3   | 11570.0     | 38.15          | -3.87       | 54.00          | 15.85       | 150         | 18        | Vertical |
| 4   | 17355.0     | 55.49          | -1.07       | 74.00          | 18.51       | 150         | 18        | Vertical |
| 5   | 17355.0     | 43.15          | -1.07       | 54.00          | 10.85       | 150         | 131       | Vertical |
| 6   | 17523.1     | 46.12          | 0.65        | 54.00          | 7.88        | 150         | 103       | Vertical |
| 7   | 17795.3     | 58.69          | -0.78       | 74.00          | 15.31       | 150         | 216       | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

#### 4.8.2.200 11AC20\_165\_MIMO\_ANT 1\_Vertical



#### Suspected List


| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6986.79     | 44.67          | 12.72       | 54.00          | 9.33        | 150         | 302       | Vertical |
| 2   | 11650.0     | 49.84          | -3.16       | 74.00          | 24.16       | 150         | 330       | Vertical |
| 3   | 11650.0     | 39.35          | -3.16       | 54.00          | 14.65       | 150         | 74        | Vertical |
| 4   | 17475.0     | 55.44          | 0.02        | 74.00          | 18.56       | 150         | 103       | Vertical |
| 5   | 17475.0     | 44.22          | 0.02        | 54.00          | 9.78        | 150         | 103       | Vertical |
| 6   | 17536.8     | 46.39          | 0.82        | 54.00          | 7.61        | 150         | 188       | Vertical |
| 7   | 17948.8     | 58.45          | -0.74       | 74.00          | 15.55       | 150         | 217       | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


#### 4.8.2.201 11AC20\_36\_MIMO\_ANT 1\_Horizontal



#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6963.99     | 45.08          | 12.64       | 54.00          | 8.92        | 150         | 228       | Horizontal |
| 2   | 10360.0     | 49.01          | -5.35       | 74.00          | 24.99       | 150         | 285       | Horizontal |
| 3   | 10360.0     | 37.94          | -5.35       | 54.00          | 16.06       | 150         | 342       | Horizontal |
| 4   | 15540.0     | 50.37          | -3.26       | 74.00          | 23.63       | 150         | 285       | Horizontal |
| 5   | 15540.0     | 38.52          | -3.26       | 54.00          | 15.48       | 150         | 28        | Horizontal |
| 6   | 17555.0     | 46.17          | 1.05        | 54.00          | 7.83        | 150         | 257       | Horizontal |
| 7   | 17848.7     | 57.89          | -0.94       | 74.00          | 16.11       | 150         | 228       | Horizontal |

#### 4.8.2.202 11AC20\_44\_MIMO\_ANT 1\_Horizontal



#### Suspected List


| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6900.09     | 45.01          | 12.40       | 54.00          | 8.99        | 150         | 255       | Horizontal |
| 2   | 10440.0     | 49.91          | -4.92       | 74.00          | 24.09       | 150         | 313       | Horizontal |
| 3   | 10440.0     | 38.47          | -4.92       | 54.00          | 15.53       | 150         | 114       | Horizontal |
| 4   | 15660.0     | 49.10          | -3.54       | 74.00          | 24.90       | 150         | 3         | Horizontal |
| 5   | 15660.0     | 38.84          | -3.54       | 54.00          | 15.16       | 150         | 3         | Horizontal |
| 6   | 17514.3     | 58.81          | 0.53        | 74.00          | 15.19       | 150         | 171       | Horizontal |
| 7   | 17549.5     | 46.21          | 0.98        | 54.00          | 7.79        | 150         | 313       | Horizontal |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


#### 4.8.2.203 11AC20\_48\_MIMO\_ANT 1\_Horizontal



| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6997.89     | 44.89          | 12.76       | 54.00          | 9.11        | 150         | 141       | Horizontal |
| 2              | 10480.0     | 50.09          | -4.49       | 74.00          | 23.91       | 150         | 313       | Horizontal |
| 3              | 10480.0     | 39.33          | -4.49       | 54.00          | 14.67       | 150         | 199       | Horizontal |
| 4              | 15720.0     | 51.59          | -2.65       | 74.00          | 22.41       | 150         | 142       | Horizontal |
| 5              | 15720.0     | 40.06          | -2.65       | 54.00          | 13.94       | 150         | 342       | Horizontal |
| 6              | 17550.6     | 46.19          | 1.00        | 54.00          | 7.81        | 150         | 85        | Horizontal |
| 7              | 17820.1     | 58.52          | -0.84       | 74.00          | 15.48       | 150         | 313       | Horizontal |



#### 4.8.2.204 11AC20\_52\_MIMO\_ANT 1\_Horizontal




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6990.09     | 44.73          | 12.73       | 54.00          | 9.27        | 150         | 255       | Horizontal |
| 2   | 10520.0     | 50.31          | -4.37       | 74.00          | 23.69       | 150         | 342       | Horizontal |
| 3   | 10520.0     | 38.93          | -4.37       | 54.00          | 15.07       | 150         | 285       | Horizontal |
| 4   | 15780.0     | 50.48          | -2.36       | 74.00          | 23.52       | 150         | 116       | Horizontal |
| 5   | 15780.0     | 39.77          | -2.36       | 54.00          | 14.23       | 150         | 314       | Horizontal |
| 6   | 17531.3     | 58.41          | 0.75        | 74.00          | 15.59       | 150         | 200       | Horizontal |
| 7   | 17559.9     | 46.35          | 1.12        | 54.00          | 7.65        | 150         | 172       | Horizontal |



#### 4.8.2.205 11AC20\_60\_MIMO\_ANT 1\_Horizontal



#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6995.79     | 44.54          | 12.75       | 54.00          | 9.46        | 150         | 56        | Horizontal |
| 2   | 10600.0     | 50.30          | -4.75       | 74.00          | 23.70       | 150         | 171       | Horizontal |
| 3   | 10600.0     | 39.56          | -4.75       | 54.00          | 14.44       | 150         | 228       | Horizontal |
| 4   | 15900.0     | 49.30          | -3.75       | 74.00          | 24.70       | 150         | 142       | Horizontal |
| 5   | 15900.0     | 38.48          | -3.75       | 54.00          | 15.52       | 150         | 313       | Horizontal |
| 6   | 17535.2     | 58.50          | 0.80        | 74.00          | 15.50       | 150         | 199       | Horizontal |
| 7   | 17544.5     | 46.24          | 0.92        | 54.00          | 7.76        | 150         | 142       | Horizontal |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

#### 4.8.2.206 11AC20\_64\_MIMO\_ANT 1\_Horizontal




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6928.59     | 44.55          | 12.51       | 54.00          | 9.45        | 150         | 25        | Horizontal |
| 2   | 10640.0     | 50.73          | -4.69       | 74.00          | 23.27       | 150         | 172       | Horizontal |
| 3   | 10640.0     | 39.93          | -4.69       | 54.00          | 14.07       | 150         | 138       | Horizontal |
| 4   | 15960.0     | 49.45          | -3.70       | 74.00          | 24.55       | 150         | 257       | Horizontal |
| 5   | 15960.0     | 38.73          | -3.70       | 54.00          | 15.27       | 150         | 200       | Horizontal |
| 6   | 17554.4     | 46.57          | 1.05        | 54.00          | 7.43        | 150         | 257       | Horizontal |
| 7   | 17999.4     | 58.26          | -0.35       | 74.00          | 15.74       | 150         | 20        | Horizontal |



#### 4.8.2.207 11AC20\_100\_MIMO\_ANT 1\_Horizontal




| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6881.49     | 44.67          | 12.33       | 54.00          | 9.33        | 150         | 246       | Horizontal |
| 2              | 11000.0     | 50.36          | -4.28       | 74.00          | 23.64       | 150         | 255       | Horizontal |
| 3              | 11000.0     | 38.63          | -4.28       | 54.00          | 15.37       | 150         | 314       | Horizontal |
| 4              | 16500.0     | 51.48          | -3.62       | 74.00          | 22.52       | 150         | 255       | Horizontal |
| 5              | 16500.0     | 40.33          | -3.62       | 54.00          | 13.67       | 150         | 85        | Horizontal |
| 6              | 17550.0     | 59.32          | 0.99        | 74.00          | 14.68       | 150         | 198       | Horizontal |
| 7              | 17778.8     | 46.27          | -0.81       | 54.00          | 7.73        | 150         | 113       | Horizontal |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

#### 4.8.2.208 11AC20\_116\_MIMO\_ANT 1\_Horizontal




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6992.79     | 44.88          | 12.74       | 54.00          | 9.12        | 150         | 169       | Horizontal |
| 2   | 11160.0     | 51.79          | -3.43       | 74.00          | 22.21       | 150         | 23        | Horizontal |
| 3   | 11160.0     | 40.23          | -3.43       | 54.00          | 13.77       | 150         | 52        | Horizontal |
| 4   | 16740.0     | 51.49          | -3.33       | 74.00          | 22.51       | 150         | 169       | Horizontal |
| 5   | 16740.0     | 40.29          | -3.33       | 54.00          | 13.71       | 150         | 256       | Horizontal |
| 6   | 17557.7     | 46.31          | 1.09        | 54.00          | 7.69        | 150         | 23        | Horizontal |
| 7   | 17985.6     | 59.14          | -0.46       | 74.00          | 14.86       | 150         | 82        | Horizontal |




#### 4.8.2.209 11AC20\_140\_MIMO\_ANT 1\_Horizontal



#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6961.59     | 44.79          | 12.63       | 54.00          | 9.21        | 150         | 342       | Horizontal |
| 2   | 11400.0     | 50.72          | -4.42       | 74.00          | 23.28       | 150         | 55        | Horizontal |
| 3   | 11400.0     | 39.15          | -4.42       | 54.00          | 14.85       | 150         | 226       | Horizontal |
| 4   | 17100.0     | 54.14          | -3.09       | 74.00          | 19.86       | 150         | 2         | Horizontal |
| 5   | 17100.0     | 42.12          | -3.09       | 54.00          | 11.88       | 150         | 226       | Horizontal |
| 6   | 17790.4     | 58.37          | -0.79       | 74.00          | 15.63       | 150         | 55        | Horizontal |
| 7   | 17794.8     | 46.08          | -0.78       | 54.00          | 7.92        | 150         | 83        | Horizontal |

#### 4.8.2.210 11AC20\_149\_MIMO\_ANT 1\_Horizontal




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6982.89     | 45.45          | 12.71       | 54.00          | 8.55        | 150         | 170       | Horizontal |
| 2   | 11490.0     | 47.58          | -5.65       | 74.00          | 26.42       | 150         | 198       | Horizontal |
| 3   | 11490.0     | 36.52          | -5.65       | 54.00          | 17.48       | 150         | 54        | Horizontal |
| 4   | 17235.0     | 55.22          | -1.47       | 74.00          | 18.78       | 150         | 254       | Horizontal |
| 5   | 17235.0     | 43.93          | -1.47       | 54.00          | 10.07       | 150         | 226       | Horizontal |
| 6   | 17550.6     | 46.22          | 1.00        | 54.00          | 7.78        | 150         | 2         | Horizontal |
| 7   | 17629.2     | 58.71          | 0.87        | 74.00          | 15.29       | 150         | 226       | Horizontal |




#### 4.8.2.211 11AC20\_157\_MIMO\_ANT 1\_Horizontal



| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6915.69     | 45.04          | 12.46       | 54.00          | 8.96        | 150         | 3         | Horizontal |
| 2              | 11570.0     | 49.26          | -3.87       | 74.00          | 24.74       | 150         | 255       | Horizontal |
| 3              | 11570.0     | 38.38          | -3.87       | 54.00          | 15.62       | 150         | 27        | Horizontal |
| 4              | 17355.0     | 54.52          | -1.07       | 74.00          | 19.48       | 150         | 83        | Horizontal |
| 5              | 17355.0     | 43.68          | -1.07       | 54.00          | 10.32       | 150         | 169       | Horizontal |
| 6              | 17555.5     | 46.41          | 1.06        | 54.00          | 7.59        | 150         | 255       | Horizontal |
| 7              | 17558.3     | 58.91          | 1.10        | 74.00          | 15.09       | 150         | 27        | Horizontal |




#### 4.8.2.212 11AC20\_165\_MIMO\_ANT 1\_Horizontal



| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6912.09     | 44.88          | 12.44       | 54.00          | 9.12        | 150         | 142       | Horizontal |
| 2              | 11650.0     | 50.37          | -3.16       | 74.00          | 23.63       | 150         | 226       | Horizontal |
| 3              | 11650.0     | 38.77          | -3.16       | 54.00          | 15.23       | 150         | 55        | Horizontal |
| 4              | 17475.0     | 55.21          | 0.02        | 74.00          | 18.79       | 150         | 284       | Horizontal |
| 5              | 17475.0     | 44.43          | 0.02        | 54.00          | 9.57        | 150         | 284       | Horizontal |
| 6              | 17529.1     | 46.13          | 0.72        | 54.00          | 7.87        | 150         | 112       | Horizontal |
| 7              | 17594.0     | 58.81          | 1.55        | 74.00          | 15.19       | 150         | 168       | Horizontal |

#### 4.8.2.213 11AC40\_38\_MIMO\_ANT 1\_Vertical




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6942.09     | 44.81          | 12.56       | 54.00          | 9.19        | 150         | 246       | Vertical |
| 2   | 10380.0     | 49.45          | -5.36       | 74.00          | 24.55       | 150         | 274       | Vertical |
| 3   | 10380.0     | 38.07          | -5.36       | 54.00          | 15.93       | 150         | 47        | Vertical |
| 4   | 15570.0     | 48.04          | -4.02       | 74.00          | 25.96       | 150         | 245       | Vertical |
| 5   | 15570.0     | 37.81          | -4.02       | 54.00          | 16.19       | 150         | 188       | Vertical |
| 6   | 17536.8     | 46.30          | 0.82        | 54.00          | 7.70        | 150         | 103       | Vertical |
| 7   | 17799.2     | 59.21          | -0.77       | 74.00          | 14.79       | 150         | 245       | Vertical |




#### 4.8.2.214 11AC40\_46 \_MIMO\_ANT 1\_Vertical



| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6987.69     | 44.54          | 12.72       | 54.00          | 9.46        | 150         | 75        | Vertical |
| 2              | 10460.0     | 49.82          | -4.70       | 74.00          | 24.18       | 150         | 248       | Vertical |
| 3              | 10460.0     | 38.88          | -4.70       | 54.00          | 15.12       | 150         | 18        | Vertical |
| 4              | 15690.0     | 50.10          | -2.93       | 74.00          | 23.90       | 150         | 47        | Vertical |
| 5              | 15690.0     | 39.94          | -2.93       | 54.00          | 14.06       | 150         | 333       | Vertical |
| 6              | 17254.1     | 44.98          | -1.39       | 54.00          | 9.02        | 150         | 190       | Vertical |
| 7              | 17290.4     | 57.63          | -1.21       | 74.00          | 16.37       | 150         | 105       | Vertical |



#### 4.8.2.215 11AC40\_54\_MIMO\_ANT 1\_Vertical




| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6894.09     | 44.64          | 12.38       | 54.00          | 9.36        | 150         | 230       | Vertical |
| 2              | 10540.0     | 50.57          | -4.46       | 74.00          | 23.43       | 150         | 360       | Vertical |
| 3              | 10540.0     | 39.23          | -4.46       | 54.00          | 14.77       | 150         | 84        | Vertical |
| 4              | 15810.0     | 50.36          | -2.42       | 74.00          | 23.64       | 150         | 310       | Vertical |
| 5              | 15810.0     | 40.31          | -2.42       | 54.00          | 13.69       | 150         | 141       | Vertical |
| 6              | 17528.0     | 59.05          | 0.71        | 74.00          | 14.95       | 150         | 360       | Vertical |
| 7              | 17535.2     | 46.15          | 0.80        | 54.00          | 7.85        | 150         | 254       | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

#### 4.8.2.216 11AC40\_62\_MIMO\_ANT 1\_Vertical



#### Suspected List


| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6996.69     | 44.78          | 12.76       | 54.00          | 9.22        | 150         | 276       | Vertical |
| 2   | 10620.0     | 53.62          | -4.72       | 74.00          | 20.38       | 150         | 74        | Vertical |
| 3   | 10620.0     | 39.45          | -4.72       | 54.00          | 14.55       | 150         | 160       | Vertical |
| 4   | 15930.0     | 50.80          | -3.73       | 74.00          | 23.20       | 150         | 132       | Vertical |
| 5   | 15930.0     | 38.71          | -3.73       | 54.00          | 15.29       | 150         | 74        | Vertical |
| 6   | 17249.2     | 45.32          | -1.41       | 54.00          | 8.68        | 150         | 331       | Vertical |
| 7   | 17550.6     | 58.58          | 1.00        | 74.00          | 15.42       | 150         | 217       | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

#### 4.8.2.217 11AC40\_102\_MIMO\_ANT 1\_Vertical




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6973.59     | 44.83          | 12.67       | 54.00          | 9.17        | 150         | 161       | Vertical |
| 2   | 11020.0     | 50.76          | -4.09       | 74.00          | 23.24       | 150         | 18        | Vertical |
| 3   | 11020.0     | 38.72          | -4.09       | 54.00          | 15.28       | 150         | 46        | Vertical |
| 4   | 16530.0     | 52.08          | -3.84       | 74.00          | 21.92       | 150         | 330       | Vertical |
| 5   | 16530.0     | 41.04          | -3.84       | 54.00          | 12.96       | 150         | 274       | Vertical |
| 6   | 17550.0     | 46.35          | 0.99        | 54.00          | 7.65        | 150         | 330       | Vertical |
| 7   | 17996.6     | 59.54          | -0.38       | 74.00          | 14.46       | 150         | 160       | Vertical |



#### 4.8.2.218 11AC40\_110\_MIMO\_ANT 1\_Vertical



#### Suspected List


| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6992.49     | 45.12          | 12.74       | 54.00          | 8.88        | 150         | 46        | Vertical |
| 2   | 11100.0     | 50.99          | -3.36       | 74.00          | 23.01       | 150         | 217       | Vertical |
| 3   | 11100.0     | 40.10          | -3.36       | 54.00          | 13.90       | 150         | 302       | Vertical |
| 4   | 16650.0     | 51.70          | -4.20       | 74.00          | 22.30       | 150         | 245       | Vertical |
| 5   | 16650.0     | 40.38          | -4.20       | 54.00          | 13.62       | 150         | 18        | Vertical |
| 6   | 17258.0     | 45.05          | -1.37       | 54.00          | 8.95        | 150         | 103       | Vertical |
| 7   | 17607.8     | 58.38          | 1.43        | 74.00          | 15.62       | 150         | 189       | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

#### 4.8.2.219 11AC40\_134\_MIMO\_ANT 1\_Vertical




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6864.39     | 44.84          | 12.26       | 54.00          | 9.16        | 150         | 251       | Vertical |
| 2   | 11340.0     | 50.30          | -4.59       | 74.00          | 23.70       | 150         | 331       | Vertical |
| 3   | 11340.0     | 39.32          | -4.59       | 54.00          | 14.68       | 150         | 46        | Vertical |
| 4   | 17010.0     | 51.59          | -3.20       | 74.00          | 22.41       | 150         | 104       | Vertical |
| 5   | 17010.0     | 41.08          | -3.20       | 54.00          | 12.92       | 150         | 217       | Vertical |
| 6   | 17236.0     | 45.27          | -1.47       | 54.00          | 8.73        | 150         | 46        | Vertical |
| 7   | 17522.0     | 58.43          | 0.63        | 74.00          | 15.57       | 150         | 18        | Vertical |



#### 4.8.2.220 11AC40\_151\_MIMO\_ANT 1\_Vertical




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6944.49     | 44.99          | 12.56       | 54.00          | 9.01        | 150         | 304       | Vertical |
| 2   | 11510.0     | 48.66          | -5.50       | 74.00          | 25.34       | 150         | 104       | Vertical |
| 3   | 11510.0     | 37.09          | -5.50       | 54.00          | 16.91       | 150         | 46        | Vertical |
| 4   | 17265.0     | 54.50          | -1.33       | 74.00          | 19.50       | 150         | 18        | Vertical |
| 5   | 17265.0     | 44.21          | -1.33       | 54.00          | 9.79        | 150         | 46        | Vertical |
| 6   | 17530.2     | 46.29          | 0.74        | 54.00          | 7.71        | 150         | 274       | Vertical |
| 7   | 17535.7     | 58.30          | 0.81        | 74.00          | 15.70       | 150         | 217       | Vertical |



#### 4.8.2.221 11AC40\_159\_MIMO\_ANT 1\_Vertical



#### Suspected List


| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6996.99     | 44.60          | 12.76       | 54.00          | 9.40        | 150         | 190       | Vertical |
| 2   | 11590.0     | 49.58          | -3.32       | 74.00          | 24.42       | 150         | 18        | Vertical |
| 3   | 11590.0     | 38.46          | -3.32       | 54.00          | 15.54       | 150         | 280       | Vertical |
| 4   | 17261.8     | 45.04          | -1.35       | 54.00          | 8.96        | 150         | 194       | Vertical |
| 5   | 17385.0     | 44.00          | -1.02       | 54.00          | 10.00       | 150         | 194       | Vertical |
| 6   | 17385.0     | 54.77          | -1.02       | 74.00          | 19.23       | 150         | 18        | Vertical |
| 7   | 17385.6     | 57.45          | -1.02       | 74.00          | 16.55       | 150         | 134       | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

#### 4.8.2.222 11AC40\_38\_MIMO\_ANT 1\_Horizontal




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6920.19     | 46.37          | 12.47       | 54.00          | 7.63        | 150         | 85        | Horizontal |
| 2   | 10380.0     | 48.40          | -5.36       | 74.00          | 25.60       | 150         | 112       | Horizontal |
| 3   | 10380.0     | 38.10          | -5.36       | 54.00          | 15.90       | 150         | 314       | Horizontal |
| 4   | 15570.0     | 48.90          | -4.02       | 74.00          | 25.10       | 150         | 257       | Horizontal |
| 5   | 15570.0     | 37.77          | -4.02       | 54.00          | 16.23       | 150         | 83        | Horizontal |
| 6   | 17535.7     | 46.14          | 0.81        | 54.00          | 7.86        | 150         | 55        | Horizontal |
| 7   | 17810.2     | 58.85          | -0.80       | 74.00          | 15.15       | 150         | 286       | Horizontal |



#### 4.8.2.223 11AC40\_46\_MIMO\_ANT 1\_Horizontal




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6973.59     | 44.87          | 12.67       | 54.00          | 9.13        | 150         | 169       | Horizontal |
| 2   | 10460.0     | 51.15          | -4.70       | 74.00          | 22.85       | 150         | 256       | Horizontal |
| 3   | 10460.0     | 38.68          | -4.70       | 54.00          | 15.32       | 150         | 228       | Horizontal |
| 4   | 15690.0     | 50.63          | -2.93       | 74.00          | 23.37       | 150         | 342       | Horizontal |
| 5   | 15690.0     | 39.64          | -2.93       | 54.00          | 14.36       | 150         | 284       | Horizontal |
| 6   | 17540.1     | 46.39          | 0.86        | 54.00          | 7.61        | 150         | 142       | Horizontal |
| 7   | 17557.7     | 59.68          | 1.09        | 74.00          | 14.32       | 150         | 256       | Horizontal |



## 4.8.2.224 11AC40\_54\_MIMO\_ANT 1\_Horizontal




## Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6940.89     | 44.81          | 12.55       | 54.00          | 9.19        | 150         | 141       | Horizontal |
| 2   | 10540.0     | 49.96          | -4.46       | 74.00          | 24.04       | 150         | 285       | Horizontal |
| 3   | 10540.0     | 39.31          | -4.46       | 54.00          | 14.69       | 150         | 314       | Horizontal |
| 4   | 15810.0     | 51.28          | -2.42       | 74.00          | 22.72       | 150         | 50        | Horizontal |
| 5   | 15810.0     | 39.96          | -2.42       | 54.00          | 14.04       | 150         | 0         | Horizontal |
| 6   | 17221.7     | 57.69          | -1.54       | 74.00          | 16.31       | 150         | 140       | Horizontal |
| 7   | 17553.9     | 46.13          | 1.04        | 54.00          | 7.87        | 150         | 79        | Horizontal |



#### 4.8.2.225 11AC40\_62\_MIMO\_ANT 1\_Horizontal



#### Suspected List


| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6934.59     | 44.72          | 12.53       | 54.00          | 9.28        | 150         | 84        | Horizontal |
| 2   | 10620.0     | 50.28          | -4.72       | 74.00          | 23.72       | 150         | 196       | Horizontal |
| 3   | 10620.0     | 39.49          | -4.72       | 54.00          | 14.51       | 150         | 342       | Horizontal |
| 4   | 15930.0     | 50.89          | -3.73       | 74.00          | 23.11       | 150         | 342       | Horizontal |
| 5   | 15930.0     | 39.52          | -3.73       | 54.00          | 14.48       | 150         | 314       | Horizontal |
| 6   | 17240.9     | 45.02          | -1.45       | 54.00          | 8.98        | 150         | 256       | Horizontal |
| 7   | 17298.7     | 57.72          | -1.18       | 74.00          | 16.28       | 150         | 82        | Horizontal |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

#### 4.8.2.226 11AC40\_102\_MIMO\_ANT 1\_Horizontal



| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6911.49     | 45.51          | 12.44       | 54.00          | 8.49        | 150         | 85        | Horizontal |
| 2              | 11020.0     | 39.14          | -4.09       | 54.00          | 14.86       | 150         | 138       | Horizontal |
| 3              | 11020.0     | 50.47          | -4.09       | 74.00          | 23.53       | 150         | 285       | Horizontal |
| 4              | 16530.0     | 40.15          | -3.84       | 54.00          | 13.85       | 150         | 314       | Horizontal |
| 5              | 16530.0     | 51.87          | -3.84       | 74.00          | 22.13       | 150         | 167       | Horizontal |
| 6              | 17545.1     | 58.80          | 0.93        | 74.00          | 15.20       | 150         | 78        | Horizontal |
| 7              | 17551.1     | 46.17          | 1.01        | 54.00          | 7.83        | 150         | 314       | Horizontal |

#### 4.8.2.227 11AC40\_110\_MIMO\_ANT 1\_Horizontal



#### Suspected List


| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6922.29     | 44.60          | 12.48       | 54.00          | 9.40        | 150         | 113       | Horizontal |
| 2   | 11100.0     | 51.67          | -3.36       | 74.00          | 22.33       | 150         | 283       | Horizontal |
| 3   | 11100.0     | 39.90          | -3.36       | 54.00          | 14.10       | 150         | 194       | Horizontal |
| 4   | 16650.0     | 52.05          | -4.20       | 74.00          | 21.95       | 150         | 52        | Horizontal |
| 5   | 16650.0     | 40.96          | -4.20       | 54.00          | 13.04       | 150         | 108       | Horizontal |
| 6   | 17535.2     | 46.39          | 0.80        | 54.00          | 7.61        | 150         | 223       | Horizontal |
| 7   | 17553.9     | 58.09          | 1.04        | 74.00          | 15.91       | 150         | 313       | Horizontal |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


#### 4.8.2.228 11AC40\_134\_MIMO\_ANT 1\_Horizontal



| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6995.19     | 44.91          | 12.75       | 54.00          | 9.09        | 150         | 198       | Horizontal |
| 2              | 11340.0     | 49.82          | -4.59       | 74.00          | 24.18       | 150         | 0         | Horizontal |
| 3              | 11340.0     | 39.55          | -4.59       | 54.00          | 14.45       | 150         | 314       | Horizontal |
| 4              | 17010.0     | 51.46          | -3.20       | 74.00          | 22.54       | 150         | 227       | Horizontal |
| 5              | 17010.0     | 40.62          | -3.20       | 54.00          | 13.38       | 150         | 17        | Horizontal |
| 6              | 17554.4     | 58.35          | 1.05        | 74.00          | 15.65       | 150         | 314       | Horizontal |
| 7              | 17558.3     | 46.17          | 1.10        | 54.00          | 7.83        | 150         | 17        | Horizontal |



#### 4.8.2.229 11AC40\_151\_MIMO\_ANT 1\_Horizontal




| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6993.09     | 44.73          | 12.74       | 54.00          | 9.27        | 150         | 140       | Horizontal |
| 2              | 11510.0     | 48.58          | -5.50       | 74.00          | 25.42       | 150         | 314       | Horizontal |
| 3              | 11510.0     | 37.03          | -5.50       | 54.00          | 16.97       | 150         | 30        | Horizontal |
| 4              | 17265.0     | 55.47          | -1.33       | 74.00          | 18.53       | 150         | 342       | Horizontal |
| 5              | 17265.0     | 44.16          | -1.33       | 54.00          | 9.84        | 150         | 285       | Horizontal |
| 6              | 17514.3     | 58.43          | 0.53        | 74.00          | 15.57       | 150         | 229       | Horizontal |
| 7              | 17542.3     | 46.20          | 0.89        | 54.00          | 7.80        | 150         | 58        | Horizontal |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

#### 4.8.2.230 11AC40\_159\_MIMO\_ANT 1\_Horizontal



#### Suspected List


| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6951.69     | 44.69          | 12.59       | 54.00          | 9.31        | 150         | 227       | Horizontal |
| 2   | 11590.0     | 50.10          | -3.32       | 74.00          | 23.90       | 150         | 285       | Horizontal |
| 3   | 11590.0     | 38.14          | -3.32       | 54.00          | 15.86       | 150         | 285       | Horizontal |
| 4   | 17385.0     | 54.64          | -1.02       | 74.00          | 19.36       | 150         | 24        | Horizontal |
| 5   | 17385.0     | 44.01          | -1.02       | 54.00          | 9.99        | 150         | 342       | Horizontal |
| 6   | 17514.8     | 58.45          | 0.54        | 74.00          | 15.55       | 150         | 1         | Horizontal |
| 7   | 17547.8     | 46.05          | 0.96        | 54.00          | 7.95        | 150         | 112       | Horizontal |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

#### 4.8.2.231 11AC80\_42\_MIMO\_ANT 1\_Vertical




| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6906.39     | 44.80          | 12.42       | 54.00          | 9.20        | 150         | 162       | Vertical |
| 2              | 10420.0     | 50.34          | -5.14       | 74.00          | 23.66       | 150         | 245       | Vertical |
| 3              | 10420.0     | 37.99          | -5.14       | 54.00          | 16.01       | 150         | 46        | Vertical |
| 4              | 15630.0     | 48.84          | -4.14       | 74.00          | 25.16       | 150         | 132       | Vertical |
| 5              | 15630.0     | 37.92          | -4.14       | 54.00          | 16.08       | 150         | 357       | Vertical |
| 6              | 17790.4     | 59.09          | -0.79       | 74.00          | 14.91       | 150         | 357       | Vertical |
| 7              | 17850.9     | 46.28          | -0.94       | 54.00          | 7.72        | 150         | 217       | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


#### 4.8.2.232 11AC80\_58\_MIMO\_ANT 1\_Vertical



| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6992.49     | 45.01          | 12.74       | 54.00          | 8.99        | 150         | 104       | Vertical |
| 2              | 10580.0     | 51.18          | -4.65       | 74.00          | 22.82       | 150         | 221       | Vertical |
| 3              | 10580.0     | 39.05          | -4.65       | 54.00          | 14.95       | 150         | 335       | Vertical |
| 4              | 15870.0     | 49.60          | -3.31       | 74.00          | 24.40       | 150         | 105       | Vertical |
| 5              | 15870.0     | 38.48          | -3.31       | 54.00          | 15.52       | 150         | 18        | Vertical |
| 6              | 17525.8     | 46.24          | 0.68        | 54.00          | 7.76        | 150         | 358       | Vertical |
| 7              | 17559.9     | 58.56          | 1.12        | 74.00          | 15.44       | 150         | 164       | Vertical |



#### 4.8.2.233 11AC80\_106\_MIMO\_ANT 1\_Vertical




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6909.09     | 44.95          | 12.43       | 54.00          | 9.05        | 150         | 46        | Vertical |
| 2   | 11060.0     | 50.46          | -3.73       | 74.00          | 23.54       | 150         | 216       | Vertical |
| 3   | 11060.0     | 39.02          | -3.73       | 54.00          | 14.98       | 150         | 188       | Vertical |
| 4   | 16590.0     | 50.47          | -4.27       | 74.00          | 23.53       | 150         | 216       | Vertical |
| 5   | 16590.0     | 39.18          | -4.27       | 54.00          | 14.82       | 150         | 356       | Vertical |
| 6   | 17619.3     | 46.15          | 1.13        | 54.00          | 7.85        | 150         | 301       | Vertical |
| 7   | 17808.0     | 58.47          | -0.80       | 74.00          | 15.53       | 150         | 18        | Vertical |



#### 4.8.2.234 11AC80\_122\_MIMO\_ANT 1\_Vertical



#### Suspected List


| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6990.69     | 44.73          | 12.74       | 54.00          | 9.27        | 150         | 248       | Vertical |
| 2   | 11220.0     | 40.39          | -3.73       | 54.00          | 13.61       | 150         | 160       | Vertical |
| 3   | 11220.0     | 51.34          | -3.73       | 74.00          | 22.66       | 150         | 75        | Vertical |
| 4   | 16830.0     | 41.82          | -2.15       | 54.00          | 12.18       | 150         | 302       | Vertical |
| 5   | 16830.0     | 53.42          | -2.15       | 74.00          | 20.58       | 150         | 216       | Vertical |
| 6   | 17555.5     | 46.07          | 1.06        | 54.00          | 7.93        | 150         | 103       | Vertical |
| 7   | 17833.3     | 58.65          | -0.88       | 74.00          | 15.35       | 150         | 245       | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

#### 4.8.2.235 11AC80\_155\_MIMO\_ ANT 1\_Vertical




| Suspected List |             |                |             |                |             |             |           |          |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
| 1              | 6989.49     | 44.55          | 12.73       | 54.00          | 9.45        | 150         | 275       | Vertical |
| 2              | 11550.0     | 49.20          | -4.41       | 74.00          | 24.80       | 150         | 334       | Vertical |
| 3              | 11550.0     | 37.74          | -4.41       | 54.00          | 16.26       | 150         | 133       | Vertical |
| 4              | 17325.0     | 54.85          | -1.12       | 74.00          | 19.15       | 150         | 248       | Vertical |
| 5              | 17325.0     | 43.77          | -1.12       | 54.00          | 10.23       | 150         | 334       | Vertical |
| 6              | 17525.3     | 46.23          | 0.67        | 54.00          | 7.77        | 150         | 219       | Vertical |
| 7              | 17550.6     | 58.92          | 1.00        | 74.00          | 15.08       | 150         | 358       | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

#### 4.8.2.236 11AC80\_42\_MIMO\_ ANT 1\_Horizontal



#### Suspected List


| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6986.79     | 45.69          | 12.72       | 54.00          | 8.31        | 150         | 85        | Horizontal |
| 2   | 10420.0     | 50.71          | -5.14       | 74.00          | 23.29       | 150         | 57        | Horizontal |
| 3   | 10420.0     | 38.07          | -5.14       | 54.00          | 15.93       | 150         | 228       | Horizontal |
| 4   | 15630.0     | 48.57          | -4.14       | 74.00          | 25.43       | 150         | 200       | Horizontal |
| 5   | 15630.0     | 37.98          | -4.14       | 54.00          | 16.02       | 150         | 314       | Horizontal |
| 6   | 17551.7     | 46.14          | 1.01        | 54.00          | 7.86        | 150         | 29        | Horizontal |
| 7   | 17858.6     | 58.48          | -0.97       | 74.00          | 15.52       | 150         | 143       | Horizontal |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

#### 4.8.2.237 11AC80\_58\_MIMO\_ ANT 1\_Horizontal




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6891.99     | 45.29          | 12.37       | 54.00          | 8.71        | 150         | 194       | Horizontal |
| 2   | 10580.0     | 50.72          | -4.65       | 74.00          | 23.28       | 150         | 342       | Horizontal |
| 3   | 10580.0     | 39.19          | -4.65       | 54.00          | 14.81       | 150         | 200       | Horizontal |
| 4   | 15870.0     | 50.38          | -3.31       | 74.00          | 23.62       | 150         | 25        | Horizontal |
| 5   | 15870.0     | 38.61          | -3.31       | 54.00          | 15.39       | 150         | 285       | Horizontal |
| 6   | 17526.9     | 46.33          | 0.70        | 54.00          | 7.67        | 150         | 200       | Horizontal |
| 7   | 17551.7     | 58.52          | 1.01        | 74.00          | 15.48       | 150         | 54        | Horizontal |



#### 4.8.2.238 11AC80\_106\_MIMO\_ANT 1\_Horizontal



#### Suspected List


| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6968.19     | 45.63          | 12.65       | 54.00          | 8.37        | 150         | 113       | Horizontal |
| 2   | 11060.0     | 51.29          | -3.73       | 74.00          | 22.71       | 150         | 86        | Horizontal |
| 3   | 11060.0     | 39.32          | -3.73       | 54.00          | 14.68       | 150         | 199       | Horizontal |
| 4   | 16590.0     | 51.34          | -4.27       | 74.00          | 22.66       | 150         | 143       | Horizontal |
| 5   | 16590.0     | 39.44          | -4.27       | 54.00          | 14.56       | 150         | 313       | Horizontal |
| 6   | 17552.2     | 46.46          | 1.02        | 54.00          | 7.54        | 150         | 313       | Horizontal |
| 7   | 17556.6     | 58.91          | 1.08        | 74.00          | 15.09       | 150         | 313       | Horizontal |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


#### 4.8.2.239 11AC80\_122\_MIMO\_ANT 1\_Horizontal



#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6927.09     | 44.77          | 12.50       | 54.00          | 9.23        | 150         | 27        | Horizontal |
| 2   | 11220.0     | 51.06          | -3.73       | 74.00          | 22.94       | 150         | 57        | Horizontal |
| 3   | 11220.0     | 40.49          | -3.73       | 54.00          | 13.51       | 150         | 113       | Horizontal |
| 4   | 16830.0     | 52.66          | -2.15       | 74.00          | 21.34       | 150         | 141       | Horizontal |
| 5   | 16830.0     | 41.32          | -2.15       | 54.00          | 12.68       | 150         | 85        | Horizontal |
| 6   | 17520.9     | 45.60          | 0.62        | 54.00          | 8.40        | 150         | 57        | Horizontal |
| 7   | 17536.3     | 58.83          | 0.81        | 74.00          | 15.17       | 150         | 113       | Horizontal |

#### 4.8.2.240 11AC80\_155\_MIMO\_ANT 1\_Horizontal




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 6990.69     | 44.68          | 12.74       | 54.00          | 9.32        | 150         | 113       | Horizontal |
| 2   | 11550.0     | 49.04          | -4.41       | 74.00          | 24.96       | 150         | 108       | Horizontal |
| 3   | 11550.0     | 37.71          | -4.41       | 54.00          | 16.29       | 150         | 140       | Horizontal |
| 4   | 17325.0     | 54.69          | -1.12       | 74.00          | 19.31       | 150         | 140       | Horizontal |
| 5   | 17325.0     | 43.90          | -1.12       | 54.00          | 10.10       | 150         | 1         | Horizontal |
| 6   | 17519.8     | 45.64          | 0.60        | 54.00          | 8.36        | 150         | 256       | Horizontal |
| 7   | 17521.4     | 57.70          | 0.62        | 74.00          | 16.30       | 150         | 168       | Horizontal |



#### 4.8.2.241 11AC160\_50\_MIMO\_ ANT 1\_Vertical



#### Suspected List


| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6982.59     | 44.62          | 12.71       | 54.00          | 9.38        | 150         | 18        | Vertical |
| 2   | 10500.0     | 50.50          | -4.27       | 74.00          | 23.50       | 150         | 75        | Vertical |
| 3   | 10500.0     | 39.20          | -4.27       | 54.00          | 14.80       | 150         | 244       | Vertical |
| 4   | 15750.0     | 51.47          | -2.50       | 74.00          | 22.53       | 150         | 216       | Vertical |
| 5   | 15750.0     | 40.21          | -2.50       | 54.00          | 13.79       | 150         | 244       | Vertical |
| 6   | 17511.0     | 57.82          | 0.49        | 74.00          | 16.18       | 150         | 103       | Vertical |
| 7   | 17556.6     | 46.71          | 1.08        | 54.00          | 7.29        | 150         | 330       | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## 4.8.2.242 11AC160\_114\_MIMO\_ ANT 1\_Vertical




## Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 6930.69     | 45.20          | 12.51       | 54.00          | 8.80        | 150         | 160       | Vertical |
| 2   | 11140.0     | 51.38          | -3.41       | 74.00          | 22.62       | 150         | 188       | Vertical |
| 3   | 11140.0     | 40.47          | -3.41       | 54.00          | 13.53       | 150         | 216       | Vertical |
| 4   | 16710.0     | 52.36          | -3.88       | 74.00          | 21.64       | 150         | 216       | Vertical |
| 5   | 16710.0     | 39.83          | -3.88       | 54.00          | 14.17       | 150         | 188       | Vertical |
| 6   | 17264.6     | 44.87          | -1.34       | 54.00          | 9.13        | 150         | 188       | Vertical |
| 7   | 17497.8     | 57.95          | 0.32        | 74.00          | 16.05       | 150         | 188       | Vertical |




#### 4.8.2.243 11AC160\_50\_MIMO\_ANT 1\_Horizontal



| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6928.89     | 44.47          | 12.51       | 54.00          | 9.53        | 150         | 199       | Horizontal |
| 2              | 10500.0     | 49.91          | -4.27       | 74.00          | 24.09       | 150         | 256       | Horizontal |
| 3              | 10500.0     | 39.36          | -4.27       | 54.00          | 14.64       | 150         | 342       | Horizontal |
| 4              | 15750.0     | 50.26          | -2.50       | 74.00          | 23.74       | 150         | 30        | Horizontal |
| 5              | 15750.0     | 39.65          | -2.50       | 54.00          | 14.35       | 150         | 58        | Horizontal |
| 6              | 17530.2     | 59.01          | 0.74        | 74.00          | 14.99       | 150         | 342       | Horizontal |
| 7              | 17553.9     | 46.45          | 1.04        | 54.00          | 7.55        | 150         | 200       | Horizontal |

#### 4.8.2.244 11AC160\_114\_MIMO\_ANT 1\_Horizontal




| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 6907.89     | 44.72          | 12.43       | 54.00          | 9.28        | 150         | 28        | Horizontal |
| 2              | 11140.0     | 52.09          | -3.41       | 74.00          | 21.91       | 150         | 195       | Horizontal |
| 3              | 11140.0     | 40.11          | -3.41       | 54.00          | 13.89       | 150         | 21        | Horizontal |
| 4              | 16710.0     | 51.48          | -3.88       | 74.00          | 22.52       | 150         | 195       | Horizontal |
| 5              | 16710.0     | 39.87          | -3.88       | 54.00          | 14.13       | 150         | 285       | Horizontal |
| 6              | 17553.3     | 46.23          | 1.03        | 54.00          | 7.77        | 150         | 78        | Horizontal |
| 7              | 17561.0     | 58.27          | 1.13        | 74.00          | 15.73       | 150         | 135       | Horizontal |

#### Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:  
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- 2) Scan from 9kHz to 40GHz, The disturbance between 9KHz to 30MHz and 18GHz to 40GHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported .
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.
- 4) All modes have been tested, but only the worst case data displayed in this report.

## 4.9 Restricted bands around fundamental frequency

|                   |                                                  |                    |                  |
|-------------------|--------------------------------------------------|--------------------|------------------|
| Test Requirement: | 47 CFR Part 15 Section 15.407(b)                 |                    |                  |
| Test Method:      | ANSI C63.10: 2013                                |                    |                  |
| Test Site:        | Measurement Distance: 3m (Semi-Anechoic Chamber) |                    |                  |
| Limit:            | Frequency                                        | Limit (dBuV/m @3m) | Remark           |
|                   | 30MHz-88MHz                                      | 40.0               | Quasi-peak Value |
|                   | 88MHz-216MHz                                     | 43.5               | Quasi-peak Value |
|                   | 216MHz-960MHz                                    | 46.0               | Quasi-peak Value |
|                   | 960MHz-1GHz                                      | 54.0               | Quasi-peak Value |
|                   | Above 1GHz                                       | 54.0               | Average Value    |
|                   |                                                  | 74.0               | Peak Value       |
| Test Setup:       |                                                  |                    |                  |




|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Procedure:        | <p>a. The EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.</p> <p>b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.</p> <p>c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.</p> <p>d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.</p> <p>e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.</p> <p>f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel</p> <p>g. Test the EUT in the outermost channels.</p> <p>h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.</p> <p>i. Repeat above procedures until all frequencies measured was complete.</p> |
| Exploratory Test Mode: | Transmitting with all kind of modulations, data rates.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Final Test Mode:       | <p>Through Pre-scan, find the</p> <p>6Mbps of rate is the worst case of 802.11a;</p> <p>MCS0 of rate is the worst case of 802.11n(HT20);</p> <p>MCS0 of rate is the worst case of 802.11n(HT40);</p> <p>MCSAC0 of rate is the worst case of 802.11ac(HT20);</p> <p>MCSAC0 of rate is the worst case of 802.11ac(HT40);</p> <p>MCSAC0 of rate is the worst case of 802.11ac(HT80)</p> <p>MCSAC0 of rate is the worst case of 802.11ac(HT160)</p> <p>Only the worst case is recorded in the report.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Instruments Used:      | Refer to section 5.10 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Test Results:          | Pass                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |



## 4.9.1 Test plots

## 4.9.1.1 11A20\_36 ANT 1\_Vertical




## Suspected List

| NO. | Freq.<br>[MHz] | Level<br>[dBμV/m] | Factor<br>[dB] | Limit<br>[dBμV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity |
|-----|----------------|-------------------|----------------|-------------------|----------------|----------------|--------------|----------|
| 1   | 5125.06        | 34.63             | 7.51           | 54.00             | 19.37          | 150            | 166          | Vertical |
| 2   | 5135.66        | 49.28             | 7.53           | 74.00             | 24.72          | 150            | 143          | Vertical |
| 3   | 5144.22        | 34.84             | 7.55           | 54.00             | 19.16          | 150            | 14           | Vertical |
| 4   | 5146.67        | 48.66             | 7.55           | 74.00             | 25.34          | 150            | 243          | Vertical |
| 5   | 5180.00        | 86.24             | 7.61           | 68.30             | -17.94         | 150            | 234          | Vertical |
| 6   | 5180.00        | 76.19             | 7.61           | 0.00              | -76.19         | 150            | 231          | Vertical |



#### 4.9.1.2 11A20\_36 ANT 1\_ Horizontal



#### Suspected List


| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 5120.81     | 35.21          | 7.51        | 54.00          | 18.79       | 150         | 233       | Horizontal |
| 2   | 5139.26     | 49.20          | 7.54        | 74.00          | 24.80       | 150         | 4         | Horizontal |
| 3   | 5145.67     | 35.98          | 7.55        | 54.00          | 18.02       | 150         | 229       | Horizontal |
| 4   | 5150.52     | 51.29          | 7.56        | 68.30          | 17.01       | 150         | 237       | Horizontal |
| 5   | 5180.00     | 94.63          | 7.61        | 68.30          | -26.33      | 150         | 229       | Horizontal |
| 6   | 5180.00     | 84.85          | 7.61        | 0.00           | -84.85      | 150         | 229       | Horizontal |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

## 4.9.1.3 11A20\_48 ANT 1\_Vertical




## Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 5240.00     | 92.22          | 7.68        | 68.30          | -23.92      | 150         | 232       | Vertical |
| 2   | 5240.00     | 81.84          | 7.68        | 0.00           | -81.84      | 150         | 232       | Vertical |
| 3   | 5356.14     | 34.92          | 7.85        | 54.00          | 19.08       | 150         | 16        | Vertical |
| 4   | 5362.00     | 48.66          | 7.86        | 74.00          | 25.34       | 150         | 236       | Vertical |
| 5   | 5382.80     | 34.78          | 7.91        | 54.00          | 19.22       | 150         | 168       | Vertical |
| 6   | 5390.45     | 48.88          | 7.92        | 74.00          | 25.12       | 150         | 144       | Vertical |



#### 4.9.1.4 11A20\_48 ANT 1\_ Horizontal




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 5240.00     | 98.91          | 7.68        | 68.30          | -30.61      | 150         | 229       | Horizontal |
| 2   | 5240.00     | 89.49          | 7.68        | 0.00           | -89.49      | 150         | 229       | Horizontal |
| 3   | 5369.11     | 35.01          | 7.88        | 54.00          | 18.99       | 150         | 205       | Horizontal |
| 4   | 5375.95     | 49.42          | 7.89        | 74.00          | 24.58       | 150         | 344       | Horizontal |
| 5   | 5392.43     | 49.42          | 7.92        | 74.00          | 24.58       | 150         | 233       | Horizontal |
| 6   | 5392.52     | 37.67          | 7.93        | 54.00          | 16.33       | 150         | 229       | Horizontal |



## 4.9.1.5 11A20\_52 ANT 1\_Vertical




## Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 5118.63     | 34.76          | 7.50        | 54.00          | 19.24       | 150         | 161       | Vertical |
| 2   | 5119.35     | 48.99          | 7.50        | 74.00          | 25.01       | 150         | 151       | Vertical |
| 3   | 5143.49     | 34.73          | 7.54        | 54.00          | 19.27       | 150         | 209       | Vertical |
| 4   | 5145.83     | 47.98          | 7.55        | 74.00          | 26.02       | 150         | 190       | Vertical |
| 5   | 5260.00     | 90.67          | 7.70        | 68.30          | -22.37      | 150         | 237       | Vertical |
| 6   | 5260.00     | 80.18          | 7.70        | 0.00           | -80.18      | 150         | 228       | Vertical |



## 4.9.1.6 11A20\_52 ANT 1\_ Horizontal




## Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 5107.11     | 35.95          | 7.48        | 54.00          | 18.05       | 150         | 232       | Horizontal |
| 2   | 5109.27     | 49.39          | 7.49        | 74.00          | 24.61       | 150         | 72        | Horizontal |
| 3   | 5138.26     | 34.88          | 7.54        | 54.00          | 19.12       | 150         | 176       | Horizontal |
| 4   | 5142.05     | 48.73          | 7.54        | 74.00          | 25.27       | 150         | 293       | Horizontal |
| 5   | 5260.00     | 99.04          | 7.70        | 68.30          | -30.74      | 150         | 223       | Horizontal |
| 6   | 5260.00     | 89.96          | 7.70        | 0.00           | -89.96      | 150         | 232       | Horizontal |



#### 4.9.1.7 11A20\_64 ANT 1\_Vertical




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 5320.00     | 86.20          | 7.78        | 68.30          | -17.90      | 150         | 166       | Vertical |
| 2   | 5320.00     | 76.79          | 7.78        | 0.00           | -76.79      | 150         | 223       | Vertical |
| 3   | 5354.32     | 35.06          | 7.85        | 54.00          | 18.94       | 150         | 166       | Vertical |
| 4   | 5354.77     | 49.78          | 7.85        | 74.00          | 24.22       | 150         | 247       | Vertical |
| 5   | 5391.64     | 34.94          | 7.92        | 54.00          | 19.06       | 150         | 16        | Vertical |
| 6   | 5392.14     | 48.80          | 7.92        | 74.00          | 25.20       | 150         | 266       | Vertical |



#### 4.9.1.8 11A20\_64 ANT 1\_ Horizontal




| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 5320.00     | 94.79          | 7.78        | 68.30          | -26.49      | 150         | 229       | Horizontal |
| 2              | 5320.00     | 84.69          | 7.78        | 0.00           | -84.69      | 150         | 229       | Horizontal |
| 3              | 5375.83     | 49.75          | 7.89        | 74.00          | 24.25       | 150         | 71        | Horizontal |
| 4              | 5381.69     | 36.18          | 7.90        | 54.00          | 17.82       | 150         | 229       | Horizontal |
| 5              | 5395.74     | 35.98          | 7.93        | 54.00          | 18.02       | 150         | 229       | Horizontal |
| 6              | 5398.09     | 48.93          | 7.94        | 74.00          | 25.07       | 150         | 100       | Horizontal |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

#### 4.9.1.9 11A20\_100 ANT 1\_Vertical




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 5417.04     | 38.51          | 7.97        | 54.00          | 15.49       | 150         | 107       | Vertical |
| 2   | 5454.56     | 38.57          | 8.03        | 54.00          | 15.43       | 150         | 280       | Vertical |
| 3   | 5454.62     | 52.20          | 8.03        | 74.00          | 21.80       | 150         | 238       | Vertical |
| 4   | 5466.21     | 52.40          | 8.05        | 68.30          | 15.90       | 150         | 302       | Vertical |
| 5   | 5500.00     | 77.05          | 8.10        | 0.00           | -77.05      | 150         | 163       | Vertical |
| 6   | 5500.00     | 87.80          | 8.10        | 68.30          | -19.50      | 150         | 171       | Vertical |



#### 4.9.1.10 11A20\_100 ANT 1\_ Horizontal




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 5425.09     | 38.61          | 7.98        | 54.00          | 15.39       | 150         | 231       | Horizontal |
| 2   | 5439.73     | 52.90          | 8.00        | 74.00          | 21.10       | 150         | 249       | Horizontal |
| 3   | 5451.62     | 38.79          | 8.02        | 54.00          | 15.21       | 150         | 231       | Horizontal |
| 4   | 5463.51     | 52.72          | 8.04        | 68.30          | 15.58       | 150         | 223       | Horizontal |
| 5   | 5500.00     | 95.41          | 8.10        | 68.30          | -27.11      | 150         | 78        | Horizontal |
| 6   | 5500.00     | 85.03          | 8.10        | 0.00           | -85.03      | 150         | 231       | Horizontal |



#### 4.9.1.11 11A20\_140 ANT 1\_Vertical




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 5700.00     | 88.50          | 8.51        | 68.30          | -20.20      | 150         | 274       | Vertical |
| 2   | 5715.35     | 57.66          | 8.55        | 68.30          | 10.64       | 150         | 268       | Vertical |
| 3   | 5750.15     | 49.93          | 8.63        | 68.30          | 18.37       | 150         | 221       | Vertical |
| 4   | 5776.94     | 50.09          | 8.69        | 68.30          | 18.21       | 150         | 221       | Vertical |



## 4.9.1.12 11A20\_140 ANT 1\_ Horizontal




## Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 5700.00     | 94.47          | 8.51        | 68.30          | -26.17      | 150         | 66        | Horizontal |
| 2   | 5721.73     | 60.08          | 8.56        | 68.30          | 8.22        | 150         | 60        | Horizontal |
| 3   | 5744.16     | 50.67          | 8.61        | 68.30          | 17.63       | 150         | 313       | Horizontal |
| 4   | 5772.65     | 51.40          | 8.68        | 68.30          | 16.90       | 150         | 344       | Horizontal |



#### 4.9.1.13 11A20\_149 ANT 1\_Vertical




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 5647.00     | 50.05          | 8.43        | 68.30          | 18.25       | 150         | 100       | Vertical |
| 2   | 5679.56     | 49.50          | 8.48        | 90.18          | 40.68       | 150         | 337       | Vertical |
| 3   | 5714.23     | 49.70          | 8.54        | 109.29         | 59.59       | 150         | 316       | Vertical |
| 4   | 5745.00     | 88.55          | 8.61        | 0.00           | -88.55      | 150         | 280       | Vertical |



#### 4.9.1.14 11A20\_149 ANT 1\_ Horizontal




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 5645.88     | 49.80          | 8.42        | 68.30          | 18.50       | 150         | 134       | Horizontal |
| 2   | 5678.23     | 49.59          | 8.48        | 89.20          | 39.61       | 150         | 200       | Horizontal |
| 3   | 5711.99     | 49.95          | 8.54        | 108.66         | 58.71       | 150         | 235       | Horizontal |
| 4   | 5745.00     | 90.61          | 8.61        | 0.00           | -90.61      | 150         | 123       | Horizontal |



#### 4.9.1.15 11A20\_165 ANT 1\_Vertical




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 5825.00     | 89.98          | 8.82        | 0.00           | -89.98      | 150         | 280       | Vertical |
| 2   | 5869.08     | 50.18          | 8.95        | 106.95         | 56.77       | 150         | 334       | Vertical |
| 3   | 5900.95     | 50.05          | 9.04        | 86.09          | 36.04       | 150         | 40        | Vertical |
| 4   | 5937.24     | 49.74          | 9.15        | 68.30          | 18.56       | 150         | 277       | Vertical |



## 4.9.1.16 11A20\_165 ANT 1\_ Horizontal




## Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 5825.00     | 88.60          | 8.82        | 0.00           | -88.60      | 150         | 125       | Horizontal |
| 2   | 5865.05     | 49.95          | 8.94        | 108.08         | 58.13       | 150         | 271       | Horizontal |
| 3   | 5888.08     | 49.75          | 9.00        | 95.62          | 45.87       | 150         | 208       | Horizontal |
| 4   | 5937.16     | 49.67          | 9.15        | 68.30          | 18.63       | 150         | 0         | Horizontal |



#### 4.9.1.17 11N20\_36 ANT 1\_Vertical




#### Suspected List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 5108.60     | 34.96          | 7.48        | 54.00          | 19.04       | 150         | 320       | Vertical |
| 2   | 5109.15     | 49.26          | 7.49        | 74.00          | 24.74       | 150         | 29        | Vertical |
| 3   | 5132.11     | 48.99          | 7.52        | 74.00          | 25.01       | 150         | 179       | Vertical |
| 4   | 5142.57     | 34.99          | 7.54        | 54.00          | 19.01       | 150         | 29        | Vertical |
| 5   | 5180.00     | 77.80          | 7.61        | 0.00           | -77.80      | 150         | 238       | Vertical |
| 6   | 5180.00     | 91.53          | 7.61        | 68.30          | -23.23      | 150         | 238       | Vertical |



#### 4.9.1.18 11N20\_36 ANT 1\_ Horizontal



| Suspected List |             |                |             |                |             |             |           |            |
|----------------|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| NO.            | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
| 1              | 5111.75     | 48.75          | 7.49        | 74.00          | 25.25       | 150         | 69        | Horizontal |
| 2              | 5137.71     | 35.67          | 7.53        | 54.00          | 18.33       | 150         | 235       | Horizontal |
| 3              | 5147.17     | 36.37          | 7.55        | 54.00          | 17.63       | 150         | 231       | Horizontal |
| 4              | 5147.32     | 50.20          | 7.55        | 74.00          | 23.80       | 150         | 219       | Horizontal |
| 5              | 5180.00     | 96.02          | 7.61        | 68.30          | -27.72      | 150         | 231       | Horizontal |
| 6              | 5180.00     | 84.97          | 7.61        | 0.00           | -84.97      | 150         | 231       | Horizontal |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)