



# Appendix for test report

## 1Appendix\_A: Effective (Isotropic) Radiated Power Output Data

### Part I - Test Results

Test Band(LTE)	Test Mode	Test Bandwidth	Test Channel	Test RB	Measured[dBm]	ERP [dBm]	Limit [dBm]	Verdict
BAND17	LTE/TM1	5	LCH	RB1#0	22.28	17.13	34.7	PASS
				RB1#13	22.98	17.83	34.7	PASS
				RB1#24	22.52	17.37	34.7	PASS
				RB12#0	21.69	16.54	34.7	PASS
				RB12#6	21.85	16.7	34.7	PASS
				RB12#13	21.73	16.58	34.7	PASS
				RB25#0	21.65	16.5	34.7	PASS
			MCH	RB1#0	22.64	17.49	34.7	PASS
				RB1#13	22.93	17.78	34.7	PASS
				RB1#24	22.4	17.25	34.7	PASS
				RB12#0	21.91	16.76	34.7	PASS
				RB12#6	21.94	16.79	34.7	PASS
				RB12#13	21.82	16.67	34.7	PASS



Test Band(LTE)	Test Mode	Test Bandwidth	Test Channel	Test RB	Measured[dBm]	ERP [dBm]	Limit [dBm]	Verdict
				RB25#0	21.87	16.72	34.7	PASS
			HCH	RB1#0	22.65	17.5	34.7	PASS
				RB1#13	22.95	17.8	34.7	PASS
				RB1#24	22.49	17.34	34.7	PASS
				RB12#0	21.93	16.78	34.7	PASS
				RB12#6	21.92	16.77	34.7	PASS
				RB12#13	21.76	16.61	34.7	PASS
				RB25#0	21.76	16.61	34.7	PASS
		10		LCH	RB1#0	22.08	16.93	34.7
			RB1#25		22.98	17.83	34.7	PASS
			RB1#49		22.22	17.07	34.7	PASS
			RB25#0		21.56	16.41	34.7	PASS
			RB25#13		21.88	16.73	34.7	PASS
			RB25#25		21.59	16.44	34.7	PASS
			RB50#0		21.6	16.45	34.7	PASS
			MCH	RB1#0	22.3	17.15	34.7	PASS
				RB1#25	22.96	17.81	34.7	PASS



Test Band(LTE)	Test Mode	Test Bandwidth	Test Channel	Test RB	Measured[dBm]	ERP [dBm]	Limit [dBm]	Verdict
				RB1#49	22.33	17.18	34.7	PASS
				RB25#0	21.63	16.48	34.7	PASS
				RB25#13	21.87	16.72	34.7	PASS
				RB25#25	21.52	16.37	34.7	PASS
				RB50#0	21.54	16.39	34.7	PASS
			HCH	RB1#0	22.49	17.34	34.7	PASS
				RB1#25	23	17.85	34.7	PASS
				RB1#49	22.17	17.02	34.7	PASS
				RB25#0	21.7	16.55	34.7	PASS
				RB25#13	21.84	16.69	34.7	PASS
	LCH	RB25#25	21.46	16.31	34.7	PASS		
		RB50#0	21.59	16.44	34.7	PASS		
		RB1#0	21.52	16.37	34.7	PASS		
		RB1#13	21.98	16.83	34.7	PASS		
		RB1#24	21.81	16.66	34.7	PASS		
LTE/TM2	5		RB12#0	20.74	15.59	34.7	PASS	
			RB12#6	20.92	15.77	34.7	PASS	



Test Band(LTE)	Test Mode	Test Bandwidth	Test Channel	Test RB	Measured[dBm]	ERP [dBm]	Limit [dBm]	Verdict			
				RB12#13	20.83	15.68	34.7	PASS			
				RB25#0	20.71	15.56	34.7	PASS			
			MCH	RB1#0	21.77	16.62	34.7	PASS			
				RB1#13	21.96	16.81	34.7	PASS			
				RB1#24	21.53	16.38	34.7	PASS			
				RB12#0	20.89	15.74	34.7	PASS			
				RB12#6	21.06	15.91	34.7	PASS			
				RB12#13	20.82	15.67	34.7	PASS			
				RB25#0	20.91	15.76	34.7	PASS			
				HCH	RB1#0	21.97	16.82	34.7	PASS		
			RB1#13		21.97	16.82	34.7	PASS			
			RB1#24		21.88	16.73	34.7	PASS			
			RB12#0		20.97	15.82	34.7	PASS			
			RB12#6		20.95	15.8	34.7	PASS			
			RB12#13		20.78	15.63	34.7	PASS			
							RB25#0	20.73	15.58	34.7	PASS
					10	LCH	RB1#0	21.06	15.91	34.7	PASS

Test Band(LTE)	Test Mode	Test Bandwidth	Test Channel	Test RB	Measured[dBm]	ERP [dBm]	Limit [dBm]	Verdict
				RB1#25	21.92	16.77	34.7	PASS
				RB1#49	21.17	16.02	34.7	PASS
				RB25#0	20.64	15.49	34.7	PASS
				RB25#13	20.88	15.73	34.7	PASS
				RB25#25	20.62	15.47	34.7	PASS
				RB50#0	20.64	15.49	34.7	PASS
			MCH	RB1#0	21.38	16.23	34.7	PASS
			MCH	RB1#25	21.98	16.83	34.7	PASS
			MCH	RB1#49	21.31	16.16	34.7	PASS
			MCH	RB25#0	20.68	15.53	34.7	PASS
			MCH	RB25#13	20.91	15.76	34.7	PASS
			MCH	RB25#25	20.58	15.43	34.7	PASS
			MCH	RB50#0	20.6	15.45	34.7	PASS
			HCH	RB1#0	21.83	16.68	34.7	PASS
			HCH	RB1#25	21.99	16.84	34.7	PASS
			HCH	RB1#49	21.41	16.26	34.7	PASS
			HCH	RB25#0	20.69	15.54	34.7	PASS



Test Band(LTE)	Test Mode	Test Bandwidth	Test Channel	Test RB	Measured[dBm]	ERP [dBm]	Limit [dBm]	Verdict
				RB25#13	20.83	15.68	34.7	PASS
				RB25#25	20.5	15.35	34.7	PASS
				RB50#0	20.62	15.47	34.7	PASS



Note1:

a, For getting the ERP (Efficient Radiated Power) or EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

$$\text{ERP [dBm]} = \text{SGP [dBm]} - \text{Cable Loss [dB]} + \text{Gain [dBd]}$$

$$\text{EIRP [dBm]} = \text{SGP [dBm]} - \text{Cable Loss [dB]} + \text{Gain [dBi]}$$

b, SGP=Signal Generator Level

b, SGP=Signal Generator Level

Note2:

SET Span=1.5\*OBW

SET RBW=1%of the OBW, not to exceed 1MHz

SET VBW>= 3\*RBW

SET Sweep time=auto-couple.

Detector: RMS



## 2Appendix\_B: Peak-to-Average Ratio

### Part I - Test Results



Test Band(For LTE)	Test Mode	Test Bandwidth (MHz)	Test Channel	Test RB	Measured[dB]	Limit [dB]	Verdict
BAND17	LTE/TM1	5	LCH	RB1#0	4.9	13	PASS
				RB1#13	4.73	13	PASS
				RB1#24	5.04	13	PASS
				RB12#0	5.93	13	PASS
				RB12#6	5.86	13	PASS
				RB12#13	5.89	13	PASS
			RB25#0	6.11	13	PASS	
			MCH	RB1#0	4.85	13	PASS
				RB1#13	4.76	13	PASS
				RB1#24	4.86	13	PASS
				RB12#0	5.88	13	PASS
				RB12#6	5.87	13	PASS
				RB12#13	5.89	13	PASS
			HCH	RB25#0	6.23	13	PASS
				RB1#0	5.13	13	PASS
				RB1#13	4.69	13	PASS
				RB1#24	4.8	13	PASS
				RB12#0	5.95	13	PASS
		RB12#6		5.76	13	PASS	
		10	LCH	RB12#13	5.69	13	PASS
				RB25#0	5.93	13	PASS
				RB1#0	4.85	13	PASS
				RB1#25	4.83	13	PASS
				RB1#49	5.01	13	PASS
				RB25#0	6.05	13	PASS
			MCH	RB25#13	6.02	13	PASS
				RB25#25	6.11	13	PASS
				RB50#0	6.44	13	PASS
				RB1#0	4.95	13	PASS
				RB1#25	4.79	13	PASS
RB1#49	4.89			13	PASS		
HCH	RB25#0	5.95	13	PASS			
	RB25#13	5.96	13	PASS			
	RB25#25	5.97	13	PASS			
				RB50#0	6.19	13	PASS
				RB1#0	4.95	13	PASS
				RB1#25	4.75	13	PASS
				RB1#49	4.74	13	PASS



Test Band(For LTE)	Test Mode	Test Bandwidth (MHz)	Test Channel	Test RB	Measured[dB]	Limit [dB]	Verdict
	LTE/TM2	5		RB25#0	6.14	13	PASS
				RB25#13	6.11	13	PASS
				RB25#25	5.98	13	PASS
				RB50#0	6.31	13	PASS
			LCH	RB1#0	5.79	13	PASS
				RB1#13	5.69	13	PASS
				RB1#24	5.89	13	PASS
				RB12#0	6.2	13	PASS
		RB12#6		6.3	13	PASS	
		RB12#13		6.39	13	PASS	
		RB25#0		6.89	13	PASS	
		MCH		RB1#0	5.91	13	PASS
			RB1#13	5.93	13	PASS	
			RB1#24	5.86	13	PASS	
			RB12#0	6.54	13	PASS	
			RB12#6	6.58	13	PASS	
	RB12#13		6.45	13	PASS		
	RB25#0		6.86	13	PASS		
	HCH		RB1#0	5.91	13	PASS	
		RB1#13	5.62	13	PASS		
		RB1#24	5.56	13	PASS		
		RB12#0	6.72	13	PASS		
		RB12#6	6.6	13	PASS		
		RB12#13	6.39	13	PASS		
		RB25#0	6.93	13	PASS		
		10	LCH	RB1#0	5.39	13	PASS
	RB1#25			5.84	13	PASS	
	RB1#49			5.45	13	PASS	
	RB25#0			6.98	13	PASS	
	RB25#13			6.95	13	PASS	
	RB25#25			6.95	13	PASS	
	RB50#0			6.77	13	PASS	
MCH	RB1#0			5.78	13	PASS	
	RB1#25		5.84	13	PASS		
	RB1#49		5.35	13	PASS		
	RB25#0		6.9	13	PASS		
	RB25#13		6.96	13	PASS		
	RB25#25		6.84	13	PASS		
	RB50#0		6.87	13	PASS		



Test Band(For LTE)	Test Mode	Test Bandwidth (MHz)	Test Channel	Test RB	Measured[dB]	Limit [dB]	Verdict
			HCH	RB1#0	5.7	13	PASS
				RB1#25	5.62	13	PASS
				RB1#49	5.5	13	PASS
				RB25#0	7.06	13	PASS
				RB25#13	7.09	13	PASS
				RB25#25	6.83	13	PASS
				RB50#0	7.13	13	PASS

## 3Appendix\_C: Modulation Characteristics

### Part I - Test Plots

#### 3.1 For LTE


##### 3.1.1 Test Band = BAND17

##### 3.1.1.1 Test Mode = LTE/TM1

##### 3.1.1.1.1 Test Bandwidth = 5

##### 3.1.1.1.1.1 Test Channel = MCH


##### 3.1.1.1.1.1.1 Test RB = RB25#0



### 3.1.1.1.2 Test Bandwidth = 10

#### 3.1.1.1.2.1 Test Channel = MCH

##### 3.1.1.1.2.1.1 Test RB = RB50#0




3.1.1.2 Test Mode = LTE/TM2

3.1.1.2.1 Test Bandwidth = 5

3.1.1.2.1.1 Test Channel = MCH


3.1.1.2.1.1.1 Test RB = RB25#0



### 3.1.1.2.2 Test Bandwidth = 10

#### 3.1.1.2.2.1 Test Channel = MCH

##### 3.1.1.2.2.1.1 Test RB = RB50#0





## 4Appendix\_D: Bandwidth

### Part I - Test Results

Test Band	Test Mode	Test Bandwidth	Test Channel	Test RB	Occupied Bandwidth [MHz]	Emission Bandwidth [MHz]	Verdict
BAND17	LTE/TM1	5	LCH	RB25#0	4.52	4.97	Pass
			MCH	RB25#0	4.52	4.97	Pass
			HCH	RB25#0	4.51	4.95	Pass
		10	LCH	RB50#0	8.99	9.91	Pass
			MCH	RB50#0	8.97	9.90	Pass
			HCH	RB50#0	8.99	9.91	Pass
	LTE/TM2	5	LCH	RB25#0	4.52	4.98	Pass
			MCH	RB25#0	4.51	4.99	Pass
			HCH	RB25#0	4.51	4.97	Pass
		10	LCH	RB50#0	8.99	9.93	Pass
			MCH	RB50#0	8.98	9.88	Pass
			HCH	RB50#0	8.99	9.92	Pass



Part II - Test Plots

4.1 For LTE


4.1.1 Test Band = BAND17

4.1.1.1 Test Mode = LTE/TM1

4.1.1.1.1 Test Bandwidth = 5

4.1.1.1.1.1 Test Channel = LCH


4.1.1.1.1.1.1 Test RB = RB25#0





4.1.1.1.1.2 Test Channel = MCH


4.1.1.1.1.2.1 Test RB = RB25#0





4.1.1.1.1.3 Test Channel = HCH

4.1.1.1.1.3.1 Test RB = RB25#0





4.1.1.1.2 Test Bandwidth = 10

4.1.1.1.2.1 Test Channel = LCH


4.1.1.1.2.1.1 Test RB = RB50#0





4.1.1.1.2.2 Test Channel = MCH


4.1.1.1.2.2.1 Test RB = RB50#0





4.1.1.1.2.3 Test Channel = HCH

4.1.1.1.2.3.1 Test RB = RB50#0






4.1.1.2 Test Mode = LTE/TM2

4.1.1.2.1 Test Bandwidth = 5

4.1.1.2.1.1 Test Channel = LCH


4.1.1.2.1.1.1 Test RB = RB25#0





4.1.1.2.1.2 Test Channel = MCH


4.1.1.2.1.2.1 Test RB = RB25#0





4.1.1.2.1.3 Test Channel = HCH

4.1.1.2.1.3.1 Test RB = RB25#0






4.1.1.2.2 Test Bandwidth = 10

4.1.1.2.2.1 Test Channel = LCH


4.1.1.2.2.1.1 Test RB = RB50#0





4.1.1.2.2.2 Test Channel = MCH


4.1.1.2.2.1 Test RB = RB50#0





4.1.1.2.2.3 Test Channel = HCH

4.1.1.2.2.3.1 Test RB = RB50#0





# 5Appendix\_E: Band Edges Compliance

## Part I - Test Plots

### 2.1 For LTE


#### 2.1.1 Test Band = BAND17

##### 2.1.1.1 Test Mode = LTE/TM1

##### 2.1.1.1.1 Test Bandwidth = 5

##### 2.1.1.1.1.1 Test Channel = LCH

##### 2.1.1.1.1.1.1 Test RB = RB1#0






2.1.1.1.1.2 Test RB = RB1#24





2.1.1.1.1.3 Test RB = RB12#6





2.1.1.1.1.4 Test RB = RB25#0





2.1.1.1.1.2 Test Channel = HCH

2.1.1.1.1.2.1 Test RB = RB1#0





2.1.1.1.1.2.2 Test RB = RB1#24





2.1.1.1.1.2.3 Test RB = RB12#6





2.1.1.1.1.2.4 Test RB = RB25#0






2.1.1.1.2 Test Bandwidth = 10

2.1.1.1.2.1 Test Channel = LCH

2.1.1.1.2.1.1 Test RB = RB1#0






2.1.1.1.2.1.2 Test RB = RB1#49





2.1.1.1.2.1.3 Test RB = RB25#13





2.1.1.1.2.1.4 Test RB = RB50#0





2.1.1.1.2.2 Test Channel = HCH

2.1.1.1.2.2.1 Test RB = RB1#0





2.1.1.1.2.2.2 Test RB = RB1#49





2.1.1.1.2.2.3 Test RB = RB25#13





2.1.1.1.2.2.4 Test RB = RB50#0






2.1.1.2 Test Mode = LTE/TM2

2.1.1.2.1 Test Bandwidth = 5

2.1.1.2.1.1 Test Channel = LCH

2.1.1.2.1.1.1 Test RB = RB1#0





2.1.1.2.1.1.2 Test RB = RB1#24








2.1.1.2.1.1.4 Test RB = RB25#0






2.1.1.2.1.2 Test Channel = HCH

2.1.1.2.1.2.1 Test RB = RB1#0





2.1.1.2.1.2.2 Test RB = RB1#24





2.1.1.2.1.2.3 Test RB = RB12#6





2.1.1.2.1.2.4 Test RB = RB25#0






2.1.1.2.2 Test Bandwidth = 10

2.1.1.2.2.1 Test Channel = LCH

2.1.1.2.2.1.1 Test RB = RB1#0





2.1.1.2.2.1.2 Test RB = RB1#49





2.1.1.2.2.1.3 Test RB = RB25#13







2.1.1.2.2.2 Test Channel = HCH

2.1.1.2.2.2.1 Test RB = RB1#0





2.1.1.2.2.2 Test RB = RB1#49





2.1.1.2.2.2.3 Test RB = RB25#13





2.1.1.2.2.4 Test RB = RB50#0





## 6Appendix\_F: Spurious Emission at Antenna Terminal

NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of  $< RBW/2$  so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points =  $k * (Span / RBW)$ " with  $k$  between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

### Part I - Test Plots

#### 5.1 For LTE


##### 5.1.1 Test Band = BAND17


##### 5.1.1.1 Test Mode = LTE/TM1


##### 5.1.1.1.1 Test Bandwidth = 5

##### 5.1.1.1.1.1 Test Channel = LCH

##### 5.1.1.1.1.1.1 Test RB = RB1#0












5.1.1.1.1.2 Test Channel = MCH

5.1.1.1.1.2.1 Test RB = RB1#0











5.1.1.1.3 Test Channel = HCH

5.1.1.1.3.1 Test RB = RB1#0












5.1.1.1.2 Test Bandwidth = 10

5.1.1.1.2.1 Test Channel = LCH

5.1.1.1.2.1.1 Test RB = RB1#0












5.1.1.1.2.2 Test Channel = MCH

5.1.1.1.2.2.1 Test RB = RB1#0












5.1.1.1.2.3 Test Channel = HCH

5.1.1.1.2.3.1 Test RB = RB1#0











5.1.1.2 Test Mode = LTE/TM2


5.1.1.2.1 Test Bandwidth = 5

5.1.1.2.1.1 Test Channel = LCH

5.1.1.2.1.1.1 Test RB = RB1#0












5.1.1.2.1.2 Test Channel = MCH

5.1.1.2.1.2.1 Test RB = RB1#0












5.1.1.2.1.3 Test Channel = HCH

5.1.1.2.1.3.1 Test RB = RB1#0












5.1.1.2.2 Test Bandwidth = 10

5.1.1.2.2.1 Test Channel = LCH

5.1.1.2.2.1.1 Test RB = RB1#0












5.1.1.2.2.2 Test Channel = MCH

5.1.1.2.2.2.1 Test RB = RB1#0












5.1.1.2.2.3 Test Channel = HCH

5.1.1.2.2.3.1 Test RB = RB1#0







## 7Appendix\_G: Field Strength of Spurious Radiation

Note: We tested all modes, but the data presented below is the worst case.

9kHz~150kHz, VBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, VBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK


Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

### Part I - Test Plots


#### 7.1 For LTE

##### 7.1.1 Test Band = BAND17\_Ant1


##### 7.1.1.1 Test Bandwidth = 5




Copy of RSE-TX-DIRECTOR BELOW 1G\_L




Copy of RSE-TX-DIRECTOR BELOW 1G\_H




### 7.1.1.2 Test Bandwidth = 10



Copy of RSE-TX-DIRECTOR BELOW 1G\_L




Copy of RSE-TX-DIRECTOR BELOW 1G\_H




### 7.1.2 Test Band = BAND17\_Ant2


#### 7.1.2.1 Test Bandwidth = 5




Copy of RSE-TX-DIRECTOR BELOW 1G\_L




Copy of RSE-TX-DIRECTOR BELOW 1G\_H




### 7.1.2.2 Test Bandwidth = 10



Copy of RSE-TX-DIRECTOR BELOW 1G\_L



Copy of RSE-TX-DIRECTOR BELOW 1G\_H



## 8Appendix\_H: Frequency Stability

### 8.1 For LTE

#### 8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND17	LTE/TM1	5	LCH	TN	VL	-3.99	-.00565	PASS
					VN	0.80	.00113	PASS
					VH	-1.46	-.00207	PASS
			MCH	TN	VL	-1.67	-.00235	PASS
					VN	-1.10	-.00155	PASS
					VH	-0.16	-.00023	PASS
			HCH	TN	VL	-0.14	-.0002	PASS
					VN	-0.40	-.00056	PASS
					VH	0.67	.00094	PASS
		10	LCH	TN	VL	-1.13	-.00159	PASS
					VN	0.57	.0008	PASS
					VH	-0.27	-.00038	PASS
			MCH	TN	VL	-1.59	-.00224	PASS
					VN	2.07	.00292	PASS
					VH	-2.98	-.0042	PASS
	HCH		TN	VL	0.29	.00041	PASS	
				VN	-3.72	-.00523	PASS	
				VH	-1.27	-.00179	PASS	
	LTE/TM2	5	LCH	TN	VL	0.62	.00088	PASS
					VN	-2.49	-.00352	PASS
					VH	0.19	.00027	PASS
			MCH	TN	VL	0.54	.00076	PASS
					VN	-1.92	-.0027	PASS
					VH	-1.89	-.00266	PASS
			HCH	TN	VL	0.10	.00014	PASS
					VN	0.70	.00098	PASS
					VH	1.19	.00167	PASS
10		LCH	TN	VL	1.37	.00193	PASS	
				VN	1.03	.00145	PASS	
				VH	-0.04	-.00006	PASS	

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			MCH	TN	VL	-1.29	-.00182	PASS
					VN	-0.50	-.0007	PASS
					VH	1.52	.00214	PASS
			HCH	TN	VL	-0.43	-.0006	PASS
					VN	1.27	.00179	PASS
					VH	-0.60	-.00084	PASS

**8.1.2 Frequency Error vs. Temperature:**

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND17	LTE/TM1	5	LCH	VN	-30	-2.65	-.00375	PASS
					-20	-1.65	-.00234	PASS
					-10	-2.13	-.00301	PASS
					0	0.11	.00016	PASS
					10	-0.06	-.00008	PASS
					20	0.84	.00119	PASS
					30	-2.65	-.00375	PASS
					40	-2.82	-.00399	PASS
			MCH	VN	-30	1.16	.00163	PASS
					-20	-0.56	-.00079	PASS
					-10	-2.47	-.00348	PASS
					0	-1.27	-.00179	PASS
					10	0.57	.0008	PASS
					20	-0.07	-.0001	PASS
					30	-1.07	-.00151	PASS
					40	-2.52	-.00355	PASS
			HCH	VN	-30	0.97	.00136	PASS
					-20	2.82	.00395	PASS
					-10	-0.87	-.00122	PASS
					0	-0.24	-.00034	PASS
					10	4.36	.00611	PASS
					20	-0.46	-.00064	PASS
					30	0.39	.00055	PASS
					40	-0.03	-.00004	PASS
	50	-1.73	-.00242	PASS				

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		10	LCH	VN	-30	-0.20	-.00028	PASS
					-20	-1.90	-.00268	PASS
					-10	-1.06	-.0015	PASS
					0	-2.55	-.0036	PASS
					10	-0.60	-.00085	PASS
					20	0.62	.00087	PASS
					30	-0.31	-.00044	PASS
					40	-0.47	-.00066	PASS
					50	-0.77	-.00109	PASS
			MCH	VN	-30	0.53	.00075	PASS
					-20	-0.64	-.0009	PASS
					-10	-1.34	-.00189	PASS
					0	0.04	.00006	PASS
					10	1.09	.00154	PASS
					20	0.00	0	PASS
					30	1.42	.002	PASS
					40	-0.31	-.00044	PASS
					50	1.72	.00242	PASS
			HCH	VN	-30	-2.03	-.00286	PASS
					-20	-3.30	-.00464	PASS
					-10	1.44	.00203	PASS
					0	-1.89	-.00266	PASS
					10	1.75	.00246	PASS
					20	-1.22	-.00172	PASS
	30	-2.75			-.00387	PASS		
	40	0.56			.00079	PASS		
	50	-2.09			-.00294	PASS		
	LTE/TM2	5	LCH	VN	-30	0.87	.00123	PASS
					-20	0.74	.00105	PASS
					-10	0.72	.00102	PASS
					0	0.47	.00067	PASS
					10	-4.22	-.00597	PASS
					20	-1.86	-.00263	PASS
					30	-3.19	-.00452	PASS
					40	1.09	.00154	PASS
					50	-2.29	-.00324	PASS
MCH			VN	-30	1.70	.00239	PASS	
				-20	-1.46	-.00206	PASS	
				-10	-2.90	-.00408	PASS	

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict						
					0	0.03	.00004	PASS						
					10	1.12	.00158	PASS						
					20	-2.33	-.00328	PASS						
					30	-0.51	-.00072	PASS						
					40	-1.10	-.00155	PASS						
					50	0.30	.00042	PASS						
			HCH	VN				-30	-2.55	-.00357	PASS			
								-20	4.12	.00577	PASS			
								-10	-1.24	-.00174	PASS			
								0	-1.16	-.00163	PASS			
								10	2.98	.00418	PASS			
								20	2.37	.00332	PASS			
						LCH	VN				30	0.82	.00115	PASS
											40	0.20	.00028	PASS
		50	1.19	.00167							PASS			
		-30	-0.21	-.0003							PASS			
		-20	-1.23	-.00173							PASS			
		-10	-1.39	-.00196							PASS			
		MCH	VN						0	0.11	.00016	PASS		
									10	2.46	.00347	PASS		
					20				-0.99	-.0014	PASS			
					30				0.69	.00097	PASS			
					40				-0.90	-.00127	PASS			
					50				0.97	.00137	PASS			
					HCH	VN					-30	-0.19	-.00027	PASS
											-20	-0.70	-.00099	PASS
		-10	1.27					.00179			PASS			
		0	-0.79					-.00111			PASS			
		10	-1.53					-.00215			PASS			
		20	-0.26					-.00037			PASS			
									30	-1.72	-.00242	PASS		
									40	-1.03	-.00145	PASS		
				50					2.23	.00314	PASS			
				-30					-0.90	-.00127	PASS			
				-20					0.87	.00122	PASS			
				-10					0.07	.0001	PASS			
									0	0.41	.00058	PASS		
									10	1.37	.00193	PASS		
							20		1.37	.00193	PASS			



---

---

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					30	-0.03	-.00004	PASS
					40	-0.44	-.00062	PASS
					50	1.00	.00141	PASS

---

END