




5.1.1.3.2 Test Channel = HCH





5.1.1.4 Test Mode = CDMA/EV-DO/Subtype2/256

5.1.1.4.1 Test Channel = LCH






5.1.1.4.2 Test Channel = HCH





5.1.1.5 Test Mode = CDMA/EV-DO/Subtype2/4096

5.1.1.5.1 Test Channel = LCH





5.1.1.5.2 Test Channel = HCH





5.1.1.6 Test Mode = CDMA/EV-DO/Subtype2/12288

5.1.1.6.1 Test Channel = LCH





5.1.1.6.1 Test Channel = HCH





5.1.2 Test Band = BC1

5.1.2.1 Test Mode = CDMA/1X/TM1

5.1.2.1.1 Test Channel = LCH





5.1.2.1.2 Test Channel = HCH





5.1.2.2.2 Test Channel = HCH





5.1.2.3 Test Mode = CDMA/EV-DO/Subtype0

5.1.2.3.1 Test Channel = LCH





5.1.2.3.1 Test Channel = HCH





5.1.2.4 Test Mode = CDMA/EV-DO/Subtype2/256

5.1.2.4.1 Test Channel = LCH





5.1.2.4.1 Test Channel = HCH





5.1.2.5 Test Mode = CDMA/EV-DO/Subtype2/4096

5.1.2.5.1 Test Channel = LCH





5.1.2.5.1 Test Channel = HCH





5.1.2.6 Test Mode = CDMA/EV-DO/Subtype2/12288

5.1.2.6.1 Test Channel = LCH





5.1.2.6.1 Test Channel = HCH






5.2 For GSM

5.2.1 Test Band = GSM850

5.2.1.1 Test Mode = GSM/TM1


5.2.1.1.1 Test Channel = LCH






5.2.1.2 Test Mode = GSM/TM2

5.2.1.2.1 Test Channel = LCH





5.2.1.2.2 Test Channel = HCH






5.2.2 Test Band = GSM1900


5.2.2.1 Test Mode = GSM/TM1

5.2.2.1.1 Test Channel = LCH






5.2.2.1.2 Test Channel = HCH






5.2.2.2 Test Mode = GSM/TM2

5.2.2.2.1 Test Channel = LCH





5.2.2.2.2 Test Channel = HCH






5.3 For UMTS

5.3.1 Test Band = WCDMA850

5.3.1.1 Test Mode = UMTS/TM1

5.3.1.1.1 Test Channel = LCH





5.3.1.1.2 Test Channel = HCH





5.3.2 Test Band = WCDMA1900

5.3.2.1 Test Mode = UMTS/TM1

5.3.2.1.1 Test Channel = LCH



5.3.2.1.2 Test Channel = HCH





6Appendix_F: Spurious Emission at Antenna Terminal

NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (Span / RBW)$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.


Part I - Test Plots


6.1 For CDMA/1X


6.1.1 Test Band = BC0

6.1.1.1 Test Mode = CDMA/1X/TM1

6.1.1.1.1 Test Channel = LCH













6.1.1.1.2 Test Channel = MCH














6.1.1.1.3 Test Channel = HCH












6.1.1.2 Test Mode = CDMA1X/TM3

6.1.1.2.1 Test Channel = LCH














6.1.1.2.2 Test Channel = MCH












6.1.1.2.3 Test Channel = HCH













6.1.1.3 Test Mode = CDMA/EV-DO/Subtype0

6.1.1.3.1 Test Channel = LCH














6.1.1.3.2 Test Channel = MCH














6.1.1.3.3 Test Channel = HCH















6.1.1.4 Test Mode = CDMA/EV-DO/Subtype2/256

6.1.1.4.1 Test Channel = LCH















6.1.1.4.2 Test Channel = MCH















6.1.1.4.3 Test Channel = HCH











6.1.1.5 Test Mode = CDMA/EV-DO/Subtype2/4096

6.1.1.5.1 Test Channel = LCH

