


Appendix B

RF power output conducted

FCC Part 22 H
Output power conducted

EUT	GSM/GPRS/GPS-TRACKING UNIT
Model	FOX
Approval Holder	FALCOM WIRELESS COMMUNICATIONS GmbH
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 128



Date: 22.NOV.2007 09:36:08


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC Part 22 H
Output power conducted

EUT	GSM/GPRS/GPS-TRACKING UNIT
Model	FOX
Approval Holder	FALCOM WIRELESS COMMUNICATIONS GmbH
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 188



Date: 22.NOV.2007 09:37:01


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC Part 22 H
Output power conducted

EUT	GSM/GPRS/GPS-TRACKING UNIT
Model	FOX
Approval Holder	FALCOM WIRELESS COMMUNICATIONS GmbH
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 251



Date: 22.NOV.2007 09:37:33


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC Part 24 E
Output power conducted

EUT	GSM/GPRS/GPS-TRACKING UNIT
Model	FOX
Approval Holder	FALCOM WIRELESS COMMUNICATIONS GmbH
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 512



Date: 22.NOV.2007 09:45:59


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC Part 24 E
Output power conducted

EUT	GSM/GPRS/GPS-TRACKING UNIT
Model	FOX
Approval Holder	FALCOM WIRELESS COMMUNICATIONS GmbH
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 661



Date: 22.NOV.2007 09:46:38


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC Part 24 E
Output power conducted

EUT	GSM/GPRS/GPS-TRACKING UNIT
Model	FOX
Approval Holder	FALCOM WIRELESS COMMUNICATIONS GmbH
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 810



Date: 22.NOV.2007 09:54:52

Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN


Page 1 of 1

Appendix C

RF power output radiated


Effective Radiated Power
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 824.275MHz, Pmax: 23.40dBm, RBW: 3MHz




Effective Radiated Power
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 824.124MHz, Pmax: 30.17dBm, RBW: 3MHz




Effective Radiated Power
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 836.313MHz, Pmax: 24.92dBm, RBW: 3MHz




Effective Radiated Power
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 836.072MHz, Pmax: 30.74dBm, RBW: 3MHz




Effective Radiated Power
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 848.880MHz, Pmax: 25.41dBm, RBW: 3MHz




Effective Radiated Power
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 848.976MHz, Pmax: 31.07dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.850GHz, Pmax: 25.79dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.850GHz, Pmax: 29.66dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.880GHz, Pmax: 24.29dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.880GHz, Pmax: 28.69dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.910GHz, Pmax: 21.64dBm, RBW: 3MHz



Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.910GHz, Pmax: 28.14dBm, RBW: 3MHz




Appendix D

Occupied bandwidth, emission bandwidth

FCC Part 22 H
Occupied Bandwidth

EUT	GSM/GPRS/GPS-TRACKING UNIT
Model	FOX
Approval Holder	FALCOM WIRELESS COMMUNICATIONS GmbH
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 128



Date: 22.NOV.2007 09:41:39


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC Part 22 H
Occupied Bandwidth

EUT	GSM/GPRS/GPS-TRACKING UNIT
Model	FOX
Approval Holder	FALCOM WIRELESS COMMUNICATIONS GmbH
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 188



Date: 22.NOV.2007 09:40:29


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC Part 22 H
Occupied Bandwidth

EUT	GSM/GPRS/GPS-TRACKING UNIT
Model	FOX
Approval Holder	FALCOM WIRELESS COMMUNICATIONS GmbH
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 251



Date: 22.NOV.2007 09:38:46


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC Part 24 E
Occupied Bandwidth

EUT	GSM/GPRS/GPS-TRACKING UNIT
Model	FOX
Approval Holder	FALCOM WIRELESS COMMUNICATIONS GmbH
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 512



Date: 22.NOV.2007 09:45:17


Measurement diagram

 ETS Product Service AG
 Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC Part 24 E
Occupied Bandwidth

EUT	GSM/GPRS/GPS-TRACKING UNIT
Model	FOX
Approval Holder	FALCOM WIRELESS COMMUNICATIONS GmbH
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 661



Date: 22.NOV.2007 09:47:18


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC Part 24 E
Occupied Bandwidth

EUT	GSM/GPRS/GPS-TRACKING UNIT
Model	FOX
Approval Holder	FALCOM WIRELESS COMMUNICATIONS GmbH
Temperature / Voltage	23°C / 13.50 V DC
Test Site / Operator	ETS Product Service AG / Mr.Schlaps
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 810



Date: 22.NOV.2007 09:56:02

Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

Appendix E

Frequency stability

Appendix F


Spurious emissions conducted (antenna terminal)

Appendix G

Spurious emissions radiated


Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 183.988MHz, Pmax: -46.82dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 50.100MHz, Pmax: -57.29dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 859.852MHz, Pmax: -31.03dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 993.271MHz, Pmax: -52.67dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.297GHz, Pmax: -31.94dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.297GHz, Pmax: -25.51dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 6.982GHz, Pmax: -40.10dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 4.120GHz, Pmax: -36.84dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.303GHz, Pmax: -35.88dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 128
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.038GHz, Pmax: -37.72dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 40.902MHz, Pmax: -46.70dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 51.122MHz, Pmax: -56.79dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 856.048MHz, Pmax: -31.86dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 977.471MHz, Pmax: -52.58dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.345GHz, Pmax: -29.83dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.345GHz, Pmax: -26.47dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.527GHz, Pmax: -38.34dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 4.176GHz, Pmax: -37.24dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.808GHz, Pmax: -35.91dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 188
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.062GHz, Pmax: -38.00dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 91.323MHz, Pmax: -46.63dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 51.122MHz, Pmax: -57.03dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 863.070MHz, Pmax: -32.20dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 981.567MHz, Pmax: -51.18dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.399GHz, Pmax: -27.65dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.399GHz, Pmax: -27.84dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.639GHz, Pmax: -34.63dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.639GHz, Pmax: -36.02dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.647GHz, Pmax: -35.15dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 251
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.054GHz, Pmax: -37.84dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 183.307MHz, Pmax: -64.50dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 51.122MHz, Pmax: -56.22dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 862.124MHz, Pmax: -50.05dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 983.968MHz, Pmax: -50.96dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.850GHz, Pmax: -22.59dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.850GHz, Pmax: -17.41dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.407GHz, Pmax: -39.17dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.407GHz, Pmax: -37.96dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 9.251GHz, Pmax: -36.87dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.134GHz, Pmax: -37.98dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.892GHz, Pmax: -31.69dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.976GHz, Pmax: -32.23dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 25.955GHz, Pmax: -36.37dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.006GHz, Pmax: -35.89dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 38.858MHz, Pmax: -63.45dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 49.760MHz, Pmax: -55.26dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 858.918MHz, Pmax: -50.94dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 995.190MHz, Pmax: -52.07dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.946GHz, Pmax: -27.22dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.933GHz, Pmax: -27.32dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.527GHz, Pmax: -38.11dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.519GHz, Pmax: -38.05dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.639GHz, Pmax: -37.75dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.238GHz, Pmax: -38.37dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.904GHz, Pmax: -31.99dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.904GHz, Pmax: -32.00dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 25.972GHz, Pmax: -36.21dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.023GHz, Pmax: -36.69dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 38.517MHz, Pmax: -63.71dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 51.804MHz, Pmax: -56.05dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 850.902MHz, Pmax: -50.83dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 987.174MHz, Pmax: -51.92dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.910GHz, Pmax: -25.72dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.910GHz, Pmax: -18.89dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.639GHz, Pmax: -35.87dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.639GHz, Pmax: -39.62dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.238GHz, Pmax: -38.35dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.784GHz, Pmax: -38.06dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.940GHz, Pmax: -32.11dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.892GHz, Pmax: -31.64dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 25.972GHz, Pmax: -35.75dBm, RBW: 1MHz



Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 25.989GHz, Pmax: -36.50dBm, RBW: 1MHz




Appendix H

Block edge compliance

FCC Part 22 H
Lower Block edge

EUT	GSM/GPRS/GPS Module
Model	FOX
Approval Holder	Falcom
Temperature / Voltage	23°C / Unom.: 13.50 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 128
Comment 2	
Comment 3	



Date: 22. Nov. 2007 12:43:17


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC Part 22 H
Higher Block edge

EUT	GSM/GPRS/GPS Module
Model	FOX
Approval Holder	Falcom
Temperature / Voltage	23°C / Unom.: 13.50 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 251
Comment 2	
Comment 3	



Date: 22.Nov.2007 12:41:03


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC Part 24 E
Lower Block edge

EUT	GSM/GPRS/GPS Module
Model	FOX
Approval Holder	Falcom
Temperature / Voltage	23°C / Unom.: 13.50 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 512
Comment 2	
Comment 3	



Date: 22.Nov.2007 13:16:04


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC Part 24 E
Higher Block edge

EUT	GSM/GPRS/GPS Module
Model	FOX
Approval Holder	Falcom
Temperature / Voltage	23°C / Unom.: 13.50 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 810
Comment 2	
Comment 3	



Date: 22.Nov.2007 13:12:54

Measurement diagram

 ETS Product Service AG
 Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

Appendix I


AC power line conducted emissions

Appendix J

Receiver radiated emissions


Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 188
Test Site / Operator: ETS Product Service AG / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:187.735MHz Emax:32.47dB μ V/m RBW: 100 kHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 188
Test Site / Operator: ETS Product Service AG / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:199.319MHz Emax:32.77dB μ V/m RBW: 100 kHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 188
Test Site / Operator: ETS Product Service AG / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:597.595MHz Emax:27.96dB μ V/m RBW: 100 kHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 188
Test Site / Operator: ETS Product Service AG / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq: 594.389MHz Emax: 34.87dBµV/m RBW: 100 kHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 188
Test Site / Operator: ETS Product Service AG / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:3.603GHz Emax:49.65dBμV/m RBW: 1 MHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 188
Test Site / Operator: ETS Product Service AG / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:3.747GHz Emax:49.74dBμV/m RBW: 1 MHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 188
Test Site / Operator: ETS Product Service AG / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq: 7.679GHz Emax: 48.26dBuV/m RBW: 1 MHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 188
Test Site / Operator: ETS Product Service AG / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:6.774GHz Emax:48.05dBµV/m RBW: 1 MHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS Product Service AG / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:197.956MHz Emax:33.27dB μ V/m RBW: 100 kHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS Product Service AG / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:197.956MHz Emax:32.28dBμV/m RBW: 100 kHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS Product Service AG / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:594.389MHz Emax:31.03dBμV/m RBW: 100 kHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS Product Service AG / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:595.992MHz Emax:33.43dB μ V/m RBW: 100 kHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS Product Service AG / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:3.904GHz Emax:50.31dBμV/m RBW: 1 MHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS Product Service AG / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:3.898GHz Emax:50.58dBμV/m RBW: 1 MHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS Product Service AG / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:7.960GHz Emax:48.44dBμV/m RBW: 1 MHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS Product Service AG / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:7.711GHz Emax:47.99dBµV/m RBW: 1 MHz



Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS Product Service AG / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:11.888GHz Emax:47.08dBμV/m RBW: 1 MHz



Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: FALCOM WIRELESS COMMUNICATIONS GmbH
EUT: GSM/GPRS/GPS-TRACKING UNIT
Model: FOX / Channel: 661
Test Site / Operator: ETS Product Service AG / Mr. Schlaps
Operating Conditions: 23°C / Unom.: 13.50 V DC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:11.792GHz Emax:47.49dBµV/m RBW: 1 MHz

