

Test & Certification Center (TCC) - Dallas
DTXC 1280-EN-1.0

FCC ID: QMNRM-124
Test Report #: WR-1022.102
March 10, 2006

Accredited Laboratory
Certificate Number: 1819-01

Ver 1.0

CFR 47 Part 15 Test Report

Test Report Number: WR-1022.102

Terminal device:

FCC ID: QMNRM-124 Model: Type: RM-124 HW: 4001 SW: VR100_05w21_29.nep
(Detailed information is listed in section 4).

Originator: Cindy Trinh
Function: TCC - Dallas – EMC
Version/Status: 1.0 Approved
Location: TCC Directories
Date: March 10, 2006

Change History:

Version	Date	Status	Handled By	Comments
0.1	9-Mar-06	Draft	Cindy Trinh	
0.2	9-Mar-06	Proposal	Cindy Trinh	
0.3	10-Mar-06	Reviewed	Mark Severson	
1.0	10-Mar-06	Approved	Mark Severson	

Testing laboratory:

Test & Certification Center (TCC) Dallas
Nokia Inc
6021 Connection Drive
Irving, Texas 75039
U.S.A.

Tel. 972-894-5000

Client:

Nokia, Inc.
12278 Scripps Summit Dr.
San Diego, CA 92131
USA
Tel. +1858 831 5000
Fax. +1 858 831 6500

Date and signatures:**March 10, 2006**

For the contents:

Cindy Trinh
Test Engineer

Mark Severson
Technical Review

TABLE OF CONTENTS

1. GENERAL	3
1.1 QUALITY SYSTEM	3
1.2 OBJECTIVE	3
1.3 TEST SUMMARY	3
2. STANDARDS BASIS	4
3. LIST OF ABBREVIATIONS, ACRONYMS AND TERMS	5
3.1 ABBREVIATIONS	5
3.2 ACRONYMS	5
3.3 TERMS	5
4. EQUIPMENT-UNDER-TEST (EUT)	6
4.1 DESCRIPTION OF TESTED DEVICE(S):	6
5. TEST EQUIPMENT LIST	7
6. IDLE MODE RADIATED EMISSIONS	8
6.1 SETUP	8
6.2 PASS/FAIL CRITERIA	9
6.3 DETAILED TEST RESULTS	9
7. AC CONDUCTED EMISSIONS	13

© No part of this report shall be reproduced out of the context of the report without the written approval of Nokia Mobile Phones, Inc., Dallas Product Creation, TCC – Dallas.

1. GENERAL

1.1 Quality System

The quality system in place for TCC-Dallas conforms to ISO/IEC 17025 and has been audited to the standard by A2LA (American Association of Laboratory Accreditation). TCC - Dallas has also been audited using the ISO 9000 Quality System, as part of Nokia Mobile Phones, Inc., by ABS (American Bureau of Shipping) Quality Evaluations Inc.

TCC-Dallas is a recognized laboratory with the Federal Communications Commission in filing applications for Certification under Parts 15 and 18, Registration Number 100060, and Industry Canada, Registration Number IC 661N.

1.2 Objective

All tests and measurement data shown was performed to determine whether the selected handset was in compliance as specified in FCC: CFR47 Parts 15.109, 15.107 and 15.207.

1.3 Test Summary

Test Results: *The test result relates only to those tested devices mentioned in Section 4 of this test report.*

Test Performed	Reference	Section of Report	Complies / Does not comply / Not Tested
Idle Mode Radiated Emissions	FCC Part 15.109	6	Complies



2. STANDARDS BASIS

Testing has been carried out in accordance with:

REF.	Code of the standard	Name of the standard
1	ANSI C63.4	American National Standard for Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9kHz to 40GHz.
2	FCC: CFR 47 Part 15	Code of Federal Regulations (CFR) Title 47, Part 15 – Radio Frequency Devices: Subpart B – Unintentional Radiators and Subpart C – Intentional Radiators
3	CISPR 22 / EN55022	Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement.
4	ICES-003	Digital Apparatus, Industry Canada
5	RSS-129	800 MHz Dual-Mode Cellular Telephones
6	RSS-132	800 MHz Cellular Telephones Employing New Technologies
7	RSS-133	2 GHz Personal Communications Services, Industry Canada
8	RSS-212	Test Facilities and Test Methods for Radio Equipment, Industry Canada (Provisional)
9	RSP-100	Radio Equipment Certification Procedure

Note: Unless otherwise stated, (by reference to a version number and a publication date), the latest version of the above documents applies.

Deviations:

Not Applicable.

3. LIST OF ABBREVIATIONS, ACRONYMS AND TERMS

3.1 Abbreviations

- dB - decibel
- dBm - decibels per milliwatt (absolute measurement)
- dB μ V - decibel per microvolt
- dB μ V/m - decibel of microvolt per meter
- GHz - gigahertz or 1000000000 hertz
- kHz - kilohertz or 1000 hertz
- MHz - megahertz or 1000000 hertz

3.2 Acronyms

- AMPS - Advanced Mobile Phone System
- BSS - Base Station Simulator
- CDMA - Code Division Multiple Access
- EMC - Electromagnetic Compatibility
- EMI - Electromagnetic Interference
- EUT - Equipment under Test
- GSM - Global System for Mobile communications
- PCS - Personal Communications Services
- RF - Radio Frequency

3.3 Terms

Base Station Simulator (BSS) - simulates all the necessary signals that a phone would experience while on a live network. There are many types of base station simulators catering for all current protocols, i.e., GSM, AMPS, and CDMA.

Cellular - refers to a frequency in the 800MHz band.

PCS - refers to a frequency in the 1900MHz band.

4. EQUIPMENT-UNDER-TEST (EUT)

The results in this report relate only to the items listed below:

4.1 Description of Tested Device(s):

Test Performed	Mode of Operation	Date of Receipt	Condition of Sample	Item	Identifying Information
FCC Part 15.109	AMPS, CDMA 800/1900 USB Data Transfer	3-Mar-06	Functional	Phone	FCC ID: QMNRM-124 Type: RM-124 HW: 4001 SW: VR100_05w21_29.nep ESN: 03311061122
FCC Part 15.109	N/A	N/A	N/A	Battery	Type: BL-6C Other: 3.7 Vdc
FCC Part 15.109	N/A	N/A	N/A	Charger	Type: AC-3U
FCC Part 15.109	N/A	N/A	N/A	Headset	Type: HS-9
FCC Part 15.109	N/A	N/A	N/A	Laptop	Manufacturer: IBM Model: T40 Type: 2373 SN: 99ZVGF9
FCC Part 15.109	N/A	N/A	N/A	AC Adapter	Manufacturer: IBM PN: 02K6543
FCC Part 15.109	N/A	N/A	N/A	Data cable	Type: DKU-2

Test & Certification Center (TCC) - Dallas
DTXC 1280-EN-1.0FCC ID: QMNRM-124
Test Report #: WR-1022.102
March 10, 2006

Ver 1.0

5. TEST EQUIPMENT LIST

The listing below indicates the test equipment utilized for the test (s). Calibration interval on all items listed can be obtained from the Engineering Services Group within NMP, Product Creation - Dallas. Where relevant, measuring equipment is subjected to in-service checks between testing. TCC - Dallas shall notify clients promptly, in writing, of identification of defective measuring equipment that casts doubt on the validity of results given in this report.


Section of Report	NMP#	Test Equipment	Mfr. #	Model #	Calibration Due Date	Calibration Interval
6	04073	EMI Receiver	R&S	ESIB 26	03-Aug-06	12 months
6	02625	Base Station	R&S	CMU-200	30-Aug-06	12 months
6	02871	Biconilog Antenna	EMC Automation	3003C	08-July-06	12 months
6	04076	Horn Antenna	ETS	3117	18-Aug-06	12 months
6	02836	Turntable and Tower Controller	Sunol	FM2022 & 2846	N/A	N/A

6. IDLE MODE RADIATED EMISSIONS

Specification: FCC Part 15.109

6.1 Setup

Testing was performed in accordance with ANSI C63.4, American National Standard for Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9kHz to 40GHz.





6.2 Pass/Fail Criteria

Band	Frequency Range (MHz)	FCC Class B Limit (dBµV/m at 3m)
Cellular	30 – 88	40
Cellular	88 – 216	43.5
Cellular	216 – 960	46
Cellular	> 960 *	54

* Frequency to be investigated up to the 5th harmonic of the highest clock or frequency used

6.3 Detailed Test Results

Test Technician / Engineer	Cindy Trinh
Date of Measurement	9-Mar-06
Temperature	24 °C
Humidity	39 to 45 %RH
Test Result	Complies with FCC Part 15.109

Test & Certification Center (TCC) - Dallas
DTXC 1280-EN-1.0

FCC ID: QMNRM-124
Test Report #: WR-1022.102
March 10, 2006

Accredited Laboratory
Certificate Number: 1819-01

Ver 1.0

USB Data Transfer

CDMA 1900, Channel 600

Quasi peak (RBW: 120 kHz)

Frequency [MHz]	E [dB μ V/m]	E [μ V/m]	U _{RX} [dB μ V]	A _{TOT} [dB]	Polarisation	Result
84.427255	20.80	10.96	35.00	-14.20	VERTICAL	Passed
348.095391	22.90	13.96	26.40	-3.50	VERTICAL	Passed
355.310621	21.50	11.89	25.70	-4.20	VERTICAL	Passed
398.194790	38.60	85.11	43.70	-5.10	VERTICAL	Passed
412.623647	20.80	10.96	25.60	-4.80	VERTICAL	Passed
486.773547	28.60	26.92	32.00	-3.40	VERTICAL	Passed

Average (RBW: 1 MHz)

Frequency [MHz]	E [dB μ V/m]	E [μ V/m]	U _{RX} [dB μ V]	A _{TOT} [dB]	Polarisation	Result
1001.000000	47.50	237.14	42.80	4.70	VERTICAL	Passed
1602.202405	43.70	153.11	33.90	9.80	HORIZONTAL	Passed
2002.504008	46.50	211.35	34.60	11.90	VERTICAL	Passed
2997.997996	42.20	128.82	24.50	17.70	VERTICAL	Passed
8352.205411	47.70	242.66	31.20	16.50	VERTICAL	Passed
9731.456914	39.80	97.72	21.50	18.30	VERTICAL	Passed

CDMA 800, Channel 384

Quasi peak (RBW: 120 kHz)

Frequency [MHz]	E [dBμV/m]	E [μV/m]	U _{RX} [dBμV]	A _{TOT} [dB]	Polarisation	Result
392.584369	19.70	9.66	25.00	-5.30	VERTICAL	Passed
399.698798	37.90	78.52	42.90	-5.00	VERTICAL	Passed
412.624449	21.90	12.45	26.70	-4.80	VERTICAL	Passed
662.424649	32.30	41.21	32.70	-0.40	VERTICAL	Passed
932.765731	37.50	74.99	33.30	4.20	VERTICAL	Passed

Average (RBW: 1 MHz)

Frequency [MHz]	E [dBμV/m]	E [μV/m]	U _{RX} [dBμV]	A _{TOT} [dB]	Polarisation	Result
1001.500000	48.00	251.19	43.30	4.70	VERTICAL	Passed
1601.702405	43.20	144.54	33.40	9.80	HORIZONTAL	Passed
1975.447896	37.20	72.44	25.90	11.30	VERTICAL	Passed
1979.955912	37.20	72.44	25.60	11.60	VERTICAL	Passed
2003.004008	42.90	139.64	31.00	11.90	VERTICAL	Passed
2997.997996	42.20	128.82	24.50	17.70	VERTICAL	Passed

AMPS, Channel 384**Quasi peak (RBW: 120 kHz)**

Frequency [MHz]	E [dB μ V/m]	E [μ V/m]	U _{RX} [dB μ V]	A _{TOT} [dB]	Polarisation	Result
397.495591	33.60	47.86	38.70	-5.10	VERTICAL	Passed
618.738477	25.30	18.41	26.20	-0.90	HORIZONTAL	Passed
663.528657	35.50	59.57	35.90	-0.40	VERTICAL	Passed
930.059719	36.00	63.10	31.70	4.30	VERTICAL	Passed
956.611824	31.30	36.73	26.60	4.70	VERTICAL	Passed

TCC

Company Confidential

Test & Certification Center (TCC) - Dallas
DTXC 1280-EN-1.0

FCC ID: QMNRM-124
Test Report #: WR-1022.102
March 10, 2006



Accredited Laboratory
Certificate Number: 1819-01

13 (13)

Ver 1.0

7. AC CONDUCTED EMISSIONS

Specification: FCC Part 15.107 and 15.207

Not tested