

Test Method:	FCC Part 15 Subpart C, Spurious Case Radiated Emissions, Paragraph 15.209(a)						
Customer:	Schick Technologies, Inc.				Job No.	R-9763-4	
Test Sample:	2.44 GHz Pulsed Transmitter						
Model No.:	CDR, P/N: B1210100CDRW				Serial No.	N/A	
Operating Mode:	Continuously Transmitting 2417.1 MHz signal (CHANNEL 1)						
Technician:	J. Kabacinski				Date:	01-27-03	
Notes:	Test Distance: 3 Meters Temp: 8 ° Humidity: 36 % Detector: Quasi-Peak Below 30 MHz to 1 GHz, Peak above 1 GHz						
Test Freq.	Antenna Position	EUT Orientation	Meter Readings	Correction Factor	Corrected Reading	Converted Reading	LIMIT
MHz	(V/H) / Meters	Degrees	dBuV	dB	dBuV/m	uV/m	uV/m
30.00							100
	NO EMISSIONS OBSERVED AT 3M						
88.00							100
88.00							150
216.00							150
216.00							200
960.00							200
960.00							500
25000.00							500
The EUT was scanned from 30 MHz to 25 GHz							
The emissions observed from the EUT do not exceed the specified limits. Emissions not recorded were more than 10dB under the specified limit							



Retlif Testing Laboratories

Retlif Job Number R-9763-4
FCC ID: QWCCDRW

Test Method:	FCC Part 15 Subpart C, Spurious Case Radiated Emissions, Paragraph 15.209(a)						
Customer:	Schick Technologies, Inc.				Job No.	R-9763-4	
Test Sample:	2.44 GHz Pulsed Transmitter						
Model No.:	CDR, P/N: B1210100CDRW				Serial No.	N/A	
Operating Mode:	Continuously Transmitting 2448.9 MHz signal (CHANNEL 2)						
Technician:	J. Kabacinski				Date:	01-27-03	
Notes:	Test Distance: 3 Meters Temp: 8 ° Humidity: 36 % Detector: Quasi-Peak Below 30 MHz to 1 GHz, Peak above 1 GHz						
Test Freq.	Antenna Position	EUT Orientation	Meter Readings	Correction Factor	Corrected Reading	Converted Reading	LIMIT
MHz	(V/H) / Meters	Degrees	dBuV	dB	dBuV/m	uV/m	uV/m
30.00							100
	NO EMISSIONS OBSERVED AT 3M						
88.00							100
88.00							150
216.00							150
216.00							200
960.00							200
960.00							500
25000.00							500
The EUT was scanned from 30 MHz to 25 GHz							
The emissions observed from the EUT do not exceed the specified limits. Emissions not recorded were more than 10dB under the specified limit							



Retlif Testing Laboratories

Retlif Job Number R-9763-4
FCC ID: QWCCDRW

Test Method:	FCC Part 15 Subpart C, Spurious Case Radiated Emissions, Paragraph 15.209(a)						
Customer:	Schick Technologies, Inc.				Job No.	R-9763-4	
Test Sample:	2.44 GHz Pulsed Transmitter						
Model No.:	CDR, P/N: B1210100CDRW				Serial No.	N/A	
Operating Mode:	Continuously Transmitting 2469.1 MHz signal (CHANNEL 3)						
Technician:	J. Kabacinski				Date:	01-27-03	
Notes:	Test Distance: 3 Meters Temp: 8 ° Humidity: 36 % Detector: Quasi-Peak Below 30 MHz to 1 GHz, Peak above 1 GHz						
Test Freq.	Antenna Position	EUT Orientation	Meter Readings	Correction Factor	Corrected Reading	Converted Reading	LIMIT
MHz	(V/H) / Meters	Degrees	dBuV	dB	dBuV/m	uV/m	uV/m
30.00							100
	NO EMISSIONS OBSERVED AT 3M						
88.00							100
88.00							150
216.00							150
216.00							200
960.00							200
960.00							500
25000.00							500
The EUT was scanned from 30 MHz to 25 GHz							
The emissions observed from the EUT do not exceed the specified limits. Emissions not recorded were more than 10dB under the specified limit							



Retlif Testing Laboratories

Retlif Job Number R-9763-4
FCC ID: QWCCDRW