


5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00394G	44.94	54.00	-9.06	13.96	3	Vertical	209	1.50	30.98	38.40	10.96	35.40
PK	11.00062G	57.37	74.00	-16.63	13.96	3	Vertical	209	1.50	43.41	38.40	10.96	35.40

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99562G	44.87	54.00	-9.13	13.97	3	Horizontal	346	1.50	30.90	38.42	10.95	35.40
PK	11.00062G	57.04	74.00	-16.96	13.96	3	Horizontal	346	1.50	43.08	38.40	10.96	35.40

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6724G	104.03	Inf	-Inf	6.12	3	Vertical	360	1.54	97.91	33.18	8.22	35.28
PK	5.667G	115.69	Inf	-Inf	6.08	3	Vertical	360	1.54	109.61	33.14	8.22	35.28
PK	5.7252G	67.91	68.20	-0.29	6.48	3	Vertical	360	1.54	61.43	33.50	8.23	35.25

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6778G	102.72	Inf	-Inf	6.16	3	Horizontal	350	1.71	96.56	33.22	8.22	35.28
PK	5.6712G	114.89	Inf	-Inf	6.11	3	Horizontal	350	1.71	108.78	33.17	8.22	35.28
PK	5.7252G	67.87	68.20	-0.33	6.48	3	Horizontal	350	1.71	61.39	33.50	8.23	35.25

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33844G	45.84	54.00	-8.16	14.69	3	Vertical	137	1.50	31.15	38.80	11.18	35.29
PK	11.33906G	58.23	74.00	-15.77	14.69	3	Vertical	137	1.50	43.54	38.80	11.18	35.29

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34142G	45.71	54.00	-8.29	14.69	3	Horizontal	326	1.50	31.02	38.80	11.18	35.29
PK	11.34328G	58.12	74.00	-15.88	14.69	3	Horizontal	326	1.50	43.43	38.80	11.18	35.29

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	49.05	54.00	-4.95	5.50	3	Vertical	351	1.50	43.55	32.90	8.02	35.42
AV	5.46G	52.95	54.00	-1.05	5.39	3	Vertical	351	1.50	47.56	32.72	8.07	35.40
AV	5.529G	99.93	Inf	-Inf	5.51	3	Vertical	351	1.50	94.42	32.74	8.14	35.37
PK	5.343G	60.21	68.20	-7.99	5.49	3	Vertical	351	1.50	54.72	32.89	8.02	35.42
PK	5.459G	64.06	74.00	-9.94	5.39	3	Vertical	351	1.50	58.67	32.72	8.07	35.40
PK	5.47G	66.20	68.20	-2.00	5.42	3	Vertical	351	1.50	60.78	32.74	8.08	35.40
PK	5.522G	111.46	Inf	-Inf	5.51	3	Vertical	351	1.50	105.95	32.76	8.13	35.38
PK	5.764G	61.86	68.20	-6.34	6.68	3	Vertical	351	1.50	55.18	33.66	8.24	35.22

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	48.90	54.00	-5.10	5.50	3	Horizontal	347	1.50	43.40	32.90	8.02	35.42
AV	5.459G	53.64	54.00	-0.36	5.39	3	Horizontal	347	1.50	48.25	32.72	8.07	35.40
AV	5.518G	98.76	Inf	-Inf	5.51	3	Horizontal	347	1.50	93.25	32.76	8.13	35.38
PK	5.341G	61.05	68.20	-7.15	5.48	3	Horizontal	347	1.50	55.57	32.88	8.02	35.42
PK	5.449G	65.15	74.00	-8.85	5.36	3	Horizontal	347	1.50	59.79	32.70	8.06	35.40
PK	5.461G	66.17	68.20	-2.03	5.39	3	Horizontal	347	1.50	60.78	32.72	8.07	35.40
PK	5.516G	111.00	Inf	-Inf	5.51	3	Horizontal	347	1.50	105.49	32.77	8.12	35.38
PK	5.738G	62.78	68.20	-5.42	6.54	3	Horizontal	347	1.50	56.24	33.55	8.23	35.24


5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	52.08	54.00	-1.92	5.39	3	Vertical	348	1.50	46.69	32.72	8.07	35.40
AV	5.5076G	96.27	Inf	-Inf	5.51	3	Vertical	348	1.50	90.76	32.78	8.12	35.39
PK	5.3252G	60.57	68.20	-7.63	5.45	3	Vertical	348	1.50	55.12	32.85	8.02	35.42
PK	5.444G	65.64	74.00	-8.36	5.36	3	Vertical	348	1.50	60.28	32.70	8.06	35.40
PK	5.468G	67.90	68.20	-0.30	5.42	3	Vertical	348	1.50	62.48	32.74	8.08	35.40
PK	5.528G	108.62	Inf	-Inf	5.51	3	Vertical	348	1.50	103.11	32.74	8.14	35.37
PK	5.732G	65.85	68.20	-2.35	6.52	3	Vertical	348	1.50	59.33	33.53	8.23	35.24

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	51.87	54.00	-2.13	5.39	3	Horizontal	347	1.50	46.48	32.72	8.07	35.40
AV	5.5076G	95.48	Inf	-Inf	5.51	3	Horizontal	347	1.50	89.97	32.78	8.12	35.39
PK	5.35G	60.69	74.00	-13.31	5.50	3	Horizontal	347	1.50	55.19	32.90	8.02	35.42
PK	5.4476G	66.13	74.00	-7.87	5.36	3	Horizontal	347	1.50	60.77	32.70	8.06	35.40
PK	5.468G	65.88	68.20	-2.32	5.42	3	Horizontal	347	1.50	60.46	32.74	8.08	35.40
PK	5.6336G	106.89	Inf	-Inf	5.81	3	Horizontal	347	1.50	101.08	32.90	8.21	35.30
PK	5.7524G	65.68	68.20	-2.52	6.62	3	Horizontal	347	1.50	59.06	33.61	8.24	35.23

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1438G	45.54	54.00	-8.46	14.10	3	Vertical	0	1.50	31.44	38.40	11.05	35.35
PK	11.1393G	58.02	74.00	-15.98	14.09	3	Vertical	0	1.50	43.93	38.40	11.05	35.36

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14356G	45.60	54.00	-8.40	14.10	3	Horizontal	135	3.00	31.50	38.40	11.05	35.35
PK	11.14372G	57.36	74.00	-16.64	14.10	3	Horizontal	135	3.00	43.26	38.40	11.05	35.35

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	109.92	Inf	-Inf	6.91	3	Vertical	3	1.50	103.01	33.84	8.26	35.19
PK	5.6342G	61.30	68.20	-6.90	5.82	3	Vertical	3	1.50	55.48	32.91	8.21	35.30
PK	5.8202G	118.70	Inf	-Inf	6.91	3	Vertical	3	1.50	111.79	33.84	8.26	35.19
PK	6.0962G	62.85	68.20	-5.35	7.31	3	Vertical	3	1.50	55.54	34.00	8.42	35.11

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	109.88	Inf	-Inf	6.91	3	Horizontal	353	1.65	102.97	33.84	8.26	35.19
PK	5.6366G	63.52	68.20	-4.68	5.83	3	Horizontal	353	1.65	57.69	32.92	8.21	35.30
PK	5.8298G	118.76	Inf	-Inf	6.95	3	Horizontal	353	1.65	111.81	33.86	8.27	35.18
PK	6.0794G	63.02	68.20	-5.18	7.31	3	Horizontal	353	1.65	55.71	34.00	8.41	35.10


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX



5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	48.80	54.00	-5.20	5.39	3	Vertical	356	1.50	43.41	32.72	8.07	35.40
AV	5.7378G	109.81	Inf	-Inf	6.54	3	Vertical	356	1.50	103.27	33.55	8.23	35.24
PK	5.5938G	62.45	68.20	-5.75	5.56	3	Vertical	356	1.50	56.89	32.70	8.19	35.33
PK	5.7474G	122.20	Inf	-Inf	6.60	3	Vertical	356	1.50	115.60	33.59	8.24	35.23
PK	6.039G	63.16	68.20	-5.04	7.31	3	Vertical	356	1.50	55.85	34.00	8.40	35.09

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	48.36	54.00	-5.64	5.39	3	Horizontal	347	1.50	42.97	32.72	8.07	35.40
AV	5.739G	108.84	Inf	-Inf	6.55	3	Horizontal	347	1.50	102.29	33.56	8.23	35.24
PK	5.625G	61.90	68.20	-6.30	5.75	3	Horizontal	347	1.50	56.15	32.85	8.21	35.31
PK	5.7366G	121.16	Inf	-Inf	6.54	3	Horizontal	347	1.50	114.62	33.55	8.23	35.24
PK	6.0258G	62.80	68.20	-5.40	7.31	3	Horizontal	347	1.50	55.49	34.00	8.39	35.08

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48518G	44.38	54.00	-9.62	14.67	3	Vertical	116	1.53	29.71	38.63	11.28	35.24
PK	11.4854G	57.38	74.00	-16.62	14.67	3	Vertical	116	1.53	42.71	38.63	11.28	35.24

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48548G	44.45	54.00	-9.55	14.67	3	Horizontal	263	1.28	29.78	38.63	11.28	35.24
PK	11.48766G	56.68	74.00	-17.32	14.66	3	Horizontal	263	1.28	42.02	38.62	11.28	35.24

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	49.24	54.00	-4.76	5.39	3	Vertical	356	1.50	43.85	32.72	8.07	35.40
AV	5.7406G	107.36	Inf	-Inf	6.56	3	Vertical	356	1.50	100.80	33.56	8.24	35.24
PK	5.6278G	63.18	68.20	-5.02	5.77	3	Vertical	356	1.50	57.41	32.87	8.21	35.31
PK	5.7406G	119.94	Inf	-Inf	6.56	3	Vertical	356	1.50	113.38	33.56	8.24	35.24
PK	5.9854G	62.90	68.20	-5.30	7.29	3	Vertical	356	1.50	55.61	34.00	8.37	35.08

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	48.36	54.00	-5.64	5.39	3	Horizontal	346	1.50	42.97	32.72	8.07	35.40
AV	5.7418G	105.01	Inf	-Inf	6.57	3	Horizontal	346	1.50	98.44	33.57	8.24	35.24
PK	5.6458G	63.22	68.20	-4.98	5.88	3	Horizontal	346	1.50	57.34	32.97	8.21	35.30
PK	5.7478G	116.97	Inf	-Inf	6.60	3	Horizontal	346	1.50	110.37	33.59	8.24	35.23
PK	5.9674G	62.18	68.20	-6.02	7.27	3	Horizontal	346	1.50	54.91	34.00	8.36	35.09

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51162G	45.31	54.00	-8.69	14.64	3	Vertical	359	1.50	30.67	38.58	11.30	35.24
PK	11.50964G	57.29	74.00	-16.71	14.63	3	Vertical	359	1.50	42.66	38.58	11.29	35.24

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50536G	45.30	54.00	-8.70	14.64	3	Horizontal	303	1.50	30.66	38.59	11.29	35.24
PK	11.51466G	58.29	74.00	-15.71	14.63	3	Horizontal	303	1.50	43.66	38.57	11.30	35.24

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7594G	104.00	Inf	-Inf	6.66	3	Vertical	357	1.50	97.34	33.64	8.24	35.22
PK	5.6466G	66.48	68.20	-1.72	5.89	3	Vertical	357	1.50	60.59	32.98	8.21	35.30
PK	5.763G	115.36	Inf	-Inf	6.67	3	Vertical	357	1.50	108.69	33.65	8.24	35.22
PK	5.9958G	62.43	68.20	-5.77	7.31	3	Vertical	357	1.50	55.12	34.00	8.38	35.07

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7894G	102.52	Inf	-Inf	6.81	3	Horizontal	352	1.50	95.71	33.76	8.25	35.20
PK	5.649G	64.41	68.20	-3.79	5.91	3	Horizontal	352	1.50	58.50	32.99	8.21	35.29
PK	5.7894G	114.59	Inf	-Inf	6.81	3	Horizontal	352	1.50	107.78	33.76	8.25	35.20
PK	5.9838G	62.24	68.20	-5.96	7.29	3	Horizontal	352	1.50	54.95	34.00	8.37	35.08

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55402G	45.55	54.00	-8.45	14.54	3	Vertical	2	1.50	31.01	38.48	11.32	35.26
PK	11.55012G	58.05	74.00	-15.95	14.56	3	Vertical	2	1.50	43.49	38.50	11.32	35.26

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54758G	45.62	54.00	-8.38	14.56	3	Horizontal	204	2.51	31.06	38.50	11.32	35.26
PK	11.5492G	58.56	74.00	-15.44	14.56	3	Horizontal	204	2.51	44.00	38.50	11.32	35.26



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	95.96M	37.07	43.50	-6.43	3	Horizontal	0	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz_Adapter	Pass	PK	94.02M	32.04	43.50	-11.46	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	165.8M	29.36	43.50	-14.14	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	449.04M	31.17	46.00	-14.83	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	650.8M	26.06	46.00	-19.94	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	776.9M	28.78	46.00	-17.22	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	943.74M	31.27	46.00	-14.73	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	95.96M	37.07	43.50	-6.43	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	189.08M	32.56	43.50	-10.94	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	449.04M	32.76	46.00	-13.24	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	635.28M	26.10	46.00	-19.90	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	794.36M	30.63	46.00	-15.37	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	955.38M	30.94	46.00	-15.06	3	Horizontal	0	1.00

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5290MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	94.02M	32.04	43.50	-11.46	-21.48	3	Vertical	360	1.00	53.52	14.16	1.10	36.74
PK	165.8M	29.36	43.50	-14.14	-19.77	3	Vertical	360	1.00	49.13	15.12	1.47	36.36
PK	449.04M	31.17	46.00	-14.83	-12.19	3	Vertical	360	1.00	43.36	21.96	2.57	36.72
PK	650.8M	26.06	46.00	-19.94	-8.72	3	Vertical	360	1.00	34.78	25.32	3.21	37.25
PK	776.9M	28.78	46.00	-17.22	-6.59	3	Vertical	360	1.00	35.37	27.28	3.56	37.43
PK	943.74M	31.27	46.00	-14.73	-3.92	3	Vertical	360	1.00	35.19	29.44	4.04	37.40

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	95.96M	37.07	43.50	-6.43	-21.12	3	Horizontal	0	1.00	58.19	14.49	1.12	36.73
PK	189.08M	32.56	43.50	-10.94	-20.86	3	Horizontal	0	1.00	53.42	13.80	1.61	36.27
PK	449.04M	32.76	46.00	-13.24	-12.19	3	Horizontal	0	1.00	44.95	21.96	2.57	36.72
PK	635.28M	26.10	46.00	-19.90	-8.53	3	Horizontal	0	1.00	34.63	25.52	3.17	37.22
PK	794.36M	30.63	46.00	-15.37	-6.65	3	Horizontal	0	1.00	37.28	27.19	3.62	37.46
PK	955.38M	30.94	46.00	-15.06	-3.41	3	Horizontal	0	1.00	34.35	29.88	4.07	37.36



**RSE TX above 1GHz_Non-Beamforming_Radio 2_
Panel Antenna_2T2S**

Appendix E.18

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.1496G	53.71	54.00	-0.29	3	Vertical	355	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.35	54.00	-0.65	3	Horizontal	352	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.79	54.00	-0.21	3	Horizontal	354	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.84	54.00	-0.16	3	Horizontal	359	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.93	54.00	-0.07	3	Horizontal	360	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.76	54.00	-0.24	3	Vertical	356	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.1492G	53.62	54.00	-0.38	3	Horizontal	357	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.726G	67.59	68.20	-0.61	3	Horizontal	350	1.60
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.7252G	67.54	68.20	-0.66	3	Vertical	360	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.46G	53.98	54.00	-0.02	3	Horizontal	346	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	PK	5.7488G	67.84	68.20	-0.36	3	Horizontal	352	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	6.04628G	63.22	68.20	-4.98	3	Horizontal	352	1.60
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.4574G	49.22	54.00	-4.78	3	Vertical	4	1.36
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.649G	66.06	68.20	-2.14	3	Vertical	3	1.50



**RSE TX above 1GHz_Non-Beamforming_Radio 2_
Panel Antenna_2T2S**

Appendix E.18

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1496G	53.71	54.00	-0.29	3	Vertical	355	1.50
5180MHz	Pass	AV	5.1728G	108.23	Inf	-Inf	3	Vertical	355	1.50
5180MHz	Pass	PK	5.1306G	68.83	74.00	-5.17	3	Vertical	355	1.50
5180MHz	Pass	PK	5.172G	119.97	Inf	-Inf	3	Vertical	355	1.50
5180MHz	Pass	AV	5.14G	53.36	54.00	-0.64	3	Horizontal	354	1.50
5180MHz	Pass	AV	5.1816G	107.62	Inf	-Inf	3	Horizontal	354	1.50
5180MHz	Pass	PK	5.1398G	68.50	74.00	-5.50	3	Horizontal	354	1.50
5180MHz	Pass	PK	5.1714G	119.78	Inf	-Inf	3	Horizontal	354	1.50
5180MHz	Pass	PK	10.36628G	56.74	68.20	-11.46	3	Vertical	48	1.00
5180MHz	Pass	PK	10.3628G	56.72	68.20	-11.48	3	Horizontal	225	1.50
5200MHz	Pass	AV	5.1496G	51.32	54.00	-2.68	3	Vertical	360	1.50
5200MHz	Pass	AV	5.2016G	108.67	Inf	-Inf	3	Vertical	360	1.50
5200MHz	Pass	PK	5.1484G	63.44	74.00	-10.56	3	Vertical	360	1.50
5200MHz	Pass	PK	5.2024G	120.44	Inf	-Inf	3	Vertical	360	1.50
5200MHz	Pass	AV	5.1496G	51.09	54.00	-2.91	3	Horizontal	356	1.50
5200MHz	Pass	AV	5.196G	108.02	Inf	-Inf	3	Horizontal	356	1.50
5200MHz	Pass	PK	5.1464G	62.92	74.00	-11.08	3	Horizontal	356	1.50
5200MHz	Pass	PK	5.2032G	119.21	Inf	-Inf	3	Horizontal	356	1.50
5200MHz	Pass	PK	10.4014G	56.70	68.20	-11.50	3	Vertical	163	2.54
5200MHz	Pass	PK	10.39916G	56.92	68.20	-11.28	3	Horizontal	238	1.62
5240MHz	Pass	AV	5.1476G	49.28	54.00	-4.72	3	Vertical	360	1.50
5240MHz	Pass	AV	5.2466G	108.31	Inf	-Inf	3	Vertical	360	1.50
5240MHz	Pass	AV	5.3738G	49.10	54.00	-4.90	3	Vertical	360	1.50
5240MHz	Pass	PK	5.1464G	60.95	74.00	-13.05	3	Vertical	360	1.50
5240MHz	Pass	PK	5.2466G	120.43	Inf	-Inf	3	Vertical	360	1.50
5240MHz	Pass	PK	5.3708G	62.75	74.00	-11.25	3	Vertical	360	1.50
5240MHz	Pass	AV	5.1476G	49.56	54.00	-4.44	3	Horizontal	356	1.50
5240MHz	Pass	AV	5.2364G	107.79	Inf	-Inf	3	Horizontal	356	1.50
5240MHz	Pass	AV	5.35G	48.46	54.00	-5.54	3	Horizontal	356	1.50
5240MHz	Pass	PK	5.1146G	61.47	74.00	-12.53	3	Horizontal	356	1.50
5240MHz	Pass	PK	5.2358G	119.91	Inf	-Inf	3	Horizontal	356	1.50
5240MHz	Pass	PK	5.3744G	60.99	74.00	-13.01	3	Horizontal	356	1.50
5240MHz	Pass	PK	10.485G	56.95	68.20	-11.25	3	Vertical	52	1.50
5240MHz	Pass	PK	10.48G	57.07	68.20	-11.13	3	Horizontal	167	1.96
5260MHz	Pass	AV	5.146G	49.13	54.00	-4.87	3	Vertical	358	1.50
5260MHz	Pass	AV	5.2588G	107.77	Inf	-Inf	3	Vertical	358	1.50
5260MHz	Pass	AV	5.3506G	49.33	54.00	-4.67	3	Vertical	358	1.50
5260MHz	Pass	PK	5.1436G	61.24	74.00	-12.76	3	Vertical	358	1.50
5260MHz	Pass	PK	5.2546G	119.90	Inf	-Inf	3	Vertical	358	1.50
5260MHz	Pass	PK	5.35G	61.83	74.00	-12.17	3	Vertical	358	1.50
5260MHz	Pass	AV	5.1466G	49.70	54.00	-4.30	3	Horizontal	358	1.50
5260MHz	Pass	AV	5.2516G	107.34	Inf	-Inf	3	Horizontal	358	1.50
5260MHz	Pass	AV	5.3512G	48.90	54.00	-5.10	3	Horizontal	358	1.50
5260MHz	Pass	PK	5.1496G	62.13	74.00	-11.87	3	Horizontal	358	1.50
5260MHz	Pass	PK	5.2618G	119.30	Inf	-Inf	3	Horizontal	358	1.50
5260MHz	Pass	PK	5.3542G	60.97	74.00	-13.03	3	Horizontal	358	1.50
5260MHz	Pass	PK	10.52152G	57.66	68.20	-10.54	3	Vertical	14	1.50
5260MHz	Pass	PK	10.52924G	57.31	68.20	-10.89	3	Horizontal	205	1.50
5300MHz	Pass	AV	5.3068G	107.39	Inf	-Inf	3	Vertical	356	1.50
5300MHz	Pass	AV	5.35G	51.07	54.00	-2.93	3	Vertical	356	1.50
5300MHz	Pass	PK	5.3016G	119.43	Inf	-Inf	3	Vertical	356	1.50
5300MHz	Pass	PK	5.3544G	63.06	74.00	-10.94	3	Vertical	356	1.50
5300MHz	Pass	AV	5.2924G	107.77	Inf	-Inf	3	Horizontal	360	1.50
5300MHz	Pass	AV	5.3504G	50.96	54.00	-3.04	3	Horizontal	360	1.50
5300MHz	Pass	PK	5.292G	119.72	Inf	-Inf	3	Horizontal	360	1.50
5300MHz	Pass	PK	5.3528G	63.75	74.00	-10.25	3	Horizontal	360	1.50
5300MHz	Pass	PK	10.60856G	57.13	74.00	-16.87	3	Vertical	120	2.50
5300MHz	Pass	PK	10.59544G	57.86	68.20	-10.34	3	Horizontal	107	1.50
5320MHz	Pass	AV	5.327G	107.32	Inf	-Inf	3	Vertical	355	1.50
5320MHz	Pass	AV	5.35G	53.42	54.00	-0.58	3	Vertical	355	1.50



**RSE TX above 1GHz_Non-Beamforming_Radio 2_
Panel Antenna_2T2S**

Appendix E.18

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.3182G	120.30	Inf	-Inf	3	Vertical	355	1.50
5320MHz	Pass	PK	5.3622G	66.36	74.00	-7.64	3	Vertical	355	1.50
5320MHz	Pass	AV	5.3114G	105.82	Inf	-Inf	3	Horizontal	359	1.50
5320MHz	Pass	AV	5.35G	53.84	54.00	-0.16	3	Horizontal	359	1.50
5320MHz	Pass	PK	5.3158G	118.16	Inf	-Inf	3	Horizontal	359	1.50
5320MHz	Pass	PK	5.3604G	67.67	74.00	-6.33	3	Horizontal	359	1.50
5320MHz	Pass	AV	10.64784G	45.17	54.00	-8.83	3	Vertical	49	1.50
5320MHz	Pass	PK	10.63708G	57.51	74.00	-16.49	3	Vertical	49	1.50
5320MHz	Pass	AV	10.6408G	45.08	54.00	-8.92	3	Horizontal	272	1.50
5320MHz	Pass	PK	10.64036G	57.42	74.00	-16.58	3	Horizontal	272	1.50
5500MHz	Pass	AV	5.4598G	52.48	54.00	-1.52	3	Vertical	349	1.50
5500MHz	Pass	AV	5.4982G	106.83	Inf	-Inf	3	Vertical	349	1.50
5500MHz	Pass	PK	5.4592G	68.38	74.00	-5.62	3	Vertical	349	1.50
5500MHz	Pass	PK	5.4608G	67.25	68.20	-0.95	3	Vertical	349	1.50
5500MHz	Pass	PK	5.506G	119.24	Inf	-Inf	3	Vertical	349	1.50
5500MHz	Pass	AV	5.4596G	51.67	54.00	-2.33	3	Horizontal	347	1.50
5500MHz	Pass	AV	5.4982G	106.33	Inf	-Inf	3	Horizontal	347	1.50
5500MHz	Pass	PK	5.4594G	66.72	74.00	-7.28	3	Horizontal	347	1.50
5500MHz	Pass	PK	5.4606G	65.95	68.20	-2.25	3	Horizontal	347	1.50
5500MHz	Pass	PK	5.4968G	118.06	Inf	-Inf	3	Horizontal	347	1.50
5500MHz	Pass	AV	10.9934G	44.70	54.00	-9.30	3	Vertical	321	2.62
5500MHz	Pass	PK	11.00204G	57.23	74.00	-16.77	3	Vertical	321	2.62
5500MHz	Pass	AV	10.99936G	44.72	54.00	-9.28	3	Horizontal	262	1.50
5500MHz	Pass	PK	10.99292G	57.05	74.00	-16.95	3	Horizontal	262	1.50
5580MHz	Pass	AV	5.46G	48.96	54.00	-5.04	3	Vertical	349	1.50
5580MHz	Pass	AV	5.5728G	107.73	Inf	-Inf	3	Vertical	349	1.50
5580MHz	Pass	PK	5.442G	61.00	74.00	-13.00	3	Vertical	349	1.50
5580MHz	Pass	PK	5.469G	60.82	68.20	-7.38	3	Vertical	349	1.50
5580MHz	Pass	PK	5.5734G	119.20	Inf	-Inf	3	Vertical	349	1.50
5580MHz	Pass	PK	5.7276G	60.76	68.20	-7.44	3	Vertical	349	1.50
5580MHz	Pass	AV	5.4594G	48.51	54.00	-5.49	3	Horizontal	348	1.50
5580MHz	Pass	AV	5.5728G	106.92	Inf	-Inf	3	Horizontal	348	1.50
5580MHz	Pass	PK	5.4492G	61.73	74.00	-12.27	3	Horizontal	348	1.50
5580MHz	Pass	PK	5.469G	60.71	68.20	-7.49	3	Horizontal	348	1.50
5580MHz	Pass	PK	5.5758G	118.78	Inf	-Inf	3	Horizontal	348	1.50
5580MHz	Pass	PK	5.73G	61.93	68.20	-6.27	3	Horizontal	348	1.50
5580MHz	Pass	AV	11.1504G	45.36	54.00	-8.64	3	Vertical	122	1.69
5580MHz	Pass	PK	11.15396G	57.55	74.00	-16.45	3	Vertical	122	1.69
5580MHz	Pass	AV	11.152G	45.36	54.00	-8.64	3	Horizontal	141	2.74
5580MHz	Pass	PK	11.15272G	58.30	74.00	-15.70	3	Horizontal	141	2.74
5700MHz	Pass	AV	5.7028G	103.58	Inf	-Inf	3	Vertical	0	1.50
5700MHz	Pass	PK	5.7012G	115.76	Inf	-Inf	3	Vertical	0	1.50
5700MHz	Pass	PK	5.7256G	62.87	68.20	-5.33	3	Vertical	0	1.50
5700MHz	Pass	AV	5.7012G	102.57	Inf	-Inf	3	Horizontal	350	1.60
5700MHz	Pass	PK	5.7032G	114.85	Inf	-Inf	3	Horizontal	350	1.60
5700MHz	Pass	PK	5.726G	67.59	68.20	-0.61	3	Horizontal	350	1.60
5700MHz	Pass	AV	11.39128G	45.33	54.00	-8.67	3	Vertical	80	1.50
5700MHz	Pass	PK	11.39472G	57.13	74.00	-16.87	3	Vertical	80	1.50
5700MHz	Pass	AV	11.39608G	45.30	54.00	-8.70	3	Horizontal	266	1.50
5700MHz	Pass	PK	11.39136G	57.76	74.00	-16.24	3	Horizontal	266	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.444G	48.54	54.00	-5.46	3	Vertical	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	109.04	Inf	-Inf	3	Vertical	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4584G	60.39	74.00	-13.61	3	Vertical	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	60.35	68.20	-7.85	3	Vertical	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	119.82	Inf	-Inf	3	Vertical	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.966G	62.41	68.20	-5.79	3	Vertical	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	48.12	54.00	-5.88	3	Horizontal	348	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	108.12	Inf	-Inf	3	Horizontal	348	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4524G	59.40	74.00	-14.60	3	Horizontal	348	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	60.80	68.20	-7.40	3	Horizontal	348	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	119.42	Inf	-Inf	3	Horizontal	348	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9828G	62.75	68.20	-5.45	3	Horizontal	348	1.73



**RSE TX above 1GHz_Non-Beamforming_Radio 2_
Panel Antenna_2T2S**

Appendix E.18

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4362G	44.97	54.00	-9.03	3	Vertical	265	1.74
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.433G	57.56	74.00	-16.44	3	Vertical	265	1.74
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43612G	44.97	54.00	-9.03	3	Horizontal	41	2.08
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44616G	56.99	74.00	-17.01	3	Horizontal	41	2.08
5745MHz	Pass	AV	5.4582G	48.80	54.00	-5.20	3	Vertical	356	1.50
5745MHz	Pass	AV	5.7402G	109.89	Inf	-Inf	3	Vertical	356	1.50
5745MHz	Pass	PK	5.5926G	62.39	68.20	-5.81	3	Vertical	356	1.50
5745MHz	Pass	PK	5.7498G	122.25	Inf	-Inf	3	Vertical	356	1.50
5745MHz	Pass	PK	5.9514G	62.32	68.20	-5.88	3	Vertical	356	1.50
5745MHz	Pass	AV	5.4594G	48.36	54.00	-5.64	3	Horizontal	351	1.50
5745MHz	Pass	AV	5.7438G	108.55	Inf	-Inf	3	Horizontal	351	1.50
5745MHz	Pass	PK	5.6262G	61.92	68.20	-6.28	3	Horizontal	351	1.50
5745MHz	Pass	PK	5.7462G	120.04	Inf	-Inf	3	Horizontal	351	1.50
5745MHz	Pass	PK	5.9694G	63.18	68.20	-5.02	3	Horizontal	351	1.50
5745MHz	Pass	AV	11.487G	44.38	54.00	-9.62	3	Vertical	343	1.50
5745MHz	Pass	PK	11.49668G	56.30	74.00	-17.70	3	Vertical	343	1.50
5745MHz	Pass	AV	11.48572G	44.24	54.00	-9.76	3	Horizontal	94	2.77
5745MHz	Pass	PK	11.48908G	56.78	74.00	-17.22	3	Horizontal	94	2.77
5785MHz	Pass	AV	5.78371G	108.68	Inf	-Inf	3	Vertical	358	1.50
5785MHz	Pass	PK	5.57559G	62.43	68.20	-5.77	3	Vertical	358	1.50
5785MHz	Pass	PK	5.79097G	119.99	Inf	-Inf	3	Vertical	358	1.50
5785MHz	Pass	PK	6.03056G	62.57	68.20	-5.63	3	Vertical	358	1.50
5785MHz	Pass	AV	5.78734G	108.38	Inf	-Inf	3	Horizontal	352	1.60
5785MHz	Pass	PK	5.6373G	62.07	68.20	-6.13	3	Horizontal	352	1.60
5785MHz	Pass	PK	5.78976G	119.95	Inf	-Inf	3	Horizontal	352	1.60
5785MHz	Pass	PK	6.04628G	63.22	68.20	-4.98	3	Horizontal	352	1.60
5785MHz	Pass	AV	11.5744G	45.62	54.00	-8.38	3	Vertical	359	1.50
5785MHz	Pass	PK	11.56144G	57.93	74.00	-16.07	3	Vertical	359	1.50
5785MHz	Pass	AV	11.57748G	45.60	54.00	-8.40	3	Horizontal	17	1.50
5785MHz	Pass	PK	11.56596G	57.60	74.00	-16.40	3	Horizontal	17	1.50
5825MHz	Pass	AV	5.8226G	108.45	Inf	-Inf	3	Vertical	4	1.50
5825MHz	Pass	PK	5.5874G	61.42	68.20	-6.78	3	Vertical	4	1.50
5825MHz	Pass	PK	5.825G	119.89	Inf	-Inf	3	Vertical	4	1.50
5825MHz	Pass	PK	6.0326G	62.53	68.20	-5.67	3	Vertical	4	1.50
5825MHz	Pass	AV	5.8178G	108.31	Inf	-Inf	3	Horizontal	353	1.50
5825MHz	Pass	PK	5.6498G	61.62	68.20	-6.58	3	Horizontal	353	1.50
5825MHz	Pass	PK	5.8286G	120.55	Inf	-Inf	3	Horizontal	353	1.50
5825MHz	Pass	PK	6.119G	62.68	68.20	-5.52	3	Horizontal	353	1.50
5825MHz	Pass	AV	11.64156G	45.71	54.00	-8.29	3	Vertical	110	2.43
5825MHz	Pass	PK	11.6536G	59.09	74.00	-14.91	3	Vertical	110	2.43
5825MHz	Pass	AV	11.65208G	45.66	54.00	-8.34	3	Horizontal	221	1.50
5825MHz	Pass	PK	11.64572G	58.42	74.00	-15.58	3	Horizontal	221	1.50
802.11be EHT40_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	52.19	54.00	-1.81	3	Vertical	360	1.50
5190MHz	Pass	AV	5.2024G	102.53	Inf	-Inf	3	Vertical	360	1.50
5190MHz	Pass	PK	5.148G	64.99	74.00	-9.01	3	Vertical	360	1.50
5190MHz	Pass	PK	5.1808G	114.55	Inf	-Inf	3	Vertical	360	1.50
5190MHz	Pass	AV	5.15G	53.35	54.00	-0.65	3	Horizontal	352	1.50
5190MHz	Pass	AV	5.1968G	102.24	Inf	-Inf	3	Horizontal	352	1.50
5190MHz	Pass	PK	5.1496G	65.18	74.00	-8.82	3	Horizontal	352	1.50
5190MHz	Pass	PK	5.1832G	114.25	Inf	-Inf	3	Horizontal	352	1.50
5190MHz	Pass	PK	10.3772G	56.34	68.20	-11.86	3	Vertical	47	1.40
5190MHz	Pass	PK	10.38856G	57.07	68.20	-11.13	3	Horizontal	260	1.00
5230MHz	Pass	AV	5.1492G	52.09	54.00	-1.91	3	Vertical	360	1.50
5230MHz	Pass	AV	5.2272G	105.53	Inf	-Inf	3	Vertical	360	1.50
5230MHz	Pass	PK	5.1492G	64.07	74.00	-9.93	3	Vertical	360	1.50
5230MHz	Pass	PK	5.2356G	119.35	Inf	-Inf	3	Vertical	360	1.50
5230MHz	Pass	AV	5.15G	52.59	54.00	-1.41	3	Horizontal	354	1.50
5230MHz	Pass	AV	5.2168G	105.78	Inf	-Inf	3	Horizontal	354	1.50
5230MHz	Pass	PK	5.1484G	65.31	74.00	-8.69	3	Horizontal	354	1.50
5230MHz	Pass	PK	5.2172G	118.06	Inf	-Inf	3	Horizontal	354	1.50
5230MHz	Pass	PK	10.45672G	56.74	68.20	-11.46	3	Vertical	155	1.50



**RSE TX above 1GHz_Non-Beamforming_Radio 2_
Panel Antenna_2T2S**

Appendix E.18

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	PK	10.46928G	57.26	68.20	-10.94	3	Horizontal	359	1.50
5270MHz	Pass	AV	5.262G	105.44	Inf	-Inf	3	Vertical	355	1.50
5270MHz	Pass	AV	5.35G	52.13	54.00	-1.87	3	Vertical	355	1.50
5270MHz	Pass	PK	5.2824G	117.78	Inf	-Inf	3	Vertical	355	1.50
5270MHz	Pass	PK	5.354G	64.12	74.00	-9.88	3	Vertical	355	1.50
5270MHz	Pass	AV	5.2836G	105.75	Inf	-Inf	3	Horizontal	358	1.50
5270MHz	Pass	AV	5.3504G	52.23	54.00	-1.77	3	Horizontal	358	1.50
5270MHz	Pass	PK	5.2816G	118.03	Inf	-Inf	3	Horizontal	358	1.50
5270MHz	Pass	PK	5.3524G	64.47	74.00	-9.53	3	Horizontal	358	1.50
5270MHz	Pass	PK	10.52384G	56.79	68.20	-11.41	3	Vertical	167	1.00
5270MHz	Pass	PK	10.55352G	56.90	68.20	-11.30	3	Horizontal	272	1.50
5310MHz	Pass	AV	5.3164G	102.05	Inf	-Inf	3	Vertical	11	1.50
5310MHz	Pass	AV	5.3504G	52.89	54.00	-1.11	3	Vertical	11	1.50
5310MHz	Pass	PK	5.322G	113.98	Inf	-Inf	3	Vertical	11	1.50
5310MHz	Pass	PK	5.3544G	66.32	74.00	-7.68	3	Vertical	11	1.50
5310MHz	Pass	AV	5.292G	102.70	Inf	-Inf	3	Horizontal	360	1.50
5310MHz	Pass	AV	5.35G	53.93	54.00	-0.07	3	Horizontal	360	1.50
5310MHz	Pass	PK	5.302G	115.21	Inf	-Inf	3	Horizontal	360	1.50
5310MHz	Pass	PK	5.3532G	66.03	74.00	-7.97	3	Horizontal	360	1.50
5310MHz	Pass	AV	10.62856G	45.03	54.00	-8.97	3	Vertical	81	1.50
5310MHz	Pass	PK	10.60968G	57.24	74.00	-16.76	3	Vertical	81	1.50
5310MHz	Pass	AV	10.63016G	44.96	54.00	-9.04	3	Horizontal	186	1.50
5310MHz	Pass	PK	10.61984G	56.93	74.00	-17.07	3	Horizontal	186	1.50
5510MHz	Pass	AV	5.46G	50.78	54.00	-3.22	3	Vertical	349	1.50
5510MHz	Pass	AV	5.5276G	102.76	Inf	-Inf	3	Vertical	349	1.50
5510MHz	Pass	PK	5.4588G	62.45	74.00	-11.55	3	Vertical	349	1.50
5510MHz	Pass	PK	5.4632G	65.41	68.20	-2.79	3	Vertical	349	1.50
5510MHz	Pass	PK	5.5148G	114.62	Inf	-Inf	3	Vertical	349	1.50
5510MHz	Pass	AV	5.46G	50.89	54.00	-3.11	3	Horizontal	346	1.50
5510MHz	Pass	AV	5.5064G	101.53	Inf	-Inf	3	Horizontal	346	1.50
5510MHz	Pass	PK	5.4592G	63.43	74.00	-10.57	3	Horizontal	346	1.50
5510MHz	Pass	PK	5.47G	65.89	68.20	-2.31	3	Horizontal	346	1.50
5510MHz	Pass	PK	5.4992G	113.91	Inf	-Inf	3	Horizontal	346	1.50
5510MHz	Pass	AV	11.02496G	44.88	54.00	-9.12	3	Vertical	49	1.50
5510MHz	Pass	PK	11.00376G	57.40	74.00	-16.60	3	Vertical	49	1.50
5510MHz	Pass	AV	11.02672G	44.90	54.00	-9.10	3	Horizontal	328	1.50
5510MHz	Pass	PK	11.02384G	56.95	74.00	-17.05	3	Horizontal	328	1.50
5550MHz	Pass	AV	5.46G	50.78	54.00	-3.22	3	Vertical	5	1.50
5550MHz	Pass	AV	5.5424G	105.72	Inf	-Inf	3	Vertical	5	1.50
5550MHz	Pass	PK	5.4544G	63.09	74.00	-10.91	3	Vertical	5	1.50
5550MHz	Pass	PK	5.47G	64.45	68.20	-3.75	3	Vertical	5	1.50
5550MHz	Pass	PK	5.5448G	117.89	Inf	-Inf	3	Vertical	5	1.50
5550MHz	Pass	AV	5.4596G	50.17	54.00	-3.83	3	Horizontal	351	1.50
5550MHz	Pass	AV	5.558G	103.91	Inf	-Inf	3	Horizontal	351	1.50
5550MHz	Pass	PK	5.4588G	61.68	74.00	-12.32	3	Horizontal	351	1.50
5550MHz	Pass	PK	5.47G	63.16	68.20	-5.04	3	Horizontal	351	1.50
5550MHz	Pass	PK	5.558G	116.14	Inf	-Inf	3	Horizontal	351	1.50
5550MHz	Pass	AV	11.1168G	45.35	54.00	-8.65	3	Vertical	354	1.50
5550MHz	Pass	PK	11.09672G	57.76	74.00	-16.24	3	Vertical	354	1.50
5550MHz	Pass	AV	11.11752G	45.30	54.00	-8.70	3	Horizontal	3	2.76
5550MHz	Pass	PK	11.10896G	57.91	74.00	-16.09	3	Horizontal	3	2.76
5670MHz	Pass	AV	5.6724G	103.51	Inf	-Inf	3	Vertical	360	1.50
5670MHz	Pass	PK	5.6778G	115.88	Inf	-Inf	3	Vertical	360	1.50
5670MHz	Pass	PK	5.7252G	67.54	68.20	-0.66	3	Vertical	360	1.50
5670MHz	Pass	AV	5.6778G	101.92	Inf	-Inf	3	Horizontal	349	1.50
5670MHz	Pass	PK	5.6622G	114.42	Inf	-Inf	3	Horizontal	349	1.50
5670MHz	Pass	PK	5.7252G	66.25	68.20	-1.95	3	Horizontal	349	1.50
5670MHz	Pass	AV	11.3232G	45.73	54.00	-8.27	3	Vertical	251	1.50
5670MHz	Pass	PK	11.32872G	57.99	74.00	-16.01	3	Vertical	251	1.50
5670MHz	Pass	AV	11.34456G	45.70	54.00	-8.30	3	Horizontal	276	3.00
5670MHz	Pass	PK	11.3424G	58.20	74.00	-15.80	3	Horizontal	276	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	48.82	54.00	-5.18	3	Vertical	1	1.50



**RSE TX above 1GHz_Non-Beamforming_Radio 2_
Panel Antenna_2T2S**

Appendix E.18

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7028G	106.87	Inf	-Inf	3	Vertical	1	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4496G	60.43	74.00	-13.57	3	Vertical	1	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	60.80	68.20	-7.40	3	Vertical	1	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7028G	119.48	Inf	-Inf	3	Vertical	1	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9836G	62.75	68.20	-5.45	3	Vertical	1	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	48.21	54.00	-5.79	3	Horizontal	355	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7124G	104.79	Inf	-Inf	3	Horizontal	355	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4184G	59.87	74.00	-14.13	3	Horizontal	355	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	59.80	68.20	-8.40	3	Horizontal	355	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7136G	116.11	Inf	-Inf	3	Horizontal	355	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9812G	62.56	68.20	-5.64	3	Horizontal	355	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40616G	45.19	54.00	-8.81	3	Vertical	168	2.90
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.43984G	57.21	74.00	-16.79	3	Vertical	168	2.90
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40064G	45.20	54.00	-8.80	3	Horizontal	3	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42936G	57.21	74.00	-16.79	3	Horizontal	3	1.50
5755MHz	Pass	AV	5.4574G	49.22	54.00	-4.78	3	Vertical	4	1.36
5755MHz	Pass	AV	5.7574G	107.45	Inf	-Inf	3	Vertical	4	1.36
5755MHz	Pass	PK	5.6374G	63.37	68.20	-4.83	3	Vertical	4	1.36
5755MHz	Pass	PK	5.7622G	118.81	Inf	-Inf	3	Vertical	4	1.36
5755MHz	Pass	PK	5.9734G	62.98	68.20	-5.22	3	Vertical	4	1.36
5755MHz	Pass	AV	5.455G	48.32	54.00	-5.68	3	Horizontal	356	1.50
5755MHz	Pass	AV	5.737G	104.59	Inf	-Inf	3	Horizontal	356	1.50
5755MHz	Pass	PK	5.6446G	62.34	68.20	-5.86	3	Horizontal	356	1.50
5755MHz	Pass	PK	5.7478G	116.10	Inf	-Inf	3	Horizontal	356	1.50
5755MHz	Pass	PK	6.0298G	62.53	68.20	-5.67	3	Horizontal	356	1.50
5755MHz	Pass	AV	11.52352G	45.28	54.00	-8.72	3	Vertical	79	1.18
5755MHz	Pass	PK	11.50704G	58.07	74.00	-15.93	3	Vertical	79	1.18
5755MHz	Pass	AV	11.52968G	45.28	54.00	-8.72	3	Horizontal	180	2.72
5755MHz	Pass	PK	11.49592G	58.00	74.00	-16.00	3	Horizontal	180	2.72
5795MHz	Pass	AV	5.7998G	106.57	Inf	-Inf	3	Vertical	5	1.53
5795MHz	Pass	PK	5.6498G	62.25	68.20	-5.95	3	Vertical	5	1.53
5795MHz	Pass	PK	5.7986G	119.28	Inf	-Inf	3	Vertical	5	1.53
5795MHz	Pass	PK	5.951G	63.19	68.20	-5.01	3	Vertical	5	1.53
5795MHz	Pass	AV	5.7926G	104.53	Inf	-Inf	3	Horizontal	354	1.50
5795MHz	Pass	PK	5.6366G	61.59	68.20	-6.61	3	Horizontal	354	1.50
5795MHz	Pass	PK	5.7878G	116.28	Inf	-Inf	3	Horizontal	354	1.50
5795MHz	Pass	PK	6.029G	62.85	68.20	-5.35	3	Horizontal	354	1.50
5795MHz	Pass	AV	11.60832G	45.80	54.00	-8.20	3	Vertical	141	1.50
5795MHz	Pass	PK	11.59384G	57.58	74.00	-16.42	3	Vertical	141	1.50
5795MHz	Pass	AV	11.60544G	45.75	54.00	-8.25	3	Horizontal	139	2.19
5795MHz	Pass	PK	11.58712G	57.81	74.00	-16.19	3	Horizontal	139	2.19
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	52.19	54.00	-1.81	3	Vertical	360	1.50
5210MHz	Pass	AV	5.202G	100.26	Inf	-Inf	3	Vertical	360	1.50
5210MHz	Pass	AV	5.389G	50.06	54.00	-3.94	3	Vertical	360	1.50
5210MHz	Pass	PK	5.13G	63.18	74.00	-10.82	3	Vertical	360	1.50
5210MHz	Pass	PK	5.201G	112.41	Inf	-Inf	3	Vertical	360	1.50
5210MHz	Pass	PK	5.372G	61.42	74.00	-12.58	3	Vertical	360	1.50
5210MHz	Pass	AV	5.15G	53.79	54.00	-0.21	3	Horizontal	354	1.50
5210MHz	Pass	AV	5.197G	100.23	Inf	-Inf	3	Horizontal	354	1.50
5210MHz	Pass	AV	5.358G	49.17	54.00	-4.83	3	Horizontal	354	1.50
5210MHz	Pass	PK	5.142G	64.01	74.00	-9.99	3	Horizontal	354	1.50
5210MHz	Pass	PK	5.202G	111.78	Inf	-Inf	3	Horizontal	354	1.50
5210MHz	Pass	PK	5.385G	61.11	74.00	-12.89	3	Horizontal	354	1.50
5210MHz	Pass	PK	10.44368G	56.96	68.20	-11.24	3	Vertical	107	1.50
5210MHz	Pass	PK	10.44064G	56.44	68.20	-11.76	3	Horizontal	199	1.50
5290MHz	Pass	AV	5.146G	49.97	54.00	-4.03	3	Vertical	356	1.50
5290MHz	Pass	AV	5.318G	99.27	Inf	-Inf	3	Vertical	356	1.50
5290MHz	Pass	AV	5.35G	53.76	54.00	-0.24	3	Vertical	356	1.50
5290MHz	Pass	PK	5.123G	61.00	74.00	-13.00	3	Vertical	356	1.50
5290MHz	Pass	PK	5.316G	111.65	Inf	-Inf	3	Vertical	356	1.50
5290MHz	Pass	PK	5.35G	63.91	74.00	-10.09	3	Vertical	356	1.50



**RSE TX above 1GHz_Non-Beamforming_Radio 2_
Panel Antenna_2T2S**

Appendix E.18

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	5.49G	61.39	68.20	-6.81	3	Vertical	356	1.50
5290MHz	Pass	AV	5.147G	51.09	54.00	-2.91	3	Horizontal	357	1.50
5290MHz	Pass	AV	5.282G	100.29	Inf	-Inf	3	Horizontal	357	1.50
5290MHz	Pass	AV	5.35G	53.42	54.00	-0.58	3	Horizontal	357	1.50
5290MHz	Pass	PK	5.148G	62.36	74.00	-11.64	3	Horizontal	357	1.50
5290MHz	Pass	PK	5.278G	111.59	Inf	-Inf	3	Horizontal	357	1.50
5290MHz	Pass	PK	5.355G	63.58	74.00	-10.42	3	Horizontal	357	1.50
5290MHz	Pass	PK	5.507G	61.10	68.20	-7.10	3	Horizontal	357	1.50
5290MHz	Pass	PK	10.54336G	56.96	68.20	-11.24	3	Vertical	337	1.90
5290MHz	Pass	PK	10.61296G	57.60	74.00	-16.40	3	Horizontal	298	1.50
5530MHz	Pass	AV	5.35G	48.90	54.00	-5.10	3	Vertical	348	1.50
5530MHz	Pass	AV	5.459G	52.76	54.00	-1.24	3	Vertical	348	1.50
5530MHz	Pass	AV	5.528G	99.82	Inf	-Inf	3	Vertical	348	1.50
5530MHz	Pass	PK	5.331G	60.97	68.20	-7.23	3	Vertical	348	1.50
5530MHz	Pass	PK	5.451G	64.07	74.00	-9.93	3	Vertical	348	1.50
5530MHz	Pass	PK	5.47G	66.45	68.20	-1.75	3	Vertical	348	1.50
5530MHz	Pass	PK	5.526G	111.25	Inf	-Inf	3	Vertical	348	1.50
5530MHz	Pass	PK	5.77G	61.34	68.20	-6.86	3	Vertical	348	1.50
5530MHz	Pass	AV	5.35G	48.90	54.00	-5.10	3	Horizontal	346	1.50
5530MHz	Pass	AV	5.46G	53.98	54.00	-0.02	3	Horizontal	346	1.50
5530MHz	Pass	AV	5.516G	98.59	Inf	-Inf	3	Horizontal	346	1.50
5530MHz	Pass	PK	5.344G	61.34	68.20	-6.86	3	Horizontal	346	1.50
5530MHz	Pass	PK	5.459G	65.22	74.00	-8.78	3	Horizontal	346	1.50
5530MHz	Pass	PK	5.469G	65.82	68.20	-2.38	3	Horizontal	346	1.50
5530MHz	Pass	PK	5.497G	110.31	Inf	-Inf	3	Horizontal	346	1.50
5530MHz	Pass	PK	5.743G	62.02	68.20	-6.18	3	Horizontal	346	1.50
5530MHz	Pass	AV	11.08256G	45.34	54.00	-8.66	3	Vertical	293	1.50
5530MHz	Pass	PK	11.08576G	57.35	74.00	-16.65	3	Vertical	293	1.50
5530MHz	Pass	AV	11.09456G	45.24	54.00	-8.76	3	Horizontal	1	1.50
5530MHz	Pass	PK	11.08304G	57.91	74.00	-16.09	3	Horizontal	1	1.50
5610MHz	Pass	AV	5.46G	51.98	54.00	-2.02	3	Vertical	353	1.50
5610MHz	Pass	AV	5.599G	102.78	Inf	-Inf	3	Vertical	353	1.50
5610MHz	Pass	PK	5.459G	63.72	74.00	-10.28	3	Vertical	353	1.50
5610MHz	Pass	PK	5.462G	63.46	68.20	-4.74	3	Vertical	353	1.50
5610MHz	Pass	PK	5.594G	114.33	Inf	-Inf	3	Vertical	353	1.50
5610MHz	Pass	PK	5.728G	65.14	68.20	-3.06	3	Vertical	353	1.50
5610MHz	Pass	AV	5.46G	50.66	54.00	-3.34	3	Horizontal	351	1.97
5610MHz	Pass	AV	5.639G	101.68	Inf	-Inf	3	Horizontal	351	1.97
5610MHz	Pass	PK	5.45G	62.73	74.00	-11.27	3	Horizontal	351	1.97
5610MHz	Pass	PK	5.47G	61.94	68.20	-6.26	3	Horizontal	351	1.97
5610MHz	Pass	PK	5.646G	113.39	Inf	-Inf	3	Horizontal	351	1.97
5610MHz	Pass	PK	5.732G	65.74	68.20	-2.46	3	Horizontal	351	1.97
5610MHz	Pass	AV	11.23264G	45.75	54.00	-8.25	3	Vertical	359	2.29
5610MHz	Pass	PK	11.2392G	57.89	74.00	-16.11	3	Vertical	359	2.29
5610MHz	Pass	AV	11.2256G	45.89	54.00	-8.11	3	Horizontal	121	1.50
5610MHz	Pass	PK	11.2312G	58.62	74.00	-15.38	3	Horizontal	121	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	49.92	54.00	-4.08	3	Vertical	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7008G	103.52	Inf	-Inf	3	Vertical	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4488G	61.70	74.00	-12.30	3	Vertical	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	60.67	68.20	-7.53	3	Vertical	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6804G	115.16	Inf	-Inf	3	Vertical	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9708G	63.18	68.20	-5.02	3	Vertical	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4008G	49.22	54.00	-4.78	3	Horizontal	352	1.72
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6768G	102.76	Inf	-Inf	3	Horizontal	352	1.72
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.432G	60.62	74.00	-13.38	3	Horizontal	352	1.72
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	61.46	68.20	-6.74	3	Horizontal	352	1.72
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.678G	114.02	Inf	-Inf	3	Horizontal	352	1.72
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8568G	63.42	68.20	-4.78	3	Horizontal	352	1.72
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.34692G	45.64	54.00	-8.36	3	Vertical	237	1.24
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34688G	57.92	74.00	-16.08	3	Vertical	237	1.24
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.34384G	45.70	54.00	-8.30	3	Horizontal	262	2.56
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.35744G	57.48	74.00	-16.52	3	Horizontal	262	2.56




**RSE TX above 1GHz_Non-Beamforming_Radio 2_
Panel Antenna_2T2S**

Appendix E.18

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5775MHz	Pass	AV	5.7606G	103.87	Inf	-Inf	3	Vertical	3	1.50
5775MHz	Pass	PK	5.649G	66.06	68.20	-2.14	3	Vertical	3	1.50
5775MHz	Pass	PK	5.7642G	115.45	Inf	-Inf	3	Vertical	3	1.50
5775MHz	Pass	PK	6.0306G	62.53	68.20	-5.67	3	Vertical	3	1.50
5775MHz	Pass	AV	5.7894G	102.34	Inf	-Inf	3	Horizontal	352	1.50
5775MHz	Pass	PK	5.649G	64.77	68.20	-3.43	3	Horizontal	352	1.50
5775MHz	Pass	PK	5.787G	113.77	Inf	-Inf	3	Horizontal	352	1.50
5775MHz	Pass	PK	6.0042G	62.98	68.20	-5.22	3	Horizontal	352	1.50
5775MHz	Pass	AV	11.58264G	45.73	54.00	-8.27	3	Vertical	351	1.55
5775MHz	Pass	PK	11.51544G	57.68	74.00	-16.32	3	Vertical	351	1.55
5775MHz	Pass	AV	11.5884G	45.64	54.00	-8.36	3	Horizontal	15	1.68
5775MHz	Pass	PK	11.5548G	57.66	74.00	-16.34	3	Horizontal	15	1.68
802.11be EHT160_Nss2_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	51.09	54.00	-2.91	3	Vertical	3	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3268G	95.30	Inf	-Inf	3	Vertical	3	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3508G	51.40	54.00	-2.60	3	Vertical	3	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1048G	62.85	74.00	-11.15	3	Vertical	3	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3256G	107.62	Inf	-Inf	3	Vertical	3	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3664G	63.22	74.00	-10.78	3	Vertical	3	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4624G	61.94	68.20	-6.26	3	Vertical	3	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	53.62	54.00	-0.38	3	Horizontal	357	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2212G	96.22	Inf	-Inf	3	Horizontal	357	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3556G	51.17	54.00	-2.83	3	Horizontal	357	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1336G	68.66	74.00	-5.34	3	Horizontal	357	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2212G	108.98	Inf	-Inf	3	Horizontal	357	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3532G	67.93	74.00	-6.07	3	Horizontal	357	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.538G	60.69	68.20	-7.51	3	Horizontal	357	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.57392G	56.66	68.20	-11.54	3	Vertical	359	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.57648G	56.41	68.20	-11.79	3	Horizontal	223	1.50
5570MHz	Pass	AV	5.4596G	52.08	54.00	-1.92	3	Vertical	7	1.50
5570MHz	Pass	AV	5.5424G	95.83	Inf	-Inf	3	Vertical	7	1.50
5570MHz	Pass	PK	5.27G	60.53	68.20	-7.67	3	Vertical	7	1.50
5570MHz	Pass	PK	5.4476G	66.07	74.00	-7.93	3	Vertical	7	1.50
5570MHz	Pass	PK	5.4632G	65.69	68.20	-2.51	3	Vertical	7	1.50
5570MHz	Pass	PK	5.5412G	107.71	Inf	-Inf	3	Vertical	7	1.50
5570MHz	Pass	PK	5.744G	64.25	68.20	-3.95	3	Vertical	7	1.50
5570MHz	Pass	AV	5.4596G	52.57	54.00	-1.43	3	Horizontal	352	1.50
5570MHz	Pass	AV	5.6456G	95.72	Inf	-Inf	3	Horizontal	352	1.50
5570MHz	Pass	PK	5.2892G	61.24	68.20	-6.96	3	Horizontal	352	1.50
5570MHz	Pass	PK	5.444G	67.54	74.00	-6.46	3	Horizontal	352	1.50
5570MHz	Pass	PK	5.468G	67.38	68.20	-0.82	3	Horizontal	352	1.50
5570MHz	Pass	PK	5.6336G	106.88	Inf	-Inf	3	Horizontal	352	1.50
5570MHz	Pass	PK	5.7488G	67.84	68.20	-0.36	3	Horizontal	352	1.50
5570MHz	Pass	AV	11.14132G	45.77	54.00	-8.23	3	Vertical	170	1.52
5570MHz	Pass	PK	11.14684G	57.52	74.00	-16.48	3	Vertical	170	1.52
5570MHz	Pass	AV	11.13752G	45.90	54.00	-8.10	3	Horizontal	223	1.82
5570MHz	Pass	PK	11.1492G	57.24	74.00	-16.76	3	Horizontal	223	1.82

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.71	54.00	-0.29	5.62	3	Vertical	355	1.50	48.09	33.10	7.97	35.45
AV	5.1728G	108.23	Inf	-Inf	5.60	3	Vertical	355	1.50	102.63	33.05	8.00	35.45
PK	5.1306G	68.83	74.00	-5.17	5.47	3	Vertical	355	1.50	63.36	32.98	7.95	35.46
PK	5.172G	119.97	Inf	-Inf	5.61	3	Vertical	355	1.50	114.36	33.06	8.00	35.45

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14G	53.36	54.00	-0.64	5.55	3	Horizontal	354	1.50	47.81	33.04	7.96	35.45
AV	5.1816G	107.62	Inf	-Inf	5.60	3	Horizontal	354	1.50	102.02	33.04	8.01	35.45
PK	5.1398G	68.50	74.00	-5.50	5.55	3	Horizontal	354	1.50	62.95	33.04	7.96	35.45
PK	5.1714G	119.78	Inf	-Inf	5.61	3	Horizontal	354	1.50	114.17	33.06	8.00	35.45




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.19	54.00	-1.81	5.62	3	Vertical	360	1.50	46.57	33.10	7.97	35.45
AV	5.2024G	102.53	Inf	-Inf	5.59	3	Vertical	360	1.50	96.94	33.00	8.03	35.44
PK	5.148G	64.99	74.00	-9.01	5.61	3	Vertical	360	1.50	59.38	33.09	7.97	35.45
PK	5.1808G	114.55	Inf	-Inf	5.60	3	Vertical	360	1.50	108.95	33.04	8.01	35.45

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.35	54.00	-0.65	5.62	3	Horizontal	352	1.50	47.73	33.10	7.97	35.45
AV	5.1968G	102.24	Inf	-Inf	5.60	3	Horizontal	352	1.50	96.64	33.01	8.03	35.44
PK	5.1496G	65.18	74.00	-8.82	5.62	3	Horizontal	352	1.50	59.56	33.10	7.97	35.45
PK	5.1832G	114.25	Inf	-Inf	5.59	3	Horizontal	352	1.50	108.66	33.03	8.01	35.45




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.19	54.00	-1.81	5.62	3	Vertical	360	1.50	46.57	33.10	7.97	35.45
AV	5.202G	100.26	Inf	-Inf	5.59	3	Vertical	360	1.50	94.67	33.00	8.03	35.44
AV	5.389G	50.06	54.00	-3.94	5.35	3	Vertical	360	1.50	44.71	32.74	8.02	35.41
PK	5.13G	63.18	74.00	-10.82	5.47	3	Vertical	360	1.50	57.71	32.98	7.95	35.46
PK	5.201G	112.41	Inf	-Inf	5.59	3	Vertical	360	1.50	106.82	33.00	8.03	35.44
PK	5.372G	61.42	74.00	-12.58	5.42	3	Vertical	360	1.50	56.00	32.81	8.02	35.41

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.79	54.00	-0.21	5.62	3	Horizontal	354	1.50	48.17	33.10	7.97	35.45
AV	5.197G	100.23	Inf	-Inf	5.60	3	Horizontal	354	1.50	94.63	33.01	8.03	35.44
AV	5.358G	49.17	54.00	-4.83	5.47	3	Horizontal	354	1.50	43.70	32.87	8.02	35.42
PK	5.142G	64.01	74.00	-9.99	5.56	3	Horizontal	354	1.50	58.45	33.05	7.96	35.45
PK	5.202G	111.78	Inf	-Inf	5.59	3	Horizontal	354	1.50	106.19	33.00	8.03	35.44
PK	5.385G	61.11	74.00	-12.89	5.37	3	Horizontal	354	1.50	55.74	32.76	8.02	35.41



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.44368G	56.96	68.20	-11.24	13.01	3	Vertical	107	1.50	43.95	38.30	10.59	35.88

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.44064G	56.44	68.20	-11.76	13.00	3	Horizontal	199	1.50	43.44	38.30	10.58	35.88

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.327G	107.32	Inf	-Inf	5.45	3	Vertical	355	1.50	101.87	32.85	8.02	35.42
AV	5.35G	53.42	54.00	-0.58	5.50	3	Vertical	355	1.50	47.92	32.90	8.02	35.42
PK	5.3182G	120.30	Inf	-Inf	5.44	3	Vertical	355	1.50	114.86	32.84	8.02	35.42
PK	5.3622G	66.36	74.00	-7.64	5.46	3	Vertical	355	1.50	60.90	32.85	8.02	35.41

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3114G	105.82	Inf	-Inf	5.42	3	Horizontal	359	1.50	100.40	32.82	8.02	35.42
AV	5.35G	53.84	54.00	-0.16	5.50	3	Horizontal	359	1.50	48.34	32.90	8.02	35.42
PK	5.3158G	118.16	Inf	-Inf	5.43	3	Horizontal	359	1.50	112.73	32.83	8.02	35.42
PK	5.3604G	67.67	74.00	-6.33	5.46	3	Horizontal	359	1.50	62.21	32.86	8.02	35.42

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64784G	45.17	54.00	-8.83	13.77	3	Vertical	49	1.50	31.40	38.80	10.72	35.75
PK	10.63708G	57.51	74.00	-16.49	13.72	3	Vertical	49	1.50	43.79	38.77	10.71	35.76

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6408G	45.08	54.00	-8.92	13.75	3	Horizontal	272	1.50	31.33	38.78	10.72	35.75
PK	10.64036G	57.42	74.00	-16.58	13.75	3	Horizontal	272	1.50	43.67	38.78	10.72	35.75

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3164G	102.05	Inf	-Inf	5.43	3	Vertical	11	1.50	96.62	32.83	8.02	35.42
AV	5.3504G	52.89	54.00	-1.11	5.50	3	Vertical	11	1.50	47.39	32.90	8.02	35.42
PK	5.322G	113.98	Inf	-Inf	5.44	3	Vertical	11	1.50	108.54	32.84	8.02	35.42
PK	5.3544G	66.32	74.00	-7.68	5.48	3	Vertical	11	1.50	60.84	32.88	8.02	35.42

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.292G	102.70	Inf	-Inf	5.42	3	Horizontal	360	1.50	97.28	32.82	8.03	35.43
AV	5.35G	53.93	54.00	-0.07	5.50	3	Horizontal	360	1.50	48.43	32.90	8.02	35.42
PK	5.302G	115.21	Inf	-Inf	5.39	3	Horizontal	360	1.50	109.82	32.80	8.02	35.43
PK	5.3532G	66.03	74.00	-7.97	5.49	3	Horizontal	360	1.50	60.54	32.89	8.02	35.42

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62856G	45.03	54.00	-8.97	13.71	3	Vertical	81	1.50	31.32	38.76	10.71	35.76
PK	10.60968G	57.24	74.00	-16.76	13.64	3	Vertical	81	1.50	43.60	38.72	10.70	35.78

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63016G	44.96	54.00	-9.04	13.71	3	Horizontal	186	1.50	31.25	38.76	10.71	35.76
PK	10.61984G	56.93	74.00	-17.07	13.67	3	Horizontal	186	1.50	43.26	38.74	10.70	35.77

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	49.97	54.00	-4.03	5.60	3	Vertical	356	1.50	44.37	33.08	7.97	35.45
AV	5.318G	99.27	Inf	-Inf	5.44	3	Vertical	356	1.50	93.83	32.84	8.02	35.42
AV	5.35G	53.76	54.00	-0.24	5.50	3	Vertical	356	1.50	48.26	32.90	8.02	35.42
PK	5.123G	61.00	74.00	-13.00	5.42	3	Vertical	356	1.50	55.58	32.94	7.94	35.46
PK	5.316G	111.65	Inf	-Inf	5.43	3	Vertical	356	1.50	106.22	32.83	8.02	35.42
PK	5.35G	63.91	74.00	-10.09	5.50	3	Vertical	356	1.50	58.41	32.90	8.02	35.42
PK	5.49G	61.39	68.20	-6.81	5.49	3	Vertical	356	1.50	55.90	32.78	8.10	35.39

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	51.09	54.00	-2.91	5.60	3	Horizontal	357	1.50	45.49	33.08	7.97	35.45
AV	5.282G	100.29	Inf	-Inf	5.44	3	Horizontal	357	1.50	94.85	32.84	8.03	35.43
AV	5.35G	53.42	54.00	-0.58	5.50	3	Horizontal	357	1.50	47.92	32.90	8.02	35.42
PK	5.148G	62.36	74.00	-11.64	5.61	3	Horizontal	357	1.50	56.75	33.09	7.97	35.45
PK	5.278G	111.59	Inf	-Inf	5.44	3	Horizontal	357	1.50	106.15	32.84	8.03	35.43
PK	5.355G	63.58	74.00	-10.42	5.48	3	Horizontal	357	1.50	58.10	32.88	8.02	35.42
PK	5.507G	61.10	68.20	-7.10	5.52	3	Horizontal	357	1.50	55.58	32.79	8.12	35.39




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	51.09	54.00	-2.91	5.62	3	Vertical	3	1.55	45.47	33.10	7.97	35.45
AV	5.3268G	95.30	Inf	-Inf	5.45	3	Vertical	3	1.55	89.85	32.85	8.02	35.42
AV	5.3508G	51.40	54.00	-2.60	5.50	3	Vertical	3	1.55	45.90	32.90	8.02	35.42
PK	5.1048G	62.85	74.00	-11.15	5.29	3	Vertical	3	1.55	57.56	32.83	7.92	35.46
PK	5.3256G	107.62	Inf	-Inf	5.45	3	Vertical	3	1.55	102.17	32.85	8.02	35.42
PK	5.3664G	63.22	74.00	-10.78	5.44	3	Vertical	3	1.55	57.78	32.83	8.02	35.41
PK	5.4624G	61.94	68.20	-6.26	5.40	3	Vertical	3	1.55	56.54	32.72	8.08	35.40

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.62	54.00	-0.38	5.62	3	Horizontal	357	1.50	48.00	33.10	7.97	35.45
AV	5.2212G	96.22	Inf	-Inf	5.55	3	Horizontal	357	1.50	90.67	32.96	8.03	35.44
AV	5.3556G	51.17	54.00	-2.83	5.48	3	Horizontal	357	1.50	45.69	32.88	8.02	35.42
PK	5.1336G	68.66	74.00	-5.34	5.49	3	Horizontal	357	1.50	63.17	33.00	7.95	35.46
PK	5.2212G	108.98	Inf	-Inf	5.55	3	Horizontal	357	1.50	103.43	32.96	8.03	35.44
PK	5.3532G	67.93	74.00	-6.07	5.49	3	Horizontal	357	1.50	62.44	32.89	8.02	35.42
PK	5.538G	60.69	68.20	-7.51	5.49	3	Horizontal	357	1.50	55.20	32.72	8.14	35.37




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7028G	103.58	Inf	-Inf	6.38	3	Vertical	0	1.50	97.20	33.41	8.23	35.26
PK	5.7012G	115.76	Inf	-Inf	6.37	3	Vertical	0	1.50	109.39	33.40	8.23	35.26
PK	5.7256G	62.87	68.20	-5.33	6.48	3	Vertical	0	1.50	56.39	33.50	8.23	35.25

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7012G	102.57	Inf	-Inf	6.37	3	Horizontal	350	1.60	96.20	33.40	8.23	35.26
PK	5.7032G	114.85	Inf	-Inf	6.38	3	Horizontal	350	1.60	108.47	33.41	8.23	35.26
PK	5.726G	67.59	68.20	-0.61	6.48	3	Horizontal	350	1.60	61.11	33.50	8.23	35.25

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39128G	45.33	54.00	-8.67	14.67	3	Vertical	80	1.50	30.66	38.72	11.22	35.27
PK	11.39472G	57.13	74.00	-16.87	14.66	3	Vertical	80	1.50	42.47	38.71	11.22	35.27

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39608G	45.30	54.00	-8.70	14.66	3	Horizontal	266	1.50	30.64	38.71	11.22	35.27
PK	11.39136G	57.76	74.00	-16.24	14.67	3	Horizontal	266	1.50	43.09	38.72	11.22	35.27

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6724G	103.51	Inf	-Inf	6.12	3	Vertical	360	1.50	97.39	33.18	8.22	35.28
PK	5.6778G	115.88	Inf	-Inf	6.16	3	Vertical	360	1.50	109.72	33.22	8.22	35.28
PK	5.7252G	67.54	68.20	-0.66	6.48	3	Vertical	360	1.50	61.06	33.50	8.23	35.25

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6778G	101.92	Inf	-Inf	6.16	3	Horizontal	349	1.50	95.76	33.22	8.22	35.28
PK	5.6622G	114.42	Inf	-Inf	6.03	3	Horizontal	349	1.50	108.39	33.10	8.22	35.29
PK	5.7252G	66.25	68.20	-1.95	6.48	3	Horizontal	349	1.50	59.77	33.50	8.23	35.25

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3232G	45.73	54.00	-8.27	14.67	3	Vertical	251	1.50	31.06	38.80	11.17	35.30
PK	11.32872G	57.99	74.00	-16.01	14.68	3	Vertical	251	1.50	43.31	38.80	11.17	35.29

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34456G	45.70	54.00	-8.30	14.69	3	Horizontal	276	3.00	31.01	38.80	11.18	35.29
PK	11.3424G	58.20	74.00	-15.80	14.69	3	Horizontal	276	3.00	43.51	38.80	11.18	35.29

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	48.90	54.00	-5.10	5.50	3	Vertical	348	1.50	43.40	32.90	8.02	35.42
AV	5.459G	52.76	54.00	-1.24	5.39	3	Vertical	348	1.50	47.37	32.72	8.07	35.40
AV	5.528G	99.82	Inf	-Inf	5.51	3	Vertical	348	1.50	94.31	32.74	8.14	35.37
PK	5.331G	60.97	68.20	-7.23	5.46	3	Vertical	348	1.50	55.51	32.86	8.02	35.42
PK	5.451G	64.07	74.00	-9.93	5.37	3	Vertical	348	1.50	58.70	32.70	8.07	35.40
PK	5.47G	66.45	68.20	-1.75	5.42	3	Vertical	348	1.50	61.03	32.74	8.08	35.40
PK	5.526G	111.25	Inf	-Inf	5.51	3	Vertical	348	1.50	105.74	32.75	8.13	35.37
PK	5.77G	61.34	68.20	-6.86	6.70	3	Vertical	348	1.50	54.64	33.68	8.24	35.22

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	48.90	54.00	-5.10	5.50	3	Horizontal	346	1.50	43.40	32.90	8.02	35.42
AV	5.46G	53.98	54.00	-0.02	5.39	3	Horizontal	346	1.50	48.59	32.72	8.07	35.40
AV	5.516G	98.59	Inf	-Inf	5.51	3	Horizontal	346	1.50	93.08	32.77	8.12	35.38
PK	5.344G	61.34	68.20	-6.86	5.49	3	Horizontal	346	1.50	55.85	32.89	8.02	35.42
PK	5.459G	65.22	74.00	-8.78	5.39	3	Horizontal	346	1.50	59.83	32.72	8.07	35.40
PK	5.469G	65.82	68.20	-2.38	5.42	3	Horizontal	346	1.50	60.40	32.74	8.08	35.40
PK	5.497G	110.31	Inf	-Inf	5.51	3	Horizontal	346	1.50	104.80	32.79	8.11	35.39
PK	5.743G	62.02	68.20	-6.18	6.58	3	Horizontal	346	1.50	55.44	33.57	8.24	35.23

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08256G	45.34	54.00	-8.66	14.04	3	Vertical	293	1.50	31.30	38.40	11.01	35.37
PK	11.08576G	57.35	74.00	-16.65	14.04	3	Vertical	293	1.50	43.31	38.40	11.01	35.37

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09456G	45.24	54.00	-8.76	14.05	3	Horizontal	1	1.50	31.19	38.40	11.02	35.37
PK	11.08304G	57.91	74.00	-16.09	14.04	3	Horizontal	1	1.50	43.87	38.40	11.01	35.37

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	52.08	54.00	-1.92	5.39	3	Vertical	7	1.50	46.69	32.72	8.07	35.40
AV	5.5424G	95.83	Inf	-Inf	5.51	3	Vertical	7	1.50	90.32	32.72	8.15	35.36
PK	5.27G	60.53	68.20	-7.67	5.46	3	Vertical	7	1.50	55.07	32.86	8.03	35.43
PK	5.4476G	66.07	74.00	-7.93	5.36	3	Vertical	7	1.50	60.71	32.70	8.06	35.40
PK	5.4632G	65.69	68.20	-2.51	5.41	3	Vertical	7	1.50	60.28	32.73	8.08	35.40
PK	5.5412G	107.71	Inf	-Inf	5.51	3	Vertical	7	1.50	102.20	32.72	8.15	35.36
PK	5.744G	64.25	68.20	-3.95	6.59	3	Vertical	7	1.50	57.66	33.58	8.24	35.23

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	52.57	54.00	-1.43	5.39	3	Horizontal	352	1.50	47.18	32.72	8.07	35.40
AV	5.6456G	95.72	Inf	-Inf	5.88	3	Horizontal	352	1.50	89.84	32.97	8.21	35.30
PK	5.2892G	61.24	68.20	-6.96	5.42	3	Horizontal	352	1.50	55.82	32.82	8.03	35.43
PK	5.444G	67.54	74.00	-6.46	5.36	3	Horizontal	352	1.50	62.18	32.70	8.06	35.40
PK	5.468G	67.38	68.20	-0.82	5.42	3	Horizontal	352	1.50	61.96	32.74	8.08	35.40
PK	5.6336G	106.88	Inf	-Inf	5.81	3	Horizontal	352	1.50	101.07	32.90	8.21	35.30
PK	5.7488G	67.84	68.20	-0.36	6.61	3	Horizontal	352	1.50	61.23	33.60	8.24	35.23

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14132G	45.77	54.00	-8.23	14.10	3	Vertical	170	1.52	31.67	38.40	11.05	35.35
PK	11.14684G	57.52	74.00	-16.48	14.10	3	Vertical	170	1.52	43.42	38.40	11.05	35.35

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13752G	45.90	54.00	-8.10	14.09	3	Horizontal	223	1.82	31.81	38.40	11.05	35.36
PK	11.1492G	57.24	74.00	-16.76	14.10	3	Horizontal	223	1.82	43.14	38.40	11.05	35.35

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78371G	108.68	Inf	-Inf	6.77	3	Vertical	358	1.50	101.91	33.73	8.25	35.21
PK	5.57559G	62.43	68.20	-5.77	5.54	3	Vertical	358	1.50	56.89	32.70	8.18	35.34
PK	5.79097G	119.99	Inf	-Inf	6.81	3	Vertical	358	1.50	113.18	33.76	8.25	35.20
PK	6.03055G	62.57	68.20	-5.63	7.31	3	Vertical	358	1.50	55.26	34.00	8.39	35.08

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78734G	108.38	Inf	-Inf	6.79	3	Horizontal	352	1.60	101.59	33.75	8.25	35.21
PK	5.6373G	62.07	68.20	-6.13	5.83	3	Horizontal	352	1.60	56.24	32.92	8.21	35.30
PK	5.78976G	119.95	Inf	-Inf	6.81	3	Horizontal	352	1.60	113.14	33.76	8.25	35.20
PK	6.04628G	63.22	68.20	-4.98	7.31	3	Horizontal	352	1.60	55.91	34.00	8.40	35.09

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5744G	45.62	54.00	-8.38	14.48	3	Vertical	359	1.50	31.14	38.40	11.34	35.26
PK	11.56144G	57.93	74.00	-16.07	14.52	3	Vertical	359	1.50	43.41	38.45	11.33	35.26

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57748G	45.60	54.00	-8.40	14.47	3	Horizontal	17	1.50	31.13	38.39	11.34	35.26
PK	11.56596G	57.60	74.00	-16.40	14.51	3	Horizontal	17	1.50	43.09	38.44	11.33	35.26

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4574G	49.22	54.00	-4.78	5.38	3	Vertical	4	1.36	43.84	32.71	8.07	35.40
AV	5.7574G	107.45	Inf	-Inf	6.64	3	Vertical	4	1.36	100.81	33.63	8.24	35.23
PK	5.6374G	63.37	68.20	-4.83	5.83	3	Vertical	4	1.36	57.54	32.92	8.21	35.30
PK	5.7622G	118.81	Inf	-Inf	6.67	3	Vertical	4	1.36	112.14	33.65	8.24	35.22
PK	5.9734G	62.98	68.20	-5.22	7.27	3	Vertical	4	1.36	55.71	34.00	8.36	35.09

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	48.32	54.00	-5.68	5.38	3	Horizontal	356	1.50	42.94	32.71	8.07	35.40
AV	5.737G	104.59	Inf	-Inf	6.54	3	Horizontal	356	1.50	98.05	33.55	8.23	35.24
PK	5.6446G	62.34	68.20	-5.86	5.88	3	Horizontal	356	1.50	56.46	32.97	8.21	35.30
PK	5.7478G	116.10	Inf	-Inf	6.60	3	Horizontal	356	1.50	109.50	33.59	8.24	35.23
PK	6.0298G	62.53	68.20	-5.67	7.31	3	Horizontal	356	1.50	55.22	34.00	8.39	35.08

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52352G	45.28	54.00	-8.72	14.60	3	Vertical	79	1.18	30.68	38.55	11.30	35.25
PK	11.50704G	58.07	74.00	-15.93	14.64	3	Vertical	79	1.18	43.43	38.59	11.29	35.24

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52968G	45.28	54.00	-8.72	14.60	3	Horizontal	180	2.72	30.68	38.54	11.31	35.25
PK	11.49592G	58.00	74.00	-16.00	14.65	3	Horizontal	180	2.72	43.35	38.61	11.28	35.24

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7606G	103.87	Inf	-Inf	6.66	3	Vertical	3	1.50	97.21	33.64	8.24	35.22
PK	5.649G	66.06	68.20	-2.14	5.91	3	Vertical	3	1.50	60.15	32.99	8.21	35.29
PK	5.7642G	115.45	Inf	-Inf	6.68	3	Vertical	3	1.50	108.77	33.66	8.24	35.22
PK	6.0306G	62.53	68.20	-5.67	7.31	3	Vertical	3	1.50	55.22	34.00	8.39	35.08

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7894G	102.34	Inf	-Inf	6.81	3	Horizontal	352	1.50	95.53	33.76	8.25	35.20
PK	5.649G	64.77	68.20	-3.43	5.91	3	Horizontal	352	1.50	58.86	32.99	8.21	35.29
PK	5.787G	113.77	Inf	-Inf	6.79	3	Horizontal	352	1.50	106.98	33.75	8.25	35.21
PK	6.0042G	62.98	68.20	-5.22	7.31	3	Horizontal	352	1.50	55.67	34.00	8.38	35.07



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58264G	45.73	54.00	-8.27	14.44	3	Vertical	351	1.55	31.29	38.37	11.34	35.27
PK	11.51544G	57.68	74.00	-16.32	14.63	3	Vertical	351	1.55	43.05	38.57	11.30	35.24

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5884G	45.64	54.00	-8.36	14.43	3	Horizontal	15	1.68	31.21	38.35	11.35	35.27
PK	11.5548G	57.66	74.00	-16.34	14.54	3	Horizontal	15	1.68	43.12	38.48	11.32	35.26



**RSE TX below 1GHz_Non-Beamforming_Radio 3_
Dipole Antenna_1T1S**

Appendix E.19

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	43.58M	36.99	40.00	-3.01	3	Vertical	0	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1 (MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5290MHz_Adapter	Pass	PK	43.58M	36.99	40.00	-3.01	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	95.96M	29.28	43.50	-14.22	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	148.34M	39.90	43.50	-3.60	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	249.22M	30.12	46.00	-15.88	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	336.52M	17.67	46.00	-28.33	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	423.82M	20.59	46.00	-25.41	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	33.88M	26.34	40.00	-13.66	3	Horizontal	360	1.00
5290MHz_Adapter	Pass	PK	101.78M	28.58	43.50	-14.92	3	Horizontal	360	1.00
5290MHz_Adapter	Pass	PK	148.34M	37.78	43.50	-5.72	3	Horizontal	360	1.00
5290MHz_Adapter	Pass	PK	249.22M	32.03	46.00	-13.97	3	Horizontal	360	1.00
5290MHz_Adapter	Pass	PK	303.54M	22.29	46.00	-23.71	3	Horizontal	360	1.00
5290MHz_Adapter	Pass	PK	412.18M	19.81	46.00	-26.19	3	Horizontal	360	1.00

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5290MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	43.58M	36.99	40.00	-3.01	-25.85	3	Vertical	0	1.00	62.84	17.91	0.80	44.56
PK	95.96M	29.28	43.50	-14.22	-27.80	3	Vertical	0	1.00	57.08	15.68	1.14	44.62
PK	148.34M	39.90	43.50	-3.60	-25.99	3	Vertical	0	1.00	65.89	17.26	1.40	44.65
PK	249.22M	30.12	46.00	-15.88	-24.01	3	Vertical	0	1.00	54.13	18.62	1.81	44.44
PK	336.52M	17.67	46.00	-28.33	-21.85	3	Vertical	0	1.00	39.52	20.25	2.15	44.25
PK	423.82M	20.59	46.00	-25.41	-18.92	3	Vertical	0	1.00	39.51	22.82	2.33	44.07

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	26.34	40.00	-13.66	-20.79	3	Horizontal	360	1.00	47.13	22.82	0.79	44.40
PK	101.78M	28.58	43.50	-14.92	-27.02	3	Horizontal	360	1.00	55.60	16.39	1.18	44.59
PK	148.34M	37.78	43.50	-5.72	-25.99	3	Horizontal	360	1.00	63.77	17.26	1.40	44.65
PK	249.22M	32.03	46.00	-13.97	-24.01	3	Horizontal	360	1.00	56.04	18.62	1.81	44.44
PK	303.54M	22.29	46.00	-23.71	-22.83	3	Horizontal	360	1.00	45.12	19.48	2.01	44.32
PK	412.18M	19.81	46.00	-26.19	-19.28	3	Horizontal	360	1.00	39.09	22.51	2.29	44.08



**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dipole Antenna_1T1S**

Appendix E.20

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.139G	48.88	54.00	-5.12	3	Horizontal	4	1.71
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.1398G	49.63	54.00	-4.37	3	Horizontal	4	1.84
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.15G	51.57	54.00	-2.43	3	Horizontal	4	1.79
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.84	54.00	-0.16	3	Horizontal	5	1.82
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.3512G	48.69	54.00	-5.31	3	Horizontal	4	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.3602G	49.24	54.00	-4.76	3	Horizontal	2	1.61
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.35G	52.52	54.00	-1.48	3	Horizontal	3	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.27	54.00	-0.73	3	Horizontal	0	1.50



**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dipole Antenna_1T1S**

Appendix E.20

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.139G	48.88	54.00	-5.12	3	Horizontal	4	1.71
5180MHz	Pass	AV	5.175G	104.11	Inf	-Inf	3	Horizontal	4	1.71
5180MHz	Pass	PK	5.14G	61.98	74.00	-12.02	3	Horizontal	4	1.71
5180MHz	Pass	PK	5.1752G	113.83	Inf	-Inf	3	Horizontal	4	1.71
5180MHz	Pass	PK	10.36084G	54.29	68.20	-13.91	3	Vertical	316	2.81
5180MHz	Pass	PK	10.36956G	54.38	68.20	-13.82	3	Horizontal	239	1.50
5200MHz	Pass	AV	5.1492G	48.06	54.00	-5.94	3	Horizontal	1	1.80
5200MHz	Pass	AV	5.1932G	103.84	Inf	-Inf	3	Horizontal	1	1.80
5200MHz	Pass	PK	5.1492G	60.41	74.00	-13.59	3	Horizontal	1	1.80
5200MHz	Pass	PK	5.1964G	113.15	Inf	-Inf	3	Horizontal	1	1.80
5200MHz	Pass	PK	10.39076G	54.02	68.20	-14.18	3	Vertical	360	1.50
5200MHz	Pass	PK	10.398G	53.95	68.20	-14.25	3	Horizontal	166	1.50
5240MHz	Pass	AV	5.147G	47.46	54.00	-6.54	3	Horizontal	2	1.77
5240MHz	Pass	AV	5.237G	102.54	Inf	-Inf	3	Horizontal	2	1.77
5240MHz	Pass	AV	5.3768G	47.52	54.00	-6.48	3	Horizontal	2	1.77
5240MHz	Pass	PK	5.09G	59.73	74.00	-14.27	3	Horizontal	2	1.77
5240MHz	Pass	PK	5.2442G	112.62	Inf	-Inf	3	Horizontal	2	1.77
5240MHz	Pass	PK	5.375G	59.70	74.00	-14.30	3	Horizontal	2	1.77
5240MHz	Pass	PK	10.48816G	54.69	68.20	-13.51	3	Vertical	329	2.48
5240MHz	Pass	PK	10.48684G	54.35	68.20	-13.85	3	Horizontal	73	1.50
5260MHz	Pass	AV	5.149G	47.51	54.00	-6.49	3	Horizontal	3	1.50
5260MHz	Pass	AV	5.2666G	103.91	Inf	-Inf	3	Horizontal	3	1.50
5260MHz	Pass	AV	5.3548G	47.61	54.00	-6.39	3	Horizontal	3	1.50
5260MHz	Pass	PK	5.146G	60.15	74.00	-13.85	3	Horizontal	3	1.50
5260MHz	Pass	PK	5.26G	113.89	Inf	-Inf	3	Horizontal	3	1.50
5260MHz	Pass	PK	5.371G	59.78	74.00	-14.22	3	Horizontal	3	1.50
5260MHz	Pass	PK	10.52972G	55.27	68.20	-12.93	3	Vertical	360	1.50
5260MHz	Pass	PK	10.52876G	54.44	68.20	-13.76	3	Horizontal	14	2.91
5300MHz	Pass	AV	5.2952G	104.74	Inf	-Inf	3	Horizontal	2	1.50
5300MHz	Pass	AV	5.35G	48.01	54.00	-5.99	3	Horizontal	2	1.50
5300MHz	Pass	PK	5.3048G	114.35	Inf	-Inf	3	Horizontal	2	1.50
5300MHz	Pass	PK	5.3896G	60.54	74.00	-13.46	3	Horizontal	2	1.50
5300MHz	Pass	PK	10.59972G	54.87	68.20	-13.33	3	Vertical	62	1.50
5300MHz	Pass	PK	10.59776G	54.92	68.20	-13.28	3	Horizontal	166	2.09
5320MHz	Pass	AV	5.3128G	104.68	Inf	-Inf	3	Horizontal	4	1.50
5320MHz	Pass	AV	5.3512G	48.69	54.00	-5.31	3	Horizontal	4	1.50
5320MHz	Pass	PK	5.3202G	114.48	Inf	-Inf	3	Horizontal	4	1.50
5320MHz	Pass	PK	5.3608G	61.78	74.00	-12.22	3	Horizontal	4	1.50
5320MHz	Pass	AV	10.6484G	41.58	54.00	-12.42	3	Vertical	8	1.50
5320MHz	Pass	PK	10.64756G	55.06	74.00	-18.94	3	Vertical	8	1.50
5320MHz	Pass	AV	10.64976G	41.58	54.00	-12.42	3	Horizontal	0	1.92
5320MHz	Pass	PK	10.6406G	54.78	74.00	-19.22	3	Horizontal	0	1.92
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1398G	49.63	54.00	-4.37	3	Horizontal	4	1.84
5180MHz	Pass	AV	5.175G	103.47	Inf	-Inf	3	Horizontal	4	1.84
5180MHz	Pass	PK	5.137G	62.97	74.00	-11.03	3	Horizontal	4	1.84
5180MHz	Pass	PK	5.1726G	115.58	Inf	-Inf	3	Horizontal	4	1.84
5180MHz	Pass	PK	10.36284G	54.11	68.20	-14.09	3	Vertical	315	2.08
5180MHz	Pass	PK	10.36984G	54.27	68.20	-13.93	3	Horizontal	156	2.39
5200MHz	Pass	AV	5.15G	48.16	54.00	-5.84	3	Horizontal	4	1.80
5200MHz	Pass	AV	5.1924G	103.43	Inf	-Inf	3	Horizontal	4	1.80
5200MHz	Pass	PK	5.1424G	60.24	74.00	-13.76	3	Horizontal	4	1.80
5200MHz	Pass	PK	5.1952G	116.00	Inf	-Inf	3	Horizontal	4	1.80
5200MHz	Pass	PK	10.40104G	54.04	68.20	-14.16	3	Vertical	185	1.50
5200MHz	Pass	PK	10.40968G	54.18	68.20	-14.02	3	Horizontal	304	1.27
5240MHz	Pass	AV	5.15G	47.41	54.00	-6.59	3	Horizontal	1	1.50
5240MHz	Pass	AV	5.246G	101.58	Inf	-Inf	3	Horizontal	1	1.50
5240MHz	Pass	AV	5.3768G	47.49	54.00	-6.51	3	Horizontal	1	1.50
5240MHz	Pass	PK	5.1494G	59.79	74.00	-14.21	3	Horizontal	1	1.50
5240MHz	Pass	PK	5.2442G	113.47	Inf	-Inf	3	Horizontal	1	1.50



**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dipole Antenna_1T1S**

Appendix E.20

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.378G	60.30	74.00	-13.70	3	Horizontal	1	1.50
5240MHz	Pass	PK	10.4752G	54.26	68.20	-13.94	3	Vertical	116	2.16
5240MHz	Pass	PK	10.47676G	54.70	68.20	-13.50	3	Horizontal	190	1.69
5260MHz	Pass	AV	5.1496G	47.50	54.00	-6.50	3	Horizontal	4	1.50
5260MHz	Pass	AV	5.266G	103.48	Inf	-Inf	3	Horizontal	4	1.50
5260MHz	Pass	AV	5.3506G	47.57	54.00	-6.43	3	Horizontal	4	1.50
5260MHz	Pass	PK	5.1472G	59.65	74.00	-14.35	3	Horizontal	4	1.50
5260MHz	Pass	PK	5.266G	115.60	Inf	-Inf	3	Horizontal	4	1.50
5260MHz	Pass	PK	5.3854G	60.38	74.00	-13.62	3	Horizontal	4	1.50
5260MHz	Pass	PK	10.512G	53.94	68.20	-14.26	3	Vertical	258	1.50
5260MHz	Pass	PK	10.5214G	54.60	68.20	-13.60	3	Horizontal	178	1.50
5300MHz	Pass	AV	5.2948G	104.09	Inf	-Inf	3	Horizontal	2	1.50
5300MHz	Pass	AV	5.35G	48.11	54.00	-5.89	3	Horizontal	2	1.50
5300MHz	Pass	PK	5.2952G	116.40	Inf	-Inf	3	Horizontal	2	1.50
5300MHz	Pass	PK	5.3652G	61.01	74.00	-12.99	3	Horizontal	2	1.50
5300MHz	Pass	PK	10.5992G	54.53	68.20	-13.67	3	Vertical	333	2.36
5300MHz	Pass	PK	10.5974G	54.43	68.20	-13.77	3	Horizontal	279	2.82
5320MHz	Pass	AV	5.316G	105.02	Inf	-Inf	3	Horizontal	2	1.61
5320MHz	Pass	AV	5.3602G	49.24	54.00	-4.76	3	Horizontal	2	1.61
5320MHz	Pass	PK	5.313G	117.02	Inf	-Inf	3	Horizontal	2	1.61
5320MHz	Pass	PK	5.3606G	62.72	74.00	-11.28	3	Horizontal	2	1.61
5320MHz	Pass	AV	10.64828G	41.54	54.00	-12.46	3	Vertical	140	2.13
5320MHz	Pass	PK	10.63988G	54.62	74.00	-19.38	3	Vertical	140	2.13
5320MHz	Pass	AV	10.64912G	41.59	54.00	-12.41	3	Horizontal	38	1.50
5320MHz	Pass	PK	10.64348G	54.90	74.00	-19.10	3	Horizontal	38	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	51.57	54.00	-2.43	3	Horizontal	4	1.79
5190MHz	Pass	AV	5.186G	101.18	Inf	-Inf	3	Horizontal	4	1.79
5190MHz	Pass	PK	5.1424G	64.29	74.00	-9.71	3	Horizontal	4	1.79
5190MHz	Pass	PK	5.1724G	113.80	Inf	-Inf	3	Horizontal	4	1.79
5190MHz	Pass	PK	10.37912G	53.84	68.20	-14.36	3	Vertical	54	2.95
5190MHz	Pass	PK	10.37584G	54.35	68.20	-13.85	3	Horizontal	329	1.50
5230MHz	Pass	AV	5.1496G	48.26	54.00	-5.74	3	Horizontal	3	1.69
5230MHz	Pass	AV	5.2156G	99.59	Inf	-Inf	3	Horizontal	3	1.69
5230MHz	Pass	PK	5.1348G	59.77	74.00	-14.23	3	Horizontal	3	1.69
5230MHz	Pass	PK	5.2132G	111.98	Inf	-Inf	3	Horizontal	3	1.69
5230MHz	Pass	PK	10.46192G	54.60	68.20	-13.60	3	Vertical	101	2.94
5230MHz	Pass	PK	10.46816G	54.51	68.20	-13.69	3	Horizontal	325	2.68
5270MHz	Pass	AV	5.288G	100.77	Inf	-Inf	3	Horizontal	2	1.50
5270MHz	Pass	AV	5.35G	48.42	54.00	-5.58	3	Horizontal	2	1.50
5270MHz	Pass	PK	5.2728G	113.14	Inf	-Inf	3	Horizontal	2	1.50
5270MHz	Pass	PK	5.3504G	60.47	74.00	-13.53	3	Horizontal	2	1.50
5270MHz	Pass	PK	10.5432G	54.42	68.20	-13.78	3	Vertical	355	2.22
5270MHz	Pass	PK	10.53712G	54.25	68.20	-13.95	3	Horizontal	50	1.95
5310MHz	Pass	AV	5.314G	101.13	Inf	-Inf	3	Horizontal	3	1.50
5310MHz	Pass	AV	5.35G	52.52	54.00	-1.48	3	Horizontal	3	1.50
5310MHz	Pass	PK	5.3196G	113.66	Inf	-Inf	3	Horizontal	3	1.50
5310MHz	Pass	PK	5.3504G	65.90	74.00	-8.10	3	Horizontal	3	1.50
5310MHz	Pass	AV	10.62352G	41.61	54.00	-12.39	3	Vertical	72	1.50
5310MHz	Pass	PK	10.6144G	54.39	74.00	-19.61	3	Vertical	72	1.50
5310MHz	Pass	AV	10.62248G	41.61	54.00	-12.39	3	Horizontal	53	1.50
5310MHz	Pass	PK	10.62504G	54.73	74.00	-19.27	3	Horizontal	53	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.84	54.00	-0.16	3	Horizontal	5	1.82
5210MHz	Pass	AV	5.196G	96.84	Inf	-Inf	3	Horizontal	5	1.82
5210MHz	Pass	AV	5.381G	47.67	54.00	-6.33	3	Horizontal	5	1.82
5210MHz	Pass	PK	5.147G	65.51	74.00	-8.49	3	Horizontal	5	1.82
5210MHz	Pass	PK	5.18G	108.84	Inf	-Inf	3	Horizontal	5	1.82
5210MHz	Pass	PK	5.398G	59.96	74.00	-14.04	3	Horizontal	5	1.82
5210MHz	Pass	PK	10.38128G	54.67	68.20	-13.53	3	Vertical	328	1.50
5210MHz	Pass	PK	10.45232G	53.79	68.20	-14.41	3	Horizontal	161	1.01
5290MHz	Pass	AV	5.148G	47.95	54.00	-6.05	3	Horizontal	0	1.50




**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dipole Antenna_1T1S**

Appendix E.20

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	AV	5.297G	97.07	Inf	-Inf	3	Horizontal	0	1.50
5290MHz	Pass	AV	5.35G	53.27	54.00	-0.73	3	Horizontal	0	1.50
5290MHz	Pass	PK	5.129G	60.16	74.00	-13.84	3	Horizontal	0	1.50
5290MHz	Pass	PK	5.3G	109.29	Inf	-Inf	3	Horizontal	0	1.50
5290MHz	Pass	PK	5.35G	64.68	74.00	-9.32	3	Horizontal	0	1.50
5290MHz	Pass	PK	5.478G	59.72	68.20	-8.48	3	Horizontal	0	1.50
5290MHz	Pass	PK	10.59008G	54.26	68.20	-13.94	3	Vertical	39	1.50
5290MHz	Pass	PK	10.55104G	54.28	68.20	-13.92	3	Horizontal	202	1.50

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.139G	48.88	54.00	-5.12	6.24	3	Horizontal	4	1.71	42.64	33.28	7.94	34.98
AV	5.175G	104.11	Inf	-Inf	6.19	3	Horizontal	4	1.71	97.92	33.20	7.97	34.98
PK	5.14G	61.98	74.00	-12.02	6.24	3	Horizontal	4	1.71	55.74	33.28	7.94	34.98
PK	5.1752G	113.83	Inf	-Inf	6.19	3	Horizontal	4	1.71	107.64	33.20	7.97	34.98

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36084G	54.29	68.20	-13.91	7.04	3	Vertical	316	2.81	47.25	38.70	11.41	43.07

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36956G	54.38	68.20	-13.82	7.05	3	Horizontal	239	1.50	47.33	38.70	11.42	43.07

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1398G	49.63	54.00	-4.37	6.24	3	Horizontal	4	1.84	43.39	33.28	7.94	34.98
AV	5.175G	103.47	Inf	-Inf	6.19	3	Horizontal	4	1.84	97.28	33.20	7.97	34.98
PK	5.137G	62.97	74.00	-11.03	6.24	3	Horizontal	4	1.84	56.73	33.27	7.94	34.97
PK	5.1726G	115.58	Inf	-Inf	6.19	3	Horizontal	4	1.84	109.39	33.21	7.96	34.98




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.57	54.00	-2.43	6.27	3	Horizontal	4	1.79	45.30	33.30	7.95	34.98
AV	5.186G	101.18	Inf	-Inf	6.15	3	Horizontal	4	1.79	95.03	33.16	7.97	34.98
PK	5.1424G	64.29	74.00	-9.71	6.25	3	Horizontal	4	1.79	58.04	33.28	7.95	34.98
PK	5.1724G	113.80	Inf	-Inf	6.19	3	Horizontal	4	1.79	107.61	33.21	7.96	34.98

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37912G	53.84	68.20	-14.36	7.06	3	Vertical	54	2.95	46.78	38.70	11.42	43.06

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37584G	54.35	68.20	-13.85	7.06	3	Horizontal	329	1.50	47.29	38.70	11.42	43.06

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.84	54.00	-0.16	6.27	3	Horizontal	5	1.82	47.57	33.30	7.95	34.98
AV	5.196G	96.84	Inf	-Inf	6.11	3	Horizontal	5	1.82	90.73	33.12	7.98	34.99
AV	5.381G	47.67	54.00	-6.33	6.20	3	Horizontal	5	1.82	41.47	33.04	8.18	35.02
PK	5.147G	65.51	74.00	-8.49	6.26	3	Horizontal	5	1.82	59.25	33.29	7.95	34.98
PK	5.18G	108.84	Inf	-Inf	6.17	3	Horizontal	5	1.82	102.67	33.18	7.97	34.98
PK	5.398G	59.96	74.00	-14.04	6.18	3	Horizontal	5	1.82	53.78	33.00	8.20	35.02


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3128G	104.68	Inf	-Inf	6.19	3	Horizontal	4	1.50	98.49	33.10	8.10	35.01
AV	5.3512G	48.69	54.00	-5.31	6.24	3	Horizontal	4	1.50	42.45	33.10	8.15	35.01
PK	5.3202G	114.48	Inf	-Inf	6.20	3	Horizontal	4	1.50	108.28	33.10	8.11	35.01
PK	5.3608G	61.78	74.00	-12.22	6.23	3	Horizontal	4	1.50	55.55	33.08	8.16	35.01

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6484G	41.58	54.00	-12.42	7.61	3	Vertical	8	1.50	33.97	39.10	11.58	43.07
PK	10.64756G	55.06	74.00	-18.94	7.61	3	Vertical	8	1.50	47.45	39.10	11.58	43.07

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64976G	41.58	54.00	-12.42	7.61	3	Horizontal	0	1.92	33.97	39.10	11.58	43.07
PK	10.6406G	54.78	74.00	-19.22	7.58	3	Horizontal	0	1.92	47.20	39.08	11.57	43.07

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.316G	105.02	Inf	-Inf	6.20	3	Horizontal	2	1.61	98.82	33.10	8.11	35.01
AV	5.3602G	49.24	54.00	-4.76	6.23	3	Horizontal	2	1.61	43.01	33.08	8.16	35.01
PK	5.313G	117.02	Inf	-Inf	6.19	3	Horizontal	2	1.61	110.83	33.10	8.10	35.01
PK	5.3606G	62.72	74.00	-11.28	6.23	3	Horizontal	2	1.61	56.49	33.08	8.16	35.01

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64828G	41.54	54.00	-12.46	7.61	3	Vertical	140	2.13	33.93	39.10	11.58	43.07
PK	10.63988G	54.62	74.00	-19.38	7.58	3	Vertical	140	2.13	47.04	39.08	11.57	43.07

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64912G	41.59	54.00	-12.41	7.61	3	Horizontal	38	1.50	33.98	39.10	11.58	43.07
PK	10.64348G	54.90	74.00	-19.10	7.59	3	Horizontal	38	1.50	47.31	39.09	11.57	43.07

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.314G	101.13	Inf	-Inf	6.20	3	Horizontal	3	1.50	94.93	33.10	8.11	35.01
AV	5.35G	52.52	54.00	-1.48	6.23	3	Horizontal	3	1.50	46.29	33.10	8.14	35.01
PK	5.3196G	113.66	Inf	-Inf	6.20	3	Horizontal	3	1.50	107.46	33.10	8.11	35.01
PK	5.3504G	65.90	74.00	-8.10	6.24	3	Horizontal	3	1.50	59.66	33.10	8.15	35.01

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62352G	41.61	54.00	-12.39	7.55	3	Vertical	72	1.50	34.06	39.05	11.56	43.06
PK	10.6144G	54.39	74.00	-19.61	7.54	3	Vertical	72	1.50	46.85	39.03	11.56	43.05

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62248G	41.61	54.00	-12.39	7.54	3	Horizontal	53	1.50	34.07	39.04	11.56	43.06
PK	10.62504G	54.73	74.00	-19.27	7.55	3	Horizontal	53	1.50	47.18	39.05	11.56	43.06

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	47.95	54.00	-6.05	6.27	3	Horizontal	0	1.50	41.68	33.30	7.95	34.98
AV	5.297G	97.07	Inf	-Inf	6.19	3	Horizontal	0	1.50	90.88	33.10	8.09	35.00
AV	5.35G	53.27	54.00	-0.73	6.23	3	Horizontal	0	1.50	47.04	33.10	8.14	35.01
PK	5.129G	60.16	74.00	-13.84	6.23	3	Horizontal	0	1.50	53.93	33.26	7.94	34.97
PK	5.3G	109.29	Inf	-Inf	6.19	3	Horizontal	0	1.50	103.10	33.10	8.09	35.00
PK	5.35G	64.68	74.00	-9.32	6.23	3	Horizontal	0	1.50	58.45	33.10	8.14	35.01
PK	5.478G	59.72	68.20	-8.48	6.22	3	Horizontal	0	1.50	53.50	33.01	8.25	35.04




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 3_
Dipole Antenna_2T1S**

Appendix E.21

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	148.34M	40.23	43.50	-3.27	3	Horizontal	360	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1 (MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz_Adapter	Pass	PK	148.34M	36.92	43.50	-6.58	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	249.22M	29.22	46.00	-16.78	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	363.68M	19.21	46.00	-26.79	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	423.82M	19.97	46.00	-26.03	3	Vertical	0	1.00
5290MHz_Adapter	Pass	PK	501.42M	22.14	46.00	-23.86	3	Vertical	0	1.00
5290MHz_Adapter	Pass	QP	54.24M	30.24	40.00	-9.76	3	Vertical	326	1.00
5290MHz_Adapter	Pass	PK	43.58M	27.62	40.00	-12.38	3	Horizontal	360	1.00
5290MHz_Adapter	Pass	PK	101.78M	29.46	43.50	-14.04	3	Horizontal	360	1.00
5290MHz_Adapter	Pass	PK	148.34M	40.23	43.50	-3.27	3	Horizontal	360	1.00
5290MHz_Adapter	Pass	PK	249.22M	32.97	46.00	-13.03	3	Horizontal	360	1.00
5290MHz_Adapter	Pass	PK	311.3M	20.13	46.00	-25.87	3	Horizontal	360	1.00
5290MHz_Adapter	Pass	PK	398.6M	21.07	46.00	-24.93	3	Horizontal	360	1.00



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5290MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	148.34M	36.92	43.50	-6.58	-25.99	3	Vertical	0	1.00	62.91	17.26	1.40	44.65
PK	249.22M	29.22	46.00	-16.78	-24.01	3	Vertical	0	1.00	53.23	18.62	1.81	44.44
PK	363.68M	19.21	46.00	-26.79	-20.95	3	Vertical	0	1.00	40.16	21.02	2.22	44.19
PK	423.82M	19.97	46.00	-26.03	-18.92	3	Vertical	0	1.00	38.89	22.82	2.33	44.07
PK	501.42M	22.14	46.00	-23.86	-17.15	3	Vertical	0	1.00	39.29	24.16	2.65	43.96
QP	54.24M	30.24	40.00	-9.76	-31.18	3	Vertical	326	1.00	61.42	12.63	0.86	44.67

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	43.58M	27.62	40.00	-12.38	-25.85	3	Horizontal	360	1.00	53.47	17.91	0.80	44.56
PK	101.78M	29.46	43.50	-14.04	-27.02	3	Horizontal	360	1.00	56.48	16.39	1.18	44.59
PK	148.34M	40.23	43.50	-3.27	-25.99	3	Horizontal	360	1.00	66.22	17.26	1.40	44.65
PK	249.22M	32.97	46.00	-13.03	-24.01	3	Horizontal	360	1.00	56.98	18.62	1.81	44.44
PK	311.3M	20.13	46.00	-25.87	-22.82	3	Horizontal	360	1.00	42.95	19.44	2.05	44.31
PK	398.6M	21.07	46.00	-24.93	-19.93	3	Horizontal	360	1.00	41.00	21.91	2.26	44.10



**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dipole Antenna_2T1S**

Appendix E.22

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1498G	50.19	54.00	-3.81	3	Vertical	18	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.1392G	51.00	54.00	-3.00	3	Vertical	19	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.1492G	53.73	54.00	-0.27	3	Vertical	18	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.144G	53.27	54.00	-0.73	3	Vertical	333	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3524G	49.44	54.00	-4.56	3	Vertical	0	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3616G	50.55	54.00	-3.45	3	Vertical	0	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.352G	53.84	54.00	-0.16	3	Vertical	360	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.88	54.00	-0.12	3	Vertical	18	1.50



**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dipole Antenna_2T1S**

Appendix E.22

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	50.19	54.00	-3.81	3	Vertical	18	1.50
5180MHz	Pass	AV	5.1734G	108.42	Inf	-Inf	3	Vertical	18	1.50
5180MHz	Pass	PK	5.1394G	63.10	74.00	-10.90	3	Vertical	18	1.50
5180MHz	Pass	PK	5.1738G	117.37	Inf	-Inf	3	Vertical	18	1.50
5180MHz	Pass	PK	10.36472G	54.12	68.20	-14.08	3	Vertical	94	1.50
5180MHz	Pass	PK	10.35496G	54.10	68.20	-14.10	3	Horizontal	259	1.50
5200MHz	Pass	AV	5.1488G	48.70	54.00	-5.30	3	Vertical	334	1.50
5200MHz	Pass	AV	5.1988G	107.40	Inf	-Inf	3	Vertical	334	1.50
5200MHz	Pass	PK	5.142G	61.73	74.00	-12.27	3	Vertical	334	1.50
5200MHz	Pass	PK	5.1988G	116.15	Inf	-Inf	3	Vertical	334	1.50
5200MHz	Pass	PK	10.4094G	54.19	68.20	-14.01	3	Vertical	27	1.50
5200MHz	Pass	PK	10.39584G	55.02	68.20	-13.18	3	Horizontal	80	1.01
5240MHz	Pass	AV	5.1446G	47.94	54.00	-6.06	3	Vertical	21	1.50
5240MHz	Pass	AV	5.2376G	107.19	Inf	-Inf	3	Vertical	21	1.50
5240MHz	Pass	AV	5.3504G	47.73	54.00	-6.27	3	Vertical	21	1.50
5240MHz	Pass	PK	5.1458G	60.10	74.00	-13.90	3	Vertical	21	1.50
5240MHz	Pass	PK	5.2382G	115.96	Inf	-Inf	3	Vertical	21	1.50
5240MHz	Pass	PK	5.3738G	60.32	74.00	-13.68	3	Vertical	21	1.50
5240MHz	Pass	PK	10.47676G	54.25	68.20	-13.95	3	Vertical	287	1.50
5240MHz	Pass	PK	10.48572G	54.37	68.20	-13.83	3	Horizontal	360	1.50
5260MHz	Pass	AV	5.1478G	47.62	54.00	-6.38	3	Vertical	360	1.50
5260MHz	Pass	AV	5.2678G	107.76	Inf	-Inf	3	Vertical	360	1.50
5260MHz	Pass	AV	5.3518G	47.97	54.00	-6.03	3	Vertical	360	1.50
5260MHz	Pass	PK	5.1496G	60.28	74.00	-13.72	3	Vertical	360	1.50
5260MHz	Pass	PK	5.2624G	116.41	Inf	-Inf	3	Vertical	360	1.50
5260MHz	Pass	PK	5.371G	60.25	74.00	-13.75	3	Vertical	360	1.50
5260MHz	Pass	PK	10.52872G	54.27	68.20	-13.93	3	Vertical	294	1.25
5260MHz	Pass	PK	10.52368G	54.52	68.20	-13.68	3	Horizontal	107	1.50
5300MHz	Pass	AV	5.2988G	108.73	Inf	-Inf	3	Vertical	18	1.50
5300MHz	Pass	AV	5.35G	48.63	54.00	-5.37	3	Vertical	18	1.50
5300MHz	Pass	PK	5.3036G	117.59	Inf	-Inf	3	Vertical	18	1.50
5300MHz	Pass	PK	5.35G	60.60	74.00	-13.40	3	Vertical	18	1.50
5300MHz	Pass	PK	10.60932G	54.32	74.00	-19.68	3	Vertical	131	2.24
5300MHz	Pass	PK	10.60988G	54.28	74.00	-19.72	3	Horizontal	62	1.50
5320MHz	Pass	AV	5.3128G	108.60	Inf	-Inf	3	Vertical	0	1.50
5320MHz	Pass	AV	5.3524G	49.44	54.00	-4.56	3	Vertical	0	1.50
5320MHz	Pass	PK	5.3182G	117.65	Inf	-Inf	3	Vertical	0	1.50
5320MHz	Pass	PK	5.3634G	62.07	74.00	-11.93	3	Vertical	0	1.50
5320MHz	Pass	AV	10.64948G	41.63	54.00	-12.37	3	Vertical	335	1.50
5320MHz	Pass	PK	10.64748G	54.37	74.00	-19.63	3	Vertical	335	1.50
5320MHz	Pass	AV	10.64908G	41.63	54.00	-12.37	3	Horizontal	234	1.50
5320MHz	Pass	PK	10.63052G	54.63	74.00	-19.37	3	Horizontal	234	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1392G	51.00	54.00	-3.00	3	Vertical	19	1.50
5180MHz	Pass	AV	5.1716G	107.36	Inf	-Inf	3	Vertical	19	1.50
5180MHz	Pass	PK	5.1396G	64.69	74.00	-9.31	3	Vertical	19	1.50
5180MHz	Pass	PK	5.184G	119.41	Inf	-Inf	3	Vertical	19	1.50
5180MHz	Pass	PK	10.3672G	53.85	68.20	-14.35	3	Vertical	52	1.62
5180MHz	Pass	PK	10.36916G	54.07	68.20	-14.13	3	Horizontal	337	1.50
5200MHz	Pass	AV	5.1484G	48.91	54.00	-5.09	3	Vertical	338	1.50
5200MHz	Pass	AV	5.1912G	106.62	Inf	-Inf	3	Vertical	338	1.50
5200MHz	Pass	PK	5.1472G	62.33	74.00	-11.67	3	Vertical	338	1.50
5200MHz	Pass	PK	5.1936G	117.88	Inf	-Inf	3	Vertical	338	1.50
5200MHz	Pass	PK	10.40692G	53.86	68.20	-14.34	3	Vertical	133	2.54
5200MHz	Pass	PK	10.40856G	55.25	68.20	-12.95	3	Horizontal	143	1.50
5240MHz	Pass	AV	5.1434G	47.81	54.00	-6.19	3	Vertical	17	1.50
5240MHz	Pass	AV	5.2418G	106.02	Inf	-Inf	3	Vertical	17	1.50
5240MHz	Pass	AV	5.378G	47.82	54.00	-6.18	3	Vertical	17	1.50
5240MHz	Pass	PK	5.1482G	60.31	74.00	-13.69	3	Vertical	17	1.50
5240MHz	Pass	PK	5.2418G	116.88	Inf	-Inf	3	Vertical	17	1.50



**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dipole Antenna_2T1S**

Appendix E.22

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.3702G	60.90	74.00	-13.10	3	Vertical	17	1.50
5240MHz	Pass	PK	10.47284G	54.42	68.20	-13.78	3	Vertical	243	1.50
5240MHz	Pass	PK	10.489G	54.90	68.20	-13.30	3	Horizontal	165	1.50
5260MHz	Pass	AV	5.149G	47.62	54.00	-6.38	3	Vertical	360	1.50
5260MHz	Pass	AV	5.269G	107.06	Inf	-Inf	3	Vertical	360	1.50
5260MHz	Pass	AV	5.353G	47.99	54.00	-6.01	3	Vertical	360	1.50
5260MHz	Pass	PK	5.1454G	59.84	74.00	-14.16	3	Vertical	360	1.50
5260MHz	Pass	PK	5.2618G	118.52	Inf	-Inf	3	Vertical	360	1.50
5260MHz	Pass	PK	5.3908G	59.89	74.00	-14.11	3	Vertical	360	1.50
5260MHz	Pass	PK	10.51336G	54.84	68.20	-13.36	3	Vertical	31	1.53
5260MHz	Pass	PK	10.52144G	54.47	68.20	-13.73	3	Horizontal	134	1.50
5300MHz	Pass	AV	5.2968G	107.57	Inf	-Inf	3	Vertical	19	1.50
5300MHz	Pass	AV	5.35G	48.85	54.00	-5.15	3	Vertical	19	1.50
5300MHz	Pass	PK	5.2968G	119.32	Inf	-Inf	3	Vertical	19	1.50
5300MHz	Pass	PK	5.3524G	60.78	74.00	-13.22	3	Vertical	19	1.50
5300MHz	Pass	PK	10.59168G	54.40	68.20	-13.80	3	Vertical	327	2.99
5300MHz	Pass	PK	10.59816G	54.44	68.20	-13.76	3	Horizontal	22	1.50
5320MHz	Pass	AV	5.314G	107.81	Inf	-Inf	3	Vertical	0	1.50
5320MHz	Pass	AV	5.3616G	50.55	54.00	-3.45	3	Vertical	0	1.50
5320MHz	Pass	PK	5.3138G	119.41	Inf	-Inf	3	Vertical	0	1.50
5320MHz	Pass	PK	5.3598G	64.63	74.00	-9.37	3	Vertical	0	1.50
5320MHz	Pass	AV	10.64948G	41.62	54.00	-12.38	3	Vertical	0	1.50
5320MHz	Pass	PK	10.64964G	54.50	74.00	-19.50	3	Vertical	0	1.50
5320MHz	Pass	AV	10.64944G	41.58	54.00	-12.42	3	Horizontal	124	1.40
5320MHz	Pass	PK	10.64876G	54.29	74.00	-19.71	3	Horizontal	124	1.40
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1492G	53.73	54.00	-0.27	3	Vertical	18	1.50
5190MHz	Pass	AV	5.184G	103.03	Inf	-Inf	3	Vertical	18	1.50
5190MHz	Pass	PK	5.1444G	66.73	74.00	-7.27	3	Vertical	18	1.50
5190MHz	Pass	PK	5.1768G	114.12	Inf	-Inf	3	Vertical	18	1.50
5190MHz	Pass	PK	10.37008G	54.39	68.20	-13.81	3	Vertical	240	1.50
5190MHz	Pass	PK	10.386G	54.76	68.20	-13.44	3	Horizontal	188	2.60
5230MHz	Pass	AV	5.1484G	49.30	54.00	-4.70	3	Vertical	20	1.50
5230MHz	Pass	AV	5.2364G	103.48	Inf	-Inf	3	Vertical	20	1.50
5230MHz	Pass	PK	5.1416G	61.21	74.00	-12.79	3	Vertical	20	1.50
5230MHz	Pass	PK	5.224G	115.12	Inf	-Inf	3	Vertical	20	1.50
5230MHz	Pass	PK	10.47456G	54.84	68.20	-13.36	3	Vertical	196	2.70
5230MHz	Pass	PK	10.4792G	54.60	68.20	-13.60	3	Horizontal	103	1.50
5270MHz	Pass	AV	5.2764G	104.95	Inf	-Inf	3	Vertical	360	1.50
5270MHz	Pass	AV	5.3516G	49.24	54.00	-4.76	3	Vertical	360	1.50
5270MHz	Pass	PK	5.284G	116.46	Inf	-Inf	3	Vertical	360	1.50
5270MHz	Pass	PK	5.3508G	60.53	74.00	-13.47	3	Vertical	360	1.50
5270MHz	Pass	PK	10.5376G	54.53	68.20	-13.67	3	Vertical	247	1.56
5270MHz	Pass	PK	10.55144G	54.21	68.20	-13.99	3	Horizontal	199	1.50
5310MHz	Pass	AV	5.314G	103.36	Inf	-Inf	3	Vertical	360	1.50
5310MHz	Pass	AV	5.352G	53.84	54.00	-0.16	3	Vertical	360	1.50
5310MHz	Pass	PK	5.3188G	114.71	Inf	-Inf	3	Vertical	360	1.50
5310MHz	Pass	PK	5.352G	66.38	74.00	-7.62	3	Vertical	360	1.50
5310MHz	Pass	AV	10.6256G	41.59	54.00	-12.41	3	Vertical	265	1.48
5310MHz	Pass	PK	10.61576G	54.50	74.00	-19.50	3	Vertical	265	1.48
5310MHz	Pass	AV	10.62096G	41.65	54.00	-12.35	3	Horizontal	6	2.47
5310MHz	Pass	PK	10.61888G	54.43	74.00	-19.57	3	Horizontal	6	2.47
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.144G	53.27	54.00	-0.73	3	Vertical	333	1.50
5210MHz	Pass	AV	5.182G	98.61	Inf	-Inf	3	Vertical	333	1.50
5210MHz	Pass	AV	5.368G	47.82	54.00	-6.18	3	Vertical	333	1.50
5210MHz	Pass	PK	5.145G	64.85	74.00	-9.15	3	Vertical	333	1.50
5210MHz	Pass	PK	5.214G	109.38	Inf	-Inf	3	Vertical	333	1.50
5210MHz	Pass	PK	5.454G	59.84	74.00	-14.16	3	Vertical	333	1.50
5210MHz	Pass	PK	10.4096G	54.34	68.20	-13.86	3	Vertical	114	1.00
5210MHz	Pass	PK	10.45632G	55.46	68.20	-12.74	3	Horizontal	337	2.60
5290MHz	Pass	AV	5.144G	47.91	54.00	-6.09	3	Vertical	18	1.50




**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dipole Antenna_2T1S**

Appendix E.22

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	AV	5.299G	98.90	Inf	-Inf	3	Vertical	18	1.50
5290MHz	Pass	AV	5.35G	53.88	54.00	-0.12	3	Vertical	18	1.50
5290MHz	Pass	PK	5.131G	60.17	74.00	-13.83	3	Vertical	18	1.50
5290MHz	Pass	PK	5.305G	111.24	Inf	-Inf	3	Vertical	18	1.50
5290MHz	Pass	PK	5.35G	64.13	74.00	-9.87	3	Vertical	18	1.50
5290MHz	Pass	PK	5.47G	59.97	68.20	-8.23	3	Vertical	18	1.50
5290MHz	Pass	PK	10.60832G	54.93	74.00	-19.07	3	Vertical	135	1.50
5290MHz	Pass	PK	10.60952G	54.50	74.00	-19.50	3	Horizontal	326	1.03

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	50.19	54.00	-3.81	6.27	3	Vertical	18	1.50	43.92	33.30	7.95	34.98
AV	5.1734G	108.42	Inf	-Inf	6.19	3	Vertical	18	1.50	102.23	33.21	7.96	34.98
PK	5.1394G	63.10	74.00	-10.90	6.24	3	Vertical	18	1.50	56.86	33.28	7.94	34.98
PK	5.1738G	117.37	Inf	-Inf	6.18	3	Vertical	18	1.50	111.19	33.20	7.96	34.98

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36472G	54.12	68.20	-14.08	7.05	3	Vertical	94	1.50	47.07	38.70	11.42	43.07


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5180MHz_TX






5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.73	54.00	-0.27	6.27	3	Vertical	18	1.50	47.46	33.30	7.95	34.98
AV	5.184G	103.03	Inf	-Inf	6.15	3	Vertical	18	1.50	96.88	33.16	7.97	34.98
PK	5.1444G	66.73	74.00	-7.27	6.26	3	Vertical	18	1.50	60.47	33.29	7.95	34.98
PK	5.1768G	114.12	Inf	-Inf	6.18	3	Vertical	18	1.50	107.94	33.19	7.97	34.98

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37008G	54.39	68.20	-13.81	7.05	3	Vertical	240	1.50	47.34	38.70	11.42	43.07


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX






5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3128G	108.60	Inf	-Inf	6.19	3	Vertical	0	1.50	102.41	33.10	8.10	35.01
AV	5.3524G	49.44	54.00	-4.56	6.24	3	Vertical	0	1.50	43.20	33.10	8.15	35.01
PK	5.3182G	117.65	Inf	-Inf	6.20	3	Vertical	0	1.50	111.45	33.10	8.11	35.01
PK	5.3634G	62.07	74.00	-11.93	6.21	3	Vertical	0	1.50	55.86	33.07	8.16	35.02

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64948G	41.63	54.00	-12.37	7.61	3	Vertical	335	1.50	34.02	39.10	11.58	43.07
PK	10.64748G	54.37	74.00	-19.63	7.60	3	Vertical	335	1.50	46.77	39.09	11.58	43.07

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64908G	41.63	54.00	-12.37	7.61	3	Horizontal	234	1.50	34.02	39.10	11.58	43.07
PK	10.63052G	54.63	74.00	-19.37	7.57	3	Horizontal	234	1.50	47.06	39.06	11.57	43.06

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.314G	107.81	Inf	-Inf	6.20	3	Vertical	0	1.50	101.61	33.10	8.11	35.01
AV	5.3616G	50.55	54.00	-3.45	6.22	3	Vertical	0	1.50	44.33	33.08	8.16	35.02
PK	5.3138G	119.41	Inf	-Inf	6.20	3	Vertical	0	1.50	113.21	33.10	8.11	35.01
PK	5.3598G	64.63	74.00	-9.37	6.23	3	Vertical	0	1.50	58.40	33.08	8.16	35.01

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64948G	41.62	54.00	-12.38	7.61	3	Vertical	0	1.50	34.01	39.10	11.58	43.07
PK	10.64964G	54.50	74.00	-19.50	7.61	3	Vertical	0	1.50	46.89	39.10	11.58	43.07

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64944G	41.58	54.00	-12.42	7.61	3	Horizontal	124	1.40	33.97	39.10	11.58	43.07
PK	10.64876G	54.29	74.00	-19.71	7.61	3	Horizontal	124	1.40	46.68	39.10	11.58	43.07

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.314G	103.36	Inf	-Inf	6.20	3	Vertical	360	1.50	97.16	33.10	8.11	35.01
AV	5.352G	53.84	54.00	-0.16	6.24	3	Vertical	360	1.50	47.60	33.10	8.15	35.01
PK	5.3188G	114.71	Inf	-Inf	6.20	3	Vertical	360	1.50	108.51	33.10	8.11	35.01
PK	5.352G	66.38	74.00	-7.62	6.24	3	Vertical	360	1.50	60.14	33.10	8.15	35.01

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6256G	41.59	54.00	-12.41	7.55	3	Vertical	265	1.48	34.04	39.05	11.56	43.06
PK	10.61576G	54.50	74.00	-19.50	7.54	3	Vertical	265	1.48	46.96	39.03	11.56	43.05

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62096G	41.65	54.00	-12.35	7.54	3	Horizontal	6	2.47	34.11	39.04	11.56	43.06
PK	10.61888G	54.43	74.00	-19.57	7.54	3	Horizontal	6	2.47	46.89	39.04	11.56	43.06

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	47.91	54.00	-6.09	6.26	3	Vertical	18	1.50	41.65	33.29	7.95	34.98
AV	5.299G	98.90	Inf	-Inf	6.19	3	Vertical	18	1.50	92.71	33.10	8.09	35.00
AV	5.35G	53.88	54.00	-0.12	6.23	3	Vertical	18	1.50	47.65	33.10	8.14	35.01
PK	5.131G	60.17	74.00	-13.83	6.23	3	Vertical	18	1.50	53.94	33.26	7.94	34.97
PK	5.305G	111.24	Inf	-Inf	6.20	3	Vertical	18	1.50	105.04	33.10	8.10	35.00
PK	5.35G	64.13	74.00	-9.87	6.23	3	Vertical	18	1.50	57.90	33.10	8.14	35.01
PK	5.47G	59.97	68.20	-8.23	6.20	3	Vertical	18	1.50	53.77	32.98	8.25	35.03




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	45.52M	36.46	40.00	-3.54	3	Vertical	0	3.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	PK	45.52M	36.46	40.00	-3.54	3	Vertical	0	3.00
5290MHz	Pass	PK	148.34M	31.87	43.50	-11.63	3	Vertical	0	3.00
5290MHz	Pass	PK	249.22M	28.88	46.00	-17.12	3	Vertical	0	3.00
5290MHz	Pass	PK	321M	17.39	46.00	-28.61	3	Vertical	0	3.00
5290MHz	Pass	PK	433.52M	20.78	46.00	-25.22	3	Vertical	0	3.00
5290MHz	Pass	QP	32.54M	32.22	40.00	-7.78	3	Vertical	329	1.00
5290MHz	Pass	PK	53.28M	28.63	40.00	-11.37	3	Horizontal	360	1.00
5290MHz	Pass	PK	103.72M	26.72	43.50	-16.78	3	Horizontal	360	1.00
5290MHz	Pass	PK	148.34M	34.37	43.50	-9.13	3	Horizontal	360	1.00
5290MHz	Pass	PK	249.22M	32.19	46.00	-13.81	3	Horizontal	360	1.00
5290MHz	Pass	PK	313.24M	20.74	46.00	-25.26	3	Horizontal	360	1.00
5290MHz	Pass	PK	435.46M	20.87	46.00	-25.13	3	Horizontal	360	1.00

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5290MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	36.46	40.00	-3.54	-26.92	3	Vertical	0	3.00	63.38	16.89	0.78	44.59
PK	148.34M	31.87	43.50	-11.63	-25.99	3	Vertical	0	3.00	57.86	17.26	1.40	44.65
PK	249.22M	28.88	46.00	-17.12	-24.01	3	Vertical	0	3.00	52.89	18.62	1.81	44.44
PK	321M	17.39	46.00	-28.61	-22.60	3	Vertical	0	3.00	39.99	19.60	2.08	44.28
PK	433.52M	20.78	46.00	-25.22	-18.79	3	Vertical	0	3.00	39.57	22.91	2.35	44.05
QP	32.54M	32.22	40.00	-7.78	-20.17	3	Vertical	329	1.00	52.39	23.41	0.79	44.37

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	53.28M	28.63	40.00	-11.37	-30.84	3	Horizontal	360	1.00	59.47	12.97	0.85	44.66
PK	103.72M	26.72	43.50	-16.78	-26.87	3	Horizontal	360	1.00	53.59	16.54	1.19	44.60
PK	148.34M	34.37	43.50	-9.13	-25.99	3	Horizontal	360	1.00	60.36	17.26	1.40	44.65
PK	249.22M	32.19	46.00	-13.81	-24.01	3	Horizontal	360	1.00	56.20	18.62	1.81	44.44
PK	313.24M	20.74	46.00	-25.26	-22.79	3	Horizontal	360	1.00	43.53	19.46	2.05	44.30
PK	435.46M	20.87	46.00	-25.13	-18.82	3	Horizontal	360	1.00	39.69	22.87	2.36	44.05



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.1398G	50.59	54.00	-3.41	3	Vertical	18	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.71	54.00	-0.29	3	Vertical	19	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.82	54.00	-0.18	3	Vertical	21	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.3602G	50.02	54.00	-3.98	3	Vertical	3	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.62	54.00	-0.38	3	Vertical	20	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.86	54.00	-0.14	3	Vertical	19	1.50



**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dipole Antenna_2T2S**

Appendix E.2

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1398G	50.59	54.00	-3.41	3	Vertical	18	1.50
5180MHz	Pass	AV	5.1816G	105.62	Inf	-Inf	3	Vertical	18	1.50
5180MHz	Pass	PK	5.1322G	69.73	74.00	-4.27	3	Vertical	18	1.50
5180MHz	Pass	PK	5.1818G	117.21	Inf	-Inf	3	Vertical	18	1.50
5180MHz	Pass	PK	10.3624G	54.59	68.20	-13.61	3	Vertical	275	1.99
5180MHz	Pass	PK	10.36224G	53.78	68.20	-14.42	3	Horizontal	44	1.50
5200MHz	Pass	AV	5.15G	48.93	54.00	-5.07	3	Vertical	20	1.49
5200MHz	Pass	AV	5.1964G	104.72	Inf	-Inf	3	Vertical	20	1.49
5200MHz	Pass	PK	5.1496G	61.09	74.00	-12.91	3	Vertical	20	1.49
5200MHz	Pass	PK	5.1916G	116.17	Inf	-Inf	3	Vertical	20	1.49
5200MHz	Pass	PK	10.40444G	53.96	68.20	-14.24	3	Vertical	331	2.50
5200MHz	Pass	PK	10.40652G	54.21	68.20	-13.99	3	Horizontal	286	1.50
5240MHz	Pass	AV	5.1458G	47.85	54.00	-6.15	3	Vertical	20	1.50
5240MHz	Pass	AV	5.2418G	104.37	Inf	-Inf	3	Vertical	20	1.50
5240MHz	Pass	AV	5.351G	47.83	54.00	-6.17	3	Vertical	20	1.50
5240MHz	Pass	PK	5.1416G	60.38	74.00	-13.62	3	Vertical	20	1.50
5240MHz	Pass	PK	5.2436G	115.33	Inf	-Inf	3	Vertical	20	1.50
5240MHz	Pass	PK	5.357G	60.85	74.00	-13.15	3	Vertical	20	1.50
5240MHz	Pass	PK	10.4742G	54.31	68.20	-13.89	3	Vertical	150	1.50
5240MHz	Pass	PK	10.47288G	54.06	68.20	-14.14	3	Horizontal	247	1.50
5260MHz	Pass	AV	5.1484G	47.87	54.00	-6.13	3	Vertical	20	1.50
5260MHz	Pass	AV	5.2672G	104.95	Inf	-Inf	3	Vertical	20	1.50
5260MHz	Pass	AV	5.3512G	48.10	54.00	-5.90	3	Vertical	20	1.50
5260MHz	Pass	PK	5.1334G	59.78	74.00	-14.22	3	Vertical	20	1.50
5260MHz	Pass	PK	5.269G	117.20	Inf	-Inf	3	Vertical	20	1.50
5260MHz	Pass	PK	5.3662G	60.73	74.00	-13.27	3	Vertical	20	1.50
5260MHz	Pass	PK	10.51772G	54.22	68.20	-13.98	3	Vertical	265	1.50
5260MHz	Pass	PK	10.52768G	54.70	68.20	-13.50	3	Horizontal	125	1.50
5300MHz	Pass	AV	5.3072G	106.09	Inf	-Inf	3	Vertical	19	1.50
5300MHz	Pass	AV	5.35G	48.78	54.00	-5.22	3	Vertical	19	1.50
5300MHz	Pass	PK	5.302G	117.94	Inf	-Inf	3	Vertical	19	1.50
5300MHz	Pass	PK	5.3504G	61.41	74.00	-12.59	3	Vertical	19	1.50
5300MHz	Pass	AV	10.60832G	41.30	54.00	-12.70	3	Vertical	346	2.90
5300MHz	Pass	PK	10.60156G	54.31	74.00	-19.69	3	Vertical	346	2.90
5300MHz	Pass	AV	10.6055G	41.03	54.00	-12.97	3	Horizontal	253	1.50
5300MHz	Pass	PK	10.6121G	54.17	74.00	-19.83	3	Horizontal	253	1.50
5320MHz	Pass	AV	5.3162G	105.83	Inf	-Inf	3	Vertical	3	1.50
5320MHz	Pass	AV	5.3602G	50.02	54.00	-3.98	3	Vertical	3	1.50
5320MHz	Pass	PK	5.3116G	117.41	Inf	-Inf	3	Vertical	3	1.50
5320MHz	Pass	PK	5.3602G	63.37	74.00	-10.63	3	Vertical	3	1.50
5320MHz	Pass	AV	10.64936G	41.38	54.00	-12.62	3	Vertical	139	1.15
5320MHz	Pass	PK	10.634G	54.51	74.00	-19.49	3	Vertical	139	1.15
5320MHz	Pass	AV	10.6486G	41.40	54.00	-12.60	3	Horizontal	302	1.50
5320MHz	Pass	PK	10.64548G	54.18	74.00	-19.82	3	Horizontal	302	1.50
802.11be EHT40_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.71	54.00	-0.29	3	Vertical	19	1.50
5190MHz	Pass	AV	5.182G	101.24	Inf	-Inf	3	Vertical	19	1.50
5190MHz	Pass	PK	5.15G	66.65	74.00	-7.35	3	Vertical	19	1.50
5190MHz	Pass	PK	5.1768G	113.03	Inf	-Inf	3	Vertical	19	1.50
5190MHz	Pass	PK	10.38144G	54.22	68.20	-13.98	3	Vertical	142	1.50
5190MHz	Pass	PK	10.36664G	54.17	68.20	-14.03	3	Horizontal	333	1.29
5230MHz	Pass	AV	5.1496G	49.16	54.00	-4.84	3	Vertical	20	1.50
5230MHz	Pass	AV	5.224G	101.45	Inf	-Inf	3	Vertical	20	1.50
5230MHz	Pass	PK	5.1484G	61.57	74.00	-12.43	3	Vertical	20	1.50
5230MHz	Pass	PK	5.2452G	113.18	Inf	-Inf	3	Vertical	20	1.50
5230MHz	Pass	PK	10.46616G	54.73	68.20	-13.47	3	Vertical	14	1.47
5230MHz	Pass	PK	10.47336G	54.23	68.20	-13.97	3	Horizontal	317	2.45
5270MHz	Pass	AV	5.2864G	102.87	Inf	-Inf	3	Vertical	2	1.50
5270MHz	Pass	AV	5.3508G	49.31	54.00	-4.69	3	Vertical	2	1.50
5270MHz	Pass	PK	5.2812G	115.14	Inf	-Inf	3	Vertical	2	1.50




**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dipole Antenna_2T2S**

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	PK	5.356G	60.91	74.00	-13.09	3	Vertical	2	1.50
5270MHz	Pass	PK	10.53312G	54.52	68.20	-13.68	3	Vertical	337	1.01
5270MHz	Pass	PK	10.5232G	54.83	68.20	-13.37	3	Horizontal	348	1.05
5310MHz	Pass	AV	5.3072G	101.68	Inf	-Inf	3	Vertical	20	1.50
5310MHz	Pass	AV	5.35G	53.62	54.00	-0.38	3	Vertical	20	1.50
5310MHz	Pass	PK	5.3084G	113.76	Inf	-Inf	3	Vertical	20	1.50
5310MHz	Pass	PK	5.3548G	65.40	74.00	-8.60	3	Vertical	20	1.50
5310MHz	Pass	AV	10.62392G	41.42	54.00	-12.58	3	Vertical	164	1.50
5310MHz	Pass	PK	10.61744G	54.40	74.00	-19.60	3	Vertical	164	1.50
5310MHz	Pass	AV	10.6256G	41.44	54.00	-12.56	3	Horizontal	131	1.50
5310MHz	Pass	PK	10.62512G	54.59	74.00	-19.41	3	Horizontal	131	1.50
802.11be EHT80_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.82	54.00	-0.18	3	Vertical	21	1.50
5210MHz	Pass	AV	5.184G	97.44	Inf	-Inf	3	Vertical	21	1.50
5210MHz	Pass	AV	5.364G	48.64	54.00	-5.36	3	Vertical	21	1.50
5210MHz	Pass	PK	5.149G	65.72	74.00	-8.28	3	Vertical	21	1.50
5210MHz	Pass	PK	5.181G	108.66	Inf	-Inf	3	Vertical	21	1.50
5210MHz	Pass	PK	5.407G	59.81	74.00	-14.19	3	Vertical	21	1.50
5210MHz	Pass	PK	10.43024G	54.64	68.20	-13.56	3	Vertical	61	1.26
5210MHz	Pass	PK	10.4112G	54.65	68.20	-13.55	3	Horizontal	97	2.46
5290MHz	Pass	AV	5.141G	48.67	54.00	-5.33	3	Vertical	19	1.50
5290MHz	Pass	AV	5.302G	98.24	Inf	-Inf	3	Vertical	19	1.50
5290MHz	Pass	AV	5.35G	53.86	54.00	-0.14	3	Vertical	19	1.50
5290MHz	Pass	PK	5.143G	60.09	74.00	-13.91	3	Vertical	19	1.50
5290MHz	Pass	PK	5.312G	109.26	Inf	-Inf	3	Vertical	19	1.50
5290MHz	Pass	PK	5.353G	65.81	74.00	-8.19	3	Vertical	19	1.50
5290MHz	Pass	PK	5.506G	59.73	68.20	-8.47	3	Vertical	19	1.50
5290MHz	Pass	AV	10.61168G	42.06	54.00	-11.94	3	Vertical	286	1.44
5290MHz	Pass	PK	10.6048G	54.47	74.00	-19.53	3	Vertical	286	1.44
5290MHz	Pass	AV	10.61744G	42.11	54.00	-11.89	3	Horizontal	300	1.50
5290MHz	Pass	PK	10.61408G	54.28	74.00	-19.72	3	Horizontal	300	1.50

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1398G	50.59	54.00	-3.41	6.24	3	Vertical	18	1.50	44.35	33.28	7.94	34.98
AV	5.1816G	105.62	Inf	-Inf	6.16	3	Vertical	18	1.50	99.46	33.17	7.97	34.98
PK	5.1322G	69.73	74.00	-4.27	6.23	3	Vertical	18	1.50	63.50	33.26	7.94	34.97
PK	5.1818G	117.21	Inf	-Inf	6.16	3	Vertical	18	1.50	111.05	33.17	7.97	34.98

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3624G	54.59	68.20	-13.61	7.04	3	Vertical	275	1.99	47.55	38.70	11.41	43.07


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5190MHz_TX






5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.82	54.00	-0.18	6.27	3	Vertical	21	1.50	47.55	33.30	7.95	34.98
AV	5.184G	97.44	Inf	-Inf	6.15	3	Vertical	21	1.50	91.29	33.16	7.97	34.98
AV	5.364G	48.64	54.00	-5.36	6.21	3	Vertical	21	1.50	42.43	33.07	8.16	35.02
PK	5.149G	65.72	74.00	-8.28	6.27	3	Vertical	21	1.50	59.45	33.30	7.95	34.98
PK	5.181G	108.66	Inf	-Inf	6.17	3	Vertical	21	1.50	102.49	33.18	7.97	34.98
PK	5.407G	59.81	74.00	-14.19	6.17	3	Vertical	21	1.50	53.64	32.99	8.20	35.02

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.43024G	54.64	68.20	-13.56	7.06	3	Vertical	61	1.26	47.58	38.64	11.45	43.03


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64936G	41.38	54.00	-12.62	7.61	3	Vertical	139	1.15	33.77	39.10	11.58	43.07
PK	10.634G	54.51	74.00	-19.49	7.57	3	Vertical	139	1.15	46.94	39.07	11.57	43.07

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6486G	41.40	54.00	-12.60	7.61	3	Horizontal	302	1.50	33.79	39.10	11.58	43.07
PK	10.64548G	54.18	74.00	-19.82	7.59	3	Horizontal	302	1.50	46.59	39.09	11.57	43.07

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3072G	101.68	Inf	-Inf	6.19	3	Vertical	20	1.50	95.49	33.10	8.10	35.01
AV	5.35G	53.62	54.00	-0.38	6.23	3	Vertical	20	1.50	47.39	33.10	8.14	35.01
PK	5.3084G	113.76	Inf	-Inf	6.19	3	Vertical	20	1.50	107.57	33.10	8.10	35.01
PK	5.3548G	65.40	74.00	-8.60	6.23	3	Vertical	20	1.50	59.17	33.09	8.15	35.01

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62392G	41.42	54.00	-12.58	7.55	3	Vertical	164	1.50	33.87	39.05	11.56	43.06
PK	10.61744G	54.40	74.00	-19.60	7.53	3	Vertical	164	1.50	46.87	39.03	11.56	43.06

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6256G	41.44	54.00	-12.56	7.55	3	Horizontal	131	1.50	33.89	39.05	11.56	43.06
PK	10.62512G	54.59	74.00	-19.41	7.55	3	Horizontal	131	1.50	47.04	39.05	11.56	43.06

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	48.67	54.00	-5.33	6.24	3	Vertical	19	1.50	42.43	33.28	7.94	34.98
AV	5.302G	98.24	Inf	-Inf	6.19	3	Vertical	19	1.50	92.05	33.10	8.09	35.00
AV	5.35G	53.86	54.00	-0.14	6.23	3	Vertical	19	1.50	47.63	33.10	8.14	35.01
PK	5.143G	60.09	74.00	-13.91	6.26	3	Vertical	19	1.50	53.83	33.29	7.95	34.98
PK	5.312G	109.26	Inf	-Inf	6.19	3	Vertical	19	1.50	103.07	33.10	8.10	35.01
PK	5.353G	65.81	74.00	-8.19	6.23	3	Vertical	19	1.50	59.58	33.09	8.15	35.01
PK	5.506G	59.73	68.20	-8.47	6.33	3	Vertical	19	1.50	53.40	33.10	8.27	35.04

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61168G	42.06	54.00	-11.94	7.53	3	Vertical	286	1.44	34.53	39.02	11.56	43.05
PK	10.6048G	54.47	74.00	-19.53	7.51	3	Vertical	286	1.44	46.96	39.01	11.55	43.05

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61744G	42.11	54.00	-11.89	7.53	3	Horizontal	300	1.50	34.58	39.03	11.56	43.06
PK	10.61408G	54.28	74.00	-19.72	7.54	3	Horizontal	300	1.50	46.74	39.03	11.56	43.05



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	PK	30M	35.59	40.00	-4.41	3	Vertical	360	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT40_Nss1 (MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz_Adapter	Pass	PK	30M	35.59	40.00	-4.41	3	Vertical	360	1.00
5190MHz_Adapter	Pass	PK	97.9M	33.90	43.50	-9.60	3	Vertical	360	1.00
5190MHz_Adapter	Pass	PK	148.34M	32.06	43.50	-11.44	3	Vertical	360	1.00
5190MHz_Adapter	Pass	PK	549.92M	29.80	46.00	-16.20	3	Vertical	360	1.00
5190MHz_Adapter	Pass	PK	714.82M	35.50	46.00	-10.50	3	Vertical	360	1.00
5190MHz_Adapter	Pass	QP	45.44M	34.17	40.00	-5.83	3	Vertical	270	1.00
5190MHz_Adapter	Pass	PK	43.58M	26.39	40.00	-13.61	3	Horizontal	0	1.00
5190MHz_Adapter	Pass	PK	82.38M	32.21	40.00	-7.79	3	Horizontal	0	1.00
5190MHz_Adapter	Pass	PK	97.9M	36.54	43.50	-6.96	3	Horizontal	0	1.00
5190MHz_Adapter	Pass	PK	148.34M	36.39	43.50	-7.11	3	Horizontal	0	1.00
5190MHz_Adapter	Pass	PK	249.22M	30.45	46.00	-15.55	3	Horizontal	0	1.00
5190MHz_Adapter	Pass	PK	549.92M	31.31	46.00	-14.69	3	Horizontal	0	1.00

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5190MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	35.59	40.00	-4.41	-18.87	3	Vertical	360	1.00	54.46	24.67	0.78	44.32
PK	97.9M	33.90	43.50	-9.60	-27.49	3	Vertical	360	1.00	61.39	15.97	1.15	44.61
PK	148.34M	32.06	43.50	-11.44	-25.99	3	Vertical	360	1.00	58.05	17.26	1.40	44.65
PK	549.92M	29.80	46.00	-16.20	-15.36	3	Vertical	360	1.00	45.16	25.88	2.71	43.95
PK	714.82M	35.50	46.00	-10.50	-13.64	3	Vertical	360	1.00	49.14	27.20	3.07	43.91
QP	45.44M	34.17	40.00	-5.83	-26.88	3	Vertical	270	1.00	61.05	16.94	0.77	44.59

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	43.58M	26.39	40.00	-13.61	-25.85	3	Horizontal	0	1.00	52.24	17.91	0.80	44.56
PK	82.38M	32.21	40.00	-7.79	-29.86	3	Horizontal	0	1.00	62.07	13.76	1.07	44.69
PK	97.9M	36.54	43.50	-6.96	-27.49	3	Horizontal	0	1.00	64.03	15.97	1.15	44.61
PK	148.34M	36.39	43.50	-7.11	-25.99	3	Horizontal	0	1.00	62.38	17.26	1.40	44.65
PK	249.22M	30.45	46.00	-15.55	-24.01	3	Horizontal	0	1.00	54.46	18.62	1.81	44.44
PK	549.92M	31.31	46.00	-14.69	-15.36	3	Horizontal	0	1.00	46.67	25.88	2.71	43.95



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1492G	48.30	54.00	-5.70	3	Vertical	351	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.1402G	48.61	54.00	-5.39	3	Vertical	350	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.15G	51.65	54.00	-2.35	3	Vertical	350	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.08	54.00	-0.92	3	Vertical	349	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.35G	47.82	54.00	-6.18	3	Vertical	353	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.3506G	48.07	54.00	-5.93	3	Vertical	353	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.35G	50.68	54.00	-3.32	3	Vertical	353	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.01	54.00	-0.99	3	Vertical	353	1.50



**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_1T1S**

Appendix E.26

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1492G	48.30	54.00	-5.70	3	Vertical	351	1.50
5180MHz	Pass	AV	5.1818G	102.96	Inf	-Inf	3	Vertical	351	1.50
5180MHz	Pass	PK	5.1394G	61.06	74.00	-12.94	3	Vertical	351	1.50
5180MHz	Pass	PK	5.18G	113.33	Inf	-Inf	3	Vertical	351	1.50
5180MHz	Pass	PK	10.37182G	54.16	68.20	-14.04	3	Vertical	116	1.50
5180MHz	Pass	PK	10.3732G	54.07	68.20	-14.13	3	Horizontal	56	1.50
5200MHz	Pass	AV	5.15G	47.75	54.00	-6.25	3	Vertical	350	1.49
5200MHz	Pass	AV	5.1964G	103.18	Inf	-Inf	3	Vertical	350	1.49
5200MHz	Pass	PK	5.1416G	59.71	74.00	-14.29	3	Vertical	350	1.49
5200MHz	Pass	PK	5.1976G	113.21	Inf	-Inf	3	Vertical	350	1.49
5200MHz	Pass	PK	10.40126G	54.38	68.20	-13.82	3	Vertical	99	1.69
5200MHz	Pass	PK	10.41158G	54.04	68.20	-14.16	3	Horizontal	348	1.50
5240MHz	Pass	AV	5.15G	47.28	54.00	-6.72	3	Vertical	349	1.50
5240MHz	Pass	AV	5.237G	101.85	Inf	-Inf	3	Vertical	349	1.50
5240MHz	Pass	AV	5.3828G	47.36	54.00	-6.64	3	Vertical	349	1.50
5240MHz	Pass	PK	5.138G	59.80	74.00	-14.20	3	Vertical	349	1.50
5240MHz	Pass	PK	5.2358G	111.05	Inf	-Inf	3	Vertical	349	1.50
5240MHz	Pass	PK	5.384G	60.36	74.00	-13.64	3	Vertical	349	1.50
5240MHz	Pass	PK	10.47082G	53.85	68.20	-14.35	3	Vertical	187	1.81
5240MHz	Pass	PK	10.48606G	53.88	68.20	-14.32	3	Horizontal	360	2.75
5260MHz	Pass	AV	5.1406G	47.34	54.00	-6.66	3	Vertical	347	1.50
5260MHz	Pass	AV	5.2564G	103.30	Inf	-Inf	3	Vertical	347	1.50
5260MHz	Pass	AV	5.38G	47.34	54.00	-6.66	3	Vertical	347	1.50
5260MHz	Pass	PK	5.149G	59.96	74.00	-14.04	3	Vertical	347	1.50
5260MHz	Pass	PK	5.266G	113.10	Inf	-Inf	3	Vertical	347	1.50
5260MHz	Pass	PK	5.3698G	60.21	74.00	-13.79	3	Vertical	347	1.50
5260MHz	Pass	PK	10.52708G	54.52	68.20	-13.68	3	Vertical	199	2.00
5260MHz	Pass	PK	10.53062G	54.72	68.20	-13.48	3	Horizontal	34	1.23
5300MHz	Pass	AV	5.3064G	103.89	Inf	-Inf	3	Vertical	347	1.50
5300MHz	Pass	AV	5.3508G	47.45	54.00	-6.55	3	Vertical	347	1.50
5300MHz	Pass	PK	5.3048G	113.71	Inf	-Inf	3	Vertical	347	1.50
5300MHz	Pass	PK	5.3608G	60.62	74.00	-13.38	3	Vertical	347	1.50
5300MHz	Pass	PK	10.60342G	53.78	74.00	-20.22	3	Vertical	63	1.41
5300MHz	Pass	PK	10.60734G	53.74	74.00	-20.26	3	Horizontal	55	1.50
5320MHz	Pass	AV	5.313G	103.32	Inf	-Inf	3	Vertical	353	1.50
5320MHz	Pass	AV	5.35G	47.82	54.00	-6.18	3	Vertical	353	1.50
5320MHz	Pass	PK	5.318G	113.19	Inf	-Inf	3	Vertical	353	1.50
5320MHz	Pass	PK	5.3636G	60.09	74.00	-13.91	3	Vertical	353	1.50
5320MHz	Pass	AV	10.62542G	41.24	54.00	-12.76	3	Vertical	253	2.59
5320MHz	Pass	PK	10.64528G	54.15	74.00	-19.85	3	Vertical	253	2.59
5320MHz	Pass	AV	10.62548G	41.21	54.00	-12.79	3	Horizontal	0	1.50
5320MHz	Pass	PK	10.62548G	54.44	74.00	-19.56	3	Horizontal	0	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1402G	48.61	54.00	-5.39	3	Vertical	350	1.50
5180MHz	Pass	AV	5.1814G	102.20	Inf	-Inf	3	Vertical	350	1.50
5180MHz	Pass	PK	5.1388G	61.34	74.00	-12.66	3	Vertical	350	1.50
5180MHz	Pass	PK	5.176G	114.08	Inf	-Inf	3	Vertical	350	1.50
5180MHz	Pass	PK	10.3687G	53.99	68.20	-14.21	3	Vertical	95	1.79
5180MHz	Pass	PK	10.3705G	54.06	68.20	-14.14	3	Horizontal	346	2.62
5200MHz	Pass	AV	5.1492G	47.75	54.00	-6.25	3	Vertical	349	1.50
5200MHz	Pass	AV	5.1976G	102.55	Inf	-Inf	3	Vertical	349	1.50
5200MHz	Pass	PK	5.1476G	59.96	74.00	-14.04	3	Vertical	349	1.50
5200MHz	Pass	PK	5.1976G	114.00	Inf	-Inf	3	Vertical	349	1.50
5200MHz	Pass	PK	10.39472G	53.94	68.20	-14.26	3	Vertical	351	1.01
5200MHz	Pass	PK	10.4042G	54.14	68.20	-14.06	3	Horizontal	7	1.05
5240MHz	Pass	AV	5.15G	47.14	54.00	-6.86	3	Vertical	348	1.50
5240MHz	Pass	AV	5.2376G	101.33	Inf	-Inf	3	Vertical	348	1.50
5240MHz	Pass	AV	5.3756G	47.26	54.00	-6.74	3	Vertical	348	1.50
5240MHz	Pass	PK	5.15G	59.94	74.00	-14.06	3	Vertical	348	1.50
5240MHz	Pass	PK	5.2478G	112.56	Inf	-Inf	3	Vertical	348	1.50



**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_1T1S**

Appendix E.26

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.3546G	59.55	74.00	-14.45	3	Vertical	348	1.50
5240MHz	Pass	PK	10.4944G	54.28	68.20	-13.92	3	Vertical	189	1.50
5240MHz	Pass	PK	10.49068G	53.67	68.20	-14.53	3	Horizontal	103	1.50
5260MHz	Pass	AV	5.15G	47.30	54.00	-6.70	3	Vertical	347	1.50
5260MHz	Pass	AV	5.2564G	102.67	Inf	-Inf	3	Vertical	347	1.50
5260MHz	Pass	AV	5.38G	47.32	54.00	-6.68	3	Vertical	347	1.50
5260MHz	Pass	PK	5.131G	59.41	74.00	-14.59	3	Vertical	347	1.50
5260MHz	Pass	PK	5.2588G	114.58	Inf	-Inf	3	Vertical	347	1.50
5260MHz	Pass	PK	5.3674G	60.30	74.00	-13.70	3	Vertical	347	1.50
5260MHz	Pass	PK	10.52564G	54.57	68.20	-13.63	3	Vertical	261	1.51
5260MHz	Pass	PK	10.52042G	54.00	68.20	-14.20	3	Horizontal	154	1.50
5300MHz	Pass	AV	5.3052G	103.20	Inf	-Inf	3	Vertical	347	1.50
5300MHz	Pass	AV	5.3504G	47.50	54.00	-6.50	3	Vertical	347	1.50
5300MHz	Pass	PK	5.3064G	115.10	Inf	-Inf	3	Vertical	347	1.50
5300MHz	Pass	PK	5.368G	60.14	74.00	-13.86	3	Vertical	347	1.50
5300MHz	Pass	PK	10.5913G	54.09	68.20	-14.11	3	Vertical	288	1.50
5300MHz	Pass	PK	10.59244G	54.12	68.20	-14.08	3	Horizontal	323	1.77
5320MHz	Pass	AV	5.312G	103.15	Inf	-Inf	3	Vertical	353	1.50
5320MHz	Pass	AV	5.3506G	48.07	54.00	-5.93	3	Vertical	353	1.50
5320MHz	Pass	PK	5.3124G	115.13	Inf	-Inf	3	Vertical	353	1.50
5320MHz	Pass	PK	5.3508G	60.59	74.00	-13.41	3	Vertical	353	1.50
5320MHz	Pass	AV	10.62524G	41.22	54.00	-12.78	3	Vertical	346	2.83
5320MHz	Pass	PK	10.63982G	54.19	74.00	-19.81	3	Vertical	346	2.83
5320MHz	Pass	AV	10.62638G	41.23	54.00	-12.77	3	Horizontal	264	1.50
5320MHz	Pass	PK	10.62728G	53.97	74.00	-20.03	3	Horizontal	264	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	51.65	54.00	-2.35	3	Vertical	350	1.50
5190MHz	Pass	AV	5.1956G	99.95	Inf	-Inf	3	Vertical	350	1.50
5190MHz	Pass	PK	5.1476G	63.62	74.00	-10.38	3	Vertical	350	1.50
5190MHz	Pass	PK	5.1988G	112.00	Inf	-Inf	3	Vertical	350	1.50
5190MHz	Pass	PK	10.4088G	54.85	68.20	-13.35	3	Vertical	329	2.66
5190MHz	Pass	PK	10.35768G	54.00	68.20	-14.20	3	Horizontal	315	1.50
5230MHz	Pass	AV	5.15G	47.94	54.00	-6.06	3	Vertical	348	1.50
5230MHz	Pass	AV	5.2236G	98.92	Inf	-Inf	3	Vertical	348	1.50
5230MHz	Pass	PK	5.138G	60.09	74.00	-13.91	3	Vertical	348	1.50
5230MHz	Pass	PK	5.2136G	111.58	Inf	-Inf	3	Vertical	348	1.50
5230MHz	Pass	PK	10.45844G	53.88	68.20	-14.32	3	Vertical	122	2.46
5230MHz	Pass	PK	10.46288G	54.61	68.20	-13.59	3	Horizontal	221	2.61
5270MHz	Pass	AV	5.2648G	99.90	Inf	-Inf	3	Vertical	346	1.50
5270MHz	Pass	AV	5.35G	47.71	54.00	-6.29	3	Vertical	346	1.50
5270MHz	Pass	PK	5.2708G	112.43	Inf	-Inf	3	Vertical	346	1.50
5270MHz	Pass	PK	5.364G	59.87	74.00	-14.13	3	Vertical	346	1.50
5270MHz	Pass	PK	10.53268G	54.34	68.20	-13.86	3	Vertical	321	2.59
5270MHz	Pass	PK	10.51912G	53.92	68.20	-14.28	3	Horizontal	352	2.96
5310MHz	Pass	AV	5.306G	100.61	Inf	-Inf	3	Vertical	353	1.50
5310MHz	Pass	AV	5.35G	50.68	54.00	-3.32	3	Vertical	353	1.50
5310MHz	Pass	PK	5.3028G	112.64	Inf	-Inf	3	Vertical	353	1.50
5310MHz	Pass	PK	5.3512G	64.14	74.00	-9.86	3	Vertical	353	1.50
5310MHz	Pass	AV	10.61388G	41.18	54.00	-12.82	3	Vertical	63	1.50
5310MHz	Pass	PK	10.64904G	54.11	74.00	-19.89	3	Vertical	63	1.50
5310MHz	Pass	AV	10.614G	41.19	54.00	-12.81	3	Horizontal	272	1.50
5310MHz	Pass	PK	10.62084G	54.67	74.00	-19.33	3	Horizontal	272	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.08	54.00	-0.92	3	Vertical	349	1.50
5210MHz	Pass	AV	5.196G	96.48	Inf	-Inf	3	Vertical	349	1.50
5210MHz	Pass	AV	5.381G	47.44	54.00	-6.56	3	Vertical	349	1.50
5210MHz	Pass	PK	5.134G	65.59	74.00	-8.41	3	Vertical	349	1.50
5210MHz	Pass	PK	5.183G	108.43	Inf	-Inf	3	Vertical	349	1.50
5210MHz	Pass	PK	5.371G	59.63	74.00	-14.37	3	Vertical	349	1.50
5210MHz	Pass	PK	10.37752G	54.81	68.20	-13.39	3	Vertical	2	1.50
5210MHz	Pass	PK	10.40752G	54.01	68.20	-14.19	3	Horizontal	172	1.02
5290MHz	Pass	AV	5.15G	47.96	54.00	-6.04	3	Vertical	353	1.50



**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_1T1S**

Appendix E.26

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	AV	5.305G	97.21	Inf	-Inf	3	Vertical	353	1.50
5290MHz	Pass	AV	5.35G	53.01	54.00	-0.99	3	Vertical	353	1.50
5290MHz	Pass	PK	5.123G	59.92	74.00	-14.08	3	Vertical	353	1.50
5290MHz	Pass	PK	5.31G	108.85	Inf	-Inf	3	Vertical	353	1.50
5290MHz	Pass	PK	5.363G	64.04	74.00	-9.96	3	Vertical	353	1.50
5290MHz	Pass	PK	5.529G	59.75	68.20	-8.45	3	Vertical	353	1.50
5290MHz	Pass	AV	10.62416G	41.19	54.00	-12.81	3	Vertical	148	1.25
5290MHz	Pass	PK	10.5236G	53.96	68.20	-14.24	3	Vertical	148	1.25
5290MHz	Pass	AV	10.62296G	41.20	54.00	-12.80	3	Horizontal	242	1.47
5290MHz	Pass	PK	10.53296G	54.67	68.20	-13.53	3	Horizontal	242	1.47