



Profile: 19A2144R	Page No.: 151
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.064	33.686	-28.936	74.000	11.378	PK
2	*	16560.000	52.982	34.064	-21.018	74.000	18.918	PK

Profile: 19A2144R	Page No.: 152
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	46.019	34.641	-27.981	74.000	11.378	PK
2	*	16560.000	53.249	34.331	-20.751	74.000	18.918	PK

Profile: 19A2144R	Page No.: 153
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.240	33.241	-28.760	74.000	11.999	PK
2	*	16740.000	53.074	34.469	-20.926	74.000	18.605	PK

Profile: 19A2144R	Page No.: 154
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.641	32.642	-29.359	74.000	11.999	PK
2	*	16740.000	52.636	34.031	-21.364	74.000	18.605	PK

Profile: 19A2144R	Page No.: 155
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.141	31.286	-30.859	74.000	11.855	PK
2	*	17100.000	53.325	33.275	-20.675	74.000	20.050	PK

Profile: 19A2144R	Page No.: 156
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.676	32.821	-29.324	74.000	11.855	PK
2	*	17100.000	52.733	32.683	-21.267	74.000	20.050	PK

Profile: 19A2144R	Page No.: 157
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.598	35.449	-27.402	74.000	11.149	PK
2	*	15810.000	51.430	33.897	-22.570	74.000	17.533	PK

Profile: 19A2144R	Page No.: 158
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.684	34.535	-28.316	74.000	11.149	PK
2	*	15810.000	52.614	35.081	-21.386	74.000	17.533	PK

Profile: 19A2144R	Page No.: 159
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.292	34.860	-27.708	74.000	11.433	PK
2	*	15930.000	52.395	34.297	-21.605	74.000	18.099	PK

Profile: 19A2144R	Page No.: 160
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	47.697	36.265	-26.303	74.000	11.433	PK
2	*	15930.000	52.789	34.691	-21.211	74.000	18.099	PK

Profile: 19A2144R	Page No.: 161
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.493	34.363	-28.507	74.000	11.130	PK
2	*	16530.000	52.285	33.757	-21.715	74.000	18.529	PK

Profile: 19A2144R	Page No.: 162
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.813	34.683	-28.187	74.000	11.130	PK
2	*	16530.000	53.381	34.853	-20.619	74.000	18.529	PK

Profile: 19A2144R	Page No.: 163
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.501	34.065	-28.499	74.000	11.436	PK
2	*	16650.000	53.039	33.819	-20.961	74.000	19.221	PK

Profile: 19A2144R	Page No.: 164
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.729	33.293	-29.271	74.000	11.436	PK
2	*	16650.000	52.351	33.131	-21.649	74.000	19.221	PK

Profile: 19A2144R	Page No.: 165
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.484	32.477	-29.516	74.000	12.007	PK
2	*	17010.000	53.224	33.574	-20.776	74.000	19.650	PK

Profile: 19A2144R	Page No.: 166
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.200	32.193	-29.800	74.000	12.007	PK
2	*	17010.000	52.327	32.677	-21.673	74.000	19.650	PK

Profile: 19A2144R	Page No.: 167
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.462	34.907	-28.538	74.000	10.555	PK
2	*	15870.000	51.625	34.003	-22.375	74.000	17.622	PK

Profile: 19A2144R	Page No.: 168
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.546	33.991	-29.454	74.000	10.555	PK
2	*	15870.000	52.436	34.814	-21.564	74.000	17.622	PK

Profile: 19A2144R	Page No.: 169
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.440	33.307	-29.560	74.000	11.134	PK
2	*	16590.000	52.914	34.375	-21.086	74.000	18.539	PK

Profile: 19A2144R	Page No.: 170
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.383	34.250	-28.617	74.000	11.134	PK
2	*	16590.000	53.217	34.678	-20.783	74.000	18.539	PK

Profile: 19A2144R	Page No.: 171
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.963	33.290	-29.037	74.000	11.673	PK
2	*	16830.000	53.377	33.962	-20.623	74.000	19.415	PK

Profile: 19A2144R	Page No.: 172
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	43.899	32.226	-30.101	74.000	11.673	PK
2	*	16830.000	52.156	32.741	-21.844	74.000	19.415	PK

Profile: 19A2144R	Page No.: 173
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	46.203	35.483	-27.797	74.000	10.720	PK
2	*	15750.000	51.159	34.250	-22.841	74.000	16.909	PK

Profile: 19A2144R	Page No.: 174
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	45.268	34.548	-28.732	74.000	10.720	PK
2	*	15750.000	51.621	34.712	-22.379	74.000	16.909	PK

Profile: 19A2144R	Page No.: 175
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	44.865	33.075	-29.135	74.000	11.791	PK
2	*	16710.000	53.171	33.544	-20.829	74.000	19.627	PK


Profile: 19A2144R	Page No.: 176
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	45.012	33.222	-28.988	74.000	11.791	PK
2	*	16710.000	52.447	32.820	-21.553	74.000	19.627	PK


4*4 Beamforming:

Profile: 19A2144R	Page No.: 89
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	47.292	36.367	-26.708	74.000	10.925	PK
2	*	15780.000	51.364	34.048	-22.636	74.000	17.316	PK

Profile: 19A2144R	Page No.: 90
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.351	34.426	-28.649	74.000	10.925	PK
2	*	15780.000	50.818	33.502	-23.182	74.000	17.316	PK

Profile: 19A2144R	Page No.: 91
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.832	34.173	-29.168	74.000	10.658	PK
2	*	15900.000	50.953	33.798	-23.047	74.000	17.155	PK

Profile: 19A2144R	Page No.: 92
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.517	33.858	-29.483	74.000	10.658	PK
2	*	15900.000	51.940	34.785	-22.060	74.000	17.155	PK

Profile: 19A2144R	Page No.: 93
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.672	34.247	-29.328	74.000	10.425	PK
2	*	15960.000	50.935	33.341	-23.065	74.000	17.594	PK

Profile: 19A2144R	Page No.: 94
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.345	33.920	-29.655	74.000	10.425	PK
2	*	15960.000	51.693	34.099	-22.307	74.000	17.594	PK

Profile: 19A2144R	Page No.: 95
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.528	33.133	-29.472	74.000	11.394	PK
2	*	16500.000	53.327	34.367	-20.673	74.000	18.960	PK

Profile: 19A2144R	Page No.: 96
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.641	34.246	-28.359	74.000	11.394	PK
2	*	16500.000	52.304	33.344	-21.696	74.000	18.960	PK

Profile: 19A2144R	Page No.: 97
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.247	33.869	-28.753	74.000	11.378	PK
2	*	16560.000	53.119	34.201	-20.881	74.000	18.918	PK

Profile: 19A2144R	Page No.: 98
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.376	33.998	-28.624	74.000	11.378	PK
2	*	16560.000	52.463	33.545	-21.537	74.000	18.918	PK

Profile: 19A2144R	Page No.: 99
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.141	33.142	-28.859	74.000	11.999	PK
2	*	16740.000	53.422	34.817	-20.578	74.000	18.605	PK

Profile: 19A2144R	Page No.: 100
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.957	32.958	-29.043	74.000	11.999	PK
2	*	16740.000	52.512	33.907	-21.488	74.000	18.605	PK

Profile: 19A2144R	Page No.: 101
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.563	32.708	-29.437	74.000	11.855	PK
2	*	17100.000	52.805	32.755	-21.195	74.000	20.050	PK

Profile: 19A2144R	Page No.: 102
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.132	32.277	-29.868	74.000	11.855	PK
2	*	17100.000	53.224	33.174	-20.776	74.000	20.050	PK

Profile: 19A2144R	Page No.: 103
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.945	35.796	-27.055	74.000	11.149	PK
2	*	15810.000	52.285	34.752	-21.715	74.000	17.533	PK

Profile: 19A2144R	Page No.: 104
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.821	34.672	-28.179	74.000	11.149	PK
2	*	15810.000	50.850	33.317	-23.150	74.000	17.533	PK

Profile: 19A2144R	Page No.: 105
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.016	33.584	-28.984	74.000	11.433	PK
2	*	15930.000	51.613	33.515	-22.387	74.000	18.099	PK

Profile: 19A2144R	Page No.: 106
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.279	33.847	-28.721	74.000	11.433	PK
2	*	15930.000	50.985	32.887	-23.015	74.000	18.099	PK

Profile: 19A2144R	Page No.: 107
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.352	34.222	-28.648	74.000	11.130	PK
2	*	16530.000	52.421	33.893	-21.579	74.000	18.529	PK

Profile: 19A2144R	Page No.: 108
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.323	33.193	-29.677	74.000	11.130	PK
2	*	16530.000	51.754	33.226	-22.246	74.000	18.529	PK

Profile: 19A2144R	Page No.: 109
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.753	33.317	-29.247	74.000	11.436	PK
2	*	16650.000	53.352	34.132	-20.648	74.000	19.221	PK

Profile: 19A2144R	Page No.: 110
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.321	32.885	-29.679	74.000	11.436	PK
2	*	16650.000	52.657	33.437	-21.343	74.000	19.221	PK

Profile: 19A2144R	Page No.: 111
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.965	32.958	-29.035	74.000	12.007	PK
2	*	17010.000	53.254	33.604	-20.746	74.000	19.650	PK

Profile: 19A2144R	Page No.: 112
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.223	33.216	-28.777	74.000	12.007	PK
2	*	17010.000	52.796	33.146	-21.204	74.000	19.650	PK

Profile: 19A2144R	Page No.: 113
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.639	35.714	-27.361	74.000	10.925	PK
2	*	15780.000	51.234	33.918	-22.766	74.000	17.316	PK

Profile: 19A2144R	Page No.: 114
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.986	36.061	-27.014	74.000	10.925	PK
2	*	15780.000	50.573	33.257	-23.427	74.000	17.316	PK

Profile: 19A2144R	Page No.: 115
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.207	33.548	-29.793	74.000	10.658	PK
2	*	15900.000	50.573	33.418	-23.427	74.000	17.155	PK

Profile: 19A2144R	Page No.: 116
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.383	34.724	-28.617	74.000	10.658	PK
2	*	15900.000	52.167	35.012	-21.833	74.000	17.155	PK

Profile: 19A2144R	Page No.: 117
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.906	34.481	-29.094	74.000	10.425	PK
2	*	15960.000	50.958	33.364	-23.042	74.000	17.594	PK

Profile: 19A2144R	Page No.: 118
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.684	34.259	-29.316	74.000	10.425	PK
2	*	15960.000	52.327	34.733	-21.673	74.000	17.594	PK

Profile: 19A2144R	Page No.: 119
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.444	34.049	-28.556	74.000	11.394	PK
2	*	16500.000	53.228	34.268	-20.772	74.000	18.960	PK

Profile: 19A2144R	Page No.: 120
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.842	34.447	-28.158	74.000	11.394	PK
2	*	16500.000	52.530	33.570	-21.470	74.000	18.960	PK

Profile: 19A2144R	Page No.: 121
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	46.239	34.861	-27.761	74.000	11.378	PK
2	*	16560.000	53.283	34.365	-20.717	74.000	18.918	PK

Profile: 19A2144R	Page No.: 122
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.138	33.760	-28.862	74.000	11.378	PK
2	*	16560.000	52.503	33.585	-21.497	74.000	18.918	PK

Profile: 19A2144R	Page No.: 123
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.382	34.383	-27.618	74.000	11.999	PK
2	*	16740.000	53.304	34.699	-20.696	74.000	18.605	PK

Profile: 19A2144R	Page No.: 124
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.732	33.733	-28.268	74.000	11.999	PK
2	*	16740.000	52.688	34.083	-21.312	74.000	18.605	PK

Profile: 19A2144R	Page No.: 125
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.349	32.494	-29.651	74.000	11.855	PK
2	*	17100.000	52.508	32.458	-21.492	74.000	20.050	PK

Profile: 19A2144R	Page No.: 126
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.854	32.999	-29.146	74.000	11.855	PK
2	*	17100.000	53.132	33.082	-20.868	74.000	20.050	PK

Profile: 19A2144R	Page No.: 127
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.749	35.600	-27.251	74.000	11.149	PK
2	*	15810.000	51.753	34.220	-22.247	74.000	17.533	PK

Profile: 19A2144R	Page No.: 128
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.241	34.092	-28.759	74.000	11.149	PK
2	*	15810.000	52.350	34.817	-21.650	74.000	17.533	PK

Profile: 19A2144R	Page No.: 129
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.805	34.373	-28.195	74.000	11.433	PK
2	*	15930.000	51.767	33.669	-22.233	74.000	18.099	PK

Profile: 19A2144R	Page No.: 130
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.950	33.518	-29.050	74.000	11.433	PK
2	*	15930.000	52.563	34.465	-21.437	74.000	18.099	PK

Profile: 19A2144R	Page No.: 131
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.878	33.748	-29.122	74.000	11.130	PK
2	*	16530.000	52.886	34.358	-21.114	74.000	18.529	PK

Profile: 19A2144R	Page No.: 132
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.439	34.309	-28.561	74.000	11.130	PK
2	*	16530.000	52.121	33.593	-21.879	74.000	18.529	PK

Profile: 19A2144R	Page No.: 133
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.112	33.676	-28.888	74.000	11.436	PK
2	*	16650.000	53.284	34.064	-20.716	74.000	19.221	PK

Profile: 19A2144R	Page No.: 134
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.534	32.098	-30.466	74.000	11.436	PK
2	*	16650.000	52.798	33.578	-21.202	74.000	19.221	PK

Profile: 19A2144R	Page No.: 135
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.333	33.326	-28.667	74.000	12.007	PK
2	*	17010.000	53.161	33.511	-20.839	74.000	19.650	PK

Profile: 19A2144R	Page No.: 136
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.818	32.811	-29.182	74.000	12.007	PK
2	*	17010.000	52.575	32.925	-21.425	74.000	19.650	PK

Profile: 19A2144R	Page No.: 137
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.948	35.393	-28.052	74.000	10.555	PK
2	*	15870.000	52.024	34.402	-21.976	74.000	17.622	PK

Profile: 19A2144R	Page No.: 138
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.403	34.848	-28.597	74.000	10.555	PK
2	*	15870.000	51.964	34.342	-22.036	74.000	17.622	PK

Profile: 19A2144R	Page No.: 139
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.650	33.517	-29.350	74.000	11.134	PK
2	*	16590.000	52.259	33.720	-21.741	74.000	18.539	PK

Profile: 19A2144R	Page No.: 140
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.814	32.681	-30.186	74.000	11.134	PK
2	*	16590.000	51.487	32.948	-22.513	74.000	18.539	PK

Profile: 19A2144R	Page No.: 141
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	45.714	34.041	-28.286	74.000	11.673	PK
2	*	16830.000	53.218	33.803	-20.782	74.000	19.415	PK

Profile: 19A2144R	Page No.: 142
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.128	32.455	-29.872	74.000	11.673	PK
2	*	16830.000	52.391	32.976	-21.609	74.000	19.415	PK

Profile: 19A2144R	Page No.: 143
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.177	35.252	-27.823	74.000	10.925	PK
2	*	15780.000	50.509	33.193	-23.491	74.000	17.316	PK

Profile: 19A2144R	Page No.: 144
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.771	34.846	-28.229	74.000	10.925	PK
2	*	15780.000	52.376	35.060	-21.624	74.000	17.316	PK

Profile: 19A2144R	Page No.: 145
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.430	34.771	-28.570	74.000	10.658	PK
2	*	15900.000	51.596	34.441	-22.404	74.000	17.155	PK

Profile: 19A2144R	Page No.: 146
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.032	34.373	-28.968	74.000	10.658	PK
2	*	15900.000	50.427	33.272	-23.573	74.000	17.155	PK

Profile: 19A2144R	Page No.: 147
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.432	34.007	-29.568	74.000	10.425	PK
2	*	15960.000	52.261	34.667	-21.739	74.000	17.594	PK

Profile: 19A2144R	Page No.: 148
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.530	35.105	-28.470	74.000	10.425	PK
2	*	15960.000	52.487	34.893	-21.513	74.000	17.594	PK

Profile: 19A2144R	Page No.: 149
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.045	33.650	-28.955	74.000	11.394	PK
2	*	16500.000	53.433	34.473	-20.567	74.000	18.960	PK

Profile: 19A2144R	Page No.: 150
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.704	33.309	-29.296	74.000	11.394	PK
2	*	16500.000	52.712	33.752	-21.288	74.000	18.960	PK

Profile: 19A2144R	Page No.: 151
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	43.872	32.494	-30.128	74.000	11.378	PK
2	*	16560.000	53.183	34.265	-20.817	74.000	18.918	PK

Profile: 19A2144R	Page No.: 152
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.484	33.106	-29.516	74.000	11.378	PK
2	*	16560.000	52.531	33.613	-21.469	74.000	18.918	PK

Profile: 19A2144R	Page No.: 153
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.277	33.278	-28.723	74.000	11.999	PK
2	*	16740.000	52.897	34.292	-21.103	74.000	18.605	PK

Profile: 19A2144R	Page No.: 154
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.450	32.451	-29.550	74.000	11.999	PK
2	*	16740.000	53.126	34.521	-20.874	74.000	18.605	PK

Profile: 19A2144R	Page No.: 155
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.944	31.089	-31.056	74.000	11.855	PK
2	*	17100.000	53.259	33.209	-20.741	74.000	20.050	PK

Profile: 19A2144R	Page No.: 156
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.967	32.112	-30.033	74.000	11.855	PK
2	*	17100.000	52.616	32.566	-21.384	74.000	20.050	PK

Profile: 19A2144R	Page No.: 157
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.397	35.248	-27.603	74.000	11.149	PK
2	*	15810.000	51.659	34.126	-22.341	74.000	17.533	PK

Profile: 19A2144R	Page No.: 158
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.586	34.437	-28.414	74.000	11.149	PK
2	*	15810.000	50.460	32.927	-23.540	74.000	17.533	PK

Profile: 19A2144R	Page No.: 159
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.666	33.234	-29.334	74.000	11.433	PK
2	*	15930.000	51.631	33.533	-22.369	74.000	18.099	PK

Profile: 19A2144R	Page No.: 160
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.947	34.515	-28.053	74.000	11.433	PK
2	*	15930.000	52.554	34.456	-21.446	74.000	18.099	PK

Profile: 19A2144R	Page No.: 161
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.454	34.324	-28.546	74.000	11.130	PK
2	*	16530.000	53.285	34.757	-20.715	74.000	18.529	PK

Profile: 19A2144R	Page No.: 162
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.098	33.968	-28.902	74.000	11.130	PK
2	*	16530.000	53.051	34.523	-20.949	74.000	18.529	PK

Profile: 19A2144R	Page No.: 163
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.021	33.585	-28.979	74.000	11.436	PK
2	*	16650.000	53.346	34.126	-20.654	74.000	19.221	PK

Profile: 19A2144R	Page No.: 164
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5550MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.415	32.979	-29.585	74.000	11.436	PK
2	*	16650.000	52.457	33.237	-21.543	74.000	19.221	PK

Profile: 19A2144R	Page No.: 165
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.329	33.322	-28.671	74.000	12.007	PK
2	*	17010.000	53.265	33.615	-20.735	74.000	19.650	PK

Profile: 19A2144R	Page No.: 166
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5670MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.935	33.928	-28.065	74.000	12.007	PK
2	*	17010.000	52.483	32.833	-21.517	74.000	19.650	PK

Profile: 19A2144R	Page No.: 167
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.048	34.493	-28.952	74.000	10.555	PK
2	*	15870.000	51.238	33.616	-22.762	74.000	17.622	PK

Profile: 19A2144R	Page No.: 168
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.153	33.598	-29.847	74.000	10.555	PK
2	*	15870.000	52.360	34.738	-21.640	74.000	17.622	PK

Profile: 19A2144R	Page No.: 169
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.454	33.321	-29.546	74.000	11.134	PK
2	*	16590.000	52.521	33.982	-21.479	74.000	18.539	PK

Profile: 19A2144R	Page No.: 170
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5530MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.632	33.499	-29.368	74.000	11.134	PK
2	*	16590.000	53.199	34.660	-20.801	74.000	18.539	PK

Profile: 19A2144R	Page No.: 171
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.022	32.349	-29.978	74.000	11.673	PK
2	*	16830.000	53.359	33.944	-20.641	74.000	19.415	PK

Profile: 19A2144R	Page No.: 172
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5610MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	45.362	33.689	-28.638	74.000	11.673	PK
2	*	16830.000	52.476	33.061	-21.524	74.000	19.415	PK

Profile: 19A2144R	Page No.: 173
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	44.719	33.999	-29.281	74.000	10.720	PK
2	*	15750.000	50.962	34.053	-23.038	74.000	16.909	PK

Profile: 19A2144R	Page No.: 174
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5250MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	45.668	34.948	-28.332	74.000	10.720	PK
2	*	15750.000	51.620	34.711	-22.380	74.000	16.909	PK

Profile: 19A2144R	Page No.: 175
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10: Transmit at 5570MHz by 802.11ax(160MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	45.204	33.414	-28.796	74.000	11.791	PK
2	*	16710.000	53.189	33.562	-20.811	74.000	19.627	PK

Profile: 19A2144R	Page No.: 176
Engineer: Simon	
Site: AC5	Time: 2020/05/13 - 22:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5570MHz by 802.11ax(160MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	45.876	34.086	-28.124	74.000	11.791	PK
2	*	16710.000	52.316	32.689	-21.684	74.000	19.627	PK

5GHz High Band


2*2 CDD:

Profile: 19A2144R	Page No.: 61
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.412	34.017	-28.588	74.000	11.394	PK
2	*	16500.000	52.194	33.234	-21.806	74.000	18.960	PK

Profile: 19A2144R	Page No.: 62
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5500MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.261	32.866	-29.739	74.000	11.394	PK
2	*	16500.000	52.425	33.465	-21.575	74.000	18.960	PK

Profile: 19A2144R	Page No.: 63
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.364	33.986	-28.636	74.000	11.378	PK
2	*	16560.000	53.033	34.115	-20.967	74.000	18.918	PK

Profile: 19A2144R	Page No.: 64
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.145	32.767	-29.855	74.000	11.378	PK
2	*	16560.000	52.514	33.596	-21.486	74.000	18.918	PK

Profile: 19A2144R	Page No.: 65
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.924	32.925	-29.076	74.000	11.999	PK
2	*	16740.000	50.578	31.973	-23.422	74.000	18.605	PK

Profile: 19A2144R	Page No.: 66
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.512	32.513	-29.488	74.000	11.999	PK
2	*	16740.000	53.413	34.808	-20.587	74.000	18.605	PK

Profile: 19A2144R	Page No.: 67
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.223	31.368	-30.777	74.000	11.855	PK
2	*	17100.000	51.703	31.653	-22.297	74.000	20.050	PK

Profile: 19A2144R	Page No.: 68
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.338	32.483	-29.662	74.000	11.855	PK
2	*	17100.000	52.677	32.627	-21.323	74.000	20.050	PK

Profile: 19A2144R	Page No.: 69
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.806	34.411	-28.194	74.000	11.394	PK
2	*	16500.000	53.076	34.116	-20.924	74.000	18.960	PK

Profile: 19A2144R	Page No.: 70
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.404	33.009	-29.596	74.000	11.394	PK
2	*	16500.000	52.392	33.432	-21.608	74.000	18.960	PK

Profile: 19A2144R	Page No.: 71
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.421	34.043	-28.579	74.000	11.378	PK
2	*	16560.000	53.261	34.343	-20.739	74.000	18.918	PK

Profile: 19A2144R	Page No.: 72
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.163	32.785	-29.837	74.000	11.378	PK
2	*	16560.000	52.382	33.464	-21.618	74.000	18.918	PK

Profile: 19A2144R	Page No.: 73
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.932	33.933	-28.068	74.000	11.999	PK
2	*	16740.000	52.792	34.187	-21.208	74.000	18.605	PK

Profile: 19A2144R	Page No.: 74
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.133	34.134	-27.867	74.000	11.999	PK
2	*	16740.000	53.289	34.684	-20.711	74.000	18.605	PK

Profile: 19A2144R	Page No.: 75
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.036	31.181	-30.964	74.000	11.855	PK
2	*	17100.000	51.474	31.424	-22.526	74.000	20.050	PK

Profile: 19A2144R	Page No.: 76
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.036	32.181	-29.964	74.000	11.855	PK
2	*	17100.000	53.333	33.283	-20.667	74.000	20.050	PK

Profile: 19A2144R	Page No.: 77
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.997	33.867	-29.003	74.000	11.130	PK
2	*	16530.000	52.058	33.530	-21.942	74.000	18.529	PK

Profile: 19A2144R	Page No.: 78
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.430	34.300	-28.570	74.000	11.130	PK
2	*	16530.000	52.845	34.317	-21.155	74.000	18.529	PK

Profile: 19A2144R	Page No.: 79
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.359	31.923	-30.641	74.000	11.436	PK
2	*	16650.000	52.966	33.746	-21.034	74.000	19.221	PK

Profile: 19A2144R	Page No.: 80
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.526	33.090	-29.474	74.000	11.436	PK
2	*	16650.000	52.290	33.070	-21.710	74.000	19.221	PK

Profile: 19A2144R	Page No.: 81
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.197	32.190	-29.803	74.000	12.007	PK
2	*	17010.000	53.448	33.798	-20.552	74.000	19.650	PK

Profile: 19A2144R	Page No.: 82
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	44.940	32.933	-29.060	74.000	12.007	PK
2	*	17010.000	51.482	31.832	-22.518	74.000	19.650	PK

Profile: 19A2144R	Page No.: 83
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.897	33.502	-29.103	74.000	11.394	PK
2	*	16500.000	52.932	33.972	-21.068	74.000	18.960	PK

Profile: 19A2144R	Page No.: 84
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.000	32.605	-30.000	74.000	11.394	PK
2	*	16500.000	52.388	33.428	-21.612	74.000	18.960	PK

Profile: 19A2144R	Page No.: 85
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.382	33.004	-29.618	74.000	11.378	PK
2	*	16560.000	52.854	33.936	-21.146	74.000	18.918	PK

Profile: 19A2144R	Page No.: 86
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	44.527	33.149	-29.473	74.000	11.378	PK
2	*	16560.000	52.536	33.618	-21.464	74.000	18.918	PK

Profile: 19A2144R	Page No.: 87
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.251	32.252	-29.749	74.000	11.999	PK
2	*	16740.000	52.645	34.040	-21.355	74.000	18.605	PK

Profile: 19A2144R	Page No.: 88
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.569	31.570	-30.431	74.000	11.999	PK
2	*	16740.000	51.586	32.981	-22.414	74.000	18.605	PK

Profile: 19A2144R	Page No.: 89
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.557	31.702	-30.443	74.000	11.855	PK
2	*	17100.000	51.791	31.741	-22.209	74.000	20.050	PK

Profile: 19A2144R	Page No.: 90
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.009	31.154	-30.991	74.000	11.855	PK
2	*	17100.000	52.428	32.378	-21.572	74.000	20.050	PK

Profile: 19A2144R	Page No.: 91
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.610	34.480	-28.390	74.000	11.130	PK
2	*	16530.000	51.857	33.329	-22.143	74.000	18.529	PK

Profile: 19A2144R	Page No.: 92
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.157	33.027	-29.843	74.000	11.130	PK
2	*	16530.000	50.890	32.362	-23.110	74.000	18.529	PK

Profile: 19A2144R	Page No.: 93
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.475	32.039	-30.525	74.000	11.436	PK
2	*	16650.000	52.605	33.385	-21.395	74.000	19.221	PK

Profile: 19A2144R	Page No.: 94
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.248	31.812	-30.752	74.000	11.436	PK
2	*	16650.000	51.682	32.462	-22.318	74.000	19.221	PK

Profile: 19A2144R	Page No.: 95
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.964	31.957	-30.036	74.000	12.007	PK
2	*	17010.000	52.525	32.875	-21.475	74.000	19.650	PK

Profile: 19A2144R	Page No.: 96
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.020	33.013	-28.980	74.000	12.007	PK
2	*	17010.000	52.942	33.292	-21.058	74.000	19.650	PK

Profile: 19A2144R	Page No.: 97
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.717	32.584	-30.283	74.000	11.134	PK
2	*	16590.000	52.367	33.828	-21.633	74.000	18.539	PK

Profile: 19A2144R	Page No.: 98
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	44.841	33.708	-29.159	74.000	11.134	PK
2	*	16590.000	51.595	33.056	-22.405	74.000	18.539	PK

Profile: 19A2144R	Page No.: 99
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	43.275	31.602	-30.725	74.000	11.673	PK
2	*	16830.000	53.310	33.895	-20.690	74.000	19.415	PK

Profile: 19A2144R	Page No.: 100
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5610MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	44.007	32.334	-29.993	74.000	11.673	PK
2	*	16830.000	52.264	32.849	-21.736	74.000	19.415	PK

Profile: 19A2144R	Page No.: 101
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.789	32.394	-30.211	74.000	11.394	PK
2	*	16500.000	53.345	34.385	-20.655	74.000	18.960	PK

Profile: 19A2144R	Page No.: 102
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5500MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.185	32.790	-29.815	74.000	11.394	PK
2	*	16500.000	52.820	33.860	-21.180	74.000	18.960	PK

Profile: 19A2144R	Page No.: 103
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.932	33.933	-28.068	74.000	11.999	PK
2	*	16740.000	52.792	34.187	-21.208	74.000	18.605	PK

Profile: 19A2144R	Page No.: 104
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5520MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11040.000	45.623	34.245	-28.377	74.000	11.378	PK
2	*	16560.000	53.029	34.111	-20.971	74.000	18.918	PK

Profile: 19A2144R	Page No.: 105
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.540	32.541	-29.460	74.000	11.999	PK
2	*	16740.000	52.322	33.717	-21.678	74.000	18.605	PK

Profile: 19A2144R	Page No.: 106
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5580MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	44.742	32.743	-29.258	74.000	11.999	PK
2	*	16740.000	51.674	33.069	-22.326	74.000	18.605	PK

Profile: 19A2144R	Page No.: 107
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.655	30.800	-31.345	74.000	11.855	PK
2	*	17100.000	52.520	32.470	-21.480	74.000	20.050	PK

Profile: 19A2144R	Page No.: 108
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5700MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.598	31.743	-30.402	74.000	11.855	PK
2	*	17100.000	53.212	33.162	-20.788	74.000	20.050	PK

Profile: 19A2144R	Page No.: 109
Engineer: Simon	
Site: AC5	Time: 2020/05/10 - 10:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP460C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5510MHz by 802.11ax(40MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.211	34.081	-28.789	74.000	11.130	PK
2	*	16530.000	51.556	33.028	-22.444	74.000	18.529	PK