


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	68.57	88.20	-19.63	61.50	3	Horizontal	169	2.66	77	32.40	7.64	32.97
RMS	5.924G	59.02	68.20	-9.18	51.95	3	Horizontal	169	2.66	77	32.40	7.64	32.97
PK	6.0885G	96.01	Inf	-Inf	88.80	3	Horizontal	169	2.66	77	32.52	7.70	33.01
RMS	6.08G	86.94	Inf	-Inf	79.71	3	Horizontal	169	2.66	77	32.54	7.70	33.01

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04586G	46.28	74.00	-27.72	28.27	3	Vertical	270	1.56	-	39.28	11.14	32.41
AV	12.05842G	38.01	54.00	-15.99	19.96	3	Vertical	270	1.56	-	39.30	11.14	32.39

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05836G	46.13	74.00	-27.87	28.08	3	Horizontal	43	1.45	-	39.30	11.14	32.39
AV	12.0461G	38.46	54.00	-15.54	20.45	3	Horizontal	43	1.45	-	39.28	11.14	32.41

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07306G	68.41	83.54	-15.13	65.34	1	Vertical	33	1.72	-	37.49	15.30	49.72
AV	18.06846G	58.19	63.54	-5.35	55.13	1	Vertical	33	1.72	-	37.47	15.30	49.71

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.072G	68.63	83.54	-14.91	65.56	1	Horizontal	131	1.58	-	37.49	15.30	49.72
AV	18.0728G	58.32	63.54	-5.22	55.25	1	Horizontal	131	1.58	-	37.49	15.30	49.72

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40458G	56.08	74.00	-17.92	39.85	3	Vertical	51	1.80	108	38.60	8.93	31.30
AV	12.38932G	46.56	54.00	-7.44	30.32	3	Vertical	51	1.80	108	38.62	8.92	31.30

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35479G	56.00	74.00	-18.00	39.70	3	Horizontal	278	1.44	108	38.69	8.90	31.29
AV	12.41066G	47.09	54.00	-6.91	30.86	3	Horizontal	278	1.44	108	38.60	8.93	31.30

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.56826G	52.05	83.54	-31.49	49.56	1	Vertical	250	1.60	-	37.70	15.27	50.48
AV	18.55491G	43.05	63.54	-20.49	40.55	1	Vertical	250	1.60	-	37.70	15.27	50.47

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54447G	48.30	83.54	-35.24	45.76	1	Horizontal	129	2.06	-	37.72	15.27	50.45
AV	18.5667G	38.86	63.54	-24.68	36.37	1	Horizontal	129	2.06	-	37.70	15.27	50.48

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.57971G	55.52	74.00	-18.48	39.28	3	Vertical	228	2.02	108	38.60	9.01	31.37
AV	12.53112G	46.52	54.00	-7.48	30.26	3	Vertical	228	2.02	108	38.60	8.99	31.33

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.56532G	56.32	74.00	-17.68	40.07	3	Horizontal	67	1.80	108	38.60	9.00	31.35
AV	12.53975G	46.63	54.00	-7.37	30.37	3	Horizontal	67	1.80	108	38.60	8.99	31.33

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0449G	52.56	83.54	-30.98	50.46	1	Vertical	186	1.46	-	37.90	15.25	51.05
AV	19.04487G	43.84	63.54	-19.70	41.74	1	Vertical	186	1.46	-	37.90	15.25	51.05

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02627G	48.67	83.54	-34.87	46.55	1	Horizontal	176	1.77	-	37.90	15.25	51.03
AV	19.0449G	40.88	63.54	-22.66	38.78	1	Horizontal	176	1.77	-	37.90	15.25	51.05

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX




EUTZ_2TX
Setting 108
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33102G	60.41	74.00	-13.59	41.87	3	Vertical	94	2.11	-	40.02	11.42	32.90
AV	13.3222G	46.01	54.00	-7.99	27.50	3	Vertical	94	2.11	-	39.99	11.41	32.89

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33954G	60.69	74.00	-13.31	42.12	3	Horizontal	245	2.42	-	40.06	11.42	32.91
AV	13.32946G	46.25	54.00	-7.75	27.72	3	Horizontal	245	2.42	-	40.02	11.41	32.90

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99386G	63.24	83.54	-20.30	59.52	1	Vertical	20	1.02	-	37.80	15.20	49.28
AV	20.00796G	51.26	63.54	-12.28	47.54	1	Vertical	20	1.02	-	37.78	15.21	49.27

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98276G	64.81	83.54	-18.73	61.09	1	Horizontal	47	2.83	-	37.80	15.20	49.28
AV	19.99584G	50.84	63.54	-12.70	47.11	1	Horizontal	47	2.83	-	37.80	15.20	49.27

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
 SET 70
 03-S-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	78.80	88.20	-9.40	71.72	3	Vertical	251	2.00	-	34.55	7.63	35.10
RMS	5.925G	67.72	68.20	-0.48	60.64	3	Vertical	251	2.00	-	34.55	7.63	35.10
PK	6.2346G	105.37	Inf	-Inf	97.55	3	Vertical	251	2.00	-	34.93	7.94	35.05
RMS	6.2106G	94.81	Inf	-Inf	86.96	3	Vertical	251	2.00	-	34.98	7.93	35.06

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
 SET 70
 03-S-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	66.67	88.20	-21.53	59.59	3	Horizontal	115	2.00	-	34.55	7.63	35.10
RMS	5.9234G	55.86	68.20	-12.34	48.78	3	Horizontal	115	2.00	-	34.55	7.63	35.10
PK	6.0674G	93.19	Inf	-Inf	85.83	3	Horizontal	115	2.00	-	34.70	7.77	35.11
RMS	6.0714G	81.17	Inf	-Inf	73.78	3	Horizontal	115	2.00	-	34.73	7.77	35.11

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.18379G	59.10	74.00	-14.90	41.02	3	Vertical	292	1.11	60	39.16	11.19	32.27
AV	12.21128G	49.29	54.00	-4.71	31.24	3	Vertical	292	1.11	60	39.10	11.20	32.25

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39669G	59.62	74.00	-14.38	41.61	3	Horizontal	18	1.80	60	38.81	11.27	32.07
AV	12.3988G	49.55	54.00	-4.45	31.55	3	Horizontal	18	1.80	60	38.80	11.27	32.07

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32002G	64.67	83.54	-18.87	62.00	1	Vertical	351	1.69	-	37.50	15.28	50.11
AV	18.31634G	51.72	63.54	-11.82	49.05	1	Vertical	351	1.69	-	37.50	15.28	50.11

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30932G	63.73	83.54	-19.81	61.04	1	Horizontal	121	1.52	-	37.50	15.28	50.09
AV	18.32358G	52.17	63.54	-11.37	49.51	1	Horizontal	121	1.52	-	37.50	15.28	50.12

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
SET 72
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.51683G	54.52	74.00	-19.48	36.64	3	Vertical	75	2.26	-	38.50	11.32	31.94
AV	12.52394G	45.83	54.00	-8.17	27.94	3	Vertical	75	2.26	-	38.50	11.32	31.93

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
SET 72
01-1-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.54359G	54.72	74.00	-19.28	36.79	3	Horizontal	266	2.08	-	38.50	11.33	31.90
AV	12.52697G	45.47	54.00	-8.53	27.57	3	Horizontal	266	2.08	-	38.50	11.32	31.92

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.7904G	69.15	83.54	-14.39	66.84	1	Vertical	52	1.71	-	37.80	15.26	50.75
AV	18.79436G	57.01	63.54	-6.53	54.70	1	Vertical	52	1.71	-	37.80	15.26	50.75

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79792G	68.61	83.54	-14.93	66.31	1	Horizontal	302	1.48	-	37.80	15.26	50.76
AV	18.80044G	56.70	63.54	-6.84	54.40	1	Horizontal	302	1.48	-	37.80	15.26	50.76

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
 Setting 88
 03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	87.47	88.20	-0.73	80.39	3	Vertical	54	2.38	-	34.55	7.63	35.10
RMS	5.925G	67.93	68.20	-0.27	60.85	3	Vertical	54	2.38	-	34.55	7.63	35.10
PK	5.9478G	121.56	Inf	-Inf	114.42	3	Vertical	54	2.38	-	34.60	7.65	35.11
RMS	5.9602G	110.94	Inf	-Inf	103.80	3	Vertical	54	2.38	-	34.60	7.66	35.12

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 88
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	70.70	88.20	-17.50	63.62	3	Horizontal	160	2.75	-	34.55	7.63	35.10
RMS	5.925G	56.29	68.20	-11.91	49.21	3	Horizontal	160	2.75	-	34.55	7.63	35.10
PK	5.9582G	109.82	Inf	-Inf	102.68	3	Horizontal	160	2.75	-	34.60	7.66	35.12
RMS	5.9558G	99.45	Inf	-Inf	92.32	3	Horizontal	160	2.75	-	34.60	7.65	35.12

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 88
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.935G	57.48	74.00	-16.52	41.19	3	Vertical	183	1.26	-	39.20	11.48	34.39
AV	11.889G	45.36	54.00	-8.64	29.11	3	Vertical	183	1.26	-	39.20	11.46	34.41

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 88
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9147G	57.63	74.00	-16.37	41.36	3	Horizontal	15	1.95	-	39.20	11.47	34.40
AV	11.8875G	45.25	54.00	-8.75	29.01	3	Horizontal	15	1.95	-	39.20	11.46	34.42

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 88
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.8309G	45.89	83.54	-37.65	36.80	1	Vertical	22	2.83	-	38.91	17.35	47.17
AV	23.8198G	37.41	63.54	-26.13	28.26	1	Vertical	22	2.83	-	38.98	17.35	47.18

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 88
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.83146G	46.02	83.54	-37.52	36.93	1	Horizontal	144	2.40	-	38.91	17.35	47.17
AV	23.81982G	37.61	63.54	-25.93	28.46	1	Horizontal	144	2.40	-	38.98	17.35	47.18

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 96
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38954G	58.36	74.00	-15.64	42.15	3	Vertical	171	2.74	-	38.62	11.65	34.06
AV	12.39041G	46.92	54.00	-7.08	30.71	3	Vertical	171	2.74	-	38.62	11.65	34.06

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3904G	58.65	74.00	-15.35	42.44	3	Horizontal	276	1.59	-	38.62	11.65	34.06
AV	12.39013G	46.96	54.00	-7.04	30.75	3	Horizontal	276	1.59	-	38.62	11.65	34.06

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5934G	53.14	83.54	-30.40	49.79	1	Vertical	117	1.87	-	37.70	15.27	49.62
AV	18.58059G	38.36	63.54	-25.18	35.02	1	Vertical	117	1.87	-	37.70	15.27	49.63
PK	24.76596G	75.02	97.74	-22.72	64.87	1	Vertical	341	1.81	-	39.30	17.51	46.66
RMS	24.77967G	60.02	77.74	-17.72	49.85	1	Vertical	341	1.81	-	39.30	17.52	46.65

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.59367G	49.69	83.54	-33.85	46.34	1	Horizontal	192	1.59	-	37.70	15.27	49.62
AV	18.58494G	37.36	63.54	-26.18	34.01	1	Horizontal	192	1.59	-	37.70	15.27	49.62
PK	24.77322G	69.32	88.20	-18.88	59.16	1	Horizontal	211	1.58	-	39.30	17.52	46.66
RMS	24.78135G	55.90	77.74	-21.84	45.73	1	Horizontal	211	1.58	-	39.30	17.52	46.65

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 91
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82953G	59.85	88.20	-28.35	42.46	3	Vertical	348	1.77	-	39.12	11.80	33.53
RMS	12.83046G	45.95	68.20	-22.25	28.56	3	Vertical	348	1.77	-	39.12	11.80	33.53

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 91
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82995G	59.28	88.20	-28.92	41.89	3	Horizontal	141	1.33	-	39.12	11.80	33.53
RMS	12.82956G	45.70	68.20	-22.50	28.31	3	Horizontal	141	1.33	-	39.12	11.80	33.53

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 91
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25211G	60.88	83.54	-22.66	57.25	1	Vertical	185	1.80	-	37.90	15.24	49.51
AV	19.24917G	44.95	63.54	-18.59	41.32	1	Vertical	185	1.80	-	37.90	15.24	49.51
PK	25.66249G	70.81	97.74	-26.93	60.09	1	Vertical	348	1.80	-	39.25	17.65	46.18
RMS	25.66885G	56.52	77.74	-21.22	45.83	1	Vertical	348	1.80	-	39.22	17.65	46.18

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 91
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.23951G	56.75	83.54	-26.79	53.09	1	Horizontal	182	1.55	-	37.92	15.24	49.50
AV	19.24059G	41.32	63.54	-22.22	37.66	1	Horizontal	182	1.55	-	37.92	15.24	49.50
PK	25.65343G	66.67	97.74	-31.07	55.91	1	Horizontal	242	1.63	-	39.29	17.65	46.18
RMS	25.65514G	52.53	77.74	-25.21	41.78	1	Horizontal	242	1.63	-	39.28	17.65	46.18

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 92
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0699G	59.81	88.20	-28.39	41.67	3	Vertical	257	1.80	-	39.48	11.88	33.22
RMS	13.06965G	46.47	68.20	-21.73	28.33	3	Vertical	257	1.80	-	39.48	11.88	33.22

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 92
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07002G	60.47	88.20	-27.73	42.33	3	Horizontal	73	1.80	-	39.48	11.88	33.22
RMS	13.0702G	46.32	68.20	-21.88	28.18	3	Horizontal	73	1.80	-	39.48	11.88	33.22

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 92
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61856G	49.49	83.54	-34.05	45.94	1	Vertical	238	1.48	-	37.91	15.22	49.58
AV	19.61697G	36.67	63.54	-26.87	33.13	1	Vertical	238	1.48	-	37.90	15.22	49.58
PK	26.14041G	65.91	97.74	-31.83	54.97	1	Vertical	108	2.12	-	39.30	17.78	46.14
RMS	26.13958G	52.93	77.74	-24.81	41.99	1	Vertical	108	2.12	-	39.30	17.78	46.14

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 92
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61409G	49.54	83.54	-34.00	46.03	1	Horizontal	271	2.41	-	37.88	15.22	49.59
AV	19.6143G	36.82	63.54	-26.72	33.30	1	Horizontal	271	2.41	-	37.89	15.22	49.59
PK	26.14048G	60.74	97.74	-37.00	49.80	1	Horizontal	161	2.07	-	39.30	17.78	46.14
RMS	26.14035G	48.01	77.74	-29.73	37.07	1	Horizontal	161	2.07	-	39.30	17.78	46.14

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39026G	61.80	74.00	-12.20	42.56	3	Vertical	221	1.01	-	40.08	11.99	32.83
AV	13.39021G	48.48	54.00	-5.52	29.24	3	Vertical	221	1.01	-	40.08	11.99	32.83

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUTZ_2TX
Setting 96
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38998G	60.35	74.00	-13.65	41.11	3	Horizontal	96	1.80	-	40.08	11.99	32.83
AV	13.38966G	47.02	54.00	-6.98	27.78	3	Horizontal	96	1.80	-	40.08	11.99	32.83

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.09577G	70.62	83.54	-12.92	66.71	1	Vertical	207	1.80	-	37.88	15.28	49.25
AV	20.08641G	57.26	63.54	-6.28	53.39	1	Vertical	207	1.80	-	37.85	15.27	49.25
PK	26.77421G	61.65	97.74	-36.09	49.56	1	Vertical	212	1.80	-	39.90	18.16	45.97
RMS	26.77802G	48.36	77.74	-29.38	36.27	1	Vertical	212	1.80	-	39.89	18.17	45.97

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08254G	63.72	83.54	-19.82	59.87	1	Horizontal	170	1.80	-	37.83	15.27	49.25
AV	20.08356G	49.00	63.54	-14.54	45.15	1	Horizontal	170	1.80	-	37.83	15.27	49.25
PK	26.77454G	57.50	97.74	-40.24	45.41	1	Horizontal	99	1.83	-	39.90	18.16	45.97
RMS	26.77904G	43.92	77.74	-33.82	31.84	1	Horizontal	99	1.83	-	39.88	18.17	45.97

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
Setting 96
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.703G	63.74	88.20	-24.46	43.89	3	Vertical	253	2.10	-	40.41	12.10	32.66
RMS	13.7102G	50.51	68.20	-17.69	30.63	3	Vertical	253	2.10	-	40.44	12.10	32.66

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
Setting 96
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71765G	62.71	88.20	-25.49	42.80	3	Horizontal	182	2.64	-	40.47	12.10	32.66
RMS	13.7114G	49.38	68.20	-18.82	29.49	3	Horizontal	182	2.64	-	40.45	12.10	32.66

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56431G	60.85	83.54	-22.69	56.38	1	Vertical	5	1.80	-	37.93	15.65	49.11
AV	20.55942G	51.25	63.54	-12.29	46.79	1	Vertical	5	1.80	-	37.92	15.65	49.11
PK	27.41514G	68.17	97.74	-29.57	55.42	1	Vertical	98	1.34	-	39.87	18.55	45.67
RMS	27.41529G	54.85	77.74	-22.89	42.10	1	Vertical	98	1.34	-	39.87	18.55	45.67

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5644G	62.23	83.54	-21.31	57.76	1	Horizontal	330	2.05	-	37.93	15.65	49.11
AV	20.56395G	49.09	63.54	-14.45	44.62	1	Horizontal	330	2.05	-	37.93	15.65	49.11
PK	27.42567G	56.18	97.74	-41.56	43.43	1	Horizontal	300	1.62	-	39.85	18.56	45.66
RMS	27.42114G	43.48	77.74	-34.26	30.74	1	Horizontal	300	1.62	-	39.86	18.55	45.67

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 76
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	82.92	88.20	-5.28	75.84	3	Vertical	285	2.49	-	34.55	7.63	35.10
RMS	5.925G	67.92	68.20	-0.28	60.84	3	Vertical	285	2.49	-	34.55	7.63	35.10
PK	5.9506G	115.30	Inf	-Inf	108.17	3	Vertical	285	2.49	-	34.60	7.65	35.12
RMS	5.9582G	104.47	Inf	-Inf	97.33	3	Vertical	285	2.49	-	34.60	7.66	35.12

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 76
03-5-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	69.90	88.20	-18.30	62.82	3	Horizontal	160	2.76	-	34.55	7.63	35.10
RMS	5.925G	56.96	68.20	-11.24	49.88	3	Horizontal	160	2.76	-	34.55	7.63	35.10
PK	5.9806G	106.81	Inf	-Inf	99.67	3	Horizontal	160	2.76	-	34.60	7.67	35.13
RMS	5.979G	96.31	Inf	-Inf	89.17	3	Horizontal	160	2.76	-	34.60	7.67	35.13

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 76
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92997G	58.47	74.00	-15.53	42.18	3	Vertical	302	1.91	-	39.20	11.48	34.39
AV	11.93002G	45.17	54.00	-8.83	28.88	3	Vertical	302	1.91	-	39.20	11.48	34.39
PK	17.89521G	63.12	74.00	-10.88	36.87	3	Vertical	189	2.66	-	44.81	13.86	32.42
AV	17.89477G	48.59	54.00	-5.41	22.34	3	Vertical	189	2.66	-	44.81	13.86	32.42

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 76
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93048G	57.96	74.00	-16.04	41.67	3	Horizontal	203	1.96	-	39.20	11.48	34.39
AV	11.93035G	44.78	54.00	-9.22	28.49	3	Horizontal	203	1.96	-	39.20	11.48	34.39
PK	17.89524G	61.89	74.00	-12.11	35.64	3	Horizontal	43	1.94	-	44.81	13.86	32.42
AV	17.89542G	47.63	54.00	-6.37	21.38	3	Horizontal	43	1.94	-	44.81	13.86	32.42

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 76
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85972G	54.80	83.54	-28.74	45.80	1	Vertical	205	2.17	-	38.80	17.36	47.16
AV	23.86032G	41.32	63.54	-22.22	32.32	1	Vertical	205	2.17	-	38.80	17.36	47.16

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 76
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.86011G	55.08	83.54	-28.46	46.08	1	Horizontal	54	1.63	-	38.80	17.36	47.16
AV	23.86014G	41.35	63.54	-22.19	32.35	1	Horizontal	54	1.63	-	38.80	17.36	47.16

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 96
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40984G	57.83	74.00	-16.17	41.62	3	Vertical	309	1.87	-	38.60	11.66	34.05
AV	12.40977G	44.59	54.00	-9.41	28.38	3	Vertical	309	1.87	-	38.60	11.66	34.05

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 96
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40999G	59.23	74.00	-14.77	43.02	3	Horizontal	85	1.87	-	38.60	11.66	34.05
AV	12.40972G	44.65	54.00	-9.35	28.44	3	Horizontal	85	1.87	-	38.60	11.66	34.05

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61456G	56.13	83.54	-27.41	52.73	1	Vertical	99	2.36	-	37.73	15.27	49.60
AV	18.61466G	42.85	63.54	-20.69	39.45	1	Vertical	99	2.36	-	37.73	15.27	49.60
PK	24.82045G	66.87	97.74	-30.87	56.68	1	Vertical	83	2.60	-	39.30	17.52	46.63
RMS	24.82036G	53.19	77.74	-24.55	43.00	1	Vertical	83	2.60	-	39.30	17.52	46.63

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61539G	56.51	83.54	-27.03	53.11	1	Horizontal	205	1.18	-	37.73	15.27	49.60
AV	18.61505G	42.93	63.54	-20.61	39.53	1	Horizontal	205	1.18	-	37.73	15.27	49.60
PK	24.81984G	67.33	97.74	-30.41	57.14	1	Horizontal	299	2.13	-	39.30	17.52	46.63
RMS	24.82014G	53.43	77.74	-24.31	43.24	1	Horizontal	299	2.13	-	39.30	17.52	46.63

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 89
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80992G	58.68	88.20	-29.52	41.40	3	Vertical	329	1.91	-	39.04	11.80	33.56
RMS	12.81006G	45.19	68.20	-23.01	27.91	3	Vertical	329	1.91	-	39.04	11.80	33.56

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 89
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81047G	58.27	88.20	-29.93	40.99	3	Horizontal	174	2.10	-	39.04	11.80	33.56
RMS	12.8101G	44.92	68.20	-23.28	27.64	3	Horizontal	174	2.10	-	39.04	11.80	33.56

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 89
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21515G	57.27	83.54	-26.27	53.55	1	Vertical	159	1.45	-	37.97	15.24	49.49
AV	19.21544G	43.70	63.54	-19.84	39.98	1	Vertical	159	1.45	-	37.97	15.24	49.49
PK	25.61999G	67.94	97.74	-29.80	57.05	1	Vertical	6	2.96	-	39.42	17.64	46.17
RMS	25.6196G	53.60	77.74	-24.14	42.71	1	Vertical	6	2.96	-	39.42	17.64	46.17

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 89
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21465G	57.09	83.54	-26.45	53.37	1	Horizontal	339	2.86	-	37.97	15.24	49.49
AV	19.21501G	43.81	63.54	-19.73	40.09	1	Horizontal	339	2.86	-	37.97	15.24	49.49
PK	25.61996G	67.90	97.74	-29.84	57.01	1	Horizontal	250	1.34	-	39.42	17.64	46.17
RMS	25.61959G	53.67	77.74	-24.07	42.78	1	Horizontal	250	1.34	-	39.42	17.64	46.17

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 96
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12954G	59.52	88.20	-28.68	41.16	3	Vertical	284	1.80	-	39.60	11.90	33.14
RMS	13.12957G	45.81	68.20	-22.39	27.45	3	Vertical	284	1.80	-	39.60	11.90	33.14

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 96
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13032G	58.92	88.20	-29.28	40.56	3	Horizontal	151	2.03	-	39.60	11.90	33.14
RMS	13.1298G	45.95	68.20	-22.25	27.59	3	Horizontal	151	2.03	-	39.60	11.90	33.14

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69507G	67.24	83.54	-16.30	63.71	1	Vertical	53	1.42	-	37.83	15.22	49.52
AV	19.69526G	54.78	63.54	-8.76	51.25	1	Vertical	53	1.42	-	37.83	15.22	49.52
PK	26.25966G	64.88	97.74	-32.86	53.98	1	Vertical	245	2.33	-	39.10	17.86	46.06
RMS	26.26019G	51.81	77.74	-25.93	40.91	1	Vertical	245	2.33	-	39.10	17.86	46.06

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69483G	67.87	83.54	-15.67	64.34	1	Horizontal	342	2.56	-	37.83	15.22	49.52
AV	19.69503G	56.24	63.54	-7.30	52.71	1	Horizontal	342	2.56	-	37.83	15.22	49.52
PK	26.26006G	65.06	97.74	-32.68	54.16	1	Horizontal	43	1.56	-	39.10	17.86	46.06
RMS	26.26008G	51.98	77.74	-25.76	41.08	1	Horizontal	43	1.56	-	39.10	17.86	46.06

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 96
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36973G	57.23	74.00	-16.77	38.06	3	Vertical	78	1.39	-	40.04	11.99	32.86
AV	13.36988G	44.51	54.00	-9.49	25.34	3	Vertical	78	1.39	-	40.04	11.99	32.86

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 96
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36959G	56.47	74.00	-17.53	37.30	3	Horizontal	168	2.56	-	40.04	11.99	32.86
AV	13.36959G	44.16	54.00	-9.84	24.99	3	Horizontal	168	2.56	-	40.04	11.99	32.86

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05537G	68.58	83.54	-14.96	64.88	1	Vertical	83	2.18	-	37.72	15.24	49.26
AV	20.05544G	55.46	63.54	-8.08	51.76	1	Vertical	83	2.18	-	37.72	15.24	49.26
PK	26.73965G	66.17	97.74	-31.57	53.95	1	Vertical	16	1.12	-	40.04	18.14	45.96
RMS	26.74042G	52.51	77.74	-25.23	40.29	1	Vertical	16	1.12	-	40.04	18.14	45.96

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05533G	68.29	83.54	-15.25	64.59	1	Horizontal	148	1.40	-	37.72	15.24	49.26
AV	20.05502G	56.69	63.54	-6.85	52.99	1	Horizontal	148	1.40	-	37.72	15.24	49.26
PK	26.73994G	66.41	97.74	-31.33	54.19	1	Horizontal	75	1.59	-	40.04	18.14	45.96
RMS	26.74032G	52.48	77.74	-25.26	40.26	1	Horizontal	75	1.59	-	40.04	18.14	45.96

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 93
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68964G	61.63	88.20	-26.57	41.80	3	Vertical	229	2.19	-	40.40	12.09	32.66
RMS	13.69002G	47.09	68.20	-21.11	27.26	3	Vertical	229	2.19	-	40.40	12.09	32.66

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 93
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68991G	61.10	88.20	-27.10	41.27	3	Horizontal	118	1.91	-	40.40	12.09	32.66
RMS	13.68959G	47.11	68.20	-21.09	27.28	3	Horizontal	118	1.91	-	40.40	12.09	32.66

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 93
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53456G	59.45	83.54	-24.09	55.13	1	Vertical	96	1.34	-	37.81	15.63	49.12
AV	20.53484G	45.72	63.54	-17.82	41.40	1	Vertical	96	1.34	-	37.81	15.63	49.12
PK	27.3804G	66.83	97.74	-30.91	54.14	1	Vertical	127	2.71	-	39.86	18.53	45.70
RMS	27.38036G	53.74	77.74	-24.00	41.05	1	Vertical	127	2.71	-	39.86	18.53	45.70

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 93
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53455G	58.92	83.54	-24.62	54.81	1	Horizontal	78	2.89	-	37.81	15.63	49.33
AV	20.53473G	45.56	63.54	-17.98	41.45	1	Horizontal	78	2.89	-	37.81	15.63	49.33
PK	27.37962G	68.10	97.74	-29.64	55.43	1	Horizontal	221	1.04	-	39.86	18.53	45.72
RMS	27.37959G	53.81	77.74	-23.93	41.14	1	Horizontal	221	1.04	-	39.86	18.53	45.72

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 76
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	80.58	88.20	-7.62	73.50	3	Vertical	89	2.44	-	34.55	7.63	35.10
RMS	5.925G	67.98	68.20	-0.22	60.90	3	Vertical	89	2.44	-	34.55	7.63	35.10
PK	5.978G	113.43	Inf	-Inf	106.29	3	Vertical	89	2.44	-	34.60	7.67	35.13
RMS	5.996G	101.54	Inf	-Inf	94.39	3	Vertical	89	2.44	-	34.60	7.69	35.14

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
 Setting 76
 03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9225G	70.62	88.20	-17.58	63.54	3	Horizontal	202	2.69	-	34.55	7.63	35.10
RMS	5.925G	57.81	68.20	-10.39	50.73	3	Horizontal	202	2.69	-	34.55	7.63	35.10
PK	5.962G	102.41	Inf	-Inf	95.27	3	Horizontal	202	2.69	-	34.60	7.66	35.12
RMS	6.022G	89.78	Inf	-Inf	82.59	3	Horizontal	202	2.69	-	34.60	7.72	35.13

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 76
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9695G	57.91	74.00	-16.09	41.62	3	Vertical	138	2.14	-	39.16	11.50	34.37
AV	11.97029G	44.84	54.00	-9.16	28.55	3	Vertical	138	2.14	-	39.16	11.50	34.37
PK	17.95486G	62.48	74.00	-11.52	36.12	3	Vertical	279	2.79	-	44.73	13.88	32.25
AV	17.95485G	48.52	54.00	-5.48	22.16	3	Vertical	279	2.79	-	44.73	13.88	32.25

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 76
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96989G	59.91	74.00	-14.09	43.62	3	Horizontal	3	2.77	-	39.16	11.50	34.37
AV	11.97046G	44.80	54.00	-9.20	28.51	3	Horizontal	3	2.77	-	39.16	11.50	34.37
PK	17.95516G	62.67	74.00	-11.33	36.31	3	Horizontal	333	1.06	-	44.73	13.88	32.25
AV	17.95484G	48.07	54.00	-5.93	21.71	3	Horizontal	333	1.06	-	44.73	13.88	32.25

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 76
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.95456G	55.63	83.54	-27.91	52.17	1	Vertical	272	1.50	-	37.51	15.27	49.32
AV	17.95526G	41.97	63.54	-21.57	38.51	1	Vertical	272	1.50	-	37.51	15.27	49.32
PK	23.94047G	60.30	83.54	-23.24	51.16	1	Vertical	333	2.56	-	38.88	17.38	47.12
AV	23.93998G	46.29	63.54	-17.25	37.15	1	Vertical	333	2.56	-	38.88	17.38	47.12

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 76
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.95492G	56.63	83.54	-26.91	53.17	1	Horizontal	118	2.84	-	37.51	15.27	49.32
AV	17.95461G	42.69	63.54	-20.85	39.23	1	Horizontal	118	2.84	-	37.51	15.27	49.32
PK	23.93989G	60.27	83.54	-23.27	51.13	1	Horizontal	154	1.18	-	38.88	17.38	47.12
AV	23.94048G	46.32	63.54	-17.22	37.18	1	Horizontal	154	1.18	-	38.88	17.38	47.12

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 96
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44976G	58.76	74.00	-15.24	42.51	3	Vertical	36	1.21	-	38.60	11.67	34.02
AV	12.45009G	44.52	54.00	-9.48	28.27	3	Vertical	36	1.21	-	38.60	11.67	34.02

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 96
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45037G	57.86	74.00	-16.14	41.61	3	Horizontal	287	2.51	-	38.60	11.67	34.02
AV	12.45035G	44.50	54.00	-9.50	28.25	3	Horizontal	287	2.51	-	38.60	11.67	34.02

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6749G	56.47	83.54	-27.07	53.06	1	Vertical	200	2.42	-	37.70	15.27	49.56
AV	18.67534G	43.14	63.54	-20.40	39.73	1	Vertical	200	2.42	-	37.70	15.27	49.56
PK	24.89952G	65.91	97.74	-31.83	55.77	1	Vertical	82	2.27	-	39.20	17.53	46.59
RMS	24.90038G	53.01	77.74	-24.73	42.86	1	Vertical	82	2.27	-	39.20	17.54	46.59

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67459G	57.17	83.54	-26.37	53.76	1	Horizontal	91	2.74	-	37.70	15.27	49.56
AV	18.67471G	43.10	63.54	-20.44	39.69	1	Horizontal	91	2.74	-	37.70	15.27	49.56
PK	24.90043G	66.64	97.74	-31.10	56.49	1	Horizontal	71	2.54	-	39.20	17.54	46.59
RMS	24.89967G	52.53	77.74	-25.21	42.39	1	Horizontal	71	2.54	-	39.20	17.53	46.59

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 92
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76987G	58.71	88.20	-29.49	41.66	3	Vertical	223	2.62	-	38.88	11.78	33.61
RMS	12.77015G	44.85	68.20	-23.35	27.80	3	Vertical	223	2.62	-	38.88	11.78	33.61

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 92
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76965G	58.14	88.20	-30.06	41.09	3	Horizontal	140	1.58	-	38.88	11.78	33.61
RMS	12.76972G	44.76	68.20	-23.44	27.71	3	Horizontal	140	1.58	-	38.88	11.78	33.61

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 92
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15539G	57.50	83.54	-26.04	53.98	1	Vertical	324	2.00	-	37.73	15.24	49.45
AV	19.15532G	43.61	63.54	-19.93	40.09	1	Vertical	324	2.00	-	37.73	15.24	49.45
PK	25.54049G	67.14	97.74	-30.60	56.27	1	Vertical	242	2.36	-	39.40	17.63	46.16
RMS	25.53964G	53.28	77.74	-24.46	42.41	1	Vertical	242	2.36	-	39.40	17.63	46.16

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 92
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15523G	57.45	83.54	-26.09	53.93	1	Horizontal	236	2.21	-	37.73	15.24	49.45
AV	19.15525G	43.65	63.54	-19.89	40.13	1	Horizontal	236	2.21	-	37.73	15.24	49.45
PK	25.53958G	66.74	97.74	-31.00	55.87	1	Horizontal	114	1.55	-	39.40	17.63	46.16
RMS	25.53956G	53.26	77.74	-24.48	42.39	1	Horizontal	114	1.55	-	39.40	17.63	46.16

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 96
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25067G	58.93	74.00	-15.07	40.08	3	Vertical	82	2.83	-	39.90	11.95	33.00
AV	13.25075G	45.79	54.00	-8.21	26.94	3	Vertical	82	2.83	-	39.90	11.95	33.00

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 96
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25013G	59.34	74.00	-14.66	40.49	3	Horizontal	20	1.27	-	39.90	11.95	33.00
AV	13.25065G	45.82	54.00	-8.18	26.97	3	Horizontal	20	1.27	-	39.90	11.95	33.00

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87505G	67.43	83.54	-16.11	63.84	1	Vertical	311	2.85	-	37.75	15.21	49.37
AV	19.8748G	54.28	63.54	-9.26	50.69	1	Vertical	311	2.85	-	37.75	15.21	49.37
PK	26.50025G	65.00	97.74	-32.74	53.19	1	Vertical	272	1.12	-	39.70	18.00	45.89
RMS	26.50015G	50.80	77.74	-26.94	38.99	1	Vertical	272	1.12	-	39.70	18.00	45.89

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87516G	67.69	83.54	-15.85	64.10	1	Horizontal	144	2.20	-	37.75	15.21	49.37
AV	19.87471G	55.25	63.54	-8.29	51.66	1	Horizontal	144	2.20	-	37.75	15.21	49.37
PK	26.50007G	65.11	97.74	-32.63	53.30	1	Horizontal	198	1.15	-	39.70	18.00	45.89
RMS	26.49958G	51.11	77.74	-26.63	39.30	1	Horizontal	198	1.15	-	39.70	18.00	45.89

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 96
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40989G	59.93	88.20	-28.27	40.62	3	Vertical	342	1.40	-	40.12	12.00	32.81
RMS	13.40959G	46.78	68.20	-21.42	27.47	3	Vertical	342	1.40	-	40.12	12.00	32.81

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 96
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40967G	60.99	88.20	-27.21	41.68	3	Horizontal	1	1.75	-	40.12	12.00	32.81
RMS	13.40967G	46.09	68.20	-22.11	26.78	3	Horizontal	1	1.75	-	40.12	12.00	32.81

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11502G	68.54	83.54	-15.00	64.68	1	Vertical	314	2.14	-	37.81	15.29	49.24
AV	20.11511G	54.80	63.54	-8.74	50.94	1	Vertical	314	2.14	-	37.81	15.29	49.24
PK	26.82001G	65.59	97.74	-32.15	53.58	1	Vertical	248	2.46	-	39.80	18.19	45.98
RMS	26.82001G	51.91	77.74	-25.83	39.90	1	Vertical	248	2.46	-	39.80	18.19	45.98

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11515G	68.54	83.54	-15.00	64.68	1	Horizontal	360	2.53	-	37.81	15.29	49.24
AV	20.11528G	54.88	63.54	-8.66	51.02	1	Horizontal	360	2.53	-	37.81	15.29	49.24
PK	26.81964G	65.43	97.74	-32.31	53.42	1	Horizontal	178	2.35	-	39.80	18.19	45.98
RMS	26.82019G	52.05	77.74	-25.69	40.04	1	Horizontal	178	2.35	-	39.80	18.19	45.98

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 96
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57039G	60.46	88.20	-27.74	40.70	3	Vertical	297	1.32	-	40.40	12.05	32.69
RMS	13.56954G	46.67	68.20	-21.53	26.91	3	Vertical	297	1.32	-	40.40	12.05	32.69

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
 Setting 96
 03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57044G	60.56	88.20	-27.64	40.80	3	Horizontal	300	1.48	-	40.40	12.05	32.69
RMS	13.56965G	46.76	68.20	-21.44	27.00	3	Horizontal	300	1.48	-	40.40	12.05	32.69

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35504G	73.21	83.54	-10.33	71.64	1	Vertical	317	2.28	-	38.09	15.48	52.00
AV	20.35458G	60.16	63.54	-3.38	58.59	1	Vertical	317	2.28	-	38.09	15.48	52.00
PK	27.14041G	62.85	97.74	-34.89	53.72	1	Vertical	188	1.02	-	39.92	18.38	49.17
RMS	27.14035G	48.98	77.74	-28.76	39.85	1	Vertical	188	1.02	-	39.92	18.38	49.17

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 96
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35464G	74.06	83.54	-9.48	72.49	1	Horizontal	23	2.87	-	38.09	15.48	52.00
AV	20.35495G	60.12	63.54	-3.42	58.55	1	Horizontal	23	2.87	-	38.09	15.48	52.00
PK	27.14035G	63.10	97.74	-34.64	53.97	1	Horizontal	74	1.75	-	39.92	18.38	49.17
RMS	27.14048G	49.23	77.74	-28.51	40.10	1	Horizontal	74	1.75	-	39.92	18.38	49.17

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 75
03-S-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	80.97	88.20	-7.23	73.90	3	Vertical	40.7	2.21	-	34.54	7.63	35.10
RMS	5.9242G	67.96	68.20	-0.24	60.88	3	Vertical	40.7	2.21	-	34.55	7.63	35.10
PK	5.9968G	109.68	Inf	-Inf	102.53	3	Vertical	40.7	2.21	-	34.60	7.69	35.14
RMS	6.0004G	99.53	Inf	-Inf	92.38	3	Vertical	40.7	2.21	-	34.60	7.69	35.14

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 75
03-S-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	68.70	88.20	-19.50	61.62	3	Horizontal	160	2.53	-	34.55	7.63	35.10
RMS	5.92G	56.42	68.20	-11.78	49.35	3	Horizontal	160	2.53	-	34.54	7.63	35.10
PK	6.0514G	98.74	Inf	-Inf	91.50	3	Horizontal	160	2.53	-	34.61	7.75	35.12
RMS	6.0532G	88.41	Inf	-Inf	81.16	3	Horizontal	160	2.53	-	34.62	7.75	35.12

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 75
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04982G	58.89	74.00	-15.11	42.66	3	Vertical	231	2.61	-	39.00	11.54	34.31
AV	12.04953G	44.71	54.00	-9.29	28.48	3	Vertical	231	2.61	-	39.00	11.54	34.31

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 75
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0504G	57.99	74.00	-16.01	41.76	3	Horizontal	161	2.52	-	39.00	11.54	34.31
AV	12.04978G	44.90	54.00	-9.10	28.67	3	Horizontal	161	2.52	-	39.00	11.54	34.31

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 75
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07512G	56.13	83.54	-27.41	52.81	1	Vertical	15	1.40	-	37.50	15.30	49.48
AV	18.07531G	42.72	63.54	-20.82	39.40	1	Vertical	15	1.40	-	37.50	15.30	49.48
PK	24.10005G	65.38	97.74	-32.36	56.09	1	Vertical	335	1.32	-	38.90	17.42	47.03
RMS	24.10004G	51.13	77.74	-26.61	41.84	1	Vertical	335	1.32	-	38.90	17.42	47.03

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 75
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07468G	57.14	83.54	-26.40	53.82	1	Horizontal	282	1.22	-	37.50	15.30	49.48
AV	18.07547G	43.08	63.54	-20.46	39.76	1	Horizontal	282	1.22	-	37.50	15.30	49.48
PK	24.09952G	64.73	97.74	-33.01	55.45	1	Horizontal	87	1.22	-	38.90	17.41	47.03
RMS	24.10026G	51.23	77.74	-26.51	41.94	1	Horizontal	87	1.22	-	38.90	17.42	47.03

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 86
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3702G	58.19	74.00	-15.81	41.96	3	Vertical	179	2.50	-	38.66	11.65	34.08
AV	12.3699G	44.76	54.00	-9.24	28.53	3	Vertical	179	2.50	-	38.66	11.65	34.08

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 86
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37027G	58.65	74.00	-15.35	42.42	3	Horizontal	304	1.35	-	38.66	11.65	34.08
AV	12.36971G	44.56	54.00	-9.44	28.33	3	Horizontal	304	1.35	-	38.66	11.65	34.08

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 86
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55473G	55.55	83.54	-27.99	53.05	1	Vertical	297	2.40	-	37.70	15.27	50.47
AV	18.555G	42.01	63.54	-21.53	39.51	1	Vertical	297	2.40	-	37.70	15.27	50.47
PK	24.73961G	64.11	97.74	-33.63	57.12	1	Vertical	39	2.40	-	39.24	17.51	49.76
RMS	24.74049G	49.92	77.74	-27.82	42.93	1	Vertical	39	2.40	-	39.24	17.51	49.76

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 86
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55474G	56.50	83.54	-27.04	54.00	1	Horizontal	118	1.87	-	37.70	15.27	50.47
AV	18.55541G	42.02	63.54	-21.52	39.52	1	Horizontal	118	1.87	-	37.70	15.27	50.47
PK	24.74024G	63.96	97.74	-33.78	56.97	1	Horizontal	55	1.18	-	39.24	17.51	49.76
RMS	24.74005G	50.09	77.74	-27.65	43.10	1	Horizontal	55	1.18	-	39.24	17.51	49.76

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 89
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69015G	58.95	74.00	-15.05	42.04	3	Vertical	180	1.13	-	38.88	11.75	33.72
AV	12.69048G	44.89	54.00	-9.11	27.98	3	Vertical	180	1.13	-	38.88	11.75	33.72

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 89
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6903G	58.70	74.00	-15.30	41.79	3	Horizontal	65	2.10	-	38.88	11.75	33.72
AV	12.6902G	44.77	54.00	-9.23	27.86	3	Horizontal	65	2.10	-	38.88	11.75	33.72

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 89
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03471G	56.59	83.54	-26.95	52.80	1	Vertical	256	2.99	-	37.90	15.25	49.36
AV	19.03531G	43.18	63.54	-20.36	39.39	1	Vertical	256	2.99	-	37.90	15.25	49.36
PK	25.38029G	67.87	97.74	-29.87	57.18	1	Vertical	146	1.01	-	39.32	17.61	46.24
RMS	25.38014G	53.70	77.74	-24.04	43.01	1	Vertical	146	1.01	-	39.32	17.61	46.24

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 89
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0352G	56.48	83.54	-27.06	52.69	1	Horizontal	0	2.46	-	37.90	15.25	49.36
AV	19.0348G	43.17	63.54	-20.37	39.38	1	Horizontal	0	2.46	-	37.90	15.25	49.36
PK	25.37993G	66.97	97.74	-30.77	56.28	1	Horizontal	151	2.09	-	39.32	17.61	46.24
RMS	25.38041G	53.71	77.74	-24.03	43.02	1	Horizontal	151	2.09	-	39.32	17.61	46.24

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 89
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32992G	60.34	74.00	-13.66	41.27	3	Vertical	131	2.28	-	40.00	11.97	32.90
AV	13.32962G	46.13	54.00	-7.87	27.06	3	Vertical	131	2.28	-	40.00	11.97	32.90

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 89
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32985G	60.23	74.00	-13.77	41.16	3	Horizontal	168	1.19	-	40.00	11.97	32.90
AV	13.32994G	46.03	54.00	-7.97	26.96	3	Horizontal	168	1.19	-	40.00	11.97	32.90

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 89
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9953G	58.47	83.54	-25.07	54.74	1	Vertical	66	2.07	-	37.80	15.20	49.27
AV	19.99528G	44.93	63.54	-18.61	41.20	1	Vertical	66	2.07	-	37.80	15.20	49.27
PK	26.66023G	67.22	97.74	-30.52	54.69	1	Vertical	218	1.34	-	40.36	18.10	45.93
RMS	26.65992G	53.40	77.74	-24.34	40.87	1	Vertical	218	1.34	-	40.36	18.10	45.93

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 89
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9949G	58.61	83.54	-24.93	54.88	1	Horizontal	16	2.64	-	37.80	15.20	49.27
AV	19.99486G	44.89	63.54	-18.65	41.16	1	Horizontal	16	2.64	-	37.80	15.20	49.27
PK	26.66027G	67.40	97.74	-30.34	54.87	1	Horizontal	159	1.47	-	40.36	18.10	45.93
RMS	26.65991G	53.48	77.74	-24.26	40.95	1	Horizontal	159	1.47	-	40.36	18.10	45.93

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 74
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.912G	79.86	88.20	-8.34	72.82	3	Vertical	45	2.55	-	34.52	7.62	35.10
RMS	5.922G	67.98	68.20	-0.22	60.91	3	Vertical	45	2.55	-	34.54	7.63	35.10
PK	5.949G	115.52	Inf	-Inf	108.39	3	Vertical	45	2.55	-	34.60	7.65	35.12
RMS	6.068G	97.86	Inf	-Inf	90.49	3	Vertical	45	2.55	-	34.71	7.77	35.11

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 74
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.924G	63.91	88.20	-24.29	56.83	3	Horizontal	135	2.25	-	34.55	7.63	35.10
RMS	5.925G	52.40	68.20	-15.80	45.32	3	Horizontal	135	2.25	-	34.55	7.63	35.10
PK	6.087G	96.64	Inf	-Inf	89.14	3	Horizontal	135	2.25	-	34.82	7.79	35.11
RMS	6.091G	86.43	Inf	-Inf	78.90	3	Horizontal	135	2.25	-	34.85	7.79	35.11

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 74
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21019G	58.25	74.00	-15.75	42.13	3	Vertical	39	1.47	-	38.72	11.59	34.19
AV	12.20954G	44.29	54.00	-9.71	28.17	3	Vertical	39	1.47	-	38.72	11.59	34.19

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 74
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2104G	58.28	74.00	-15.72	42.16	3	Horizontal	160	1.02	-	38.72	11.59	34.19
AV	12.21026G	44.46	54.00	-9.54	28.34	3	Horizontal	160	1.02	-	38.72	11.59	34.19

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 74
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31457G	56.26	83.54	-27.28	53.07	1	Vertical	286	3.00	-	37.50	15.28	49.59
AV	18.31463G	42.58	63.54	-20.96	39.39	1	Vertical	286	3.00	-	37.50	15.28	49.59
PK	24.41976G	65.06	97.74	-32.68	55.53	1	Vertical	13	2.89	-	38.92	17.46	46.85
RMS	24.41993G	51.83	77.74	-25.91	42.30	1	Vertical	13	2.89	-	38.92	17.46	46.85

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 74
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31501G	55.77	83.54	-27.77	52.58	1	Horizontal	3	2.45	-	37.50	15.28	49.59
AV	18.31486G	42.65	63.54	-20.89	39.46	1	Horizontal	3	2.45	-	37.50	15.28	49.59
PK	24.42031G	64.94	97.74	-32.80	55.41	1	Horizontal	31	2.28	-	38.92	17.46	46.85
RMS	24.41997G	51.85	77.74	-25.89	42.32	1	Horizontal	31	2.28	-	38.92	17.46	46.85

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
Setting 73
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.52963G	58.53	74.00	-15.47	42.07	3	Vertical	329	2.12	-	38.70	11.70	33.94
AV	12.53039G	44.65	54.00	-9.35	28.19	3	Vertical	329	2.12	-	38.70	11.70	33.94

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
Setting 73
03-S-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.52971G	58.18	74.00	-15.82	41.72	3	Horizontal	222	1.04	-	38.70	11.70	33.94
AV	12.53018G	44.69	54.00	-9.31	28.23	3	Horizontal	222	1.04	-	38.70	11.70	33.94

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
Setting 73
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79527G	56.01	83.54	-27.53	52.43	1	Vertical	285	1.78	-	37.80	15.26	49.48
AV	18.79483G	42.76	63.54	-20.78	39.18	1	Vertical	285	1.78	-	37.80	15.26	49.48
PK	25.06016G	67.07	97.74	-30.67	56.69	1	Vertical	32	2.60	-	39.30	17.56	46.48
RMS	25.05977G	52.80	77.74	-24.94	42.42	1	Vertical	32	2.60	-	39.30	17.56	46.48

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX



EUT_Z_2TX
Setting 73
03-S-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79521G	56.40	83.54	-27.14	52.82	1	Horizontal	130	2.02	-	37.80	15.26	49.48
AV	18.79502G	42.74	63.54	-20.80	39.16	1	Horizontal	130	2.02	-	37.80	15.26	49.48
PK	25.06019G	66.56	97.74	-31.18	56.18	1	Horizontal	264	2.29	-	39.30	17.56	46.48
RMS	25.05993G	52.80	77.74	-24.94	42.42	1	Horizontal	264	2.29	-	39.30	17.56	46.48




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	19.60263G	63.53	63.54	-0.01	1	Horizontal	249	1.63	-

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
 SET 82
 108\76\92\84\80\82\83\82
 -13.02\5.00\5.96\0.77\2.14\0.53\0.28\0.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9228G	82.67	88.20	-5.53	73.80	3	Vertical	252	2.44	82	34.25	5.77	31.15
RMS	5.9228G	67.54	68.20	-0.66	58.67	3	Vertical	252	2.44	82	34.25	5.77	31.15
PK	5.9582G	122.63	Inf	-Inf	113.70	3	Vertical	252	2.44	82	34.30	5.80	31.17
RMS	5.958G	112.00	Inf	-Inf	103.07	3	Vertical	252	2.44	82	34.30	5.80	31.17

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	68.46	88.20	-19.74	59.60	3	Horizontal	156	2.65	82	34.25	5.76	31.15
RMS	5.9224G	55.93	68.20	-12.27	47.08	3	Horizontal	156	2.65	82	34.24	5.76	31.15
PK	5.9506G	110.33	Inf	-Inf	101.40	3	Horizontal	156	2.65	82	34.30	5.80	31.17
RMS	5.9576G	99.79	Inf	-Inf	90.86	3	Horizontal	156	2.65	82	34.30	5.80	31.17

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 82
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89728G	55.07	74.00	-18.93	48.46	3	Vertical	0	1.31	-	39.20	10.65	43.24
AV	11.90463G	43.29	54.00	-10.71	36.68	3	Vertical	0	1.31	-	39.20	10.65	43.24
PK	17.85996G	60.27	74.00	-13.73	41.88	3	Vertical	62	1.50	-	44.88	14.92	41.41
AV	17.87184G	48.62	54.00	-5.38	30.22	3	Vertical	62	1.50	-	44.86	14.93	41.39

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 82
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89503G	54.58	74.00	-19.42	47.98	3	Horizontal	151	2.47	-	39.20	10.64	43.24
AV	11.895G	42.94	54.00	-11.06	36.34	3	Horizontal	151	2.47	-	39.20	10.64	43.24
PK	17.87367G	61.35	74.00	-12.65	42.96	3	Horizontal	347	2.00	-	44.85	14.93	41.39
AV	17.85003G	48.80	54.00	-5.20	30.40	3	Horizontal	347	2.00	-	44.90	14.92	41.42

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 82
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81984G	60.39	83.54	-23.15	54.50	1	Vertical	132.8	1.51	-	38.98	17.35	50.44
AV	23.82004G	46.94	63.54	-16.60	41.05	1	Vertical	132.8	1.51	-	38.98	17.35	50.44

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 82
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81974G	64.16	83.54	-19.38	58.27	1	Horizontal	251.9	1.59	-	38.98	17.35	50.44
AV	23.81972G	49.65	63.54	-13.89	43.76	1	Horizontal	251.9	1.59	-	38.98	17.35	50.44

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
SET 96
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.388G	62.54	74.00	-11.46	46.94	3	Vertical	110	2.08	-	38.62	11.04	34.06
AV	12.38772G	51.11	54.00	-2.89	35.51	3	Vertical	110	2.08	-	38.62	11.04	34.06

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
 SET 96
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39768G	60.60	74.00	-13.40	45.01	3	Horizontal	54	1.98	-	38.60	11.05	34.06
AV	12.39024G	49.07	54.00	-4.93	33.46	3	Horizontal	54	1.98	-	38.62	11.05	34.06

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
SET 96
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58204G	66.21	83.54	-17.33	63.74	1	Vertical	66	1.53	-	37.70	15.27	50.50
AV	18.58508G	54.76	63.54	-8.78	52.29	1	Vertical	66	1.53	-	37.70	15.27	50.50

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
SET 96
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.57708G	66.17	83.54	-17.37	63.69	1	Horizontal	94	1.88	-	37.70	15.27	50.49
AV	18.5851G	52.15	63.54	-11.39	49.68	1	Horizontal	94	1.88	-	37.70	15.27	50.50

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
SET 88
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8309G	63.43	88.20	-24.77	46.39	3	Vertical	235	1.80	-	39.12	11.45	33.53
RMS	12.8305G	50.49	68.20	-17.71	33.45	3	Vertical	235	1.80	-	39.12	11.45	33.53

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
SET 88
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8298G	61.74	88.20	-26.46	44.70	3	Horizontal	145	2.67	-	39.12	11.45	33.53
RMS	12.83035G	50.78	68.20	-17.42	33.74	3	Horizontal	145	2.67	-	39.12	11.45	33.53

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
SET 88
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2428G	69.17	83.54	-14.37	67.31	1	Vertical	130.1	1.55	-	37.91	15.24	51.29
AV	19.24786G	56.46	63.54	-7.08	54.62	1	Vertical	130.1	1.55	-	37.90	15.24	51.30

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
SET 88
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24266G	66.64	83.54	-16.90	64.78	1	Horizontal	168.3	1.53	-	37.91	15.24	51.29
AV	19.24764G	54.63	63.54	-8.91	52.79	1	Horizontal	168.3	1.53	-	37.90	15.24	51.30

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
SET 89
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0637G	62.99	88.20	-25.21	45.97	3	Vertical	356	1.89	-	39.58	9.23	31.79
RMS	13.06872G	51.48	68.20	-16.72	34.42	3	Vertical	356	1.89	-	39.61	9.24	31.79

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
SET 89
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06588G	61.32	88.20	-26.88	44.27	3	Horizontal	57	1.99	-	39.60	9.24	31.79
RMS	13.06554G	50.09	68.20	-18.11	33.05	3	Horizontal	57	1.99	-	39.59	9.24	31.79

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
SET 89
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60833G	74.87	83.54	-8.67	73.49	1	Vertical	207	1.75	-	37.85	15.22	51.69
AV	19.60317G	62.86	63.54	-0.68	61.50	1	Vertical	207	1.75	-	37.82	15.22	51.68

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
 SET 89
 03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60764G	76.84	83.54	-6.70	75.46	1	Horizontal	249	1.63	-	37.85	15.22	51.69
AV	19.60263G	63.53	63.54	-0.01	62.17	1	Horizontal	249	1.63	-	37.82	15.22	51.68

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
 SET 90
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39118G	63.11	74.00	-10.89	45.37	3	Vertical	126.9	1.80	-	40.48	9.39	32.13
AV	13.39134G	52.28	54.00	-1.72	34.54	3	Vertical	126.9	1.80	-	40.48	9.39	32.13

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
SET 90
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39668G	61.50	74.00	-12.50	43.76	3	Horizontal	71	1.80	-	40.49	9.39	32.14
AV	13.3916G	49.83	54.00	-4.17	32.10	3	Horizontal	71	1.80	-	40.48	9.39	32.14

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
SET 90
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07666G	72.60	83.54	-10.94	71.53	1	Vertical	94	1.53	-	37.81	15.26	52.00
AV	20.08725G	60.14	63.54	-3.40	59.02	1	Vertical	94	1.53	-	37.85	15.27	52.00

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
SET 90
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0844G	75.67	83.54	-7.87	74.56	1	Horizontal	228.3	1.54	-	37.84	15.27	52.00
AV	20.08422G	63.48	63.54	-0.06	62.37	1	Horizontal	228.3	1.54	-	37.84	15.27	52.00

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
SET 93
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7069G	69.47	88.20	-18.73	51.31	3	Vertical	97.6	1.95	-	40.91	9.53	32.28
RMS	13.71166G	58.32	68.20	-9.88	40.14	3	Vertical	97.6	1.95	-	40.92	9.54	32.28

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
SET 93
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71182G	69.11	88.20	-19.09	50.93	3	Horizontal	54.3	1.98	-	40.92	9.54	32.28
RMS	13.7117G	58.56	68.20	-9.64	40.38	3	Horizontal	54.3	1.98	-	40.92	9.54	32.28

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
SET 93
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56242G	67.62	83.54	-15.92	66.07	1	Vertical	93.8	1.38	-	37.92	15.65	52.02
AV	20.56712G	56.61	63.54	-6.93	55.06	1	Vertical	93.8	1.38	-	37.93	15.65	52.03

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
SET 93
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5621G	74.03	83.54	-9.51	72.48	1	Horizontal	225.7	1.62	-	37.92	15.65	52.02
AV	20.5621G	63.24	63.54	-0.30	61.69	1	Horizontal	225.7	1.62	-	37.92	15.65	52.02

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
 SET 72
 108\76\60\68\72\74\73\72
 -20.20\ -3.27\12.38\5.40\1.11\ -1.02\ -0.40\0.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	82.54	88.20	-5.66	73.67	3	Vertical	252	2.43	72	34.25	5.77	31.15
RMS	5.9228G	67.57	68.20	-0.63	58.70	3	Vertical	252	2.43	72	34.25	5.77	31.15
PK	5.983G	117.70	Inf	-Inf	108.75	3	Vertical	252	2.43	72	34.30	5.83	31.18
RMS	5.973G	107.50	Inf	-Inf	98.56	3	Vertical	252	2.43	72	34.30	5.82	31.18

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9228G	69.07	88.20	-19.13	60.20	3	Horizontal	158	2.62	72	34.25	5.77	31.15
RMS	5.9224G	55.80	68.20	-12.40	46.95	3	Horizontal	158	2.62	72	34.24	5.76	31.15
PK	5.981G	105.94	Inf	-Inf	96.99	3	Horizontal	158	2.62	72	34.30	5.83	31.18
RMS	5.9576G	95.25	Inf	-Inf	86.32	3	Horizontal	158	2.62	72	34.30	5.80	31.17

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 72
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93338G	59.06	74.00	-14.94	42.44	3	Vertical	226	1.80	-	39.30	8.72	31.40
AV	11.92028G	48.13	54.00	-5.87	31.54	3	Vertical	226	1.80	-	39.30	8.71	31.42
PK	17.8922G	64.79	74.00	-9.21	39.11	3	Vertical	296	2.18	-	46.47	11.60	32.39
AV	17.90352G	52.24	54.00	-1.76	26.52	3	Vertical	296	2.18	-	46.51	11.60	32.39

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 72
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92186G	59.73	74.00	-14.27	43.14	3	Horizontal	282	2.16	-	39.30	8.71	31.42
AV	11.93122G	48.13	54.00	-5.87	31.51	3	Horizontal	282	2.16	-	39.30	8.72	31.40
PK	17.88866G	64.15	74.00	-9.85	38.50	3	Horizontal	214	1.23	-	46.45	11.59	32.39
AV	17.90422G	52.80	54.00	-1.20	27.08	3	Horizontal	214	1.23	-	46.51	11.60	32.39

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 72
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.86112G	52.81	83.54	-30.73	47.08	1	Vertical	168.5	1.40	-	38.80	17.36	50.43
AV	23.85984G	40.91	63.54	-22.63	35.18	1	Vertical	168.5	1.40	-	38.80	17.36	50.43

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 72
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85666G	56.03	83.54	-27.51	50.30	1	Horizontal	224.3	1.58	-	38.80	17.36	50.43
AV	23.8596G	43.06	63.54	-20.48	37.33	1	Horizontal	224.3	1.58	-	38.80	17.36	50.43

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
 SET 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40758G	61.40	74.00	-12.60	45.17	3	Vertical	358	1.98	-	38.60	8.93	31.30
AV	12.4076G	50.28	54.00	-3.72	34.05	3	Vertical	358	1.98	-	38.60	8.93	31.30

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
SET 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41754G	60.66	74.00	-13.34	44.43	3	Horizontal	56	2.04	-	38.60	8.93	31.30
AV	12.40762G	49.75	54.00	-4.25	33.52	3	Horizontal	56	2.04	-	38.60	8.93	31.30

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
SET 108
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.60528G	63.01	83.54	-20.53	60.56	1	Vertical	66.7	1.55	-	37.71	15.27	50.53
AV	18.6152G	51.82	63.54	-11.72	49.36	1	Vertical	66.7	1.55	-	37.73	15.27	50.54

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
SET 108
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61282G	56.49	83.54	-27.05	54.03	1	Horizontal	227.6	1.95	-	37.73	15.27	50.54
AV	18.62324G	45.81	63.54	-17.73	43.34	1	Horizontal	227.6	1.95	-	37.75	15.27	50.55

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
 SET 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80582G	59.70	88.20	-28.50	43.24	3	Vertical	35	1.95	-	38.91	9.11	31.56
RMS	12.80542G	49.43	68.20	-18.77	32.97	3	Vertical	35	1.95	-	38.91	9.11	31.56

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
SET 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8103G	59.43	88.20	-28.77	42.95	3	Horizontal	206	2.96	-	38.92	9.12	31.56
RMS	12.8105G	48.62	68.20	-19.58	32.14	3	Horizontal	206	2.96	-	38.92	9.12	31.56

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
 SET 108
 03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22004G	69.08	83.54	-14.46	67.14	1	Vertical	253.1	1.60	-	37.96	15.24	51.26
AV	19.22474G	58.81	63.54	-4.73	56.89	1	Vertical	253.1	1.60	-	37.95	15.24	51.27

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
SET 108
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.215G	67.09	83.54	-16.45	65.14	1	Horizontal	169.6	1.65	-	37.97	15.24	51.26
AV	19.22008G	56.07	63.54	-7.47	54.13	1	Horizontal	169.6	1.65	-	37.96	15.24	51.26

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
SET 84
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12342G	61.01	88.20	-27.19	43.75	3	Vertical	116	1.80	-	39.85	9.26	31.85
RMS	13.12528G	49.51	68.20	-18.69	32.25	3	Vertical	116	1.80	-	39.85	9.26	31.85

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
SET 84
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12396G	59.39	88.20	-28.81	42.13	3	Horizontal	60	1.80	-	39.85	9.26	31.85
RMS	13.1307G	48.16	68.20	-20.04	30.89	3	Horizontal	60	1.80	-	39.86	9.27	31.86

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
SET 84
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69878G	74.92	83.54	-8.62	73.65	1	Vertical	194.2	1.58	-	37.81	15.22	51.76
AV	19.68776G	62.92	63.54	-0.62	61.58	1	Vertical	194.2	1.58	-	37.87	15.22	51.75

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
SET 84
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.70274G	73.51	83.54	-10.03	72.25	1	Horizontal	248	1.64	-	37.81	15.21	51.76
AV	19.7028G	61.06	63.54	-2.48	59.80	1	Horizontal	248	1.64	-	37.81	15.21	51.76

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
SET 89
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3649G	61.10	74.00	-12.90	43.41	3	Vertical	75	1.96	-	40.43	9.37	32.11
AV	13.36678G	50.54	54.00	-3.46	32.84	3	Vertical	75	1.96	-	40.43	9.38	32.11

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
SET 89
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36758G	61.97	74.00	-12.03	44.26	3	Horizontal	154	2.16	-	40.44	9.38	32.11
AV	13.36752G	51.18	54.00	-2.82	33.47	3	Horizontal	154	2.16	-	40.44	9.38	32.11

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
SET 89
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05728G	70.60	83.54	-12.94	69.62	1	Vertical	93	1.52	-	37.73	15.25	52.00
AV	20.05712G	58.61	63.54	-4.93	57.63	1	Vertical	93	1.52	-	37.73	15.25	52.00

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
SET 89
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0642G	74.74	83.54	-8.80	73.73	1	Horizontal	228.6	1.54	-	37.76	15.25	52.00
AV	20.0496G	63.32	63.54	-0.22	62.38	1	Horizontal	228.6	1.54	-	37.70	15.24	52.00

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
SET 96
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6888G	67.46	88.20	-20.74	49.37	3	Vertical	126	2.04	-	40.85	9.52	32.28
RMS	13.68968G	56.90	68.20	-11.30	38.79	3	Vertical	126	2.04	-	40.86	9.53	32.28

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
SET 96
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69196G	64.67	88.20	-23.53	46.55	3	Horizontal	54	1.97	-	40.87	9.53	32.28
RMS	13.69194G	53.99	68.20	-14.21	35.87	3	Horizontal	54	1.97	-	40.87	9.53	32.28

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
SET 96
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53238G	66.30	83.54	-17.24	64.89	1	Vertical	93.4	1.38	-	37.79	15.63	52.01
AV	20.53732G	55.89	63.54	-7.65	54.45	1	Vertical	93.4	1.38	-	37.82	15.63	52.01

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
 SET 96
 03-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53278G	74.44	83.54	-9.10	73.02	1	Horizontal	231	1.67	-	37.80	15.63	52.01			
AV	20.5295G	63.42	63.54	-0.12	62.03	1	Horizontal	231	1.67	-	37.78	15.62	52.01			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
 SET 70
 108\76\60\68\72\70
 -22.74\ -7.08\8.13\2.11\ -2.81\0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	79.96	88.20	-8.24	71.11	3	Vertical	81	2.43	70	34.24	5.76	31.15
RMS	5.9206G	67.92	68.20	-0.28	59.07	3	Vertical	81	2.43	70	34.24	5.76	31.15
PK	6.0014G	115.73	Inf	-Inf	106.76	3	Vertical	81	2.43	70	34.31	5.85	31.19
RMS	6.001G	105.72	Inf	-Inf	96.76	3	Vertical	81	2.43	70	34.30	5.85	31.19

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	69.88	88.20	-18.32	61.06	3	Horizontal	157	2.60	70	34.22	5.75	31.15
RMS	5.9222G	55.67	68.20	-12.53	46.82	3	Horizontal	157	2.60	70	34.24	5.76	31.15
PK	5.9926G	102.36	Inf	-Inf	93.41	3	Horizontal	157	2.60	70	34.30	5.84	31.19
RMS	5.9874G	92.37	Inf	-Inf	83.41	3	Horizontal	157	2.60	70	34.30	5.84	31.18

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.00117G	57.96	74.00	-16.04	41.20	3	Vertical	84	1.80	70	39.30	8.74	31.28
AV	11.98838G	46.07	54.00	-7.93	29.33	3	Vertical	84	1.80	70	39.30	8.74	31.30
PK	17.95293G	59.06	74.00	-14.94	33.20	3	Vertical	275	2.20	70	46.60	11.64	32.38
AV	17.96445G	46.58	54.00	-7.42	20.71	3	Vertical	275	2.20	70	46.60	11.65	32.38

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.98023G	57.34	74.00	-16.66	40.62	3	Horizontal	270	1.80	70	39.30	8.73	31.31
AV	11.96169G	46.04	54.00	-7.96	29.36	3	Horizontal	270	1.80	70	39.30	8.73	31.35
PK	17.95628G	58.90	74.00	-15.10	33.04	3	Horizontal	7	1.44	70	46.60	11.64	32.38
AV	17.9555G	46.71	54.00	-7.29	20.85	3	Horizontal	7	1.44	70	46.60	11.64	32.38

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 70
03-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	23.9419G	52.78	83.54	-30.76	46.93	1	Vertical	230.7	1.36	-	38.88	17.38	50.41
AV	23.9398G	41.04	63.54	-22.50	35.19	1	Vertical	230.7	1.36	-	38.88	17.38	50.41

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 70
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93974G	55.94	83.54	-27.60	50.09	1	Horizontal	223.8	1.58	-	38.88	17.38	50.41
AV	23.93978G	44.11	63.54	-19.43	38.26	1	Horizontal	223.8	1.58	-	38.88	17.38	50.41

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
SET 108
03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44296G	60.73	74.00	-13.27	44.48	3	Vertical	358	1.98	-	38.60	8.95	31.30
AV	12.45004G	49.29	54.00	-4.71	33.04	3	Vertical	358	1.98	-	38.60	8.95	31.30

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
 SET 108
 03-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44826G	59.53	74.00	-14.47	43.28	3	Horizontal	55	2.04	-	38.60	8.95	31.30
AV	12.45028G	48.64	54.00	-5.36	32.39	3	Horizontal	55	2.04	-	38.60	8.95	31.30

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
SET 108
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6774G	55.41	83.54	-28.13	53.06	1	Vertical	105	1.82	-	37.69	15.27	50.61
AV	18.66978G	44.95	63.54	-18.59	42.56	1	Vertical	105	1.82	-	37.72	15.27	50.60

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
SET 108
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6653G	51.61	83.54	-31.93	49.20	1	Horizontal	120	1.59	-	37.74	15.27	50.60
AV	18.67718G	42.07	63.54	-21.47	39.72	1	Horizontal	120	1.59	-	37.69	15.27	50.61

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
SET 89
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.78045G	59.65	88.20	-28.55	42.93	3	Vertical	357	2.00	-	38.92	11.40	33.60
RMS	12.7802G	48.18	68.20	-20.02	31.46	3	Vertical	357	2.00	-	38.92	11.40	33.60

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
SET 89
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76792G	58.22	88.20	-29.98	41.58	3	Horizontal	215	2.55	108	38.87	11.39	33.62
RMS	12.75513G	47.80	68.20	-20.40	31.23	3	Horizontal	215	2.55	108	38.82	11.38	33.63

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
SET 89
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.12756G	63.57	83.54	-19.97	61.69	1	Vertical	61	1.76	-	37.79	15.24	51.15
AV	19.15788G	53.35	63.54	-10.19	51.55	1	Vertical	61	1.76	-	37.75	15.24	51.19
PK	25.5384G	70.77	97.74	-26.97	63.13	1	Vertical	189	2.00	-	39.40	17.63	49.39
RMS	25.5431G	60.13	77.74	-17.61	52.49	1	Vertical	189	2.00	-	39.40	17.63	49.39

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
SET 89
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1698G	65.75	83.54	-17.79	63.89	1	Horizontal	135	1.55	-	37.82	15.24	51.20
AV	19.135G	55.38	63.54	-8.16	53.54	1	Horizontal	135	1.55	-	37.76	15.24	51.16
PK	25.5832G	70.31	97.74	-27.43	62.58	1	Horizontal	175	1.61	-	39.47	17.64	49.38
RMS	25.5432G	60.12	77.74	-17.62	52.48	1	Horizontal	175	1.61	-	39.40	17.63	49.39

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
SET 108
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2791G	61.77	74.00	-12.23	42.93	3	Vertical	355	1.98	-	39.96	11.85	32.97
AV	13.2738G	50.64	54.00	-3.36	31.81	3	Vertical	355	1.98	-	39.95	11.85	32.97

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
SET 108
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25461G	58.00	74.00	-16.00	39.25	3	Horizontal	218	1.80	108	39.91	11.83	32.99
AV	13.25796G	46.16	54.00	-7.84	27.40	3	Horizontal	218	1.80	108	39.92	11.83	32.99

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
SET 108
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8898G	72.32	83.54	-11.22	71.18	1	Vertical	196	1.66	-	37.84	15.21	51.91
AV	19.8754G	61.66	63.54	-1.88	60.60	1	Vertical	196	1.66	-	37.75	15.21	51.90
PK	26.5162G	69.82	97.74	-27.92	61.28	1	Vertical	181	1.66	-	39.73	18.01	49.20
RMS	26.4958G	59.50	77.74	-18.24	51.00	1	Vertical	181	1.66	-	39.70	18.00	49.20

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
SET 108
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8528G	69.47	83.54	-14.07	68.52	1	Horizontal	128	1.85	-	37.62	15.21	51.88
AV	19.8774G	59.42	63.54	-4.12	58.35	1	Horizontal	128	1.85	-	37.76	15.21	51.90
PK	26.4763G	68.58	97.74	-29.16	60.09	1	Horizontal	174	1.50	-	39.70	17.99	49.20
RMS	26.4667G	58.37	77.74	-19.37	49.90	1	Horizontal	174	1.50	-	39.70	17.98	49.21

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
SET 108
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3992G	63.32	74.00	-10.68	44.08	3	Vertical	313	1.94	-	40.10	11.96	32.82
AV	13.3912G	52.27	54.00	-1.73	33.06	3	Vertical	313	1.94	-	40.08	11.96	32.83

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
 SET 108
 03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39655G	61.74	74.00	-12.26	42.51	3	Horizontal	55	1.80	-	40.09	11.96	32.82
AV	13.3934G	50.19	54.00	-3.81	30.97	3	Horizontal	55	1.80	-	40.09	11.96	32.83

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
SET 108
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1519G	72.04	83.54	-11.50	71.11	1	Vertical	132	1.39	-	37.61	15.32	52.00
AV	20.1222G	60.90	63.54	-2.64	59.83	1	Vertical	132	1.39	-	37.77	15.30	52.00
PK	26.7858G	69.03	97.74	-28.71	60.20	1	Vertical	157	1.82	-	39.86	18.17	49.20
RMS	26.8083G	59.70	77.74	-18.04	50.92	1	Vertical	157	1.82	-	39.80	18.18	49.20

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
SET 108
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0871G	73.23	83.54	-10.31	72.11	1	Horizontal	132	1.67	-	37.85	15.27	52.00
AV	20.1072G	63.50	63.54	-0.04	62.35	1	Horizontal	132	1.67	-	37.86	15.29	52.00
PK	26.7954G	67.87	97.74	-29.87	59.07	1	Horizontal	155	1.50	-	39.82	18.18	49.20
RMS	26.7984G	56.71	77.74	-21.03	47.92	1	Horizontal	155	1.50	-	39.81	18.18	49.20

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
SET 93
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5835G	66.64	88.20	-21.56	46.79	3	Vertical	113	1.98	-	40.40	12.13	32.68
RMS	13.5837G	55.00	68.20	-13.20	35.15	3	Vertical	113	1.98	-	40.40	12.13	32.68

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
SET 93
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5837G	64.59	88.20	-23.61	44.74	3	Horizontal	50	2.00	-	40.40	12.13	32.68
RMS	13.5838G	53.46	68.20	-14.74	33.61	3	Horizontal	50	2.00	-	40.40	12.13	32.68

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
SET 93
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3401G	72.54	83.54	-11.00	70.95	1	Vertical	130	1.41	-	38.12	15.47	52.00
AV	20.355G	61.71	63.54	-1.83	60.14	1	Vertical	130	1.41	-	38.09	15.48	52.00

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
SET 93
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3648G	73.68	83.54	-9.86	72.12	1	Horizontal	200	1.72	-	38.07	15.49	52.00
AV	20.3499G	63.48	63.54	-0.06	61.90	1	Horizontal	200	1.72	-	38.10	15.48	52.00

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 SET 69
 108\76\60\68\72\70\69
 -25.96\ -8.46\7.30\0.60\ -3.88\ -1.13\0.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9195G	77.78	88.20	-10.42	68.93	3	Vertical	292	2.46	69	34.24	5.76	31.15
RMS	5.9195G	68.06	68.20	-0.14	59.21	3	Vertical	292	2.46	69	34.24	5.76	31.15
PK	6.102G	113.17	Inf	-Inf	104.01	3	Vertical	292	2.46	69	34.50	5.88	31.22
RMS	6.087G	104.56	Inf	-Inf	95.41	3	Vertical	292	2.46	69	34.50	5.87	31.22

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	68.64	88.20	-19.56	59.82	3	Horizontal	158	2.70	69	34.22	5.75	31.15
RMS	5.909G	57.15	68.20	-11.05	48.33	3	Horizontal	158	2.70	69	34.22	5.75	31.15
PK	6.049G	100.69	Inf	-Inf	91.54	3	Horizontal	158	2.70	69	34.50	5.86	31.21
RMS	6.0485G	93.38	Inf	-Inf	84.24	3	Horizontal	158	2.70	69	34.49	5.86	31.21

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0208G	56.80	74.00	-17.20	40.11	3	Vertical	285	1.80	69	39.22	8.75	31.28
AV	12.06141G	47.27	54.00	-6.73	30.73	3	Vertical	285	1.80	69	39.05	8.77	31.28

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.07632G	56.70	74.00	-17.30	40.21	3	Horizontal	9	1.80	69	38.99	8.78	31.28
AV	12.05368G	47.29	54.00	-6.71	30.72	3	Horizontal	9	1.80	69	39.09	8.76	31.28

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 69
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07491G	48.61	83.54	-34.93	45.53	1	Vertical	251	1.60	-	37.50	15.30	49.72
AV	18.07479G	42.56	63.54	-20.98	39.48	1	Vertical	251	1.60	-	37.50	15.30	49.72

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 69
03-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07515G	47.33	83.54	-36.21	44.25	1	Horizontal	234	1.76	-	37.50	15.30	49.72
AV	18.07485G	40.07	63.54	-23.47	36.99	1	Horizontal	234	1.76	-	37.50	15.30	49.72

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
SET 108
06-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37034G	56.58	74.00	-17.42	40.97	3	Vertical	243	1.05	108	38.66	11.03	34.08
AV	12.37299G	47.34	54.00	-6.66	31.73	3	Vertical	243	1.05	108	38.65	11.03	34.07

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
SET 108
06-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37772G	56.70	74.00	-17.30	41.10	3	Horizontal	283	2.28	108	38.64	11.03	34.07
AV	12.37281G	47.03	54.00	-6.97	31.42	3	Horizontal	283	2.28	108	38.65	11.03	34.07

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54726G	58.43	83.54	-25.11	55.91	1	Vertical	63	1.57	-	37.71	15.27	50.46
AV	18.55473G	49.88	63.54	-13.66	47.38	1	Vertical	63	1.57	-	37.70	15.27	50.47

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5571G	55.95	83.54	-27.59	53.45	1	Horizontal	124	1.54	-	37.70	15.27	50.47
AV	18.56199G	46.58	63.54	-16.96	44.08	1	Horizontal	124	1.54	-	37.70	15.27	50.47

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
SET 108
06-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.67274G	59.00	74.00	-15.00	42.60	3	Vertical	172	1.82	108	38.85	11.30	33.75
AV	12.67306G	48.88	54.00	-5.12	32.47	3	Vertical	172	1.82	108	38.85	11.30	33.74

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
SET 108
06-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.67274G	60.43	74.00	-13.57	44.03	3	Horizontal	219	2.57	108	38.85	11.30	33.75
AV	12.67274G	48.39	54.00	-5.61	31.99	3	Horizontal	219	2.57	108	38.85	11.30	33.75

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03548G	62.99	83.54	-20.55	60.88	1	Vertical	173	1.75	-	37.90	15.25	51.04
AV	19.03041G	53.71	63.54	-9.83	51.60	1	Vertical	173	1.75	-	37.90	15.25	51.04

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02006G	61.42	83.54	-22.12	59.29	1	Horizontal	178	1.59	-	37.90	15.25	51.02
AV	19.03488G	53.41	63.54	-10.13	51.30	1	Horizontal	178	1.59	-	37.90	15.25	51.04

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
SET 95
06-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.34737G	57.02	74.00	-16.98	37.98	3	Vertical	235	1.80	108	40.00	11.92	32.88
AV	13.33455G	47.49	54.00	-6.51	28.49	3	Vertical	235	1.80	108	40.00	11.90	32.90

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
SET 95
06-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32678G	57.79	74.00	-16.21	38.80	3	Horizontal	77	1.80	108	40.00	11.90	32.91
AV	13.33975G	47.15	54.00	-6.85	28.13	3	Horizontal	77	1.80	108	40.00	11.91	32.89

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
SET 95
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98246G	70.98	83.54	-12.56	69.97	1	Vertical	163	1.40	-	37.80	15.20	51.99
AV	19.98705G	62.07	63.54	-1.47	61.06	1	Vertical	163	1.40	-	37.80	15.20	51.99

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
SET 95
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99698G	72.66	83.54	-10.88	71.66	1	Horizontal	175.5	1.58	-	37.80	15.20	52.00
AV	19.99704G	63.11	63.54	-0.43	62.11	1	Horizontal	175.5	1.58	-	37.80	15.20	52.00

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	78.64	88.20	-9.56	71.57	3	Vertical	259	2.95	-	32.40	7.64	32.97
RMS	5.908G	67.89	68.20	-0.31	60.83	3	Vertical	259	2.95	-	32.40	7.63	32.97
PK	6.203G	111.45	Inf	-Inf	103.94	3	Vertical	259	2.95	-	32.81	7.72	33.02
RMS	6.248G	100.02	Inf	-Inf	92.27	3	Vertical	259	2.95	-	32.99	7.78	33.02

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.903G	67.31	88.20	-20.89	60.25	3	Horizontal	223	2.48	-	32.40	7.63	32.97
RMS	5.923G	57.07	68.20	-11.13	50.00	3	Horizontal	223	2.48	-	32.40	7.64	32.97
PK	6.061G	96.83	Inf	-Inf	89.57	3	Horizontal	223	2.48	-	32.58	7.69	33.01
RMS	6.076G	86.74	Inf	-Inf	79.50	3	Horizontal	223	2.48	-	32.55	7.70	33.01

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20814G	56.06	74.00	-17.94	48.95	3	Vertical	298	1.80	-	39.10	11.20	43.19
AV	12.20982G	46.12	54.00	-7.88	39.01	3	Vertical	298	1.80	-	39.10	11.20	43.19

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20067G	55.86	74.00	-18.14	48.75	3	Horizontal	76	2.49	-	39.10	11.20	43.19
AV	12.20919G	45.95	54.00	-8.05	38.84	3	Horizontal	76	2.49	-	39.10	11.20	43.19

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32154G	54.62	83.54	-28.92	51.95	1	Vertical	13	1.97	-	37.50	15.28	50.11
AV	18.30216G	42.15	63.54	-21.39	39.45	1	Vertical	13	1.97	-	37.50	15.28	50.08

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.32874G	53.97	83.54	-29.57	51.32	1	Horizontal	22	2.22	-	37.50	15.28	50.13
AV	18.31938G	43.22	63.54	-20.32	40.55	1	Horizontal	22	2.22	-	37.50	15.28	50.11

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Z_4TX
SET 108
06-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.51709G	56.36	74.00	-17.64	40.09	3	Vertical	179	1.80	60	38.60	8.98	31.31
AV	12.50954G	48.91	54.00	-5.09	32.64	3	Vertical	179	1.80	60	38.60	8.98	31.31

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Z_4TX
 SET 108
 06-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.52696G	56.18	74.00	-17.82	39.91	3	Horizontal	76	1.80	60	38.60	8.99	31.32
AV	12.50826G	47.79	54.00	-6.21	31.52	3	Horizontal	76	1.80	60	38.60	8.98	31.31

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Z_4TX
 SET 108
 06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.78717G	55.13	83.54	-28.41	52.81	1	Vertical	136	1.53	-	37.80	15.26	50.74
AV	18.80211G	46.46	63.54	-17.08	44.15	1	Vertical	136	1.53	-	37.81	15.26	50.76

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.8097G	55.99	83.54	-27.55	53.66	1	Horizontal	193	1.76	-	37.84	15.26	50.77
AV	18.79203G	47.35	63.54	-16.19	45.04	1	Horizontal	193	1.76	-	37.80	15.26	50.75

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
 SET 87
 108\76\92\84\88\86\87
 -9.31\6.98\ -3.32\1.90\ -0.37\0.89\0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	80.34	88.20	-7.86	71.48	3	Vertical	236	2.35	87	34.25	5.77	31.16
RMS	5.925G	68.18	68.20	-0.02	59.32	3	Vertical	236	2.35	87	34.25	5.77	31.16
PK	5.9556G	121.28	Inf	-Inf	112.35	3	Vertical	236	2.35	87	34.30	5.80	31.17
RMS	5.956G	109.51	Inf	-Inf	100.58	3	Vertical	236	2.35	87	34.30	5.80	31.17

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9236G	69.15	88.20	-19.05	60.28	3	Horizontal	156	2.64	87	34.25	5.77	31.15
RMS	5.9246G	56.76	68.20	-11.44	47.90	3	Horizontal	156	2.64	87	34.25	5.77	31.16
PK	5.9584G	111.49	Inf	-Inf	102.56	3	Horizontal	156	2.64	87	34.30	5.80	31.17
RMS	5.9574G	98.64	Inf	-Inf	89.71	3	Horizontal	156	2.64	87	34.30	5.80	31.17

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 87
06-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91144G	57.77	74.00	-16.23	41.20	3	Vertical	177	1.80	87	39.30	8.71	31.44
AV	11.91272G	49.91	54.00	-4.09	33.33	3	Vertical	177	1.80	87	39.30	8.71	31.43
PK	17.86215G	58.03	74.00	-15.97	32.51	3	Vertical	163	1.38	87	46.35	11.57	32.40
AV	17.86676G	45.04	54.00	-8.96	19.49	3	Vertical	163	1.38	87	46.37	11.58	32.40

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 87
06-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89226G	57.23	74.00	-16.77	40.68	3	Horizontal	293	1.80	87	39.32	8.70	31.47
AV	11.91599G	49.29	54.00	-4.71	32.71	3	Horizontal	293	1.80	87	39.30	8.71	31.43
PK	17.8644G	57.66	74.00	-16.34	32.12	3	Horizontal	173	1.28	87	46.36	11.58	32.40
AV	17.86557G	44.79	54.00	-9.21	19.25	3	Horizontal	173	1.28	87	46.36	11.58	32.40

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 87
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81976G	61.37	83.54	-22.17	55.48	1	Vertical	136	1.50	-	38.98	17.35	50.44
AV	23.81973G	47.79	63.54	-15.75	41.90	1	Vertical	136	1.50	-	38.98	17.35	50.44

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 87
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.81967G	67.93	83.54	-15.61	62.04	1	Horizontal	251	1.61	-	38.98	17.35	50.44
AV	23.81976G	54.03	63.54	-9.51	48.14	1	Horizontal	251	1.61	-	38.98	17.35	50.44

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
SET 108
06-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39265G	59.88	74.00	-14.12	44.28	3	Vertical	303.7	1.99	-	38.61	11.05	34.06
AV	12.3924G	48.05	54.00	-5.95	32.44	3	Vertical	303.7	1.99	-	38.62	11.05	34.06

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
SET 108
06-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39551G	57.07	74.00	-16.93	41.47	3	Horizontal	226	1.80	108	38.61	11.05	34.06
AV	12.39276G	45.12	54.00	-8.88	29.52	3	Horizontal	226	1.80	108	38.61	11.05	34.06

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.57735G	65.05	83.54	-18.49	62.57	1	Vertical	63.6	1.56	-	37.70	15.27	50.49
AV	18.58467G	52.20	63.54	-11.34	49.73	1	Vertical	63.6	1.56	-	37.70	15.27	50.50

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.59004G	60.80	83.54	-22.74	58.34	1	Horizontal	124	1.54	-	37.70	15.27	50.51
AV	18.58437G	48.23	63.54	-15.31	45.76	1	Horizontal	124	1.54	-	37.70	15.27	50.50

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
SET 108
06-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8384G	61.36	88.20	-26.84	44.28	3	Vertical	34	1.96	-	39.15	11.45	33.52
RMS	12.8292G	49.07	68.20	-19.13	32.04	3	Vertical	34	1.96	-	39.12	11.44	33.53

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
SET 108
06-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83288G	60.62	88.20	-27.58	44.10	3	Horizontal	215	2.58	108	38.97	9.13	31.58
RMS	12.82988G	48.85	68.20	-19.35	32.34	3	Horizontal	215	2.58	108	38.96	9.13	31.58

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24446G	68.74	83.54	-14.80	66.88	1	Vertical	194	1.39	-	37.91	15.24	51.29
AV	19.24482G	56.03	63.54	-7.51	54.17	1	Vertical	194	1.39	-	37.91	15.24	51.29

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
 SET 108
 06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25031G	72.29	83.54	-11.25	70.45	1	Horizontal	177	1.58	-	37.90	15.24	51.30
AV	19.24497G	59.68	63.54	-3.86	57.82	1	Horizontal	177	1.58	-	37.91	15.24	51.29

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
SET 108
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07035G	62.67	88.20	-25.53	44.75	3	Vertical	226	2.01	-	39.48	11.66	33.22
RMS	13.06865G	50.65	68.20	-17.55	32.74	3	Vertical	226	2.01	-	39.47	11.66	33.22

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
 SET 108
 03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08303G	59.19	88.20	-29.01	41.18	3	Horizontal	190	2.53	108	39.53	11.68	33.20
RMS	13.07G	49.08	68.20	-19.12	31.16	3	Horizontal	190	2.53	108	39.48	11.66	33.22

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
SET 108
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61556G	75.39	83.54	-8.15	73.97	1	Vertical	165	1.41	-	37.89	15.22	51.69
AV	19.60746G	62.62	63.54	-0.92	61.25	1	Vertical	165	1.41	-	37.84	15.22	51.69

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
SET 108
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60953G	75.94	83.54	-7.60	74.55	1	Horizontal	179.3	1.50	-	37.86	15.22	51.69
AV	19.60779G	63.05	63.54	-0.49	61.67	1	Horizontal	179.3	1.50	-	37.85	15.22	51.69

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
SET 89
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38115G	64.64	74.00	-9.36	45.47	3	Vertical	47	2.07	-	40.06	11.95	32.84
AV	13.38885G	52.22	54.00	-1.78	33.02	3	Vertical	47	2.07	-	40.08	11.95	32.83

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
 SET 89
 03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38125G	63.49	74.00	-10.51	44.32	3	Horizontal	258	2.10	-	40.06	11.95	32.84
AV	13.3891G	51.03	54.00	-2.97	31.83	3	Horizontal	258	2.10	-	40.08	11.95	32.83

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
SET 89
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07909G	75.55	83.54	-7.99	74.47	1	Vertical	165	1.60	-	37.82	15.26	52.00
AV	20.08494G	61.75	63.54	-1.79	60.64	1	Vertical	165	1.60	-	37.84	15.27	52.00

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
SET 89
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07831G	76.42	83.54	-7.12	75.35	1	Horizontal	174	1.67	-	37.81	15.26	52.00
AV	20.08497G	63.40	63.54	-0.14	62.29	1	Horizontal	174	1.67	-	37.84	15.27	52.00

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
SET 93
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72125G	69.56	88.20	-18.64	49.48	3	Vertical	111	2.00	-	40.48	12.26	32.66
RMS	13.7089G	57.92	68.20	-10.28	37.89	3	Vertical	111	2.00	-	40.44	12.25	32.66

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
SET 93
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71005G	69.86	88.20	-18.34	49.83	3	Horizontal	53	2.01	-	40.44	12.25	32.66
RMS	13.70885G	58.08	68.20	-10.12	38.05	3	Horizontal	53	2.01	-	40.44	12.25	32.66

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
SET 93
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.55843G	67.90	83.54	-15.64	66.35	1	Vertical	92.8	1.42	-	37.92	15.65	52.02
AV	20.56464G	56.47	63.54	-7.07	54.92	1	Vertical	92.8	1.42	-	37.93	15.65	52.03

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
SET 93
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.55891G	75.57	83.54	-7.97	74.02	1	Horizontal	227	1.70	-	37.92	15.65	52.02
AV	20.56485G	63.29	63.54	-0.25	61.74	1	Horizontal	227	1.70	-	37.93	15.65	52.03

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
 SET 72
 108\76\60\68\72
 -19.75\ -3.29\6.85\2.37\0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	84.36	88.20	-3.84	75.50	3	Vertical	252	2.42	72	34.25	5.77	31.16
RMS	5.925G	68.05	68.20	-0.15	59.19	3	Vertical	252	2.42	72	34.25	5.77	31.16
PK	5.969G	116.91	Inf	-Inf	107.97	3	Vertical	252	2.42	72	34.30	5.82	31.18
RMS	5.9688G	110.10	Inf	-Inf	101.16	3	Vertical	252	2.42	72	34.30	5.82	31.18

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	73.39	88.20	-14.81	64.53	3	Horizontal	159	2.48	72	34.25	5.77	31.16
RMS	5.925G	60.51	68.20	-7.69	51.65	3	Horizontal	159	2.48	72	34.25	5.77	31.16
PK	5.9678G	105.37	Inf	-Inf	96.44	3	Horizontal	159	2.48	72	34.30	5.81	31.18
RMS	5.9688G	98.19	Inf	-Inf	89.25	3	Horizontal	159	2.48	72	34.30	5.82	31.18

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 72
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.94031G	57.18	74.00	-16.82	40.55	3	Vertical	30	2.46	72	39.30	8.72	31.39
AV	11.96533G	47.30	54.00	-6.70	30.61	3	Vertical	30	2.46	72	39.30	8.73	31.34
PK	17.89912G	57.96	74.00	-16.04	32.25	3	Vertical	339	2.62	72	46.50	11.60	32.39
AV	17.89645G	47.69	54.00	-6.31	21.99	3	Vertical	339	2.62	72	46.49	11.60	32.39

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
 SET 72
 06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.95677G	57.58	74.00	-16.42	40.91	3	Horizontal	278	1.05	72	39.30	8.73	31.36
AV	11.8922G	47.30	54.00	-6.70	30.75	3	Horizontal	278	1.05	72	39.32	8.70	31.47
PK	17.89644G	59.95	74.00	-14.05	34.25	3	Horizontal	123	1.43	72	46.49	11.60	32.39
AV	17.8925G	47.27	54.00	-6.73	21.59	3	Horizontal	123	1.43	72	46.47	11.60	32.39

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 72
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.86276G	58.08	83.54	-25.46	52.35	1	Vertical	134	1.43	-	38.80	17.36	50.43
AV	23.86471G	47.46	63.54	-16.08	41.73	1	Vertical	134	1.43	-	38.80	17.36	50.43

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
 SET 72
 06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.85682G	54.17	83.54	-29.37	48.44	1	Horizontal	174.3	1.62	-	38.80	17.36	50.43
AV	23.85721G	43.95	63.54	-19.59	38.22	1	Horizontal	174.3	1.62	-	38.80	17.36	50.43

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
 SET 108
 03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4326G	61.16	74.00	-12.84	45.51	3	Vertical	356	1.95	-	38.60	11.08	34.03
AV	12.4285G	50.59	54.00	-3.41	34.94	3	Vertical	356	1.95	-	38.60	11.08	34.03

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
SET 108
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.42165G	59.55	74.00	-14.45	43.92	3	Horizontal	55	2.07	-	38.60	11.07	34.04
AV	12.39105G	49.23	54.00	-4.77	33.62	3	Horizontal	55	2.07	-	38.62	11.05	34.06

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61707G	59.14	83.54	-24.40	56.68	1	Vertical	69	2.06	-	37.73	15.27	50.54
AV	18.62466G	49.80	63.54	-13.74	47.33	1	Vertical	69	2.06	-	37.75	15.27	50.55

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6171G	57.20	83.54	-26.34	54.74	1	Horizontal	124.3	1.55	-	37.73	15.27	50.54
AV	18.62466G	48.32	63.54	-15.22	45.85	1	Horizontal	124.3	1.55	-	37.75	15.27	50.55

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
SET 108
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80976G	59.12	88.20	-29.08	42.64	3	Vertical	171	1.67	108	38.92	9.12	31.56
RMS	12.8124G	49.03	68.20	-19.17	32.55	3	Vertical	171	1.67	108	38.92	9.12	31.56

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
SET 108
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81232G	60.73	88.20	-27.47	44.25	3	Horizontal	216	2.56	108	38.92	9.12	31.56
RMS	12.81048G	50.39	68.20	-17.81	33.91	3	Horizontal	216	2.56	108	38.92	9.12	31.56

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
 SET 108
 06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21704G	65.05	83.54	-18.49	63.10	1	Vertical	194	1.41	-	37.97	15.24	51.26
AV	19.2246G	55.76	63.54	-7.78	53.84	1	Vertical	194	1.41	-	37.95	15.24	51.27

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22421G	66.83	83.54	-16.71	64.91	1	Horizontal	177	1.60	-	37.95	15.24	51.27
AV	19.2246G	57.47	63.54	-6.07	55.55	1	Horizontal	177	1.60	-	37.95	15.24	51.27

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
SET 89
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.14247G	59.84	88.20	-28.36	42.56	3	Vertical	238	2.10	108	39.88	9.27	31.87
RMS	13.14247G	50.59	68.20	-17.61	33.31	3	Vertical	238	2.10	108	39.88	9.27	31.87

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
SET 89
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12449G	57.70	88.20	-30.50	40.44	3	Horizontal	250	1.80	108	39.85	9.26	31.85
RMS	13.13472G	48.56	68.20	-19.64	31.28	3	Horizontal	250	1.80	108	39.87	9.27	31.86

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
 SET 89
 06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.68036G	70.39	83.54	-13.15	68.99	1	Vertical	164	1.42	-	37.92	15.22	51.74
AV	19.70469G	62.43	63.54	-1.11	61.17	1	Vertical	164	1.42	-	37.81	15.21	51.76

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
SET 89
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69701G	72.62	83.54	-10.92	71.34	1	Horizontal	178	1.59	-	37.82	15.22	51.76
AV	19.70454G	63.00	63.54	-0.54	61.74	1	Horizontal	178	1.59	-	37.81	15.21	51.76

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
SET 85
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36097G	59.44	74.00	-14.56	40.36	3	Vertical	59.44	59.44	108	40.02	11.93	32.87
AV	13.36097G	50.09	54.00	-3.91	31.01	3	Vertical	59.44	59.44	108	40.02	11.93	32.87

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
SET 85
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37344G	58.65	74.00	-15.35	40.94	3	Horizontal	197	1.83	108	40.45	9.38	32.12
AV	13.37304G	49.73	54.00	-4.27	32.02	3	Horizontal	197	1.83	108	40.45	9.38	32.12

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
SET 85
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04168G	72.19	83.54	-11.35	71.24	1	Vertical	164	1.39	-	37.72	15.23	52.00
AV	20.06445G	63.16	63.54	-0.38	62.15	1	Vertical	164	1.39	-	37.76	15.25	52.00

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
 SET 85
 06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05704G	67.60	83.54	-15.94	66.62	1	Horizontal	172	1.50	-	37.73	15.25	52.00
AV	20.06442G	58.23	63.54	-5.31	57.22	1	Horizontal	172	1.50	-	37.76	15.25	52.00

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
SET 89
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6864G	65.88	88.20	-22.32	45.92	3	Vertical	164	2.27	108	40.40	12.22	32.66
RMS	13.6868G	57.65	68.20	-10.55	37.69	3	Vertical	164	2.27	108	40.40	12.22	32.66

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
SET 89
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68481G	62.47	88.20	-25.73	42.51	3	Horizontal	217	2.11	108	40.40	12.22	32.66
RMS	13.68672G	57.56	68.20	-10.64	37.60	3	Horizontal	217	2.11	108	40.40	12.22	32.66

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
SET 89
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53488G	64.04	83.54	-19.50	62.61	1	Vertical	94	1.43	-	37.81	15.63	52.01
AV	20.5446G	55.61	63.54	-7.93	54.12	1	Vertical	94	1.43	-	37.87	15.64	52.02

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
SET 89
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.54424G	71.94	83.54	-11.60	70.45	1	Horizontal	226.8	1.70	-	37.87	15.64	52.02
AV	20.54457G	63.32	63.54	-0.22	61.83	1	Horizontal	226.8	1.70	-	37.87	15.64	52.02

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
 SET 71
 108\76\60\68\72\70\71
 -19.67\ -3.67\11.08\4.08\ -0.07\2.25\1.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9094G	77.87	88.20	-10.33	69.05	3	Vertical	252	2.41	71	34.22	5.75	31.15
RMS	5.9078G	66.70	68.20	-1.50	57.88	3	Vertical	252	2.41	71	34.22	5.75	31.15
PK	5.9898G	113.38	Inf	-Inf	104.43	3	Vertical	252	2.41	71	34.30	5.84	31.19
RMS	5.9886G	106.25	Inf	-Inf	97.29	3	Vertical	252	2.41	71	34.30	5.84	31.18

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	67.63	88.20	-20.57	58.81	3	Horizontal	156	2.60	71	34.22	5.75	31.15
RMS	5.9078G	57.73	68.20	-10.47	48.91	3	Horizontal	156	2.60	71	34.22	5.75	31.15
PK	5.989G	101.50	Inf	-Inf	92.54	3	Horizontal	156	2.60	71	34.30	5.84	31.18
RMS	5.9874G	94.39	Inf	-Inf	85.43	3	Horizontal	156	2.60	71	34.30	5.84	31.18

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 71
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.00341G	57.28	74.00	-16.72	40.53	3	Vertical	205	1.80	71	39.29	8.74	31.28
AV	12.01955G	47.32	54.00	-6.68	30.63	3	Vertical	205	1.80	71	39.22	8.75	31.28
PK	17.95716G	58.78	74.00	-15.22	32.92	3	Vertical	33	2.46	71	46.60	11.64	32.38
AV	17.9522G	48.19	54.00	-5.81	22.33	3	Vertical	33	2.46	71	46.60	11.64	32.38

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 71
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.99382G	58.22	74.00	-15.78	41.47	3	Horizontal	360	1.80	71	39.30	8.74	31.29
AV	12.00405G	47.33	54.00	-6.67	30.59	3	Horizontal	360	1.80	71	39.28	8.74	31.28
PK	17.9529G	59.17	74.00	-14.83	33.31	3	Horizontal	249	1.06	71	46.60	11.64	32.38
AV	17.95419G	47.75	54.00	-6.25	21.89	3	Horizontal	249	1.06	71	46.60	11.64	32.38

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 71
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93874G	51.64	83.54	-31.90	45.79	1	Vertical	223	1.42	-	38.88	17.38	50.41
AV	23.93988G	44.12	63.54	-19.42	38.27	1	Vertical	223	1.42	-	38.88	17.38	50.41

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 71
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.9388G	53.21	83.54	-30.33	47.36	1	Horizontal	173.2	1.63	-	38.88	17.38	50.41
AV	23.93964G	43.33	63.54	-20.21	37.48	1	Horizontal	173.2	1.63	-	38.88	17.38	50.41

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
 SET 108
 06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4142G	57.15	74.00	-16.85	40.92	3	Vertical	286	1.98	108	38.60	8.93	31.30
AV	12.45591G	47.34	54.00	-6.66	31.09	3	Vertical	286	1.98	108	38.60	8.95	31.30

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
 SET 108
 06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.51106G	57.55	74.00	-16.45	41.28	3	Horizontal	291	2.70	108	38.60	8.98	31.31
AV	12.51713G	48.05	54.00	-5.95	31.78	3	Horizontal	291	2.70	108	38.60	8.98	31.31

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
 SET 108
 06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67494G	57.65	83.54	-25.89	55.29	1	Vertical	108	1.56	-	37.70	15.27	50.61
AV	18.67497G	49.79	63.54	-13.75	47.43	1	Vertical	108	1.56	-	37.70	15.27	50.61

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.672G	55.41	83.54	-28.13	53.04	1	Horizontal	160	2.01	-	37.71	15.27	50.61
AV	18.67488G	46.94	63.54	-16.60	44.58	1	Horizontal	160	2.01	-	37.70	15.27	50.61

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
SET 90
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.73643G	57.02	88.20	-31.18	40.77	3	Vertical	105	1.80	108	38.67	9.08	31.50
RMS	12.75114G	48.87	68.20	-19.33	32.59	3	Vertical	105	1.80	108	38.70	9.09	31.51

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
SET 90
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7911G	59.74	88.20	-28.46	43.31	3	Horizontal	216	2.61	108	38.86	9.11	31.54
RMS	12.75114G	50.40	68.20	-17.80	34.12	3	Horizontal	216	2.61	108	38.70	9.09	31.51

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
SET 90
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15143G	58.23	83.54	-25.31	56.46	1	Vertical	180.7	1.50	-	37.71	15.24	51.18
AV	19.15506G	48.93	63.54	-14.61	47.15	1	Vertical	180.7	1.50	-	37.73	15.24	51.19
PK	25.53568G	67.63	97.74	-30.11	59.99	1	Vertical	219	1.60	-	39.40	17.63	49.39
RMS	25.53559G	59.91	77.74	-17.83	52.27	1	Vertical	219	1.60	-	39.40	17.63	49.39

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
SET 90
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15137G	62.28	83.54	-21.26	60.51	1	Horizontal	177	1.67	-	37.71	15.24	51.18
AV	19.15491G	54.01	63.54	-9.53	52.23	1	Horizontal	177	1.67	-	37.73	15.24	51.19
PK	25.53874G	68.84	97.74	-28.90	61.20	1	Horizontal	181	1.63	-	39.40	17.63	49.39
RMS	25.53571G	60.27	77.74	-17.47	52.63	1	Horizontal	181	1.63	-	39.40	17.63	49.39

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
SET 92
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.26061G	58.78	74.00	-15.22	40.01	3	Vertical	238	2.21	108	39.92	11.84	32.99
AV	13.26199G	48.02	54.00	-5.98	29.25	3	Vertical	238	2.21	108	39.92	11.84	32.99

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
SET 92
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.26365G	57.11	74.00	-16.89	38.32	3	Horizontal	239	1.80	108	39.93	11.84	32.98
AV	13.26312G	47.54	54.00	-6.46	28.75	3	Horizontal	239	1.80	108	39.93	11.84	32.98

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
SET 92
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.86783G	65.81	83.54	-17.73	64.78	1	Vertical	75.2	1.50	-	37.71	15.21	51.89
AV	19.87521G	56.20	63.54	-7.34	55.14	1	Vertical	75.2	1.50	-	37.75	15.21	51.90

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
SET 92
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.86003G	73.07	83.54	-10.47	72.09	1	Horizontal	174	1.58	-	37.66	15.21	51.89
AV	19.86756G	63.19	63.54	-0.35	62.16	1	Horizontal	174	1.58	-	37.71	15.21	51.89

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
SET 108
03-H-5-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3998G	61.53	74.00	-12.47	42.29	3	Vertical	312	2.00	-	40.10	11.96	32.82
AV	13.39925G	51.42	54.00	-2.58	32.18	3	Vertical	312	2.00	-	40.10	11.96	32.82

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
SET 108
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3995G	62.38	74.00	-11.62	43.14	3	Horizontal	258	2.09	-	40.10	11.96	32.82
AV	13.39975G	51.31	54.00	-2.69	32.07	3	Horizontal	258	2.09	-	40.10	11.96	32.82

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11095G	66.88	83.54	-16.66	65.76	1	Vertical	9	2.01	-	37.83	15.29	52.00
AV	20.12388G	57.88	63.54	-5.66	56.82	1	Vertical	9	2.01	-	37.76	15.30	52.00

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11797G	71.64	83.54	-11.90	70.56	1	Horizontal	173	1.74	-	37.79	15.29	52.00
AV	20.10144G	62.02	63.54	-1.52	60.85	1	Horizontal	173	1.74	-	37.89	15.28	52.00

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.58742G	60.98	88.20	-27.22	43.06	3	Vertical	167	1.05	108	40.70	9.48	32.26
RMS	13.58359G	57.72	68.20	-10.48	39.80	3	Vertical	167	1.05	108	40.70	9.48	32.26

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
 SET 108
 06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.60373G	60.15	88.20	-28.05	42.23	3	Horizontal	219	1.78	108	40.70	9.49	32.27
RMS	13.59174G	54.19	68.20	-14.01	36.27	3	Horizontal	219	1.78	108	40.70	9.48	32.26

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35662G	69.56	83.54	-13.98	67.98	1	Vertical	172	1.74	-	38.09	15.49	52.00
AV	20.35497G	60.56	63.54	-2.98	58.99	1	Vertical	172	1.74	-	38.09	15.48	52.00

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34507G	71.28	83.54	-12.26	69.69	1	Horizontal	240	1.70	-	38.11	15.48	52.00
AV	20.35491G	63.10	63.54	-0.44	61.53	1	Horizontal	240	1.70	-	38.09	15.48	52.00

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
 SET 71
 03-S-E-2-10
 est.pkt duty (%)=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	79.95	88.20	-8.25	72.87	3	Vertical	86	2.00	-	34.55	7.63	35.10
RMS	5.925G	67.95	68.20	-0.25	60.87	3	Vertical	86	2.00	-	34.55	7.63	35.10
PK	6.046G	110.75	Inf	-Inf	103.53	3	Vertical	86	2.00	-	34.60	7.74	35.12
RMS	6.086G	100.63	Inf	-Inf	93.13	3	Vertical	86	2.00	-	34.82	7.79	35.11

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 71
03-S-E-2-10
est.pkt duty (%)=99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	66.14	88.20	-22.06	59.06	3	Horizontal	161	2.00	-	34.55	7.63	35.10
RMS	5.924G	55.50	68.20	-12.70	48.42	3	Horizontal	161	2.00	-	34.55	7.63	35.10
PK	6.0485G	97.95	Inf	-Inf	90.72	3	Horizontal	161	2.00	-	34.60	7.75	35.12
RMS	6.086G	87.39	Inf	-Inf	79.89	3	Horizontal	161	2.00	-	34.82	7.79	35.11

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 71
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.06087G	56.32	74.00	-17.68	39.77	3	Vertical	148	1.06	67	39.06	8.77	31.28
AV	12.0399G	47.82	54.00	-6.18	31.20	3	Vertical	148	1.06	67	39.14	8.76	31.28

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 71
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.00972G	56.50	74.00	-17.50	39.78	3	Horizontal	294	1.80	67	39.26	8.74	31.28
AV	11.99559G	47.25	54.00	-6.75	30.50	3	Horizontal	294	1.80	67	39.30	8.74	31.29

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 71
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07482G	48.03	83.54	-35.51	44.95	1	Vertical	252	1.61	-	37.50	15.30	49.72
AV	18.07491G	42.59	63.54	-20.95	39.51	1	Vertical	252	1.61	-	37.50	15.30	49.72

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 71
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07014G	47.04	83.54	-36.50	43.97	1	Horizontal	235	1.77	-	37.48	15.30	49.71
AV	18.07488G	38.96	63.54	-24.58	35.88	1	Horizontal	235	1.77	-	37.50	15.30	49.72

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.363777G	56.53	74.00	-17.47	40.24	3	Vertical	55	1.64	108	38.67	8.91	31.29
AV	12.38993G	47.52	54.00	-6.48	31.28	3	Vertical	55	1.64	108	38.62	8.92	31.30

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36949G	55.84	74.00	-18.16	39.56	3	Horizontal	353	1.80	108	38.66	8.91	31.29
AV	12.40458G	46.54	54.00	-7.46	30.31	3	Horizontal	353	1.80	108	38.60	8.93	31.30

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
 SET 108
 06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.56568G	57.34	83.54	-26.20	54.85	1	Vertical	66	1.57	-	37.70	15.27	50.48
AV	18.5601G	48.56	63.54	-14.98	46.06	1	Vertical	66	1.57	-	37.70	15.27	50.47

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55062G	52.77	83.54	-30.77	50.26	1	Horizontal	125	1.54	-	37.70	15.27	50.46
AV	18.56976G	43.67	63.54	-19.87	41.18	1	Horizontal	125	1.54	-	37.70	15.27	50.48

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
SET 108
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.67475G	58.66	74.00	-15.34	42.25	3	Vertical	356	2.00	-	38.85	11.30	33.74
AV	12.67505G	47.37	54.00	-6.63	30.96	3	Vertical	356	2.00	-	38.85	11.30	33.74

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
 SET 108
 03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6726G	58.92	74.00	-15.08	42.52	3	Horizontal	2	1.94	-	38.85	11.30	33.75
AV	12.67225G	46.46	54.00	-7.54	30.07	3	Horizontal	2	1.94	-	38.84	11.30	33.75

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02867G	59.22	83.54	-24.32	57.10	1	Vertical	130	1.84	-	37.90	15.25	51.03
AV	19.03041G	50.37	63.54	-13.17	48.26	1	Vertical	130	1.84	-	37.90	15.25	51.04

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03035G	58.11	83.54	-25.43	56.00	1	Horizontal	192	1.73	-	37.90	15.25	51.04
AV	19.04004G	48.84	63.54	-14.70	46.74	1	Horizontal	192	1.73	-	37.90	15.25	51.05

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.31615G	57.07	74.00	-16.93	39.38	3	Vertical	105	1.70	108	40.40	9.35	32.06
AV	13.34123G	48.50	54.00	-5.50	30.82	3	Vertical	105	1.70	108	40.40	9.36	32.08

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
 SET 108
 06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.29989G	56.25	74.00	-17.75	38.55	3	Horizontal	87	1.80	108	40.40	9.34	32.04
AV	13.30984G	47.69	54.00	-6.31	29.99	3	Horizontal	87	1.80	108	40.40	9.35	32.05

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99314G	68.31	83.54	-15.23	67.30	1	Vertical	175	1.68	-	37.80	15.20	51.99
AV	20.00487G	59.51	63.54	-4.03	58.52	1	Vertical	175	1.68	-	37.79	15.20	52.00

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
SET 108
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98486G	67.66	83.54	-15.88	66.65	1	Horizontal	176.1	1.50	-	37.80	15.20	51.99
AV	19.98807G	58.13	63.54	-5.41	57.12	1	Horizontal	176.1	1.50	-	37.80	15.20	51.99

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	79.85	88.20	-8.35	72.79	3	Vertical	254	2.91	-	32.40	7.63	32.97
RMS	5.9074G	67.75	68.20	-0.45	60.69	3	Vertical	254	2.91	-	32.40	7.63	32.97
PK	6.209G	109.26	Inf	-Inf	101.71	3	Vertical	254	2.91	-	32.84	7.73	33.02
RMS	6.2082G	99.57	Inf	-Inf	92.03	3	Vertical	254	2.91	-	32.83	7.73	33.02

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.893G	68.13	88.20	-20.07	61.09	3	Horizontal	232	2.91	69	32.37	7.63	32.96
RMS	5.9122G	55.90	68.20	-12.30	48.83	3	Horizontal	232	2.91	69	32.40	7.64	32.97
PK	6.0722G	98.19	Inf	-Inf	90.95	3	Horizontal	232	2.91	69	32.56	7.69	33.01
RMS	6.0634G	87.95	Inf	-Inf	80.70	3	Horizontal	232	2.91	69	32.57	7.69	33.01

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05092G	60.04	74.00	-13.96	42.00	3	Vertical	147	1.80	60	39.30	11.14	32.40
AV	12.06742G	50.28	54.00	-3.72	32.22	3	Vertical	147	1.80	60	39.30	11.15	32.39

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.08596G	59.95	74.00	-14.05	41.87	3	Horizontal	312	1.80	60	39.30	11.15	32.37
AV	12.09747G	50.38	54.00	-3.62	32.28	3	Horizontal	312	1.80	60	39.30	11.16	32.36

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.30621G	53.78	83.54	-29.76	51.09	1	Vertical	148	1.94	-	37.50	15.28	50.09
AV	18.31053G	42.98	63.54	-20.56	40.30	1	Vertical	148	1.94	-	37.50	15.28	50.10

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX



EUT_Z_4TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3105G	53.36	83.54	-30.18	50.68	1	Horizontal	226	1.47	-	37.50	15.28	50.10
AV	18.30063G	42.86	63.54	-20.68	40.16	1	Horizontal	226	1.47	-	37.50	15.28	50.08