





Restrict Band NVNT ac20 5260MHz Ant1 Peak




Restrict Band NVNT ac20 5260MHz Ant1 Average






Restrict Band NVNT ac20 5320MHz Ant1 Peak




Restrict Band NVNT ac20 5320MHz Ant1 Average






Restrict Band NVNT ac40 5270MHz Ant1 Peak




Restrict Band NVNT ac40 5270MHz Ant1 Average






Restrict Band NVNT ac40 5310MHz Ant1 Peak




Restrict Band NVNT ac40 5310MHz Ant1 Average






Restrict Band NVNT ac80 5290MHz Ant1 Peak




Restrict Band NVNT ac80 5290MHz Ant1 Average






Restrict Band NVNT ac80 5290MHz Ant1 Peak



Restrict Band NVNT ac80 5290MHz Ant1 Average





Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5260	Ant2	4500	-50.21	2.88	-	47.90	Peak	68.2	Pass
NVNT	a	5260	Ant2	4500	-59.32	2.88	0.24	39.03	Average	54	Pass
NVNT	a	5260	Ant2	5074.86	-46.65	2.88	-	51.46	Peak	68.2	Pass
NVNT	a	5260	Ant2	5125.56	-56.98	2.88	0.24	41.37	Average	54	Pass
NVNT	a	5260	Ant2	5150	-48.68	2.88	-	49.43	Peak	68.2	Pass
NVNT	a	5260	Ant2	5150	-57.4	2.88	0.24	40.95	Average	54	Pass
NVNT	a	5320	Ant2	5350	-45.15	2.88	-	52.96	Peak	68.2	Pass
NVNT	a	5320	Ant2	5350	-56.33	2.88	0.24	42.02	Average	54	Pass
NVNT	a	5320	Ant2	5351.2	-44.85	2.88	-	53.26	Peak	68.2	Pass
NVNT	a	5320	Ant2	5350.2	-55.9	2.88	0.24	42.45	Average	54	Pass
NVNT	a	5320	Ant2	5460	-49.6	2.88	-	48.51	Peak	68.2	Pass
NVNT	a	5320	Ant2	5460	-58.39	2.88	0.24	39.96	Average	54	Pass
NVNT	n20	5260	Ant2	4500	-49.25	2.88	-	48.86	Peak	68.2	Pass
NVNT	n20	5260	Ant2	4500	-58.93	2.88	0.12	39.30	Average	54	Pass
NVNT	n20	5260	Ant2	5049.12	-46.22	2.88	-	51.89	Peak	68.2	Pass
NVNT	n20	5260	Ant2	5067.06	-56.98	2.88	0.12	41.25	Average	54	Pass
NVNT	n20	5260	Ant2	5150	-49.74	2.88	-	48.37	Peak	68.2	Pass
NVNT	n20	5260	Ant2	5150	-57.41	2.88	0.12	40.82	Average	54	Pass
NVNT	n20	5320	Ant2	5350	-45.92	2.88	-	52.19	Peak	68.2	Pass
NVNT	n20	5320	Ant2	5350	-55.48	2.88	0.12	42.75	Average	54	Pass
NVNT	n20	5320	Ant2	5353.2	-43.74	2.88	-	54.37	Peak	68.2	Pass
NVNT	n20	5320	Ant2	5350	-55.48	2.88	0.12	42.75	Average	54	Pass
NVNT	n20	5320	Ant2	5460	-50.02	2.88	-	48.09	Peak	68.2	Pass
NVNT	n20	5320	Ant2	5460	-57.62	2.88	0.12	40.61	Average	54	Pass
NVNT	n40	5270	Ant2	4500	-51.69	2.88	-	46.42	Peak	68.2	Pass
NVNT	n40	5270	Ant2	4500	-58.72	2.88	0.23	39.62	Average	54	Pass
NVNT	n40	5270	Ant2	5114.79	-46.54	2.88	-	51.57	Peak	68.2	Pass
NVNT	n40	5270	Ant2	5072.67	-56.86	2.88	0.23	41.48	Average	54	Pass
NVNT	n40	5270	Ant2	5150	-49.37	2.88	-	48.74	Peak	68.2	Pass
NVNT	n40	5270	Ant2	5150	-57.86	2.88	0.23	40.48	Average	54	Pass
NVNT	n40	5310	Ant2	5350	-46.27	2.88	-	51.84	Peak	68.2	Pass
NVNT	n40	5310	Ant2	5350	-55.48	2.88	0.23	42.86	Average	54	Pass
NVNT	n40	5310	Ant2	5352	-43.66	2.88	-	54.45	Peak	68.2	Pass
NVNT	n40	5310	Ant2	5350	-55.48	2.88	0.23	42.86	Average	54	Pass
NVNT	n40	5310	Ant2	5460	-51.38	2.88	-	46.73	Peak	68.2	Pass
NVNT	n40	5310	Ant2	5460	-57.3	2.88	0.23	41.04	Average	54	Pass
NVNT	ac20	5260	Ant2	4500	-51.73	2.88	-	46.38	Peak	68.2	Pass
NVNT	ac20	5260	Ant2	4500	-58.71	2.88	0.12	39.52	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac20	5260	Ant2	5138.04	-46.75	2.88	-	51.36	Peak	68.2	Pass
NVNT	ac20	5260	Ant2	5053.02	-57.02	2.88	0.12	41.21	Average	54	Pass
NVNT	ac20	5260	Ant2	5150	-48.6	2.88	-	49.51	Peak	68.2	Pass
NVNT	ac20	5260	Ant2	5150	-57.89	2.88	0.12	40.34	Average	54	Pass
NVNT	ac20	5320	Ant2	5350	-42.3	2.88	-	55.81	Peak	68.2	Pass
NVNT	ac20	5320	Ant2	5350	-55.57	2.88	0.12	42.66	Average	54	Pass
NVNT	ac20	5320	Ant2	5350	-42.3	2.88	-	55.81	Peak	68.2	Pass
NVNT	ac20	5320	Ant2	5351.8	-55.54	2.88	0.12	42.69	Average	54	Pass
NVNT	ac20	5320	Ant2	5460	-49.57	2.88	-	48.54	Peak	68.2	Pass
NVNT	ac20	5320	Ant2	5460	-58.02	2.88	0.12	40.21	Average	54	Pass
NVNT	ac40	5270	Ant2	4500	-50.18	2.88	-	47.93	Peak	68.2	Pass
NVNT	ac40	5270	Ant2	4500	-58.89	2.88	0.24	39.46	Average	54	Pass
NVNT	ac40	5270	Ant2	5034.6	-46.81	2.88	-	51.30	Peak	68.2	Pass
NVNT	ac40	5270	Ant2	4806.18	-56.78	2.88	0.24	41.57	Average	54	Pass
NVNT	ac40	5270	Ant2	5150	-51.03	2.88	-	47.08	Peak	68.2	Pass
NVNT	ac40	5270	Ant2	5150	-57.53	2.88	0.24	40.82	Average	54	Pass
NVNT	ac40	5310	Ant2	5350	-39.12	2.88	-	58.99	Peak	68.2	Pass
NVNT	ac40	5310	Ant2	5350	-55.89	2.88	0.24	42.46	Average	54	Pass
NVNT	ac40	5310	Ant2	5350	-39.12	2.88	-	58.99	Peak	68.2	Pass
NVNT	ac40	5310	Ant2	5350.2	-55.14	2.88	0.24	43.21	Average	54	Pass
NVNT	ac40	5310	Ant2	5460	-49.25	2.88	-	48.86	Peak	68.2	Pass
NVNT	ac40	5310	Ant2	5460	-58.3	2.88	0.24	40.05	Average	54	Pass
NVNT	ac80	5290	Ant2	4500	-50.81	2.88	-	47.30	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	4500	-59.16	2.88	0.25	39.20	Average	54	Pass
NVNT	ac80	5290	Ant2	5082.9	-45.41	2.88	-	52.70	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	5116.83	-55.81	2.88	0.25	42.55	Average	54	Pass
NVNT	ac80	5290	Ant2	5150	-47.26	2.88	-	50.85	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	5150	-56.3	2.88	0.25	42.06	Average	54	Pass
NVNT	ac80	5290	Ant2	5350	-43.63	2.88	-	54.48	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	5350	-55.22	2.88	0.25	43.14	Average	54	Pass
NVNT	ac80	5290	Ant2	5351.25	-43.6	2.88	-	54.51	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	5350	-55.22	2.88	0.25	43.14	Average	54	Pass
NVNT	ac80	5290	Ant2	5460	-49.29	2.88	-	48.82	Peak	68.2	Pass
NVNT	ac80	5290	Ant2	5460	-57.88	2.88	0.25	40.48	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5260MHz Ant2 Peak




Restrict Band NVNT a 5260MHz Ant2 Average






Restrict Band NVNT a 5320MHz Ant2 Peak




Restrict Band NVNT a 5320MHz Ant2 Average






Restrict Band NVNT n20 5260MHz Ant2 Peak




Restrict Band NVNT n20 5260MHz Ant2 Average






Restrict Band NVNT n20 5320MHz Ant2 Peak




Restrict Band NVNT n20 5320MHz Ant2 Average






Restrict Band NVNT n40 5270MHz Ant2 Peak




Restrict Band NVNT n40 5270MHz Ant2 Average






Restrict Band NVNT n40 5310MHz Ant2 Peak




Restrict Band NVNT n40 5310MHz Ant2 Average






Restrict Band NVNT ac20 5260MHz Ant2 Peak



Restrict Band NVNT ac20 5260MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5320MHz Ant2 Peak




Restrict Band NVNT ac20 5320MHz Ant2 Average






Restrict Band NVNT ac40 5270MHz Ant2 Peak




Restrict Band NVNT ac40 5270MHz Ant2 Average






Restrict Band NVNT ac40 5310MHz Ant2 Peak




Restrict Band NVNT ac40 5310MHz Ant2 Average






Restrict Band NVNT ac80 5290MHz Ant2 Peak



Restrict Band NVNT ac80 5290MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac80 5290MHz Ant2 Peak



Restrict Band NVNT ac80 5290MHz Ant2 Average





MIMO

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Ant1 Power (dBm)	Ant2 Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	5260	4500	-50.46	-49.25	6.00	54.42	Peak	68.2	Pass
NVNT	n20	5260	4500	-59.02	-58.93	6.00	45.26	Average	54	Pass
NVNT	n20	5260	5025.72	-46.79	-46.22	6.00	57.74	Peak	68.2	Pass
NVNT	n20	5260	5052.24	-57.05	-56.98	6.00	47.22	Average	54	Pass
NVNT	n20	5260	5150	-49.87	-49.74	6.00	54.43	Peak	68.2	Pass
NVNT	n20	5260	5150	-57.69	-57.41	6.00	46.69	Average	54	Pass
NVNT	n20	5320	5350	-45.47	-45.92	6.00	58.55	Peak	68.2	Pass
NVNT	n20	5320	5350	-55.75	-55.48	6.00	48.62	Average	54	Pass
NVNT	n20	5320	5351.8	-41.56	-43.74	6.00	61.72	Peak	68.2	Pass
NVNT	n20	5320	5350.4	-55.68	-55.48	6.00	48.66	Average	54	Pass
NVNT	n20	5320	5460	-49.87	-50.02	6.00	54.29	Peak	68.2	Pass
NVNT	n20	5320	5460	-57.97	-57.62	6.00	46.45	Average	54	Pass
NVNT	n40	5270	4500	-51.97	-51.69	6.00	52.41	Peak	68.2	Pass
NVNT	n40	5270	4500	-59.13	-58.72	6.00	45.32	Average	54	Pass
NVNT	n40	5270	4973.04	-46.26	-46.54	6.00	57.84	Peak	68.2	Pass
NVNT	n40	5270	4806.99	-56.69	-56.86	6.00	47.46	Average	54	Pass
NVNT	n40	5270	5150	-50.16	-49.37	6.00	54.49	Peak	68.2	Pass
NVNT	n40	5270	5150	-57.39	-57.86	6.00	46.62	Average	54	Pass
NVNT	n40	5310	5350	-45.54	-46.27	6.00	58.35	Peak	68.2	Pass
NVNT	n40	5310	5350	-55.83	-55.48	6.00	48.59	Average	54	Pass
NVNT	n40	5310	5353	-42.12	-43.66	6.00	61.42	Peak	68.2	Pass
NVNT	n40	5310	5351.2	-55.37	-55.48	6.00	48.81	Average	54	Pass
NVNT	n40	5310	5460	-50.67	-51.38	6.00	53.23	Peak	68.2	Pass
NVNT	n40	5310	5460	-57.61	-57.3	6.00	46.79	Average	54	Pass
NVNT	ac20	5260	4500	-50.06	-51.73	6.00	53.42	Peak	68.2	Pass
NVNT	ac20	5260	4500	-58.98	-58.71	6.00	45.39	Average	54	Pass
NVNT	ac20	5260	5042.1	-47.41	-46.75	6.00	57.17	Peak	68.2	Pass
NVNT	ac20	5260	5084.22	-56.85	-57.02	6.00	47.30	Average	54	Pass
NVNT	ac20	5260	5150	-49.43	-48.6	6.00	55.24	Peak	68.2	Pass
NVNT	ac20	5260	5150	-57.59	-57.89	6.00	46.50	Average	54	Pass
NVNT	ac20	5320	5350	-45.11	-42.3	6.00	60.76	Peak	68.2	Pass
NVNT	ac20	5320	5350	-55.6	-55.57	6.00	48.65	Average	54	Pass
NVNT	ac20	5320	5350.4	-41.08	-42.3	6.00	62.59	Peak	68.2	Pass
NVNT	ac20	5320	5350.2	-55.55	-55.54	6.00	48.69	Average	54	Pass
NVNT	ac20	5320	5460	-48.9	-49.57	6.00	55.02	Peak	68.2	Pass
NVNT	ac20	5320	5460	-58.02	-58.02	6.00	46.22	Average	54	Pass
NVNT	ac40	5310	4500	-49.99	-50.18	6.00	54.15	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



NVNT	ac40	5310	4500	-58.67	-58.89	6.00	45.46	Average	54	Pass
NVNT	ac40	5310	5073.48	-47.01	-46.81	6.00	57.33	Peak	68.2	Pass
NVNT	ac40	5310	4806.99	-56.58	-56.78	6.00	47.56	Average	54	Pass
NVNT	ac40	5310	5150	-49.23	-51.03	6.00	54.20	Peak	68.2	Pass
NVNT	ac40	5310	5150	-57.74	-57.53	6.00	46.60	Average	54	Pass
NVNT	ac40	5310	5350	-40.33	-39.12	6.00	64.55	Peak	68.2	Pass
NVNT	ac40	5310	5350	-55.59	-55.89	6.00	48.50	Average	54	Pass
NVNT	ac40	5310	5350.6	-39.71	-39.12	6.00	64.83	Peak	68.2	Pass
NVNT	ac40	5310	5350.2	-54.96	-55.14	6.00	49.19	Average	54	Pass
NVNT	ac40	5310	5460	-50.26	-49.25	6.00	54.51	Peak	68.2	Pass
NVNT	ac40	5310	5460	-58.09	-58.3	6.00	46.04	Average	54	Pass
NVNT	ac80	5290	4500	-51.33	-50.81	6.00	53.18	Peak	68.2	Pass
NVNT	ac80	5290	4500	-58.9	-59.16	6.00	45.21	Average	54	Pass
NVNT	ac80	5290	5094.21	-45.97	-45.41	6.00	58.56	Peak	68.2	Pass
NVNT	ac80	5290	5149.89	-55.75	-55.81	6.00	48.46	Average	54	Pass
NVNT	ac80	5290	5150	-47.49	-47.26	6.00	56.86	Peak	68.2	Pass
NVNT	ac80	5290	5150	-55.75	-56.3	6.00	48.22	Average	54	Pass
NVNT	ac80	5290	5350	-44.38	-43.63	6.00	60.25	Peak	68.2	Pass
NVNT	ac80	5290	5350	-55.05	-55.22	6.00	49.10	Average	54	Pass
NVNT	ac80	5290	5350.5	-43.43	-43.6	6.00	60.72	Peak	68.2	Pass
NVNT	ac80	5290	5350	-55.05	-55.22	6.00	49.10	Average	54	Pass
NVNT	ac80	5290	5460	-51.12	-49.29	6.00	54.13	Peak	68.2	Pass
NVNT	ac80	5290	5460	-58.08	-57.88	6.00	46.26	Average	54	Pass





Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5260	Ant3	4500	-50.52	2.88	-	47.59	Peak	68.2	Pass
NVNT	a	5260	Ant3	4500	-59.41	2.88	0.24	38.94	Average	54	Pass
NVNT	a	5260	Ant3	5061.6	-46.92	2.88	-	51.19	Peak	68.2	Pass
NVNT	a	5260	Ant3	5064.72	-56.82	2.88	0.24	41.53	Average	54	Pass
NVNT	a	5260	Ant3	5150	-48.36	2.88	-	49.75	Peak	68.2	Pass
NVNT	a	5260	Ant3	5150	-57.29	2.88	0.24	41.06	Average	54	Pass
NVNT	a	5320	Ant3	5350	-46.24	2.88	-	51.87	Peak	68.2	Pass
NVNT	a	5320	Ant3	5350	-56.66	2.88	0.24	41.69	Average	54	Pass
NVNT	a	5320	Ant3	5350.6	-44.11	2.88	-	54.00	Peak	68.2	Pass
NVNT	a	5320	Ant3	5352.2	-56.13	2.88	0.24	42.22	Average	54	Pass
NVNT	a	5320	Ant3	5460	-49.17	2.88	-	48.94	Peak	68.2	Pass
NVNT	a	5320	Ant3	5460	-58.62	2.88	0.24	39.73	Average	54	Pass
NVNT	n20	5260	Ant3	4500	-51.33	2.88	-	46.78	Peak	68.2	Pass
NVNT	n20	5260	Ant3	4500	-58.93	2.88	0.12	39.30	Average	54	Pass
NVNT	n20	5260	Ant3	5070.96	-46.57	2.88	-	51.54	Peak	68.2	Pass
NVNT	n20	5260	Ant3	5106.84	-57	2.88	0.12	41.23	Average	54	Pass
NVNT	n20	5260	Ant3	5150	-50.37	2.88	-	47.74	Peak	68.2	Pass
NVNT	n20	5260	Ant3	5150	-57.89	2.88	0.12	40.34	Average	54	Pass
NVNT	n20	5320	Ant3	5350	-41.58	2.88	-	56.53	Peak	68.2	Pass
NVNT	n20	5320	Ant3	5350	-55.82	2.88	0.12	42.41	Average	54	Pass
NVNT	n20	5320	Ant3	5350	-41.58	2.88	-	56.53	Peak	68.2	Pass
NVNT	n20	5320	Ant3	5352.2	-55.26	2.88	0.12	42.97	Average	54	Pass
NVNT	n20	5320	Ant3	5460	-49.72	2.88	-	48.39	Peak	68.2	Pass
NVNT	n20	5320	Ant3	5460	-58.38	2.88	0.12	39.85	Average	54	Pass
NVNT	n40	5270	Ant3	4500	-50.7	2.88	-	47.41	Peak	68.2	Pass
NVNT	n40	5270	Ant3	4500	-58.6	2.88	0.23	39.74	Average	54	Pass
NVNT	n40	5270	Ant3	5086.44	-46.62	2.88	-	51.49	Peak	68.2	Pass
NVNT	n40	5270	Ant3	4807.8	-56.8	2.88	0.23	41.54	Average	54	Pass
NVNT	n40	5270	Ant3	5150	-48.52	2.88	-	49.59	Peak	68.2	Pass
NVNT	n40	5270	Ant3	5150	-57.96	2.88	0.23	40.38	Average	54	Pass
NVNT	n40	5310	Ant3	5350	-39.5	2.88	-	58.61	Peak	68.2	Pass
NVNT	n40	5310	Ant3	5350	-55.75	2.88	0.23	42.59	Average	54	Pass
NVNT	n40	5310	Ant3	5350	-39.5	2.88	-	58.61	Peak	68.2	Pass
NVNT	n40	5310	Ant3	5350	-55.75	2.88	0.23	42.59	Average	54	Pass
NVNT	n40	5310	Ant3	5460	-50.53	2.88	-	47.58	Peak	68.2	Pass
NVNT	n40	5310	Ant3	5460	-58.03	2.88	0.23	40.31	Average	54	Pass
NVNT	ac20	5260	Ant3	4500	-50.06	2.88	-	48.05	Peak	68.2	Pass
NVNT	ac20	5260	Ant3	4500	-58.88	2.88	0.12	39.35	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac20	5260	Ant3	5028.84	-46.84	2.88	-	51.27	Peak	68.2	Pass
NVNT	ac20	5260	Ant3	5089.68	-56.92	2.88	0.12	41.31	Average	54	Pass
NVNT	ac20	5260	Ant3	5150	-49.34	2.88	-	48.77	Peak	68.2	Pass
NVNT	ac20	5260	Ant3	5150	-57.48	2.88	0.12	40.75	Average	54	Pass
NVNT	ac20	5320	Ant3	5350	-45.31	2.88	-	52.80	Peak	68.2	Pass
NVNT	ac20	5320	Ant3	5350	-56.27	2.88	0.12	41.96	Average	54	Pass
NVNT	ac20	5320	Ant3	5350.4	-42.78	2.88	-	55.33	Peak	68.2	Pass
NVNT	ac20	5320	Ant3	5350.8	-55.79	2.88	0.12	42.44	Average	54	Pass
NVNT	ac20	5320	Ant3	5460	-49.76	2.88	-	48.35	Peak	68.2	Pass
NVNT	ac20	5320	Ant3	5460	-58.13	2.88	0.12	40.10	Average	54	Pass
NVNT	ac40	5270	Ant3	4500	-51.61	2.88	-	46.50	Peak	68.2	Pass
NVNT	ac40	5270	Ant3	4500	-59.02	2.88	0.24	39.33	Average	54	Pass
NVNT	ac40	5270	Ant3	4807.8	-46.41	2.88	-	51.70	Peak	68.2	Pass
NVNT	ac40	5270	Ant3	5112.36	-56.88	2.88	0.24	41.47	Average	54	Pass
NVNT	ac40	5270	Ant3	5150	-48.45	2.88	-	49.66	Peak	68.2	Pass
NVNT	ac40	5270	Ant3	5150	-57.32	2.88	0.24	41.03	Average	54	Pass
NVNT	ac40	5310	Ant3	5350	-43.05	2.88	-	55.06	Peak	68.2	Pass
NVNT	ac40	5310	Ant3	5350	-55.66	2.88	0.24	42.69	Average	54	Pass
NVNT	ac40	5310	Ant3	5352	-41.52	2.88	-	56.59	Peak	68.2	Pass
NVNT	ac40	5310	Ant3	5350.6	-55.29	2.88	0.24	43.06	Average	54	Pass
NVNT	ac40	5310	Ant3	5460	-49.38	2.88	-	48.73	Peak	68.2	Pass
NVNT	ac40	5310	Ant3	5460	-58.32	2.88	0.24	40.03	Average	54	Pass
NVNT	ac80	5290	Ant3	4500	-49	2.88	-	49.11	Peak	68.2	Pass
NVNT	ac80	5290	Ant3	4500	-59.2	2.88	0.47	39.38	Average	54	Pass
NVNT	ac80	5290	Ant3	5051.58	-46.59	2.88	-	51.52	Peak	68.2	Pass
NVNT	ac80	5290	Ant3	5149.02	-56.02	2.88	0.47	42.56	Average	54	Pass
NVNT	ac80	5290	Ant3	5150	-47.9	2.88	-	50.21	Peak	68.2	Pass
NVNT	ac80	5290	Ant3	5150	-56.2	2.88	0.47	42.38	Average	54	Pass
NVNT	ac80	5290	Ant3	5350	-41.2	2.88	-	56.91	Peak	68.2	Pass
NVNT	ac80	5290	Ant3	5350	-56.04	2.88	0.47	42.54	Average	54	Pass
NVNT	ac80	5290	Ant3	5350	-41.2	2.88	-	56.91	Peak	68.2	Pass
NVNT	ac80	5290	Ant3	5350.75	-54.97	2.88	0.47	43.61	Average	54	Pass
NVNT	ac80	5290	Ant3	5460	-48.79	2.88	-	49.32	Peak	68.2	Pass
NVNT	ac80	5290	Ant3	5460	-57.84	2.88	0.47	40.74	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5260MHz Ant3 Peak




Restrict Band NVNT a 5260MHz Ant3 Average






Restrict Band NVNT a 5320MHz Ant3 Peak




Restrict Band NVNT a 5320MHz Ant3 Average






Restrict Band NVNT n20 5260MHz Ant3 Peak




Restrict Band NVNT n20 5260MHz Ant3 Average






Restrict Band NVNT n20 5320MHz Ant3 Peak




Restrict Band NVNT n20 5320MHz Ant3 Average






Restrict Band NVNT n40 5270MHz Ant3 Peak




Restrict Band NVNT n40 5270MHz Ant3 Average






Restrict Band NVNT n40 5310MHz Ant3 Peak




Restrict Band NVNT n40 5310MHz Ant3 Average






Restrict Band NVNT ac20 5260MHz Ant3 Peak




Restrict Band NVNT ac20 5260MHz Ant3 Average






Restrict Band NVNT ac20 5320MHz Ant3 Peak




Restrict Band NVNT ac20 5320MHz Ant3 Average






Restrict Band NVNT ac40 5270MHz Ant3 Peak




Restrict Band NVNT ac40 5270MHz Ant3 Average






Restrict Band NVNT ac40 5310MHz Ant3 Peak




Restrict Band NVNT ac40 5310MHz Ant3 Average






Restrict Band NVNT ac80 5290MHz Ant3 Peak




Restrict Band NVNT ac80 5290MHz Ant3 Average






Restrict Band NVNT ac80 5290MHz Ant3 Peak



Restrict Band NVNT ac80 5290MHz Ant3 Average





Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5260	Ant4	4500	-50.67	2.88	-	47.44	Peak	68.2	Pass
NVNT	a	5260	Ant4	4500	-59.02	2.88	0.24	39.33	Average	54	Pass
NVNT	a	5260	Ant4	4994.52	-46.69	2.88	-	51.42	Peak	68.2	Pass
NVNT	a	5260	Ant4	5083.44	-56.87	2.88	0.24	41.48	Average	54	Pass
NVNT	a	5260	Ant4	5150	-49.85	2.88	-	48.26	Peak	68.2	Pass
NVNT	a	5260	Ant4	5150	-57.02	2.88	0.24	41.33	Average	54	Pass
NVNT	a	5320	Ant4	5350	-45.89	2.88	-	52.22	Peak	68.2	Pass
NVNT	a	5320	Ant4	5350	-56.39	2.88	0.24	41.96	Average	54	Pass
NVNT	a	5320	Ant4	5350.8	-44.7	2.88	-	53.41	Peak	68.2	Pass
NVNT	a	5320	Ant4	5350.8	-56.27	2.88	0.24	42.08	Average	54	Pass
NVNT	a	5320	Ant4	5460	-50.15	2.88	-	47.96	Peak	68.2	Pass
NVNT	a	5320	Ant4	5460	-58.01	2.88	0.24	40.34	Average	54	Pass
NVNT	n20	5260	Ant4	4500	-50.75	2.88	-	47.36	Peak	68.2	Pass
NVNT	n20	5260	Ant4	4500	-59.08	2.88	0.12	39.15	Average	54	Pass
NVNT	n20	5260	Ant4	5023.38	-46.61	2.88	-	51.50	Peak	68.2	Pass
NVNT	n20	5260	Ant4	5022.6	-56.98	2.88	0.12	41.25	Average	54	Pass
NVNT	n20	5260	Ant4	5150	-49.17	2.88	-	48.94	Peak	68.2	Pass
NVNT	n20	5260	Ant4	5150	-57.8	2.88	0.12	40.43	Average	54	Pass
NVNT	n20	5320	Ant4	5350	-43.08	2.88	-	55.03	Peak	68.2	Pass
NVNT	n20	5320	Ant4	5350	-55.09	2.88	0.12	43.14	Average	54	Pass
NVNT	n20	5320	Ant4	5351.4	-42.59	2.88	-	55.52	Peak	68.2	Pass
NVNT	n20	5320	Ant4	5350	-55.09	2.88	0.12	43.14	Average	54	Pass
NVNT	n20	5320	Ant4	5460	-50.54	2.88	-	47.57	Peak	68.2	Pass
NVNT	n20	5320	Ant4	5460	-58.32	2.88	0.12	39.91	Average	54	Pass
NVNT	n40	5270	Ant4	4500	-50.81	2.88	-	47.30	Peak	68.2	Pass
NVNT	n40	5270	Ant4	4500	-59.78	2.88	0.24	38.57	Average	54	Pass
NVNT	n40	5270	Ant4	5113.98	-45.84	2.88	-	52.27	Peak	68.2	Pass
NVNT	n40	5270	Ant4	4806.18	-56.73	2.88	0.24	41.62	Average	54	Pass
NVNT	n40	5270	Ant4	5150	-47.31	2.88	-	50.80	Peak	68.2	Pass
NVNT	n40	5270	Ant4	5150	-58.02	2.88	0.24	40.33	Average	54	Pass
NVNT	n40	5310	Ant4	5350	-46.37	2.88	-	51.74	Peak	68.2	Pass
NVNT	n40	5310	Ant4	5350	-55.73	2.88	0.24	42.62	Average	54	Pass
NVNT	n40	5310	Ant4	5352.2	-44.63	2.88	-	53.48	Peak	68.2	Pass
NVNT	n40	5310	Ant4	5350.4	-55.64	2.88	0.24	42.71	Average	54	Pass
NVNT	n40	5310	Ant4	5460	-47.98	2.88	-	50.13	Peak	68.2	Pass
NVNT	n40	5310	Ant4	5460	-58.11	2.88	0.24	40.24	Average	54	Pass
NVNT	ac20	5260	Ant4	4500	-50	2.88	-	48.11	Peak	68.2	Pass
NVNT	ac20	5260	Ant4	4500	-59.29	2.88	0.12	38.94	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



NVNT	ac20	5260	Ant4	5070.96	-47.02	2.88	-	51.09	Peak	68.2	Pass
NVNT	ac20	5260	Ant4	5110.74	-56.87	2.88	0.12	41.36	Average	54	Pass
NVNT	ac20	5260	Ant4	5150	-47.96	2.88	-	50.15	Peak	68.2	Pass
NVNT	ac20	5260	Ant4	5150	-57.48	2.88	0.12	40.75	Average	54	Pass
NVNT	ac20	5320	Ant4	5350	-44.18	2.88	-	53.93	Peak	68.2	Pass
NVNT	ac20	5320	Ant4	5350	-55.59	2.88	0.12	42.64	Average	54	Pass
NVNT	ac20	5320	Ant4	5352.8	-42.55	2.88	-	55.56	Peak	68.2	Pass
NVNT	ac20	5320	Ant4	5350	-55.59	2.88	0.12	42.64	Average	54	Pass
NVNT	ac20	5320	Ant4	5460	-49.24	2.88	-	48.87	Peak	68.2	Pass
NVNT	ac20	5320	Ant4	5460	-57.97	2.88	0.12	40.26	Average	54	Pass
NVNT	ac40	5270	Ant4	4500	-51.62	2.88	-	46.49	Peak	68.2	Pass
NVNT	ac40	5270	Ant4	4500	-59.24	2.88	0.24	39.11	Average	54	Pass
NVNT	ac40	5270	Ant4	5112.36	-45.94	2.88	-	52.17	Peak	68.2	Pass
NVNT	ac40	5270	Ant4	4772.97	-56.91	2.88	0.24	41.44	Average	54	Pass
NVNT	ac40	5270	Ant4	5150	-48.71	2.88	-	49.40	Peak	68.2	Pass
NVNT	ac40	5270	Ant4	5150	-57.77	2.88	0.24	40.58	Average	54	Pass
NVNT	ac40	5310	Ant4	5350	-46.65	2.88	-	51.46	Peak	68.2	Pass
NVNT	ac40	5310	Ant4	5350	-55.79	2.88	0.24	42.56	Average	54	Pass
NVNT	ac40	5310	Ant4	5351	-42.45	2.88	-	55.66	Peak	68.2	Pass
NVNT	ac40	5310	Ant4	5350.6	-55.16	2.88	0.24	43.19	Average	54	Pass
NVNT	ac40	5310	Ant4	5460	-50.62	2.88	-	47.49	Peak	68.2	Pass
NVNT	ac40	5310	Ant4	5460	-57.96	2.88	0.24	40.39	Average	54	Pass
NVNT	ac80	5290	Ant4	4500	-48.96	2.88	-	49.15	Peak	68.2	Pass
NVNT	ac80	5290	Ant4	4500	-58.5	2.88	0.25	39.86	Average	54	Pass
NVNT	ac80	5290	Ant4	5144.67	-45.97	2.88	-	52.14	Peak	68.2	Pass
NVNT	ac80	5290	Ant4	5149.89	-55.93	2.88	0.25	42.43	Average	54	Pass
NVNT	ac80	5290	Ant4	5150	-47.1	2.88	-	51.01	Peak	68.2	Pass
NVNT	ac80	5290	Ant4	5150	-55.93	2.88	0.25	42.43	Average	54	Pass
NVNT	ac80	5290	Ant4	5350	-43.45	2.88	-	54.66	Peak	68.2	Pass
NVNT	ac80	5290	Ant4	5350	-56.15	2.88	0.25	42.21	Average	54	Pass
NVNT	ac80	5290	Ant4	5350.25	-41.64	2.88	-	56.47	Peak	68.2	Pass
NVNT	ac80	5290	Ant4	5350.75	-55.18	2.88	0.25	43.18	Average	54	Pass
NVNT	ac80	5290	Ant4	5460	-50.92	2.88	-	47.19	Peak	68.2	Pass
NVNT	ac80	5290	Ant4	5460	-58.09	2.88	0.25	40.27	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5260MHz Ant4 Peak




Restrict Band NVNT a 5260MHz Ant4 Average






Restrict Band NVNT a 5320MHz Ant4 Peak




Restrict Band NVNT a 5320MHz Ant4 Average






Restrict Band NVNT n20 5260MHz Ant4 Peak



Restrict Band NVNT n20 5260MHz Ant4 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5320MHz Ant4 Peak




Restrict Band NVNT n20 5320MHz Ant4 Average






Restrict Band NVNT n40 5270MHz Ant4 Peak




Restrict Band NVNT n40 5270MHz Ant4 Average






Restrict Band NVNT n40 5310MHz Ant4 Peak




Restrict Band NVNT n40 5310MHz Ant4 Average






Restrict Band NVNT ac20 5260MHz Ant4 Peak




Restrict Band NVNT ac20 5260MHz Ant4 Average






Restrict Band NVNT ac20 5320MHz Ant4 Peak




Restrict Band NVNT ac20 5320MHz Ant4 Average






Restrict Band NVNT ac40 5270MHz Ant4 Peak




Restrict Band NVNT ac40 5270MHz Ant4 Average






Restrict Band NVNT ac40 5310MHz Ant4 Peak




Restrict Band NVNT ac40 5310MHz Ant4 Average






Restrict Band NVNT ac80 5290MHz Ant4 Peak




Restrict Band NVNT ac80 5290MHz Ant4 Average






Restrict Band NVNT ac80 5290MHz Ant4 Peak



Restrict Band NVNT ac80 5290MHz Ant4 Average



**MIMO**

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Ant3 Power (dBm)	Ant4 Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	5260	4500	-51.33	-50.75	6.00	53.21	Peak	68.2	Pass
NVNT	n20	5260	4500	-58.93	-59.08	6.00	45.23	Average	54	Pass
NVNT	n20	5260	5025.72	-46.57	-46.61	6.00	57.65	Peak	68.2	Pass
NVNT	n20	5260	5052.24	-57	-56.98	6.00	47.25	Average	54	Pass
NVNT	n20	5260	5150	-50.37	-49.17	6.00	54.51	Peak	68.2	Pass
NVNT	n20	5260	5150	-57.89	-57.8	6.00	46.39	Average	54	Pass
NVNT	n20	5320	5350	-41.58	-43.08	6.00	61.97	Peak	68.2	Pass
NVNT	n20	5320	5350	-55.82	-55.09	6.00	48.80	Average	54	Pass
NVNT	n20	5320	5351.8	-41.58	-42.59	6.00	62.18	Peak	68.2	Pass
NVNT	n20	5320	5350.4	-55.26	-55.09	6.00	49.06	Average	54	Pass
NVNT	n20	5320	5460	-49.72	-50.54	6.00	54.13	Peak	68.2	Pass
NVNT	n20	5320	5460	-58.38	-58.32	6.00	45.89	Average	54	Pass
NVNT	n40	5270	4500	-50.7	-50.81	6.00	53.48	Peak	68.2	Pass
NVNT	n40	5270	4500	-58.6	-59.78	6.00	45.09	Average	54	Pass
NVNT	n40	5270	4973.04	-46.62	-45.84	6.00	58.03	Peak	68.2	Pass
NVNT	n40	5270	4806.99	-56.8	-56.73	6.00	47.47	Average	54	Pass
NVNT	n40	5270	5150	-48.52	-47.31	6.00	56.36	Peak	68.2	Pass
NVNT	n40	5270	5150	-57.96	-58.02	6.00	46.25	Average	54	Pass
NVNT	n40	5310	5350	-39.5	-46.37	6.00	62.54	Peak	68.2	Pass
NVNT	n40	5310	5350	-55.75	-55.73	6.00	48.50	Average	54	Pass
NVNT	n40	5310	5353	-39.5	-44.63	6.00	62.89	Peak	68.2	Pass
NVNT	n40	5310	5351.2	-55.75	-55.64	6.00	48.54	Average	54	Pass
NVNT	n40	5310	5460	-50.53	-47.98	6.00	55.17	Peak	68.2	Pass
NVNT	n40	5310	5460	-58.03	-58.11	6.00	46.17	Average	54	Pass
NVNT	ac20	5260	4500	-50.06	-50	6.00	54.21	Peak	68.2	Pass
NVNT	ac20	5260	4500	-58.88	-59.29	6.00	45.16	Average	54	Pass
NVNT	ac20	5260	5042.1	-46.84	-47.02	6.00	57.31	Peak	68.2	Pass
NVNT	ac20	5260	5084.22	-56.92	-56.87	6.00	47.34	Average	54	Pass
NVNT	ac20	5260	5150	-49.34	-47.96	6.00	55.64	Peak	68.2	Pass
NVNT	ac20	5260	5150	-57.48	-57.48	6.00	46.76	Average	54	Pass
NVNT	ac20	5320	5350	-45.31	-44.18	6.00	59.53	Peak	68.2	Pass
NVNT	ac20	5320	5350	-56.27	-55.59	6.00	48.32	Average	54	Pass
NVNT	ac20	5320	5350.4	-42.78	-42.55	6.00	61.57	Peak	68.2	Pass
NVNT	ac20	5320	5350.2	-55.79	-55.59	6.00	48.55	Average	54	Pass
NVNT	ac20	5320	5460	-49.76	-49.24	6.00	54.75	Peak	68.2	Pass
NVNT	ac20	5320	5460	-58.13	-57.97	6.00	46.19	Average	54	Pass
NVNT	ac40	5310	4500	-51.61	-51.62	6.00	52.62	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac40	5310	4500	-59.02	-59.24	6.00	45.11	Average	54	Pass
NVNT	ac40	5310	5073.48	-46.41	-45.94	6.00	58.07	Peak	68.2	Pass
NVNT	ac40	5310	4806.99	-56.88	-56.91	6.00	47.34	Average	54	Pass
NVNT	ac40	5310	5150	-48.45	-48.71	6.00	55.66	Peak	68.2	Pass
NVNT	ac40	5310	5150	-57.32	-57.77	6.00	46.70	Average	54	Pass
NVNT	ac40	5310	5350	-43.05	-46.65	6.00	59.75	Peak	68.2	Pass
NVNT	ac40	5310	5350	-55.66	-55.79	6.00	48.51	Average	54	Pass
NVNT	ac40	5310	5350.6	-41.52	-42.45	6.00	62.28	Peak	68.2	Pass
NVNT	ac40	5310	5350.2	-55.29	-55.16	6.00	49.01	Average	54	Pass
NVNT	ac40	5310	5460	-49.38	-50.62	6.00	54.28	Peak	68.2	Pass
NVNT	ac40	5310	5460	-58.32	-57.96	6.00	46.10	Average	54	Pass
NVNT	ac80	5290	4500	-49	-48.96	6.00	55.26	Peak	68.2	Pass
NVNT	ac80	5290	4500	-59.2	-58.5	6.00	45.40	Average	54	Pass
NVNT	ac80	5290	5094.21	-46.59	-45.97	6.00	57.97	Peak	68.2	Pass
NVNT	ac80	5290	5149.89	-56.02	-55.93	6.00	48.26	Average	54	Pass
NVNT	ac80	5290	5150	-47.9	-47.1	6.00	56.76	Peak	68.2	Pass
NVNT	ac80	5290	5150	-56.2	-55.93	6.00	48.17	Average	54	Pass
NVNT	ac80	5290	5350	-41.2	-43.45	6.00	62.06	Peak	68.2	Pass
NVNT	ac80	5290	5350	-56.04	-56.15	6.00	48.14	Average	54	Pass
NVNT	ac80	5290	5350.5	-41.2	-41.64	6.00	62.82	Peak	68.2	Pass
NVNT	ac80	5290	5350	-54.97	-55.18	6.00	49.16	Average	54	Pass
NVNT	ac80	5290	5460	-48.79	-50.92	6.00	54.51	Peak	68.2	Pass
NVNT	ac80	5290	5460	-57.84	-58.09	6.00	46.27	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



E.5 Frequency Stability


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5260	Ant1	5259.98	-20000	-3.8	25	Pass
NVNT	a	5300	Ant1	5300	0	0	25	Pass
NVNT	a	5320	Ant1	5319.98	-20000	-3.76	25	Pass
NVNT	n20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
NVNT	n20	5300	Ant1	5299.98	-20000	-3.77	25	Pass
NVNT	n20	5320	Ant1	5319.98	-20000	-3.76	25	Pass
NVNT	n40	5270	Ant1	5270	0	0	25	Pass
NVNT	n40	5310	Ant1	5310	0	0	25	Pass
NVNT	ac20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
NVNT	ac20	5300	Ant1	5300	0	0	25	Pass
NVNT	ac20	5320	Ant1	5320	0	0	25	Pass
NVNT	ac40	5270	Ant1	5270	0	0	25	Pass
NVNT	ac40	5310	Ant1	5310	0	0	25	Pass
NVNT	ac80	5290	Ant1	5290	0	0	25	Pass






Test Graphs

Freq. Stability NVNT a 5260MHz Ant1




Freq. Stability NVNT a 5300MHz Ant1






Freq. Stability NVNT a 5320MHz Ant1




Freq. Stability NVNT n20 5260MHz Ant1






Freq. Stability NVNT n20 5300MHz Ant1




Freq. Stability NVNT n20 5320MHz Ant1






Freq. Stability NVNT n40 5270MHz Ant1




Freq. Stability NVNT n40 5310MHz Ant1






Freq. Stability NVNT ac20 5260MHz Ant1




Freq. Stability NVNT ac20 5300MHz Ant1








Freq. Stability NVNT ac20 5320MHz Ant1



Freq. Stability NVNT ac40 5270MHz Ant1








Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5260	Ant2	5259.98	-20000	-3.8	25	Pass
NVNT	a	5300	Ant2	5300	0	0	25	Pass
NVNT	a	5320	Ant2	5319.98	-20000	-3.76	25	Pass
NVNT	n20	5260	Ant2	5259.98	-20000	-3.8	25	Pass
NVNT	n20	5300	Ant2	5299.98	-20000	-3.77	25	Pass
NVNT	n20	5320	Ant2	5319.98	-20000	-3.76	25	Pass
NVNT	n40	5270	Ant2	5270	0	0	25	Pass
NVNT	n40	5310	Ant2	5309.96	-40000	-7.53	25	Pass
NVNT	ac20	5260	Ant2	5260	0	0	25	Pass
NVNT	ac20	5300	Ant2	5299.98	-20000	-3.77	25	Pass
NVNT	ac20	5320	Ant2	5319.96	-40000	-7.52	25	Pass
NVNT	ac40	5270	Ant2	5270	0	0	25	Pass
NVNT	ac40	5310	Ant2	5310	0	0	25	Pass
NVNT	ac80	5290	Ant2	5290	0	0	25	Pass






Test Graphs

Freq. Stability NVNT a 5260MHz Ant2




Freq. Stability NVNT a 5300MHz Ant2






Freq. Stability NVNT a 5320MHz Ant2



Freq. Stability NVNT n20 5260MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Freq. Stability NVNT n20 5300MHz Ant2




Freq. Stability NVNT n20 5320MHz Ant2





Freq. Stability NVNT n40 5270MHz Ant2



Freq. Stability NVNT n40 5310MHz Ant2

