

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 Test Result

### 1.1.1 BandII\_EIRP

Band: II									
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
	Network	Subset				Result	Limit		
NTNV	RMC	12.2kbps RMC	1852.4	24.59	-3.00	21.59	<=33.01	Pass	
			1880	24.35	-3.00	21.35	<=33.01	Pass	
			1907.6	24.33	-3.00	21.33	<=33.01	Pass	
	HSDPA	Subtest 1	1852.4	22.92	-3.00	19.92	<=33.01	Pass	
		Subtest 2	1852.4	22.85	-3.00	19.85	<=33.01	Pass	
		Subtest 3	1852.4	22.69	-3.00	19.69	<=33.01	Pass	
		Subtest 4	1852.4	22.72	-3.00	19.72	<=33.01	Pass	
		Subtest 1	1880	22.59	-3.00	19.59	<=33.01	Pass	
		Subtest 2	1880	22.59	-3.00	19.59	<=33.01	Pass	
		Subtest 3	1880	22.44	-3.00	19.44	<=33.01	Pass	
		Subtest 4	1880	22.46	-3.00	19.46	<=33.01	Pass	
		Subtest 1	1907.6	22.56	-3.00	19.56	<=33.01	Pass	
		Subtest 2	1907.6	22.56	-3.00	19.56	<=33.01	Pass	
		Subtest 3	1907.6	22.40	-3.00	19.40	<=33.01	Pass	
		Subtest 4	1907.6	22.44	-3.00	19.44	<=33.01	Pass	
		HSUPA	Subtest 1	1852.4	20.64	-3.00	17.64	<=33.01	Pass
			Subtest 2	1852.4	21.38	-3.00	18.38	<=33.01	Pass
	Subtest 3		1852.4	21.39	-3.00	18.39	<=33.01	Pass	
	Subtest 4		1852.4	19.93	-3.00	16.93	<=33.01	Pass	
	Subtest 5		1852.4	19.90	-3.00	16.90	<=33.01	Pass	
	Subtest 1		1880	20.15	-3.00	17.15	<=33.01	Pass	
	Subtest 2		1880	21.32	-3.00	18.32	<=33.01	Pass	
	Subtest 3		1880	21.00	-3.00	18.00	<=33.01	Pass	
	Subtest 4		1880	19.49	-3.00	16.49	<=33.01	Pass	
	Subtest 5		1880	19.94	-3.00	16.94	<=33.01	Pass	
	Subtest 1		1907.6	20.38	-3.00	17.38	<=33.01	Pass	
	Subtest 2		1907.6	21.45	-3.00	18.45	<=33.01	Pass	
	Subtest 3		1907.6	20.94	-3.00	17.94	<=33.01	Pass	
Subtest 4	1907.6		19.97	-3.00	16.97	<=33.01	Pass		
Subtest 5	1907.6		19.51	-3.00	16.51	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

## 2. Frequency Stability

### 2.1 Test Result

#### 2.1.1 BandII

Band: II							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
RMC	1852.4	20	3.4	2.818	0.0015	-2.5 to 2.5	Pass
			3.92	2.532	0.0014	-2.5 to 2.5	Pass
			4.53	2.947	0.0016	-2.5 to 2.5	Pass
		-30	3.92	3.076	0.0017	-2.5 to 2.5	Pass
		-20	3.92	3.269	0.0018	-2.5 to 2.5	Pass
		-10	3.92	2.553	0.0014	-2.5 to 2.5	Pass
		0	3.92	2.210	0.0012	-2.5 to 2.5	Pass
		10	3.92	2.632	0.0014	-2.5 to 2.5	Pass
		30	3.92	2.761	0.0015	-2.5 to 2.5	Pass
		40	3.92	2.511	0.0014	-2.5 to 2.5	Pass
	50	3.92	2.725	0.0015	-2.5 to 2.5	Pass	
	1880	20	3.4	2.582	0.0014	-2.5 to 2.5	Pass
			3.92	3.018	0.0016	-2.5 to 2.5	Pass
			4.53	2.325	0.0012	-2.5 to 2.5	Pass
		-30	3.92	2.754	0.0015	-2.5 to 2.5	Pass
		-20	3.92	2.961	0.0016	-2.5 to 2.5	Pass
		-10	3.92	2.868	0.0015	-2.5 to 2.5	Pass
		0	3.92	2.890	0.0015	-2.5 to 2.5	Pass
		10	3.92	2.947	0.0016	-2.5 to 2.5	Pass
		30	3.92	2.460	0.0013	-2.5 to 2.5	Pass
		40	3.92	2.632	0.0014	-2.5 to 2.5	Pass
	50	3.92	2.532	0.0013	-2.5 to 2.5	Pass	
	1907.6	20	3.4	3.018	0.0016	-2.5 to 2.5	Pass
			3.92	2.882	0.0015	-2.5 to 2.5	Pass
			4.53	2.489	0.0013	-2.5 to 2.5	Pass
		-30	3.92	2.568	0.0013	-2.5 to 2.5	Pass
		-20	3.92	2.496	0.0013	-2.5 to 2.5	Pass
		-10	3.92	2.303	0.0012	-2.5 to 2.5	Pass
		0	3.92	2.518	0.0013	-2.5 to 2.5	Pass
		10	3.92	2.453	0.0013	-2.5 to 2.5	Pass
30		3.92	2.267	0.0012	-2.5 to 2.5	Pass	
40		3.92	2.124	0.0011	-2.5 to 2.5	Pass	
50	3.92	2.632	0.0014	-2.5 to 2.5	Pass		
HSDPA	1852.4	20	3.4	0.222	0.0001	-2.5 to 2.5	Pass
			3.92	0.465	0.0003	-2.5 to 2.5	Pass
			4.53	0.522	0.0003	-2.5 to 2.5	Pass
		-30	3.92	1.545	0.0008	-2.5 to 2.5	Pass
		-20	3.92	0.858	0.0005	-2.5 to 2.5	Pass
		-10	3.92	1.366	0.0007	-2.5 to 2.5	Pass
		0	3.92	0.787	0.0004	-2.5 to 2.5	Pass
		10	3.92	1.359	0.0007	-2.5 to 2.5	Pass
		30	3.92	1.037	0.0006	-2.5 to 2.5	Pass
		40	3.92	1.259	0.0007	-2.5 to 2.5	Pass
	50	3.92	0.679	0.0004	-2.5 to 2.5	Pass	
	1880	20	3.4	1.845	0.0010	-2.5 to 2.5	Pass
			3.92	2.038	0.0011	-2.5 to 2.5	Pass
4.53			2.460	0.0013	-2.5 to 2.5	Pass	

		-30	3.92	1.473	0.0008	-2.5 to 2.5	Pass
		-20	3.92	1.602	0.0009	-2.5 to 2.5	Pass
		-10	3.92	1.402	0.0007	-2.5 to 2.5	Pass
		0	3.92	1.853	0.0010	-2.5 to 2.5	Pass
		10	3.92	2.224	0.0012	-2.5 to 2.5	Pass
		30	3.92	1.638	0.0009	-2.5 to 2.5	Pass
		40	3.92	2.289	0.0012	-2.5 to 2.5	Pass
	50	3.92	2.568	0.0014	-2.5 to 2.5	Pass	
	1907.6	20	3.4	0.157	0.0001	-2.5 to 2.5	Pass
			3.92	-0.758	-0.0004	-2.5 to 2.5	Pass
			4.53	-0.200	-0.0001	-2.5 to 2.5	Pass
		-30	3.92	-0.572	-0.0003	-2.5 to 2.5	Pass
		-20	3.92	-0.794	-0.0004	-2.5 to 2.5	Pass
		-10	3.92	-0.250	-0.0001	-2.5 to 2.5	Pass
		0	3.92	-0.701	-0.0004	-2.5 to 2.5	Pass
		10	3.92	-0.393	-0.0002	-2.5 to 2.5	Pass
		30	3.92	-0.608	-0.0003	-2.5 to 2.5	Pass
		40	3.92	-0.429	-0.0002	-2.5 to 2.5	Pass
		50	3.92	-0.222	-0.0001	-2.5 to 2.5	Pass
HSUPA		1852.4	20	3.4	-1.738	-0.0009	-2.5 to 2.5
	3.92			-1.073	-0.0006	-2.5 to 2.5	Pass
	4.53			-0.536	-0.0003	-2.5 to 2.5	Pass
	-30		3.92	-0.851	-0.0005	-2.5 to 2.5	Pass
	-20		3.92	-1.059	-0.0006	-2.5 to 2.5	Pass
	-10		3.92	-1.037	-0.0006	-2.5 to 2.5	Pass
	0		3.92	-1.187	-0.0006	-2.5 to 2.5	Pass
	10		3.92	-1.023	-0.0006	-2.5 to 2.5	Pass
	30		3.92	-1.295	-0.0007	-2.5 to 2.5	Pass
	40		3.92	-0.980	-0.0005	-2.5 to 2.5	Pass
	50		3.92	-1.488	-0.0008	-2.5 to 2.5	Pass
	1880	20	3.4	-1.838	-0.0010	-2.5 to 2.5	Pass
			3.92	-2.682	-0.0014	-2.5 to 2.5	Pass
			4.53	-2.604	-0.0014	-2.5 to 2.5	Pass
		-30	3.92	-2.217	-0.0012	-2.5 to 2.5	Pass
		-20	3.92	-2.925	-0.0016	-2.5 to 2.5	Pass
		-10	3.92	-1.616	-0.0009	-2.5 to 2.5	Pass
		0	3.92	-1.688	-0.0009	-2.5 to 2.5	Pass
		10	3.92	-2.017	-0.0011	-2.5 to 2.5	Pass
		30	3.92	-2.360	-0.0013	-2.5 to 2.5	Pass
		40	3.92	-2.482	-0.0013	-2.5 to 2.5	Pass
		50	3.92	-2.139	-0.0011	-2.5 to 2.5	Pass
	1907.6	20	3.4	-1.781	-0.0009	-2.5 to 2.5	Pass
			3.92	-1.817	-0.0010	-2.5 to 2.5	Pass
			4.53	-1.481	-0.0008	-2.5 to 2.5	Pass
		-30	3.92	-1.745	-0.0009	-2.5 to 2.5	Pass
		-20	3.92	-1.616	-0.0008	-2.5 to 2.5	Pass
		-10	3.92	-1.938	-0.0010	-2.5 to 2.5	Pass
0		3.92	-1.130	-0.0006	-2.5 to 2.5	Pass	
10		3.92	-1.924	-0.0010	-2.5 to 2.5	Pass	
30		3.92	-1.774	-0.0009	-2.5 to 2.5	Pass	
40		3.92	-2.296	-0.0012	-2.5 to 2.5	Pass	
50		3.92	-1.774	-0.0009	-2.5 to 2.5	Pass	

### 3. 99% & 26dB Bandwidth

#### 3.1 Test Result

##### 3.1.1 BandII\_OBW



Band: II						
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1852.4	4.160	/	Pass
			1880	4.178	/	Pass
			1907.6	4.160	/	Pass
	HSDPA	Subtest 1	1852.4	4.160	/	Pass
			1880	4.167	/	Pass
			1907.6	4.167	/	Pass
	HSUPA	Subtest 1	1852.4	4.183	/	Pass
			1880	4.165	/	Pass
			1907.6	4.164	/	Pass

##### 3.1.2 BandII\_XDB


Band: II						
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1852.4	4.755	/	Pass
			1880	4.764	/	Pass
			1907.6	4.750	/	Pass
	HSDPA	Subtest 1	1852.4	4.772	/	Pass
			1880	4.755	/	Pass
			1907.6	4.786	/	Pass
	HSUPA	Subtest 1	1852.4	4.781	/	Pass
			1880	4.780	/	Pass
			1907.6	4.791	/	Pass

### 3.2 Test Graph


#### 3.2.1 BandII\_OBW




BandII\_RMC\_HCH\_1907.6MHz\_12.2kbps RMC\_NTNV




BandII\_HSDPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




BandII\_HSDPA\_MCH\_1880MHz\_Subtest 1\_NTNV




BandII\_HSDPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV



BandII\_HSUPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




BandII\_HSUPA\_MCH\_1880MHz\_Subtest 1\_NTNV







BandII\_HSUPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV




### 3.2.2 BandII\_XDB




BandII\_RMC\_HCH\_1907.6MHz\_12.2kbps RMC\_NTNV




BandII\_HSDPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




BandII\_HSDPA\_MCH\_1880MHz\_Subtest 1\_NTNV




BandII\_HSDPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV




BandII\_HSUPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV



BandII\_HSUPA\_MCH\_1880MHz\_Subtest 1\_NTNV



BandII\_HSUPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV



## 4. Peak-Average Ratio



### 4.1 Test Result

#### 4.1.1 BandII

Band: II						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1852.4	2.96	<=13	Pass
			1880	2.97	<=13	Pass
			1907.6	2.76	<=13	Pass
	HSDPA	Subtest 1	1852.4	5.77	<=13	Pass
			1880	5.79	<=13	Pass
			1907.6	5.82	<=13	Pass
	HSUPA	Subtest 1	1852.4	6.61	<=13	Pass
			1880	6.64	<=13	Pass
			1907.6	6.60	<=13	Pass


## 4.2 Test Graph

### 4.2.1 BandII







BandII\_RMC\_HCH\_1907.6MHz\_12.2kbps RMC\_NTNV




BandII\_HSDPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




BandII\_HSDPA\_MCH\_1880MHz\_Subtest 1\_NTNV




BandII\_HSDPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV




BandII\_HSUPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV



BandII\_HSUPA\_MCH\_1880MHz\_Subtest 1\_NTNV



BandII\_HSUPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV



## 5. Spurious Emission



### 5.1 Test Result

#### 5.1.1 BandII


Band: II						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1852.4	Refer To Test Graph		Pass
			1880	Refer To Test Graph		Pass
			1907.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	1852.4	Refer To Test Graph		Pass
			1880	Refer To Test Graph		Pass
			1907.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	1852.4	Refer To Test Graph		Pass
			1880	Refer To Test Graph		Pass
			1907.6	Refer To Test Graph		Pass

## 5.2 Test Graph


### 5.2.1 BandII




BandII\_RMC\_LCH\_1852.4MHz\_12.2kbps RMC\_NTNV




BandII\_RMC\_MCH\_1880MHz\_12.2kbps RMC\_NTNV



BandII\_RMC\_MCH\_1880MHz\_12.2kbps RMC\_NTNV




BandII\_RMC\_MCH\_1880MHz\_12.2kbps RMC\_NTNV







BandII\_RMC\_HCH\_1907.6MHz\_12.2kbps RMC\_NTNV




BandII\_RMC\_HCH\_1907.6MHz\_12.2kbps RMC\_NTNV




BandII\_RMC\_HCH\_1907.6MHz\_12.2kbps RMC\_NTNV




BandII\_HSDPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




BandII\_HSDPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




BandII\_HSDPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




BandII\_HSDPA\_MCH\_1880MHz\_Subtest 1\_NTNV




BandII\_HSDPA\_MCH\_1880MHz\_Subtest 1\_NTNV




BandII\_HSDPA\_MCH\_1880MHz\_Subtest 1\_NTNV




BandII\_HSDPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV




BandII\_HSDPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV




BandII\_HSDPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV




BandII\_HSUPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




BandII\_HSUPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV



BandII\_HSUPA\_LCH\_1852.4MHz\_Subtest 1\_NTNV




BandII\_HSUPA\_MCH\_1880MHz\_Subtest 1\_NTNV







BandII\_HSUPA\_MCH\_1880MHz\_Subtest 1\_NTNV




BandII\_HSUPA\_MCH\_1880MHz\_Subtest 1\_NTNV




BandII\_HSUPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV



BandII\_HSUPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV



BandII\_HSUPA\_HCH\_1907.6MHz\_Subtest 1\_NTNV



## 6. Field Strength of Spurious Radiation

WCDMA Band II ANT4-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3704.8	-55.79	-13	-42.79	-60.65	3.58	8.44	Horizontal	Pass
5557.2	-57.49	-13	-44.49	-63.2	4.74	10.45	Horizontal	Pass
7409.6	-54.61	-13	-41.61	-61.3	4.94	11.63	Horizontal	Pass
3704.8	-53.06	-13	-40.06	-57.92	3.58	8.44	Vertical	Pass
5557.2	-56.46	-13	-43.46	-62.17	4.74	10.45	Vertical	Pass
7409.6	-55.46	-13	-42.46	-62.15	4.94	11.63	Vertical	Pass

WCDMA Band II ANT4-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3760.0	-57.7	-13	-44.7	-62.59	3.63	8.52	Horizontal	Pass
5640.0	-55.94	-13	-42.94	-61.64	4.75	10.45	Horizontal	Pass
7520.0	-54.75	-13	-41.75	-61.57	4.94	11.76	Horizontal	Pass
3760.0	-58.64	-13	-45.64	-63.53	3.63	8.52	Vertical	Pass
5640.0	-56.36	-13	-43.36	-62.06	4.75	10.45	Vertical	Pass
7520.0	-55.42	-13	-42.42	-62.24	4.94	11.76	Vertical	Pass

WCDMA Band II ANT4-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3815.2	-58.54	-13	-45.54	-63.45	3.68	8.59	Horizontal	Pass
5722.8	-57.05	-13	-44.05	-62.74	4.76	10.45	Horizontal	Pass
7630.4	-54.45	-13	-41.45	-61.39	4.95	11.89	Horizontal	Pass
3815.2	-59.15	-13	-46.15	-64.06	3.68	8.59	Vertical	Pass
5722.8	-55.39	-13	-42.39	-61.08	4.76	10.45	Vertical	Pass
7630.4	-54.21	-13	-41.21	-61.15	4.95	11.89	Vertical	Pass

Test on the worst case :

WCDMA Band II ANT4-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3704.8	-53.83	-13	-40.83	-58.69	3.58	8.44	Horizontal	Pass
5557.2	-54.89	-13	-41.89	-60.6	4.74	10.45	Horizontal	Pass
7409.6	-51.66	-13	-38.66	-58.35	4.94	11.63	Horizontal	Pass
3704.8	-52.22	-13	-39.22	-57.08	3.58	8.44	Vertical	Pass
5557.2	-54.07	-13	-41.07	-59.78	4.74	10.45	Vertical	Pass
7409.6	-52.75	-13	-39.75	-59.44	4.94	11.63	Vertical	Pass

WCDMA Band II ANT4-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3760.0	-56.53	-13	-43.53	-61.42	3.63	8.52	Horizontal	Pass
5640.0	-53.79	-13	-40.79	-59.49	4.75	10.45	Horizontal	Pass
7520.0	-52.19	-13	-39.19	-59.01	4.94	11.76	Horizontal	Pass
3760.0	-58.3	-13	-45.3	-63.19	3.63	8.52	Vertical	Pass
5640.0	-53.67	-13	-40.67	-59.37	4.75	10.45	Vertical	Pass
7520.0	-52.54	-13	-39.54	-59.36	4.94	11.76	Vertical	Pass

WCDMA Band II ANT4-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3815.2	-56.11	-13	-43.11	-61.02	3.68	8.59	Horizontal	Pass
5722.8	-54.36	-13	-41.36	-60.05	4.76	10.45	Horizontal	Pass
7630.4	-51.89	-13	-38.89	-58.83	4.95	11.89	Horizontal	Pass
3815.2	-57.73	-13	-44.73	-62.64	3.68	8.59	Vertical	Pass
5722.8	-53.74	-13	-40.74	-59.43	4.76	10.45	Vertical	Pass
7630.4	-51.48	-13	-38.48	-58.42	4.95	11.89	Vertical	Pass