




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2:
100@0




CA 7C SISO NTNV CC1:20 CC2:20MHz CC1:64QAM CC2:64QAM CC1:2540.2 CC2:2560MHz CC1: 1@0 CC2: 1@0




CA 7C SISO NTNV CC1:20 CC2:20MHz CC1:64QAM CC2:64QAM CC1:2540.2 CC2:2560MHz CC1: 1@0 CC2: 1@0



CA 7C SISO NTNV CC1:20 CC2:20MHz CC1:64QAM CC2:64QAM CC1:2540.2 CC2:2560MHz CC1: 1@0 CC2: 1@0




CA 7C SISO NTNV CC1:20 CC2:20MHz CC1:64QAM CC2:64QAM CC1:2540.2 CC2:2560MHz CC1: 1@99 CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2530.1	2570	0.02	CHP	/	/	/	/	/
2570	2571	0.02	CHP	1	2570.180	-51.34	-10	Pass
2571	2575	1	CHP	2	2571.530	-47.01	-10	Pass
2575	2610.436	1	CHP	3	2588.690	-37.02	-13	Pass
2610.436	2615	1	CHP	4	2611.245	-50.30	-25	Pass

CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2530.1	2570	0.1	/	/	/	/	/	/
2570	2571	0.809	CHP	1	2570.550	-40.41	-10	Pass
2571	2575	1	CHP	2	2571.900	-39.52	-10	Pass
2575	2610.436	1	CHP	3	2575.500	-40.58	-13	Pass
2610.436	2615	1	CHP	4	2612.850	-50.23	-25	Pass


CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0



CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0



CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0



4. Field Strength of Spurious Radiation

CA_7C-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5002.0	-62.63	-25	-37.63	-68.2	4.57	10.14	Horizontal	Pass
7503.0	-60.34	-25	-35.34	-67.14	4.94	11.74	Horizontal	Pass
10004.0	-57.13	-25	-32.13	-64.7	5.46	13.03	Horizontal	Pass
5002.0	-62.38	-25	-37.38	-67.95	4.57	10.14	Vertical	Pass
7503.0	-60.27	-25	-35.27	-67.07	4.94	11.74	Vertical	Pass
10004.0	-57.21	-25	-32.21	-64.78	5.46	13.03	Vertical	Pass

CA_7C-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5032.2	-62.93	-25	-37.93	-68.51	4.58	10.16	Horizontal	Pass
7548.3	-60.11	-25	-35.11	-66.97	4.94	11.8	Horizontal	Pass
10004.0	-57.2	-25	-32.2	-64.77	5.46	13.03	Horizontal	Pass
5032.2	-62.82	-25	-37.82	-68.4	4.58	10.16	Vertical	Pass
7548.3	-60.3	-25	-35.3	-67.16	4.94	11.8	Vertical	Pass
10004.0	-57.14	-25	-32.14	-64.71	5.46	13.03	Vertical	Pass

CA_7C-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5062.2	-63.38	-25	-38.38	-68.97	4.59	10.18	Horizontal	Pass
7693.2	-59.81	-25	-34.81	-66.82	4.96	11.97	Horizontal	Pass
10124.4	-57.15	-25	-32.15	-64.72	5.48	13.05	Horizontal	Pass
5062.2	-62.66	-25	-37.66	-68.25	4.59	10.18	Vertical	Pass
7693.2	-60.08	-25	-35.08	-67.09	4.96	11.97	Vertical	Pass
10124.4	-56.89	-25	-31.89	-64.46	5.48	13.05	Vertical	Pass