



**4.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.28	-25	41.28	Pass	401
0.15	30	0.01	RMS	0.18	-69.88	-25	44.88	Pass	2986
30	1000	0.1	RMS	998.099	-61.67	-25	36.67	Pass	9701
1000	2560	1	RMS	2541	-49.5	-25	24.5	Pass	1561
2560	2630	1	RMS	2579.075	21.37	60	38.63	Pass	401
2630	3000	1	RMS	2867.725	-48.96	-25	23.96	Pass	401
3000	7000	1	RMS	5158	-60.48	-25	35.48	Pass	4001
7000	26500	1	RMS	25200	-44.9	-25	19.9	Pass	19503




**4.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.89	-25	41.89	Pass	401
0.15	30	0.01	RMS	0.41	-69.92	-25	44.92	Pass	2986
30	1000	0.1	RMS	912.042	-61.1	-25	36.1	Pass	9701
1000	2560	1	RMS	2559	-49.78	-25	24.78	Pass	1561
2560	2630	1	RMS	2598.15	12.83	60	47.17	Pass	401
2630	3000	1	RMS	2866.8	-48.95	-25	23.95	Pass	401
3000	7000	1	RMS	6924	-61.29	-25	36.29	Pass	4001
7000	26500	1	RMS	25807	-45.09	-25	20.09	Pass	19503




**4.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.88	-25	41.88	Pass	401
0.15	30	0.01	RMS	0.48	-69.3	-25	44.3	Pass	2986
30	1000	0.1	RMS	874.617	-61.66	-25	36.66	Pass	9701
1000	2560	1	RMS	2552	-49.87	-25	24.87	Pass	1561
2560	2630	1	RMS	2590.8	21.52	60	38.48	Pass	401
2630	3000	1	RMS	2867.725	-48.87	-25	23.87	Pass	401
3000	7000	1	RMS	5182	-60.39	-25	35.39	Pass	4001
7000	26500	1	RMS	25215	-44.91	-25	19.91	Pass	19503




**4.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.33	-25	41.33	Pass	401
0.15	30	0.01	RMS	0.26	-68.91	-25	43.91	Pass	2986
30	1000	0.1	RMS	997.799	-61.14	-25	36.14	Pass	9701
1000	2560	1	RMS	2524	-50.38	-25	25.38	Pass	1561
2560	2630	1	RMS	2599.2	21.46	60	38.54	Pass	401
2630	3000	1	RMS	2869.575	-48.9	-25	23.9	Pass	401
3000	7000	1	RMS	5198	-59.12	-25	34.12	Pass	4001
7000	26500	1	RMS	25191	-44.56	-25	19.56	Pass	19503




**4.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.59	-25	42.59	Pass	401
0.15	30	0.01	RMS	0.19	-70.01	-25	45.01	Pass	2986
30	1000	0.1	RMS	774.4	-61.51	-25	36.51	Pass	9701
1000	2560	1	RMS	2519	-50.51	-25	25.51	Pass	1561
2560	2630	1	RMS	2617.925	12.95	60	47.05	Pass	401
2630	3000	1	RMS	2630	-39.15	-25	14.15	Pass	401
3000	7000	1	RMS	6933	-61.24	-25	36.24	Pass	4001
7000	26500	1	RMS	25175	-45.11	-25	20.11	Pass	19503




**4.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.86	-25	44.86	Pass	401
0.15	30	0.01	RMS	0.23	-69.61	-25	44.61	Pass	2986
30	1000	0.1	RMS	931.555	-61.25	-25	36.25	Pass	9701
1000	2560	1	RMS	1749	-47.19	-25	22.19	Pass	1561
2560	2630	1	RMS	2610.925	21.69	60	38.31	Pass	401
2630	3000	1	RMS	2879.75	-48.93	-25	23.93	Pass	401
3000	7000	1	RMS	5222	-60.46	-25	35.46	Pass	4001
7000	26500	1	RMS	25201	-44.69	-25	19.69	Pass	19503




**4.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.59	-25	43.59	Pass	401
0.15	30	0.01	RMS	0.16	-67.04	-25	42.04	Pass	2986
30	1000	0.1	RMS	873.616	-61.57	-25	36.57	Pass	9701
1000	2560	1	RMS	2497	-50.59	-25	25.59	Pass	1561
2560	2630	1	RMS	2619.15	21.69	60	38.31	Pass	401
2630	3000	1	RMS	2878.825	-48.96	-25	23.96	Pass	401
3000	7000	1	RMS	6941	-60.94	-25	35.94	Pass	4001
7000	26500	1	RMS	25883	-44.96	-25	19.96	Pass	19503



**4.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.85	-25	38.85	Pass	401
0.15	30	0.01	RMS	0.28	-71.01	-25	46.01	Pass	2986
30	1000	0.1	RMS	952.869	-61.67	-25	36.67	Pass	9701
1000	2550	1	RMS	2549	-44.1	-25	19.1	Pass	1551
2550	2640	1	RMS	2587.35	9.74	60	50.26	Pass	401
2640	3000	1	RMS	2640	-48.86	-25	23.86	Pass	401
3000	7000	1	RMS	6914	-61.21	-25	36.21	Pass	4001
7000	26500	1	RMS	25182	-45.22	-25	20.22	Pass	19503






**4.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.15	-25	40.15	Pass	401
0.15	30	0.01	RMS	0.2	-70.08	-25	45.08	Pass	2986
30	1000	0.1	RMS	903.036	-60.98	-25	35.98	Pass	9701
1000	2550	1	RMS	2494	-50.46	-25	25.46	Pass	1551
2550	2640	1	RMS	2570.925	21.53	60	38.47	Pass	401
2640	3000	1	RMS	2870.4	-48.96	-25	23.96	Pass	401
3000	7000	1	RMS	5142	-60.47	-25	35.47	Pass	4001
7000	26500	1	RMS	25504	-44.86	-25	19.86	Pass	19503




**4.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.88	-25	42.88	Pass	401
0.15	30	0.01	RMS	0.15	-69.71	-25	44.71	Pass	2986
30	1000	0.1	RMS	893.83	-60.47	-25	35.47	Pass	9701
1000	2550	1	RMS	2512	-50.4	-25	25.4	Pass	1551
2550	2640	1	RMS	2588.925	21.66	60	38.34	Pass	401
2640	3000	1	RMS	2865.9	-48.94	-25	23.94	Pass	401
3000	7000	1	RMS	5178	-59.62	-25	34.62	Pass	4001
7000	26500	1	RMS	25182	-44.9	-25	19.9	Pass	19503




**4.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.35	-25	41.35	Pass	401
0.15	30	0.01	RMS	0.2	-69.86	-25	44.86	Pass	2986
30	1000	0.1	RMS	990.994	-61.7	-25	36.7	Pass	9701
1000	2550	1	RMS	2549	-48.76	-25	23.76	Pass	1551
2550	2640	1	RMS	2602.2	9.85	60	50.15	Pass	401
2640	3000	1	RMS	2640	-46.54	-25	21.54	Pass	401
3000	7000	1	RMS	6882	-61.3	-25	36.3	Pass	4001
7000	26500	1	RMS	25881	-45.15	-25	20.15	Pass	19503




**4.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.04	-25	38.04	Pass	401
0.15	30	0.01	RMS	0.24	-67.35	-25	42.35	Pass	2986
30	1000	0.1	RMS	996.898	-61.25	-25	36.25	Pass	9701
1000	2550	1	RMS	2509	-50.39	-25	25.39	Pass	1551
2550	2640	1	RMS	2586	21.58	60	38.42	Pass	401
2640	3000	1	RMS	2867.7	-48.94	-25	23.94	Pass	401
3000	7000	1	RMS	5172	-60.03	-25	35.03	Pass	4001
7000	26500	1	RMS	25218	-45.03	-25	20.03	Pass	19503




**4.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.79	-25	41.79	Pass	401
0.15	30	0.01	RMS	0.2	-69.99	-25	44.99	Pass	2986
30	1000	0.1	RMS	966.578	-61.72	-25	36.72	Pass	9701
1000	2550	1	RMS	2527	-50.44	-25	25.44	Pass	1551
2550	2640	1	RMS	2604	21.7	60	38.3	Pass	401
2640	3000	1	RMS	2866.8	-48.94	-25	23.94	Pass	401
3000	7000	1	RMS	5208	-58.4	-25	33.4	Pass	4001
7000	26500	1	RMS	25471	-45.24	-25	20.24	Pass	19503




**4.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.94	-25	39.94	Pass	401
0.15	30	0.01	RMS	0.17	-69.69	-25	44.69	Pass	2986
30	1000	0.1	RMS	789.5	-61.82	-25	36.82	Pass	9701
1000	2550	1	RMS	2540	-50.02	-25	25.02	Pass	1551
2550	2640	1	RMS	2617.05	10	60	50	Pass	401
2640	3000	1	RMS	2640	-40.05	-25	15.05	Pass	401
3000	7000	1	RMS	6927	-61.27	-25	36.27	Pass	4001
7000	26500	1	RMS	25526	-45.03	-25	20.03	Pass	19503




**4.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.21	-25	40.21	Pass	401
0.15	30	0.01	RMS	0.15	-71.18	-25	46.18	Pass	2986
30	1000	0.1	RMS	905.237	-61.76	-25	36.76	Pass	9701
1000	2550	1	RMS	2524	-50.45	-25	25.45	Pass	1551
2550	2640	1	RMS	2601.075	21.71	60	38.29	Pass	401
2640	3000	1	RMS	2870.4	-48.92	-25	23.92	Pass	401
3000	7000	1	RMS	5202	-58.39	-25	33.39	Pass	4001
7000	26500	1	RMS	25848	-44.99	-25	19.99	Pass	19503



**4.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.05	-25	40.05	Pass	401
0.15	30	0.01	RMS	0.25	-70.18	-25	45.18	Pass	2986
30	1000	0.1	RMS	875.017	-61.9	-25	36.9	Pass	9701
1000	2550	1	RMS	2511	-50.45	-25	25.45	Pass	1551
2550	2640	1	RMS	2619.075	21.75	60	38.25	Pass	401
2640	3000	1	RMS	2868.6	-48.97	-25	23.97	Pass	401
3000	7000	1	RMS	5238	-60.24	-25	35.24	Pass	4001
7000	26500	1	RMS	25493	-44.57	-25	19.57	Pass	19503






**4.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.92	-25	40.92	Pass	401
0.15	30	0.01	RMS	0.24	-70.39	-25	45.39	Pass	2986
30	1000	0.1	RMS	897.232	-61.65	-25	36.65	Pass	9701
1000	2530	1	RMS	2529	-38.65	-25	13.65	Pass	1531
2530	2660	1	RMS	2605.075	6.73	60	53.27	Pass	401
2660	3000	1	RMS	2660	-39.57	-25	14.57	Pass	401
3000	7000	1	RMS	6877	-61.27	-25	36.27	Pass	4001
7000	26500	1	RMS	25195	-44.54	-25	19.54	Pass	19503




**4.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.56	-25	38.56	Pass	401
0.15	30	0.01	RMS	0.2	-70.12	-25	45.12	Pass	2986
30	1000	0.1	RMS	741.8	-61.4	-25	36.4	Pass	9701
1000	2530	1	RMS	2499	-50.46	-25	25.46	Pass	1531
2530	2660	1	RMS	2570.95	21.43	60	38.57	Pass	401
2660	3000	1	RMS	2869.95	-48.94	-25	23.94	Pass	401
3000	7000	1	RMS	5142	-60.29	-25	35.29	Pass	4001
7000	26500	1	RMS	25861	-44.96	-25	19.96	Pass	19503




**4.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.76	-25	40.76	Pass	401
0.15	30	0.01	RMS	0.27	-69.77	-25	44.77	Pass	2986
30	1000	0.1	RMS	872.115	-61.18	-25	36.18	Pass	9701
1000	2530	1	RMS	2530	-50.42	-25	25.42	Pass	1531
2530	2660	1	RMS	2608.975	21.7	60	38.3	Pass	401
2660	3000	1	RMS	2874.2	-48.89	-25	23.89	Pass	401
3000	7000	1	RMS	5218	-59.27	-25	34.27	Pass	4001
7000	26500	1	RMS	25523	-45	-25	20	Pass	19503




**4.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.15	-25	42.15	Pass	401
0.15	30	0.01	RMS	0.21	-70.57	-25	45.57	Pass	2986
30	1000	0.1	RMS	979.086	-61.29	-25	36.29	Pass	9701
1000	2530	1	RMS	2530	-40.34	-25	15.34	Pass	1531
2530	2660	1	RMS	2610.6	6.92	60	53.08	Pass	401
2660	3000	1	RMS	2660	-37.82	-25	12.82	Pass	401
3000	7000	1	RMS	6876	-61.31	-25	36.31	Pass	4001
7000	26500	1	RMS	25196	-45.11	-25	20.11	Pass	19503




**4.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.13	-25	40.13	Pass	401
0.15	30	0.01	RMS	0.18	-70.09	-25	45.09	Pass	2986
30	1000	0.1	RMS	944.563	-61.69	-25	36.69	Pass	9701
1000	2530	1	RMS	2530	-50.37	-25	25.37	Pass	1531
2530	2660	1	RMS	2576.15	21.63	60	38.37	Pass	401
2660	3000	1	RMS	2869.95	-48.98	-25	23.98	Pass	401
3000	7000	1	RMS	5152	-60.23	-25	35.23	Pass	4001
7000	26500	1	RMS	25817	-44.78	-25	19.78	Pass	19503




**4.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.81	-25	40.81	Pass	401
0.15	30	0.01	RMS	0.16	-69.47	-25	44.47	Pass	2986
30	1000	0.1	RMS	882.622	-61.72	-25	36.72	Pass	9701
1000	2530	1	RMS	2518	-50.43	-25	25.43	Pass	1531
2530	2660	1	RMS	2613.85	22.01	60	37.99	Pass	401
2660	3000	1	RMS	2868.25	-48.94	-25	23.94	Pass	401
3000	7000	1	RMS	5228	-59.55	-25	34.55	Pass	4001
7000	26500	1	RMS	25174	-45.05	-25	20.05	Pass	19503




**4.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.72	-25	38.72	Pass	401
0.15	30	0.01	RMS	0.37	-69.54	-25	44.54	Pass	2986
30	1000	0.1	RMS	951.568	-61.73	-25	36.73	Pass	9701
1000	2530	1	RMS	2530	-41.84	-25	16.84	Pass	1531
2530	2660	1	RMS	2617.425	6.95	60	53.05	Pass	401
2660	3000	1	RMS	2660	-36.07	-25	11.07	Pass	401
3000	7000	1	RMS	6935	-61.17	-25	36.17	Pass	4001
7000	26500	1	RMS	25182	-44.98	-25	19.98	Pass	19503



**4.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.78	-25	39.78	Pass	401
0.15	30	0.01	RMS	0.26	-70.79	-25	45.79	Pass	2986
30	1000	0.1	RMS	900.134	-61.12	-25	36.12	Pass	9701
1000	2530	1	RMS	2499	-50.35	-25	25.35	Pass	1531
2530	2660	1	RMS	2581.025	21.6	60	38.4	Pass	401
2660	3000	1	RMS	2866.55	-48.93	-25	23.93	Pass	401
3000	7000	1	RMS	5162	-60.14	-25	35.14	Pass	4001
7000	26500	1	RMS	25149	-45.06	-25	20.06	Pass	19503





**4.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.31	-25	38.31	Pass	401
0.15	30	0.01	RMS	0.15	-70.67	-25	45.67	Pass	2986
30	1000	0.1	RMS	991.895	-61.14	-25	36.14	Pass	9701
1000	2530	1	RMS	2504	-50.49	-25	25.49	Pass	1531
2530	2660	1	RMS	2618.725	21.67	60	38.33	Pass	401
2660	3000	1	RMS	2870.8	-48.87	-25	23.87	Pass	401
3000	7000	1	RMS	5238	-60.39	-25	35.39	Pass	4001
7000	26500	1	RMS	25201	-44.58	-25	19.58	Pass	19503



## 5. n41


### 5.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.82	-25	47.82	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-25	46.57	Pass	2986
30	1000	0.1	RMS	889.727	-63.89	-25	38.89	Pass	9701
1000	2476	1	RMS	2476	-46.56	-25	21.56	Pass	1477
2476	2710	1	RMS	2512.855	11.22	60	48.78	Pass	401
2710	3000	1	RMS	2865.875	-49	-25	24	Pass	401
3000	7000	1	RMS	6929	-61.58	-25	36.58	Pass	4001
7000	26500	1	RMS	25202	-45.7	-25	20.7	Pass	19503




**5.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.68	-25	43.68	Pass	401
0.15	30	0.01	RMS	0.18	-71.55	-25	46.55	Pass	2986
30	1000	0.1	RMS	892.129	-64	-25	39	Pass	9701
1000	2476	1	RMS	2473	-51.04	-25	26.04	Pass	1477
2476	2710	1	RMS	2496.475	22.12	60	37.88	Pass	401
2710	3000	1	RMS	2868.05	-49	-25	24	Pass	401
3000	7000	1	RMS	6925	-61.58	-25	36.58	Pass	4001
7000	26500	1	RMS	25200	-45.69	-25	20.69	Pass	19503




**5.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.74	-25	42.74	Pass	401
0.15	30	0.01	RMS	0.21	-70.96	-25	45.96	Pass	2986
30	1000	0.1	RMS	894.63	-63.95	-25	38.95	Pass	9701
1000	2476	1	RMS	2476	-51.02	-25	26.02	Pass	1477
2476	2710	1	RMS	2514.61	22.7	60	37.3	Pass	401
2710	3000	1	RMS	2868.05	-49.02	-25	24.02	Pass	401
3000	7000	1	RMS	6929	-61.62	-25	36.62	Pass	4001
7000	26500	1	RMS	25196	-45.66	-25	20.66	Pass	19503




**5.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.1	-25	43.1	Pass	401
0.15	30	0.01	RMS	0.15	-71	-25	46	Pass	2986
30	1000	0.1	RMS	877.219	-63.84	-25	38.84	Pass	9701
1000	2476	1	RMS	2475	-51.03	-25	26.03	Pass	1477
2476	2710	1	RMS	2600.02	11.21	60	48.79	Pass	401
2710	3000	1	RMS	2870.225	-48.98	-25	23.98	Pass	401
3000	7000	1	RMS	6935	-61.58	-25	36.58	Pass	4001
7000	26500	1	RMS	25202	-45.66	-25	20.66	Pass	19503




**5.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.94	-25	40.94	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-25	46.3	Pass	2986
30	1000	0.1	RMS	987.292	-64.05	-25	39.05	Pass	9701
1000	2476	1	RMS	2475	-50.98	-25	25.98	Pass	1477
2476	2710	1	RMS	2583.64	22.29	60	37.71	Pass	401
2710	3000	1	RMS	2868.05	-48.94	-25	23.94	Pass	401
3000	7000	1	RMS	5168	-59.56	-25	34.56	Pass	4001
7000	26500	1	RMS	25200	-45.67	-25	20.67	Pass	19503




**5.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.95	-25	42.95	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-25	46.57	Pass	2986
30	1000	0.1	RMS	896.832	-63.97	-25	38.97	Pass	9701
1000	2476	1	RMS	2454	-51.04	-25	26.04	Pass	1477
2476	2710	1	RMS	2601.775	22.18	60	37.82	Pass	401
2710	3000	1	RMS	2867.325	-48.98	-25	23.98	Pass	401
3000	7000	1	RMS	5204	-57.92	-25	32.92	Pass	4001
7000	26500	1	RMS	25205	-45.68	-25	20.68	Pass	19503



**5.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.36	-25	42.36	Pass	401
0.15	30	0.01	RMS	0.16	-71.72	-25	46.72	Pass	2986
30	1000	0.1	RMS	903.736	-64.03	-25	39.03	Pass	9701
1000	2476	1	RMS	2475	-51.05	-25	26.05	Pass	1477
2476	2710	1	RMS	2672.56	11.06	60	48.94	Pass	401
2710	3000	1	RMS	2710	-39.29	-25	14.29	Pass	401
3000	7000	1	RMS	6924	-61.53	-25	36.53	Pass	4001
7000	26500	1	RMS	25202	-45.62	-25	20.62	Pass	19503






**5.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.75	-25	41.75	Pass	401
0.15	30	0.01	RMS	0.2	-71.54	-25	46.54	Pass	2986
30	1000	0.1	RMS	899.033	-64.11	-25	39.11	Pass	9701
1000	2476	1	RMS	2474	-50.99	-25	25.99	Pass	1477
2476	2710	1	RMS	2670.805	21.83	60	38.17	Pass	401
2710	3000	1	RMS	2868.05	-48.99	-25	23.99	Pass	401
3000	7000	1	RMS	5342	-61.42	-25	36.42	Pass	4001
7000	26500	1	RMS	25206	-45.73	-25	20.73	Pass	19503




**5.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.05	-25	42.05	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-25	46.45	Pass	2986
30	1000	0.1	RMS	728.3	-63.44	-25	38.44	Pass	9701
1000	2476	1	RMS	2472	-51.01	-25	26.01	Pass	1477
2476	2710	1	RMS	2688.94	21.28	60	38.72	Pass	401
2710	3000	1	RMS	2870.225	-48.95	-25	23.95	Pass	401
3000	7000	1	RMS	5378	-55.73	-25	30.73	Pass	4001
7000	26500	1	RMS	25201	-45.59	-25	20.59	Pass	19503




**5.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.97	-25	41.97	Pass	401
0.15	30	0.01	RMS	0.18	-71.88	-25	46.88	Pass	2986
30	1000	0.1	RMS	886.525	-63.94	-25	38.94	Pass	9701
1000	2446	1	RMS	2446	-51.17	-25	26.17	Pass	1447
2446	2740	1	RMS	2543.02	7.03	60	52.97	Pass	401
2740	3000	1	RMS	2868.05	-48.98	-25	23.98	Pass	401
3000	7000	1	RMS	6923	-61.49	-25	36.49	Pass	4001
7000	26500	1	RMS	25204	-45.77	-25	20.77	Pass	19503




**5.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.36	-25	42.36	Pass	401
0.15	30	0.01	RMS	0.17	-71.06	-25	46.06	Pass	2986
30	1000	0.1	RMS	881.121	-64.05	-25	39.05	Pass	9701
1000	2446	1	RMS	2444	-51.18	-25	26.18	Pass	1447
2446	2740	1	RMS	2496.715	21.77	60	38.23	Pass	401
2740	3000	1	RMS	2865.45	-48.96	-25	23.96	Pass	401
3000	7000	1	RMS	6937	-61.55	-25	36.55	Pass	4001
7000	26500	1	RMS	25201	-45.79	-25	20.79	Pass	19503




**5.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.67	-25	42.67	Pass	401
0.15	30	0.01	RMS	0.16	-71.3	-25	46.3	Pass	2986
30	1000	0.1	RMS	893.329	-63.91	-25	38.91	Pass	9701
1000	2446	1	RMS	2446	-51.2	-25	26.2	Pass	1447
2446	2740	1	RMS	2544.49	21.95	60	38.05	Pass	401
2740	3000	1	RMS	2872.6	-49.02	-25	24.02	Pass	401
3000	7000	1	RMS	5090	-61.04	-25	36.04	Pass	4001
7000	26500	1	RMS	25198	-45.68	-25	20.68	Pass	19503




**5.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.83	-25	43.83	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-25	46.54	Pass	2986
30	1000	0.1	RMS	892.028	-63.96	-25	38.96	Pass	9701
1000	2446	1	RMS	2445	-51.2	-25	26.2	Pass	1447
2446	2740	1	RMS	2615.05	7.24	60	52.76	Pass	401
2740	3000	1	RMS	2869.35	-48.99	-25	23.99	Pass	401
3000	7000	1	RMS	6925	-61.58	-25	36.58	Pass	4001
7000	26500	1	RMS	25199	-45.62	-25	20.62	Pass	19503




**5.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.02	-25	42.02	Pass	401
0.15	30	0.01	RMS	0.17	-71.39	-25	46.39	Pass	2986
30	1000	0.1	RMS	895.231	-63.88	-25	38.88	Pass	9701
1000	2446	1	RMS	2446	-51.1	-25	26.1	Pass	1447
2446	2740	1	RMS	2568.745	21.9	60	38.1	Pass	401
2740	3000	1	RMS	2866.75	-48.96	-25	23.96	Pass	401
3000	7000	1	RMS	5138	-60.34	-25	35.34	Pass	4001
7000	26500	1	RMS	25206	-45.66	-25	20.66	Pass	19503



**5.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.85	-25	42.85	Pass	401
0.15	30	0.01	RMS	0.16	-71.15	-25	46.15	Pass	2986
30	1000	0.1	RMS	888.826	-63.96	-25	38.96	Pass	9701
1000	2446	1	RMS	2445	-51.2	-25	26.2	Pass	1447
2446	2740	1	RMS	2616.52	22.01	60	37.99	Pass	401
2740	3000	1	RMS	2868.7	-48.97	-25	23.97	Pass	401
3000	7000	1	RMS	5233	-60.49	-25	35.49	Pass	4001
7000	26500	1	RMS	25201	-45.65	-25	20.65	Pass	19503






**5.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.51	-25	41.51	Pass	401
0.15	30	0.01	RMS	0.26	-71.82	-25	46.82	Pass	2986
30	1000	0.1	RMS	888.626	-64.02	-25	39.02	Pass	9701
1000	2446	1	RMS	2443	-51.08	-25	26.08	Pass	1447
2446	2740	1	RMS	2642.245	6.9	60	53.1	Pass	401
2740	3000	1	RMS	2740	-43.1	-25	18.1	Pass	401
3000	7000	1	RMS	6928	-61.58	-25	36.58	Pass	4001
7000	26500	1	RMS	25197	-45.7	-25	20.7	Pass	19503




**5.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.11	-25	40.11	Pass	401
0.15	30	0.01	RMS	0.19	-71.45	-25	46.45	Pass	2986
30	1000	0.1	RMS	890.427	-64.06	-25	39.06	Pass	9701
1000	2446	1	RMS	2445	-51.12	-25	26.12	Pass	1447
2446	2740	1	RMS	2640.775	21.94	60	38.06	Pass	401
2740	3000	1	RMS	2867.4	-48.96	-25	23.96	Pass	401
3000	7000	1	RMS	6929	-61.54	-25	36.54	Pass	4001
7000	26500	1	RMS	25201	-45.69	-25	20.69	Pass	19503




**5.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.11	-25	42.11	Pass	401
0.15	30	0.01	RMS	0.16	-72.04	-25	47.04	Pass	2986
30	1000	0.1	RMS	900.834	-63.96	-25	38.96	Pass	9701
1000	2446	1	RMS	2444	-51.14	-25	26.14	Pass	1447
2446	2740	1	RMS	2688.55	21.26	60	38.74	Pass	401
2740	3000	1	RMS	2868.05	-48.96	-25	23.96	Pass	401
3000	7000	1	RMS	5377	-57.26	-25	32.26	Pass	4001
7000	26500	1	RMS	25201	-45.82	-25	20.82	Pass	19503




**5.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.44	-25	39.44	Pass	401
0.15	30	0.01	RMS	0.18	-71.64	-25	46.64	Pass	2986
30	1000	0.1	RMS	893.73	-63.93	-25	38.93	Pass	9701
1000	2396	1	RMS	2390	-51.28	-25	26.28	Pass	1397
2396	2790	1	RMS	2593	3.99	60	56.01	Pass	401
2790	3000	1	RMS	2869.275	-48.94	-25	23.94	Pass	401
3000	7000	1	RMS	6926	-61.57	-25	36.57	Pass	4001
7000	26500	1	RMS	25200	-45.74	-25	20.74	Pass	19503




**5.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.26	-25	39.26	Pass	401
0.15	30	0.01	RMS	0.21	-71.54	-25	46.54	Pass	2986
30	1000	0.1	RMS	894.73	-63.88	-25	38.88	Pass	9701
1000	2396	1	RMS	2393	-51.33	-25	26.33	Pass	1397
2396	2790	1	RMS	2496.47	21.4	60	38.6	Pass	401
2790	3000	1	RMS	2867.175	-48.98	-25	23.98	Pass	401
3000	7000	1	RMS	6931	-61.56	-25	36.56	Pass	4001
7000	26500	1	RMS	25202	-45.77	-25	20.77	Pass	19503




**5.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.92	-25	47.92	Pass	401
0.15	30	0.01	RMS	0.17	-71.54	-25	46.54	Pass	2986
30	1000	0.1	RMS	898.032	-63.98	-25	38.98	Pass	9701
1000	2396	1	RMS	2365	-51.25	-25	26.25	Pass	1397
2396	2790	1	RMS	2593.985	19.93	60	40.07	Pass	401
2790	3000	1	RMS	2867.7	-48.97	-25	23.97	Pass	401
3000	7000	1	RMS	5190	-58.64	-25	33.64	Pass	4001
7000	26500	1	RMS	25197	-45.79	-25	20.79	Pass	19503




**5.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.06	-25	47.06	Pass	401
0.15	30	0.01	RMS	0.21	-71.71	-25	46.71	Pass	2986
30	1000	0.1	RMS	891.428	-63.99	-25	38.99	Pass	9701
1000	2396	1	RMS	2396	-51.25	-25	26.25	Pass	1397
2396	2790	1	RMS	2632.4	4.29	60	55.71	Pass	401
2790	3000	1	RMS	2868.225	-48.95	-25	23.95	Pass	401
3000	7000	1	RMS	6923	-61.57	-25	36.57	Pass	4001
7000	26500	1	RMS	25197	-45.66	-25	20.66	Pass	19503



**5.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.22	-25	47.22	Pass	401
0.15	30	0.01	RMS	0.15	-70.61	-25	45.61	Pass	2986
30	1000	0.1	RMS	990.394	-64.01	-25	39.01	Pass	9701
1000	2396	1	RMS	2391	-51.26	-25	26.26	Pass	1397
2396	2790	1	RMS	2543.75	20.97	60	39.03	Pass	401
2790	3000	1	RMS	2869.275	-48.96	-25	23.96	Pass	401
3000	7000	1	RMS	5088	-60.53	-25	35.53	Pass	4001
7000	26500	1	RMS	25199	-45.61	-25	20.61	Pass	19503






**5.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.92	-25	46.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-25	46.92	Pass	2986
30	1000	0.1	RMS	880.421	-63.98	-25	38.98	Pass	9701
1000	2396	1	RMS	2392	-51.29	-25	26.29	Pass	1397
2396	2790	1	RMS	2641.265	21.36	60	38.64	Pass	401
2790	3000	1	RMS	2868.225	-48.92	-25	23.92	Pass	401
3000	7000	1	RMS	6933	-61.57	-25	36.57	Pass	4001
7000	26500	1	RMS	25188	-45.71	-25	20.71	Pass	19503




**5.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.92	-25	47.92	Pass	401
0.15	30	0.01	RMS	0.17	-71.88	-25	46.88	Pass	2986
30	1000	0.1	RMS	991.594	-63.83	-25	38.83	Pass	9701
1000	2396	1	RMS	2396	-51.33	-25	26.33	Pass	1397
2396	2790	1	RMS	2659.98	3.55	60	56.45	Pass	401
2790	3000	1	RMS	2867.175	-48.94	-25	23.94	Pass	401
3000	7000	1	RMS	6926	-61.58	-25	36.58	Pass	4001
7000	26500	1	RMS	25197	-45.71	-25	20.71	Pass	19503




**5.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.65	-25	46.65	Pass	401
0.15	30	0.01	RMS	0.19	-72.04	-25	47.04	Pass	2986
30	1000	0.1	RMS	898.333	-63.91	-25	38.91	Pass	9701
1000	2396	1	RMS	2361	-51.24	-25	26.24	Pass	1397
2396	2790	1	RMS	2590.045	19.75	60	40.25	Pass	401
2790	3000	1	RMS	2868.225	-48.94	-25	23.94	Pass	401
3000	7000	1	RMS	5182	-58.94	-25	33.94	Pass	4001
7000	26500	1	RMS	25200	-45.72	-25	20.72	Pass	19503



**5.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.86	-25	46.86	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-25	46.34	Pass	2986
30	1000	0.1	RMS	900.134	-63.79	-25	38.79	Pass	9701
1000	2396	1	RMS	2390	-51.34	-25	26.34	Pass	1397
2396	2790	1	RMS	2688.545	21.11	60	38.89	Pass	401
2790	3000	1	RMS	2867.175	-48.97	-25	23.97	Pass	401
3000	7000	1	RMS	5378	-55.92	-25	30.92	Pass	4001
7000	26500	1	RMS	25198	-45.79	-25	20.79	Pass	19503



## 1. n26 15kHz(814-824)


**1.1. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.87	-13	58.87	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	2986
30	804	0.1	RMS	732.1	-64.37	-13	51.37	Pass	7741
804	834	0.1	RMS	814.5	5.47	60	54.53	Pass	401
834	1000	0.1	RMS	834	-62.94	-13	49.94	Pass	1661
1000	3000	1	RMS	2869	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	8995	-58.01	-13	45.01	Pass	7001




**1.2. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.3	-13	58.3	Pass	401
0.15	30	0.01	RMS	0.15	-70.71	-13	57.71	Pass	2986
30	804	0.1	RMS	736	-64.27	-13	51.27	Pass	7741
804	834	0.1	RMS	814.35	18.92	60	41.08	Pass	401
834	1000	0.1	RMS	847.9	-63.62	-13	50.62	Pass	1661
1000	3000	1	RMS	2870	-48.71	-13	35.71	Pass	2001
3000	10000	1	RMS	8997	-58.06	-13	45.06	Pass	7001




**1.3. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:3, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.69	-13	58.69	Pass	401
0.15	30	0.01	RMS	0.15	-70.9	-13	57.9	Pass	2986
30	804	0.1	RMS	752.9	-64.26	-13	51.26	Pass	7741
804	834	0.1	RMS	818.625	18.78	60	41.22	Pass	401
834	1000	0.1	RMS	835.5	-60.93	-13	47.93	Pass	1661
1000	3000	1	RMS	1637	-48.69	-13	35.69	Pass	2001
3000	10000	1	RMS	9001	-58.01	-13	45.01	Pass	7001



**1.4. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.61	-70.66	-13	57.66	Pass	2986
30	804	0.1	RMS	741.4	-64.27	-13	51.27	Pass	7741
804	834	0.1	RMS	817.65	5.55	60	54.45	Pass	401
834	1000	0.1	RMS	834	-60.83	-13	47.83	Pass	1661
1000	3000	1	RMS	2870	-48.7	-13	35.7	Pass	2001
3000	10000	1	RMS	8938	-58.06	-13	45.06	Pass	7001






**1.5. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.03	-13	58.03	Pass	401
0.15	30	0.01	RMS	0.17	-70.91	-13	57.91	Pass	2986
30	804	0.1	RMS	749.2	-64.31	-13	51.31	Pass	7741
804	834	0.1	RMS	816.825	18.96	60	41.04	Pass	401
834	1000	0.1	RMS	836.4	-63.51	-13	50.51	Pass	1661
1000	3000	1	RMS	1633	-48.63	-13	35.63	Pass	2001
3000	10000	1	RMS	8900	-58	-13	45	Pass	7001




**1.6. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.54	-13	57.54	Pass	401
0.15	30	0.01	RMS	0.16	-70.78	-13	57.78	Pass	2986
30	804	0.1	RMS	753.1	-64.34	-13	51.34	Pass	7741
804	834	0.1	RMS	821.175	18.73	60	41.27	Pass	401
834	1000	0.1	RMS	835.2	-59.6	-13	46.6	Pass	1661
1000	3000	1	RMS	2870	-48.72	-13	35.72	Pass	2001
3000	10000	1	RMS	8903	-57.99	-13	44.99	Pass	7001




**1.7. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:1, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.19	-13	58.19	Pass	401
0.15	30	0.01	RMS	0.16	-71.64	-13	58.64	Pass	2986
30	804	0.1	RMS	729.3	-64.25	-13	51.25	Pass	7741
804	834	0.1	RMS	820.05	5.44	60	54.56	Pass	401
834	1000	0.1	RMS	834.2	-55.72	-13	42.72	Pass	1661
1000	3000	1	RMS	2874	-48.69	-13	35.69	Pass	2001
3000	10000	1	RMS	8904	-57.96	-13	44.96	Pass	7001




**1.8. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:2, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.98	-13	57.98	Pass	401
0.15	30	0.01	RMS	0.16	-71.52	-13	58.52	Pass	2986
30	804	0.1	RMS	734.9	-64.25	-13	51.25	Pass	7741
804	834	0.1	RMS	819.3	18.7	60	41.3	Pass	401
834	1000	0.1	RMS	836.2	-60.97	-13	47.97	Pass	1661
1000	3000	1	RMS	1638	-48.71	-13	35.71	Pass	2001
3000	10000	1	RMS	8994	-57.96	-13	44.96	Pass	7001




**1.9. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.54	-13	58.54	Pass	401
0.15	30	0.01	RMS	0.16	-71.41	-13	58.41	Pass	2986
30	804	0.1	RMS	735.5	-64.28	-13	51.28	Pass	7741
804	834	0.1	RMS	823.65	18.84	60	41.16	Pass	401
834	1000	0.1	RMS	837.7	-59.51	-13	46.51	Pass	1661
1000	3000	1	RMS	2869	-48.69	-13	35.69	Pass	2001
3000	10000	1	RMS	9001	-58.01	-13	45.01	Pass	7001




**1.10. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.23	-13	58.23	Pass	401
0.15	30	0.01	RMS	0.61	-71.12	-13	58.12	Pass	2986
30	804	0.1	RMS	804	-64.11	-13	51.11	Pass	7741
804	834	0.1	RMS	816	2.34	60	57.66	Pass	401
834	1000	0.1	RMS	834.2	-44.77	-13	31.77	Pass	1661
1000	3000	1	RMS	2864	-48.71	-13	35.71	Pass	2001
3000	10000	1	RMS	9000	-58	-13	45	Pass	7001




**1.11. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.12	-13	57.12	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	58.2	Pass	2986
30	804	0.1	RMS	734.2	-64.19	-13	51.19	Pass	7741
804	834	0.1	RMS	814.425	18.83	60	41.17	Pass	401
834	1000	0.1	RMS	834	-63.45	-13	50.45	Pass	1661
1000	3000	1	RMS	2868	-48.66	-13	35.66	Pass	2001
3000	10000	1	RMS	8983	-57.95	-13	44.95	Pass	7001



**1.12. Spurious Emission at Antenna Terminals for SA\_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.81	-13	58.81	Pass	401
0.15	30	0.01	RMS	0.15	-70.76	-13	57.76	Pass	2986
30	804	0.1	RMS	727.5	-64.32	-13	51.32	Pass	7741
804	834	0.1	RMS	823.575	18.83	60	41.17	Pass	401
834	1000	0.1	RMS	837.6	-59.9	-13	46.9	Pass	1661
1000	3000	1	RMS	2869	-48.7	-13	35.7	Pass	2001
3000	10000	1	RMS	8931	-57.95	-13	44.95	Pass	7001



--BLANK BELOW--