



3.23. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2618.9	13.84	30	Pass	401
2620	2621	1	RMS	2620	-20.97	-10	Pass	2
2621	2625	1	RMS	2621	-39.09	-10	Pass	401
2625	2660	1	RMS	2638.738	-24.37	-13	Pass	401
2660	2665	1	RMS	2660.013	-45.77	-25	Pass	401



3.24. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2613.1	-2.79	30	Pass	401
2620	2621	1	RMS	2620	-29.31	-10	Pass	2
2621	2625	1	RMS	2621.78	-30.79	-10	Pass	401
2625	2660	1	RMS	2625.963	-31.43	-13	Pass	401
2660	2665	1	RMS	2660.063	-41.52	-25	Pass	401



4. CA_41C_full


4.1. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.75	-29.76	-25	Pass	401
2490	2495	1	RMS	2495	-46.12	-13	Pass	6
2495	2496	0.3	RMS	2495.995	-39.59	-13	Pass	401
2496	2521	0.1	RMS	2497.188	8.44	30	Pass	401




4.2. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2475	-40.71	-25	Pass	401
2490	2495	1	RMS	2495	-46.16	-13	Pass	6
2495	2496	0.3	RMS	2496	-39.36	-13	Pass	401
2496	2521	0.1	RMS	2497.063	5.89	30	Pass	401




4.3. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-36.46	-25	Pass	401
2490	2495	1	RMS	2495	-35.33	-13	Pass	6
2495	2496	0.3	RMS	2495.985	-36.48	-13	Pass	401
2496	2521	0.1	RMS	2516.5	3.99	30	Pass	401




4.4. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.6	-29.78	-25	Pass	401
2490	2495	1	RMS	2495	-46.15	-13	Pass	6
2495	2496	0.3	RMS	2496	-39.3	-13	Pass	401
2496	2521	0.1	RMS	2515.563	5.56	30	Pass	401




4.5. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2475	-41.07	-25	Pass	401
2490	2495	1	RMS	2495	-46.1	-13	Pass	6
2495	2496	0.3	RMS	2495.995	-39.66	-13	Pass	401
2496	2521	0.1	RMS	2519.875	5.47	30	Pass	401




4.6. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.775	-36.66	-25	Pass	401
2490	2495	1	RMS	2495	-35.3	-13	Pass	6
2495	2496	0.3	RMS	2495.99	-36.89	-13	Pass	401
2496	2521	0.1	RMS	2518.5	2.29	30	Pass	401




4.7. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2666.063	6.06	30	Pass	401
2690	2691	0.51	RMS	2690.013	-44.88	-10	Pass	401
2691	2695	1	RMS	2691	-46.02	-10	Pass	5
2695	2715	3	RMS	2711.9	-28.3	-13	Pass	401
2715	2735	1	RMS	2734.35	-43.42	-25	Pass	401



4.8. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	5.98	30	Pass	401
2690	2691	0.51	RMS	2690.013	-44.62	-10	Pass	401
2691	2695	1	RMS	2694	-27.23	-10	Pass	5
2695	2715	3	RMS	2695.05	-28.5	-13	Pass	401
2715	2735	1	RMS	2732	-45.93	-25	Pass	401




4.9. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2686.063	3.71	30	Pass	401
2690	2691	0.51	RMS	2690.003	-34.44	-10	Pass	401
2691	2695	1	RMS	2695	-31.67	-10	Pass	5
2695	2715	3	RMS	2696.85	-26.35	-13	Pass	401
2715	2735	1	RMS	2715.1	-39.04	-25	Pass	401




4.10. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2666.063	6.37	30	Pass	401
2690	2691	0.51	RMS	2690.013	-44.88	-10	Pass	401
2691	2695	1	RMS	2691	-46.09	-10	Pass	5
2695	2715	3	RMS	2711.55	-27.96	-13	Pass	401
2715	2735	1	RMS	2734.45	-42.88	-25	Pass	401



4.11. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2683.875	5.76	30	Pass	401
2690	2691	0.51	RMS	2690.005	-44.57	-10	Pass	401
2691	2695	1	RMS	2694	-27.29	-10	Pass	5
2695	2715	3	RMS	2695	-28.67	-13	Pass	401
2715	2735	1	RMS	2734.05	-45.95	-25	Pass	401




4.12. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2684.813	3.13	30	Pass	401
2690	2691	0.51	RMS	2690	-33.59	-10	Pass	401
2691	2695	1	RMS	2693	-31.61	-10	Pass	5
2695	2715	3	RMS	2695.15	-26.33	-13	Pass	401
2715	2735	1	RMS	2715.55	-39.68	-25	Pass	401




4.13. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477.213	-30.24	-25	Pass	401
2490	2495	1	RMS	2495	-45.93	-13	Pass	6
2495	2496	0.51	RMS	2495.993	-34.55	-13	Pass	401
2496	2536	0.1	RMS	2516.9	5.68	30	Pass	401




4.14. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.838	-46.51	-25	Pass	401
2490	2495	1	RMS	2495	-45.94	-13	Pass	6
2495	2496	0.51	RMS	2495.988	-34.25	-13	Pass	401
2496	2536	0.1	RMS	2534.7	5.37	30	Pass	401




4.15. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.775	-38.19	-25	Pass	401
2490	2495	1	RMS	2495	-37.32	-13	Pass	6
2495	2496	0.51	RMS	2495.993	-34.66	-13	Pass	401
2496	2536	0.1	RMS	2532.9	-3.45	30	Pass	401




4.16. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477.363	-30.02	-25	Pass	401
2490	2495	1	RMS	2495	-45.89	-13	Pass	6
2495	2496	0.51	RMS	2496	-34.33	-13	Pass	401
2496	2536	0.1	RMS	2516.9	5.24	30	Pass	401




4.17. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.2	-46.51	-25	Pass	401
2490	2495	1	RMS	2495	-45.94	-13	Pass	6
2495	2496	0.51	RMS	2495.998	-34.1	-13	Pass	401
2496	2536	0.1	RMS	2534.7	5.91	30	Pass	401




4.18. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.625	-37.35	-25	Pass	401
2490	2495	1	RMS	2495	-36.81	-13	Pass	6
2495	2496	0.51	RMS	2495.998	-34.8	-13	Pass	401
2496	2536	0.1	RMS	2529.4	-2.91	30	Pass	401




4.19. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.9	6.06	30	Pass	401
2690	2691	1	RMS	2690	-29.85	-10	Pass	2
2691	2695	1	RMS	2691	-45.75	-10	Pass	5
2695	2730	3	RMS	2726.15	-28.12	-13	Pass	401
2730	2735	1	RMS	2732.625	-45.95	-25	Pass	401




4.20. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.9	5.57	30	Pass	401
2690	2691	1	RMS	2690	-29.83	-10	Pass	2
2691	2695	1	RMS	2691	-45.73	-10	Pass	5
2695	2730	3	RMS	2708.65	-28.15	-13	Pass	401
2730	2735	1	RMS	2734.35	-45.92	-25	Pass	401




4.21. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2677.7	-3.44	30	Pass	401
2690	2691	1	RMS	2690	-15.34	-10	Pass	401
2691	2695	1	RMS	2692	-33.12	-10	Pass	5
2695	2730	3	RMS	2695.088	-28.1	-13	Pass	401
2730	2735	1	RMS	2730.263	-41.4	-25	Pass	401




4.22. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.9	5.26	30	Pass	401
2690	2691	1	RMS	2690	-29.52	-10	Pass	2
2691	2695	1	RMS	2691	-45.74	-10	Pass	5
2695	2730	3	RMS	2726.413	-27.83	-13	Pass	401
2730	2735	1	RMS	2733.638	-45.92	-25	Pass	401




4.23. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.9	6.07	30	Pass	401
2690	2691	1	RMS	2690	-29.54	-10	Pass	2
2691	2695	1	RMS	2691	-45.68	-10	Pass	5
2695	2730	3	RMS	2708.563	-27.75	-13	Pass	401
2730	2735	1	RMS	2734.688	-45.93	-25	Pass	401



4.24. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2671.3	-3.19	30	Pass	401
2690	2691	1	RMS	2690	-15.77	-10	Pass	401
2691	2695	1	RMS	2691	-32.72	-10	Pass	5
2695	2730	3	RMS	2695.088	-27.82	-13	Pass	401
2730	2735	1	RMS	2730.225	-41.79	-25	Pass	401



1. n2


1.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-29.12	-13	16.12	Pass	401
1849	1850	0.051	RMS	1850	-18.82	-13	5.82	Pass	401
1850	1855	1	RMS	1850.313	20.61	30	9.39	Pass	401




1.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.479	-24.05	-13	11.05	Pass	401
1849	1850	0.051	RMS	1850	-27.72	-13	14.72	Pass	401
1850	1855	1	RMS	1853.65	14.37	30	15.63	Pass	401



1.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1909.663	20.48	30	9.52	Pass	401
1910	1911	0.02	RMS	1910	-23.54	-13	10.54	Pass	401
1911.5	1920	1	RMS	1911.5	-31.96	-13	18.96	Pass	401




1.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1906.275	14.37	30	15.63	Pass	401
1910	1911	0.051	RMS	1910	-27.8	-13	14.8	Pass	401
1911.5	1920	1	RMS	1911.5	-24.91	-13	11.91	Pass	401




1.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848.5	1	RMS	1848.5	-37.23	-13	24.23	Pass	401
1849	1850	0.051	RMS	1850	-23.8	-13	10.8	Pass	401
1850	1865	1	RMS	1850.45	20.75	30	9.25	Pass	401




1.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1849	1	RMS	1849	-23.53	-13	10.53	Pass	401
1849	1850	0.15	RMS	1850	-30.63	-13	17.63	Pass	401
1850	1865	1	RMS	1863.575	9.64	30	20.36	Pass	401




1.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	1	RMS	1909.55	20.53	30	9.47	Pass	401
1910	1911	0.051	RMS	1910	-24.38	-13	11.38	Pass	401
1911.5	1930	1	RMS	1911.5	-40.33	-13	27.33	Pass	401




1.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	1	RMS	1896.425	9.76	30	20.24	Pass	401
1910	1911	0.15	RMS	1910	-31.06	-13	18.06	Pass	401
1911	1930	1	RMS	1911	-26.1	-13	13.1	Pass	401




1.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1848.5	1	RMS	1848.5	-39.04	-13	26.04	Pass	401
1849	1850	0.2	RMS	1850	-19.78	-13	6.78	Pass	401
1850	1870	1	RMS	1850.5	20.66	30	9.34	Pass	401




1.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-26	-13	13	Pass	401
1849	1850	0.2	RMS	1850	-31.79	-13	18.79	Pass	401
1850	1870	1	RMS	1868	8.5	30	21.5	Pass	401



1.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1909.4	20.59	30	9.41	Pass	401
1910	1911	0.2	RMS	1910	-19.87	-13	6.87	Pass	401
1911.5	1935	1	RMS	1911.5	-41.81	-13	28.81	Pass	401



1.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1891.4	8.57	30	21.43	Pass	401
1910	1911	0.2	RMS	1910	-32.61	-13	19.61	Pass	401
1911	1935	1	RMS	1911	-29.21	-13	16.21	Pass	401



2. n7


2.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.063	-52.04	-25	27.04	Pass	401
2490.5	2496	1	RMS	2495.89	-44.84	-13	31.84	Pass	401
2496	2498.5	1	RMS	2498.5	-37.59	-10	27.59	Pass	4
2499	2500	0.051	RMS	2500	-15.53	-10	5.53	Pass	401
2500	2505	1	RMS	2500.338	21.6	30	8.4	Pass	401




2.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.499	-43.57	-25	18.57	Pass	401
2490.5	2496	1	RMS	2496	-32.25	-13	19.25	Pass	401
2496	2498.5	1	RMS	2498.494	-25.32	-10	15.32	Pass	401
2499	2500	0.1	RMS	2500	-24.98	-10	14.98	Pass	401
2500	2505	1	RMS	2503.713	15.32	30	14.68	Pass	401



2.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2569.663	21.61	30	8.39	Pass	401
2570	2571	0.051	RMS	2570	-18.77	-10	8.77	Pass	401
2571.5	2575	1	RMS	2571.5	-29.58	-10	19.58	Pass	401
2575	2576	1	RMS	2575.02	-46.92	-13	33.92	Pass	401
2576	2580	1	RMS	2576.19	-48.97	-25	23.97	Pass	401




2.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2566.075	15.3	30	14.7	Pass	401
2570	2571	0.1	RMS	2570.003	-23.93	-10	13.93	Pass	401
2571	2575	1	RMS	2571	-23.21	-10	13.21	Pass	5
2575	2576	1	RMS	2575.005	-33.37	-13	20.37	Pass	401
2576	2580	1	RMS	2576	-35.33	-25	10.33	Pass	401




2.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2470	2490.5	1	RMS	2490.398	-50.98	-25	25.98	Pass	401
2490.5	2496	1	RMS	2495.986	-44.85	-13	31.85	Pass	401
2496	2499	1	RMS	2499	-34.97	-10	24.97	Pass	4
2499	2500	0.051	RMS	2500	-27.85	-10	17.85	Pass	401
2500	2525	1	RMS	2500.563	21.82	30	8.18	Pass	401




2.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2470	2490.5	1	RMS	2490.449	-33.76	-25	8.76	Pass	401
2490.5	2496	1	RMS	2495.986	-30.41	-13	17.41	Pass	401
2496	2499	1	RMS	2499	-27.54	-10	17.54	Pass	401
2499	2500	0.51	RMS	2500	-16.57	-10	6.57	Pass	401
2500	2525	1	RMS	2523	8.77	30	21.23	Pass	401




2.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2570	1	RMS	2569.313	21.77	30	8.23	Pass	401
2570	2571	0.051	RMS	2570.005	-31.87	-10	21.87	Pass	401
2571	2575	1	RMS	2571	-16.21	-10	6.21	Pass	401
2575	2595	1	RMS	2575.35	-47.12	-13	34.12	Pass	401
2595	2600	1	RMS	2595.025	-54.35	-25	29.35	Pass	401




2.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2570	1	RMS	2546.563	8.43	30	21.57	Pass	401
2570	2571	0.51	RMS	2570	-17.39	-10	7.39	Pass	401
2571	2575	1	RMS	2571	-26.69	-10	16.69	Pass	401
2575	2595	1	RMS	2575	-30.84	-13	17.84	Pass	401
2595	2600	1	RMS	2595	-43.82	-25	18.82	Pass	401




2.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2445	2490.5	1	RMS	2490.5	-51.47	-25	26.47	Pass	401
2490.5	2496	1	RMS	2495.973	-44.72	-13	31.72	Pass	401
2496	2499	1	RMS	2499	-24.78	-10	14.78	Pass	401
2499	2500	0.051	RMS	2499.998	-38.97	-10	28.97	Pass	401
2500	2550	1	RMS	2500.625	21.62	30	8.38	Pass	401




2.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2445	2490.5	1	RMS	2489.818	-33.82	-25	8.82	Pass	401
2490.5	2496	1	RMS	2495.945	-32.58	-13	19.58	Pass	401
2496	2499	1	RMS	2499	-31.57	-10	21.57	Pass	401
2499	2499.5	1	RMS	2499.5	-23.09	-10	13.09	Pass	401
2500	2550	1	RMS	2530.875	5.39	30	24.61	Pass	401




2.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2520	2570	1	RMS	2569.125	21.68	30	8.32	Pass	401
2570	2571	0.051	RMS	2570.195	-39.98	-10	29.98	Pass	401
2571	2575	1	RMS	2571	-26.2	-10	16.2	Pass	401
2575	2620	1	RMS	2575	-48.32	-13	35.32	Pass	401
2620	2625	1	RMS	2624.1	-54.58	-25	29.58	Pass	401



2.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2520	2570	1	RMS	2529	5.53	30	24.47	Pass	401
2570.5	2571	1	RMS	2570.5	-23.91	-10	13.91	Pass	401
2571	2575	1	RMS	2571	-32.74	-10	22.74	Pass	401
2575	2620	1	RMS	2575	-34.03	-13	21.03	Pass	401
2620	2625	1	RMS	2624.463	-54.57	-25	29.57	Pass	401



1. n5


1.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.168	-41.74	-13	28.74	Pass	401
823	824	0.02	RMS	824	-19.35	-13	6.35	Pass	401
824	829	0.1	RMS	824.338	20.87	30	9.13	Pass	401




1.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	823	-30.05	-13	17.05	Pass	401
823	824	0.051	RMS	823.988	-24.09	-13	11.09	Pass	401
824	829	0.1	RMS	825.1	7.19	30	22.81	Pass	401




1.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	20.93	30	9.07	Pass	401
849	850	0.02	RMS	849.003	-20.82	-13	7.82	Pass	401
850	859	0.1	RMS	851.44	-46.63	-13	33.63	Pass	401




1.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.075	7.21	30	22.79	Pass	401
849	850	0.051	RMS	849	-24.46	-13	11.46	Pass	401
850	859	0.1	RMS	850.023	-27.75	-13	14.75	Pass	401




1.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	821.67	-45.54	-13	32.54	Pass	401
823	824	0.02	RMS	824	-24.71	-13	11.71	Pass	401
824	839	0.1	RMS	824.45	20.62	30	9.38	Pass	401




1.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.478	-32.21	-13	19.21	Pass	401
823	824	0.15	RMS	823.998	-26.99	-13	13.99	Pass	401
824	839	0.1	RMS	836.225	2.61	30	27.39	Pass	401




1.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	20.75	30	9.25	Pass	401
849	850	0.02	RMS	849.005	-26.27	-13	13.27	Pass	401
850	869	0.1	RMS	851.33	-46.57	-13	33.57	Pass	401




1.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	835.35	2.59	30	27.41	Pass	401
849	850	0.15	RMS	849.005	-27.11	-13	14.11	Pass	401
850	869	0.1	RMS	850.095	-31.01	-13	18.01	Pass	401




1.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	821.74	-45.71	-13	32.71	Pass	401
823	824	0.02	RMS	823.998	-28.19	-13	15.19	Pass	401
824	844	0.1	RMS	824.55	20.6	30	9.4	Pass	401




1.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.4	-33.1	-13	20.1	Pass	401
823	824	0.2	RMS	824	-28.14	-13	15.14	Pass	401
824	844	0.1	RMS	834.2	1.31	30	28.69	Pass	401



1.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	20.71	30	9.29	Pass	401
849	850	0.02	RMS	849	-29.71	-13	16.71	Pass	401
850	874	0.1	RMS	851.26	-46.59	-13	33.59	Pass	401



1.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	833.15	1.22	30	28.78	Pass	401
849	850	0.2	RMS	849.003	-27.91	-13	14.91	Pass	401
850	874	0.1	RMS	850	-33.27	-13	20.27	Pass	401



2. n12 15kHz


2.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-18.14	-13	5.14	Pass	401
698.9	699	0.03	RMS	698.999	-17.83	-13	4.83	Pass	401
699	704	0.1	RMS	699.338	19.41	30	10.59	Pass	401




2.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-25.44	-13	12.44	Pass	401
698.9	699	0.03	RMS	698.977	-28.55	-13	15.55	Pass	401
699	704	0.1	RMS	699.813	6.11	30	23.89	Pass	401




2.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.638	19.27	30	10.73	Pass	401
716	716.1	0.03	RMS	716	-20.7	-13	7.7	Pass	401
716.1	726	0.1	RMS	716.1	-21.98	-13	8.98	Pass	401




2.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	712.163	6.15	30	23.85	Pass	401
716	716.1	0.03	RMS	716.001	-30.61	-13	17.61	Pass	401
716.1	726	0.1	RMS	716.1	-27.61	-13	14.61	Pass	401




2.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-19.68	-13	6.68	Pass	401
698.9	699	0.03	RMS	699	-20.14	-13	7.14	Pass	401
699	709	0.1	RMS	699.4	19.35	30	10.65	Pass	401




2.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-30.63	-13	17.63	Pass	401
698.9	699	0.03	RMS	698.994	-34.11	-13	21.11	Pass	401
699	709	0.1	RMS	700.375	2.97	30	27.03	Pass	401



2.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.575	19.25	30	10.75	Pass	401
716	716.1	0.03	RMS	716.003	-23.59	-13	10.59	Pass	401
716.1	731	0.1	RMS	716.1	-23.41	-13	10.41	Pass	401




2.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	710.425	2.94	30	27.06	Pass	401
716	716.1	0.03	RMS	716	-33.27	-13	20.27	Pass	401
716.1	731	0.1	RMS	716.1	-30.81	-13	17.81	Pass	401




2.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-22.71	-13	9.71	Pass	401
698.9	699	0.03	RMS	699	-23.26	-13	10.26	Pass	401
699	714	0.1	RMS	699.488	19.45	30	10.55	Pass	401




2.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-32.45	-13	19.45	Pass	401
698.9	699	0.03	RMS	699	-35.99	-13	22.99	Pass	401
699	714	0.1	RMS	711.263	1.46	30	28.54	Pass	401




2.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	716	0.1	RMS	715.513	19.31	30	10.69	Pass	401
716	716.1	0.03	RMS	716.001	-26.29	-13	13.29	Pass	401
716.1	736	0.1	RMS	716.1	-26.33	-13	13.33	Pass	401



2.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	716	0.1	RMS	710.225	1.45	30	28.55	Pass	401
716	716.1	0.03	RMS	716.001	-37.23	-13	24.23	Pass	401
716.1	736	0.1	RMS	716.1	-33.83	-13	20.83	Pass	401



3. n26 15kHz(824-849)


3.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	821.538	-47.94	-13	34.94	Pass	401
823	824	0.05	RMS	824	-16.79	-13	3.79	Pass	21
824	829	0.1	RMS	824.325	19.08	30	10.92	Pass	401




3.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	823	-31.41	-13	18.41	Pass	401
823	824	0.051	RMS	823.995	-26.01	-13	13.01	Pass	401
824	829	0.1	RMS	824.775	5.43	30	24.57	Pass	401



3.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.638	19.05	30	10.95	Pass	401
849	850	0.051	RMS	849	-18.49	-13	5.49	Pass	401
850	859	0.1	RMS	851.44	-48.1	-13	35.1	Pass	401




3.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.075	5.62	30	24.38	Pass	401
849	850	0.051	RMS	849.003	-27.59	-13	14.59	Pass	401
850	859	0.1	RMS	850	-31.17	-13	18.17	Pass	401




3.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	821.67	-47.64	-13	34.64	Pass	401
823	824	0.15	RMS	824	-17.7	-13	4.7	Pass	8
824	839	0.1	RMS	824.488	18.98	30	11.02	Pass	401




3.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.525	-34.52	-13	21.52	Pass	401
823	824	0.15	RMS	824	-28.83	-13	15.83	Pass	401
824	839	0.1	RMS	827.375	0.66	30	29.34	Pass	401




3.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	19.04	30	10.96	Pass	401
849	850	0.15	RMS	849	-18.41	-13	5.41	Pass	401
850	869	0.1	RMS	851.33	-48.04	-13	35.04	Pass	401




3.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	846.3	0.61	30	29.39	Pass	401
849	850	0.15	RMS	849	-29.98	-13	16.98	Pass	401
850	869	0.1	RMS	850.095	-34.15	-13	21.15	Pass	401




3.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	821.74	-47.78	-13	34.78	Pass	401
823	824	0.2	RMS	823.998	-17.97	-13	4.97	Pass	401
824	844	0.1	RMS	824.55	19.02	30	10.98	Pass	401




3.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.4	-35.33	-13	22.33	Pass	401
823	824	0.2	RMS	824	-29.78	-13	16.78	Pass	401
824	844	0.1	RMS	834.15	-0.43	30	30.43	Pass	401




3.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	18.98	30	11.02	Pass	401
849	850	0.2	RMS	849.003	-20.08	-13	7.08	Pass	401
850	874	0.1	RMS	851.26	-48.14	-13	35.14	Pass	401



3.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	839.15	-0.58	30	30.58	Pass	401
849	850	0.2	RMS	849	-30.26	-13	17.26	Pass	401
850	874	0.1	RMS	850	-35.82	-13	22.82	Pass	401



3. n66


3.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-27.13	-13	14.13	Pass	401
1709	1710	0.02	RMS	1710	-19.03	-13	6.03	Pass	401
1710	1715	1	RMS	1710.325	22.47	30	7.53	Pass	401




3.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.479	-22.72	-13	9.72	Pass	401
1709	1710	0.051	RMS	1710	-24.54	-13	11.54	Pass	401
1710	1715	1	RMS	1711.2	16.48	30	13.52	Pass	401




3.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1779.663	23.18	30	6.82	Pass	401
1780	1781	0.051	RMS	1780	-16.88	-13	3.88	Pass	401
1781.5	1790	1	RMS	1781.5	-29.4	-13	16.4	Pass	401




3.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1776.275	16.75	30	13.25	Pass	401
1780	1781	0.051	RMS	1780	-24.5	-13	11.5	Pass	401
1781.5	1790	1	RMS	1781.521	-22.5	-13	9.5	Pass	401




3.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-38.61	-13	25.61	Pass	401
1709	1710	0.2	RMS	1710	-16.17	-13	3.17	Pass	401
1710	1730	1	RMS	1710.45	22.98	30	7.02	Pass	401




3.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-28.25	-13	15.25	Pass	401
1709	1710	0.2	RMS	1710	-29.81	-13	16.81	Pass	401
1710	1730	1	RMS	1711.5	10.57	30	19.43	Pass	401




3.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	23.2	30	6.8	Pass	401
1780	1781	0.2	RMS	1780.005	-17.14	-13	4.14	Pass	401
1781.5	1805	1	RMS	1781.5	-41.51	-13	28.51	Pass	401




3.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1775.2	10.68	30	19.32	Pass	401
1780	1781	0.2	RMS	1780	-29.7	-13	16.7	Pass	401
1781.5	1805	1	RMS	1781.5	-27.2	-13	14.2	Pass	401




3.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1708.5	1	RMS	1708.5	-39.62	-13	26.62	Pass	401
1709	1709.8	0.39	RMS	1709.798	-22.71	-13	9.71	Pass	401
1710	1750	1	RMS	1710.6	22.87	30	7.13	Pass	401




3.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-27.01	-13	14.01	Pass	401
1709	1710	0.39	RMS	1710	-27.58	-13	14.58	Pass	401
1710	1750	1	RMS	1744.3	8.12	30	21.88	Pass	401



3.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1779.3	22.63	30	7.37	Pass	401
1780.2	1781	0.39	RMS	1780.2	-25.41	-13	12.41	Pass	401
1781	1825	1	RMS	1781	-38.77	-13	25.77	Pass	45



3.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1742.5	8.29	30	21.71	Pass	401
1780	1781	0.39	RMS	1780	-28.67	-13	15.67	Pass	401
1781	1825	1	RMS	1781	-27.65	-13	14.65	Pass	401



4. n38_PC3


4.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2560	1	RMS	2559.288	-50.29	-25	25.29	Pass	401
2560	2565	1	RMS	2562.45	-47.61	-13	34.61	Pass	401
2565	2569	1	RMS	2569	-22.4	-10	12.4	Pass	401
2569	2570	0.051	RMS	2569.998	-22.82	-10	12.82	Pass	401
2570	2580	1	RMS	2570.825	21.57	30	8.43	Pass	401




4.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2560	1	RMS	2559.85	-41.95	-25	16.95	Pass	401
2560	2565	1	RMS	2564.988	-29.76	-13	16.76	Pass	401
2565	2569	1	RMS	2569	-23.2	-10	13.2	Pass	401
2569	2570	0.2	RMS	2569.99	-25.27	-10	15.27	Pass	401
2570	2580	1	RMS	2571.925	12.73	30	17.27	Pass	401



4.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	1	RMS	2619.125	21.77	30	8.23	Pass	401
2620	2621	0.051	RMS	2620.005	-23.94	-10	13.94	Pass	401
2621	2625	1	RMS	2621	-24.06	-10	14.06	Pass	401
2625	2630	1	RMS	2627.025	-49.05	-13	36.05	Pass	401
2630	2635	1	RMS	2630.263	-49.93	-25	24.93	Pass	401




4.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	1	RMS	2618.05	13.06	30	16.94	Pass	401
2620	2621	0.2	RMS	2620	-23.4	-10	13.4	Pass	401
2621	2625	1	RMS	2621.01	-21.81	-10	11.81	Pass	401
2625	2630	1	RMS	2625.013	-28.35	-13	15.35	Pass	401
2630	2635	1	RMS	2630	-39.19	-25	14.19	Pass	401




4.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2545.763	-50.61	-25	25.61	Pass	401
2550	2565	1	RMS	2562.038	-46.35	-13	33.35	Pass	401
2565	2569	1	RMS	2569	-25.58	-10	15.58	Pass	401
2569	2570	0.051	RMS	2570	-24.41	-10	14.41	Pass	401
2570	2590	1	RMS	2571	21.75	30	8.25	Pass	401




4.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.963	-43.87	-25	18.87	Pass	401
2550	2565	1	RMS	2564.963	-27.58	-13	14.58	Pass	401
2565	2569	1	RMS	2568.99	-25.83	-10	15.83	Pass	401
2569	2570	0.39	RMS	2570	-25.71	-10	15.71	Pass	401
2570	2590	1	RMS	2587.35	9.81	30	20.19	Pass	401




4.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2619	21.91	30	8.09	Pass	401
2620	2621	0.051	RMS	2620.003	-25.44	-10	15.44	Pass	401
2621	2625	1	RMS	2621	-26.73	-10	16.73	Pass	401
2625	2640	1	RMS	2627.925	-47.79	-13	34.79	Pass	401
2640	2645	1	RMS	2641.038	-50.36	-25	25.36	Pass	401




4.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2617.95	9.99	30	20.01	Pass	401
2620	2621	0.39	RMS	2620	-25.89	-10	15.89	Pass	401
2621	2625	1	RMS	2621.02	-24.75	-10	14.75	Pass	401
2625	2640	1	RMS	2625.6	-26.9	-13	13.9	Pass	401
2640	2645	1	RMS	2640.063	-39.72	-25	14.72	Pass	401




4.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.738	-50.51	-25	25.51	Pass	401
2530	2565	1	RMS	2552.225	-47.87	-13	34.87	Pass	401
2565	2569	1	RMS	2569	-31.9	-10	21.9	Pass	401
2569	2570	0.051	RMS	2570	-31.19	-10	21.19	Pass	401
2570	2610	1	RMS	2571.1	21.57	30	8.43	Pass	401




4.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2530	-38.43	-25	13.43	Pass	401
2530	2565	1	RMS	2564.825	-29.47	-13	16.47	Pass	401
2565	2569	1	RMS	2569	-28.55	-10	18.55	Pass	401
2569	2570	0.82	RMS	2570	-18.26	-10	8.26	Pass	401
2570	2610	1	RMS	2604.6	6.81	30	23.19	Pass	401




4.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2618.8	21.95	30	8.05	Pass	401
2620	2621	0.051	RMS	2620	-29.49	-10	19.49	Pass	401
2621	2625	1	RMS	2621	-30.09	-10	20.09	Pass	401
2625	2660	1	RMS	2637.775	-48.03	-13	35.03	Pass	401
2660	2665	1	RMS	2662.463	-50.45	-25	25.45	Pass	401



4.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2617.5	6.98	30	23.02	Pass	401
2620	2621	0.82	RMS	2620	-18.62	-10	8.62	Pass	401
2621	2625	1	RMS	2621	-27.04	-10	17.04	Pass	401
2625	2660	1	RMS	2627.888	-28.2	-13	15.2	Pass	401
2660	2665	1	RMS	2660.013	-35.54	-25	10.54	Pass	401



1. n41


1.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490.5	1	RMS	2488.111	-45.23	-25	20.23	Pass	401
2490.5	2495	1	RMS	2495	-26.48	-13	13.48	Pass	401
2495	2496	0.051	RMS	2496	-25.4	-13	12.4	Pass	401
2496	2516	1	RMS	2497.05	22.84	40	17.16	Pass	401




1.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490	1	RMS	2489.81	-29.06	-25	4.06	Pass	401
2490.5	2494.5	1	RMS	2494.26	-25.71	-13	12.71	Pass	401
2495	2495.8	0.39	RMS	2495.8	-27.28	-13	14.28	Pass	401
2496	2516	1	RMS	2513.2	10.91	40	29.09	Pass	401



1.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	1	RMS	2689.05	22.17	40	17.83	Pass	401
2690	2691	0.051	RMS	2690.003	-26.18	-10	16.18	Pass	401
2691	2695	1	RMS	2691	-27.68	-10	17.68	Pass	401
2695	2710	1	RMS	2697.963	-47	-13	34	Pass	401
2710	2715	1	RMS	2712.113	-53.67	-25	28.67	Pass	401




1.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	1	RMS	2672.95	11.13	40	28.87	Pass	401
2690	2691	0.39	RMS	2690.008	-26.16	-10	16.16	Pass	401
2691.5	2695	1	RMS	2691.526	-25.94	-10	15.94	Pass	401
2695.5	2710	1	RMS	2695.79	-27.61	-13	14.61	Pass	401
2710	2715	1	RMS	2710	-38.39	-25	13.39	Pass	401




1.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490.5	1	RMS	2473.423	-50.91	-25	25.91	Pass	401
2490.5	2495	1	RMS	2495	-33.15	-13	20.15	Pass	401
2495	2496	0.051	RMS	2495.998	-32.47	-13	19.47	Pass	401
2496	2546	1	RMS	2497.25	22.42	40	17.58	Pass	401




1.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490.5	1	RMS	2489.881	-29.59	-25	4.59	Pass	401
2490.5	2495	1	RMS	2494.719	-27.65	-13	14.65	Pass	401
2495	2496	1	RMS	2495.998	-17.03	-13	4.03	Pass	401
2496	2546	1	RMS	2543.375	7.22	40	32.78	Pass	401




1.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2688.75	22.15	40	17.85	Pass	401
2690	2691	0.051	RMS	2690.003	-33.74	-10	23.74	Pass	401
2691	2695	1	RMS	2691	-34.19	-10	24.19	Pass	401
2695	2740	1	RMS	2712.55	-47.48	-13	34.48	Pass	401
2740	2745	1	RMS	2741.463	-53.66	-25	28.66	Pass	401




1.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2642.75	7.02	40	32.98	Pass	401
2690	2691	1	RMS	2690	-18.66	-10	8.66	Pass	401
2691	2695	1	RMS	2691.07	-28.65	-10	18.65	Pass	401
2695	2740	1	RMS	2695.788	-30.18	-13	17.18	Pass	401
2740	2745	1	RMS	2740.25	-43.16	-25	18.16	Pass	401




1.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.5	-51.3	-25	26.3	Pass	401
2490.5	2495	1	RMS	2495	-28.42	-13	15.42	Pass	401
2495	2496	0.051	RMS	2496	-27.21	-13	14.21	Pass	401
2496	2596	1	RMS	2497	22.11	40	17.89	Pass	401




1.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-32.94	-25	7.94	Pass	401
2490.5	2495	1	RMS	2495	-30.92	-13	17.92	Pass	401
2495	2495.5	1	RMS	2495.5	-28.09	-13	15.09	Pass	401
2496	2596	1	RMS	2591.25	4.26	40	35.74	Pass	401



1.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22.04	40	17.96	Pass	401
2690	2691	0.051	RMS	2690	-26	-10	16	Pass	401
2691	2695	1	RMS	2691	-27.73	-10	17.73	Pass	401
2695	2790	1	RMS	2737.988	-48.81	-13	35.81	Pass	401
2790	2795	1	RMS	2792.013	-53.6	-25	28.6	Pass	401



1.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2607.5	3.59	40	36.41	Pass	401
2690.5	2691	1	RMS	2690.5	-29.1	-10	19.1	Pass	401
2691	2695	1	RMS	2691.01	-31.53	-10	21.53	Pass	401
2695	2790	1	RMS	2695.713	-32.61	-13	19.61	Pass	401
2790	2795	1	RMS	2793.525	-53.66	-25	28.66	Pass	401



1. n26 15kHz(814-824)


1.1. Band Edge for SA_Part90(NTNV)(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9125	0.1	RMS	813.913	-19.18	-13	6.18	Pass	401
813.9625	814	0.002	RMS	813.997	-29.46	-20	9.46	Pass	401
814	819	0.1	RMS	814.325	18.66	30	11.34	Pass	401




1.2. Band Edge for SA_Part90(NTNV)(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-23.92	-13	10.92	Pass	401
813.9625	814	0.051	RMS	814	-25.53	-20	5.53	Pass	401
814	819	0.1	RMS	817.963	5.18	30	24.82	Pass	401




1.3. Band Edge for SA_Part90(NTNV)(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	18.66	30	11.34	Pass	401
824	824.0375	0.002	RMS	824.007	-29.49	-20	9.49	Pass	401
824.0375	829	0.1	RMS	824.038	-16.2	-13	3.2	Pass	401




1.4. Band Edge for SA_Part90(NTNV)(Subtest:4, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	819.675	5.09	30	24.91	Pass	401
824	824.0375	0.051	RMS	824.001	-28.34	-20	8.34	Pass	401
824.0375	829	0.1	RMS	824.038	-26.44	-13	13.44	Pass	401




1.5. Band Edge for SA_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-17.8	-13	4.8	Pass	401
813.9625	814	0.002	RMS	813.995	-31.03	-20	11.03	Pass	401
814	824	0.1	RMS	814.4	18.71	30	11.29	Pass	401




1.6. Band Edge for SA_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-28.41	-13	15.41	Pass	401
813.9625	814	0.1	RMS	813.999	-27.44	-20	7.44	Pass	401
814	824	0.1	RMS	816.75	2.17	30	27.83	Pass	401




1.7. Band Edge for SA_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	823.575	18.55	30	11.45	Pass	401
824	824.0375	0.002	RMS	824.01	-31	-20	11	Pass	401
824.0375	834	0.1	RMS	824.038	-17.97	-13	4.97	Pass	401



1.8. Band Edge for SA_Part90(NTNV)(Subtest:4, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	816.75	2.16	30	27.84	Pass	401
824	824.0375	0.1	RMS	824.001	-29.05	-20	9.05	Pass	401
824.0375	834	0.1	RMS	824.038	-29.82	-13	16.82	Pass	401



--BLANK BELOW--