



The Photos of SAR test

No. 2013SAR00024

For

TCT Mobile Limited

HSUPA/HSDPA/UMTS Triband / GSM quadband mobile phone

Model name: Diablo A

Marketing name: ONE TOUCH 6030A

With

Hardware Version: PIO

Software Version: vPA9

FCC ID: RAD313

Issued Date: 2013-02-26



The test results in this test report relate only to the devices specified in

this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

Test Laboratory:

TMC Beijing, Telecommunication Metrology Center of MIIT

No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2079, Fax:+86(0)10-62304633 Email:welcome@emcite.com. www.emcite.com


©Copyright. All rights reserved by TMC Beijing.



Picture 1: Constituents of the sample



Picture 2: Left Hand Touch Cheek Position



Picture 3: Left Hand Tilt 15° Position




Picture 4: Right Hand Touch Cheek Position



Picture 5: Right Hand Tilt 15° Position

Test positions for body:


The Body SAR is tested at the following 5 test positions all with the distance =10mm between the EUT and the phantom bottom:



Picture 6: Toward Phantom




Picture 7: Toward Ground




Picture 8: Toward Ground with Headset



Picture 9: Left Side



Picture 10: Right Side



Picture 11: Bottom Side