

# ThinkPad® E14 Gen 2 / E15 Gen 2

## Setup Guide

Guide de configuration

Einrichtungsanleitung

Guida di configurazione

Installatiegids

Manual de Configuração

For Barcode Position Only



Printed in China

PN: SPXXXXXXX

Lenovo


# Initial Setup

Configuration initiale | Ersteinrichtung | Configurazione iniziale | Eerste installatie | Configuração inicial



# Overview

Présentation I Überblick I Panoramica I Overzicht I Descrição geral



- 1. Microphones
- \* 2. Infrared LED
- \* 3. Camera with IR function
- 4. ThinkShutter
- \* 5. Camera
- \* 6. Multi-touch screen
- 7. Power button/power button with fingerprint function
- 8. Security-lock slot
- 9. Ethernet connector
- 10. USB 2.0 connector
- 11. Numeric keypad (for E15 Gen 2)
- \* 12. ThinkPad Integrated Earbuds with Versa Bay (for E15 Gen 2)
- 13. TrackPad
- 14. TrackPoint® buttons
- 15. Audio connector
- 16. HDMI™ connector
- 17. Always on USB 3.2 connector Gen 1
- 18. Thunderbolt™ 4 connector (USB-C™)
- 19. TrackPoint pointing stick

**i** Read the statement on USB transfer rate in the *User Guide*. Refer to the *Safety and Warranty Guide* for accessing the *User Guide*.

- 1. Microphones
- \* 2. Infrared LED
- \* 3. Camera with IR function
- 4. ThinkShutter
- \* 5. Camera
- \* 6. Multi-touch screen
- 7. Power button/power button with fingerprint function
- 8. Security-lock slot
- 9. Ethernet connector
- 10. USB 2.0 connector
- 11. Numeric keypad (for E15 Gen 2)
- \* 12. ThinkPad Integrated Earbuds with Versa Bay (for E15 Gen 2)
- 13. TrackPad
- 14. TrackPoint® buttons
- 15. Audio connector
- 16. HDMI™ connector
- 17. Always on USB 3.2 connector Gen 1
- 18. Thunderbolt™ 4 connector (USB-C™)
- 19. TrackPoint pointing stick

**i** Read the statement on USB transfer rate in the *User Guide*. Refer to the *Safety and Warranty Guide* for accessing the *User Guide*.

- 1. Microphones
- \* 2. Infrared LED
- \* 3. Camera with IR function
- 4. ThinkShutter
- \* 5. Camera
- \* 6. Multi-touch screen
- 7. Power button/power button with fingerprint function
- 8. Security-lock slot
- 9. Ethernet connector
- 10. USB 2.0 connector
- 11. Numeric keypad (for E15 Gen 2)
- \* 12. ThinkPad Integrated Earbuds with Versa Bay (for E15 Gen 2)
- 13. TrackPad
- 14. TrackPoint® buttons
- 15. Audio connector
- 16. HDMI™ connector
- 17. Always on USB 3.2 connector Gen 1
- 18. Thunderbolt™ 4 connector (USB-C™)
- 19. TrackPoint pointing stick

**i** Read the statement on USB transfer rate in the *User Guide*. Refer to the *Safety and Warranty Guide* for accessing the *User Guide*.

- 1. Microphones
- \* 2. Infrared LED
- \* 3. Camera with IR function
- 4. ThinkShutter
- \* 5. Camera
- \* 6. Multi-touch screen
- 7. Power button/power button with fingerprint function
- 8. Security-lock slot
- 9. Ethernet connector
- 10. USB 2.0 connector
- 11. Numeric keypad (for E15 Gen 2)
- \* 12. ThinkPad Integrated Earbuds with Versa Bay (for E15 Gen 2)
- 13. TrackPad
- 14. TrackPoint® buttons
- 15. Audio connector
- 16. HDMI™ connector
- 17. Always on USB 3.2 connector Gen 1
- 18. Thunderbolt™ 4 connector (USB-C™)
- 19. TrackPoint pointing stick

**i** Read the statement on USB transfer rate in the *User Guide*. Refer to the *Safety and Warranty Guide* for accessing the *User Guide*.

- 1. Microphones
- \* 2. Infrared LED
- \* 3. Camera with IR function
- 4. ThinkShutter
- \* 5. Camera
- \* 6. Multi-touch screen
- 7. Power button/power button with fingerprint function
- 8. Security-lock slot
- 9. Ethernet connector
- 10. USB 2.0 connector
- 11. Numeric keypad (for E15 Gen 2)
- \* 12. ThinkPad Integrated Earbuds with Versa Bay (for E15 Gen 2)
- 13. TrackPad
- 14. TrackPoint® buttons
- 15. Audio connector
- 16. HDMI™ connector
- 17. Always on USB 3.2 connector Gen 1
- 18. Thunderbolt™ 4 connector (USB-C™)
- 19. TrackPoint pointing stick

**i** Read the statement on USB transfer rate in the *User Guide*. Refer to the *Safety and Warranty Guide* for accessing the *User Guide*.

- 1. Microphones
- \* 2. Infrared LED
- \* 3. Camera with IR function
- 4. ThinkShutter
- \* 5. Camera
- \* 6. Multi-touch screen
- 7. Power button/power button with fingerprint function
- 8. Security-lock slot
- 9. Ethernet connector
- 10. USB 2.0 connector
- 11. Numeric keypad (for E15 Gen 2)
- \* 12. ThinkPad Integrated Earbuds with Versa Bay (for E15 Gen 2)
- 13. TrackPad
- 14. TrackPoint® buttons
- 15. Audio connector
- 16. HDMI™ connector
- 17. Always on USB 3.2 connector Gen 1
- 18. Thunderbolt™ 4 connector (USB-C™)
- 19. TrackPoint pointing stick

**i** Read the statement on USB transfer rate in the *User Guide*. Refer to the *Safety and Warranty Guide* for accessing the *User Guide*.

# Additional information

xxxxxxxx | xxxxxxxx | xxxxxx | xxxxxxxxxxx | xxxxxxxxx

## Specific absorption rate (SAR)

YOUR DEVICE MEETS INTERNATIONAL GUIDELINES FOR EXPOSURE TO RADIO WAVES.

Your device is a radio transmitter and receiver. It is designed not to exceed the limits for exposure to radio waves (radio frequency electromagnetic fields) recommended by international guidelines. The guidelines were developed by an independent scientific organization (ICNIRP) and include a substantial safety margin designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines use a unit of measurement known as the Specific Absorption Rate, or SAR. Refer to the following for 10g SAR limit and maximum reported SAR values:

10g SAR limit: 2 W/kg (body-worn SAR); 4 W/kg (limb SAR)

For E14 Gen 2: Maximum SAR with 0 mm separation distance: 0.59 W/kg (body-worn SAR); 0.59 W/kg (limb SAR)

For E15 Gen 2: Maximum SAR with 0 mm separation distance: 0.46 W/kg (body-worn SAR); 0.46 W/kg (limb SAR)

Where possible, your radio device should be used on a table, desk or tray, which also assists ventilation. To limit exposure from radio waves, use the device under good radio signal conditions and keep the antennas furthest from your body and that of other people. Refer to the *User Guide* of your product to view the locations of the antennas. Pregnant women should keep the antennas away from their stomach and adolescences away from their lower abdomen. Wearers of electronic implant devices (pacemakers, insulin pumps, neurostimulators, etc.) should maintain a distance greater than 15 centimeters between the radio device and the implant device. Obey all local restrictions when using your device in public areas, such as hospitals, airplanes, or schools.

## European Union – compliance with the Radio Equipment Directive

Hereby, Lenovo (Singapore) Pte. Ltd., declares that the radio equipment type ThinkPad E14 Gen 2 / E15 Gen 2 is in compliance with Directive 2014/53/EU.

The full text of the system EU declaration of conformity is available at the following Internet address:

<https://www.lenovo.com/us/en/compliance/eu-doc>

This radio equipment operates with the following frequency bands and maximum radio-frequency power:

Technology	Frequency band [MHz]	Maximum transmit power
WLAN 802.11b/g/n/ax	2400 - 2483.5	< 20 dBm
WLAN 802.11a/n/ac/ax	5150 - 5725	< 23 dBm
WLAN 802.11a/n/ac/ax	5725 - 5875	< 13.98 dBm
Bluetooth BR/EDR/LE	2400 - 2483.5	< 20 dBm

Usage of all the radio devices is limited to indoor in the band 5150 MHz to 5350 MHz (channels 36, 40, 44, 48, 52, 56, 60, 64).

## Specific absorption rate (SAR)

YOUR DEVICE MEETS INTERNATIONAL GUIDELINES FOR EXPOSURE TO RADIO WAVES.

Your device is a radio transmitter and receiver. It is designed not to exceed the limits for exposure to radio waves (radio frequency electromagnetic fields) recommended by international guidelines. The guidelines were developed by an independent scientific organization (ICNIRP) and include a substantial safety margin designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines use a unit of measurement known as the Specific Absorption Rate, or SAR. Refer to the following for 10g SAR limit and maximum reported SAR values:

10g SAR limit: 2 W/kg (body-worn SAR); 4 W/kg (limb SAR)

For E14 Gen 2: Maximum SAR with 0 mm separation distance: 0.59 W/kg (body-worn SAR); 0.59 W/kg (limb SAR)

For E15 Gen 2: Maximum SAR with 0 mm separation distance: 0.46 W/kg (body-worn SAR); 0.46 W/kg (limb SAR)

Where possible, your radio device should be used on a table, desk or tray, which also assists ventilation. To limit exposure from radio waves, use the device under good radio signal conditions and keep the antennas furthest from your body and that of other people. Refer to the *User Guide* of your product to view the locations of the antennas. Pregnant women should keep the antennas away from their stomach and adolescences away from their lower abdomen. Wearers of electronic implant devices (pacemakers, insulin pumps, neurostimulators, etc.) should maintain a distance greater than 15 centimeters between the radio device and the implant device. Obey all local restrictions when using your device in public areas, such as hospitals, airplanes, or schools.

restrictions when using your device in public areas, such as hospitals, airplanes, or schools.

## European Union — compliance with the Radio Equipment Directive

Hereby, Lenovo (Singapore) Pte. Ltd., declares that the radio equipment type ThinkPad E14 Gen 2 / E15 Gen 2 is in compliance with Directive 2014/53/EU. The full text of the system EU declaration of conformity is available at the following Internet address:

<https://www.lenovo.com/us/en/compliance/eu-doc>

This radio equipment operates with the following frequency bands and maximum radio-frequency power:

Technology	Frequency band [MHz]	Maximum transmit power
WLAN 802.11b/g/n/ax	2400 - 2483.5	< 20 dBm
WLAN 802.11a/n/ac/ax	5150 - 5725	< 23 dBm
WLAN 802.11a/n/ac/ax	5725 - 5875	< 13.98 dBm
Bluetooth BR/EDR/LE	2400 - 2483.5	< 20 dBm

Usage of all the radio devices is limited to indoor in the band 5150 MHz to 5350 MHz (channels 36, 40, 44, 48, 52, 56, 60, 64).

## Specific absorption rate (SAR)

### YOUR DEVICE MEETS INTERNATIONAL GUIDELINES FOR EXPOSURE TO RADIO WAVES.

Your device is a radio transmitter and receiver. It is designed not to exceed the limits for exposure to radio waves (radio frequency electromagnetic fields) recommended by international guidelines. The guidelines were developed by an independent scientific organization (ICNIRP) and include a substantial safety margin designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines use a unit of measurement known as the Specific Absorption Rate, or SAR. Refer to the following for 10g SAR limit and maximum reported SAR values:

10g SAR limit: 2 W/kg (body-worn SAR); 4 W/kg (limb SAR)

For E14 Gen 2: Maximum SAR with 0 mm separation distance: 0.59 W/kg (body-worn SAR); 0.59 W/kg (limb SAR)

For E15 Gen 2: Maximum SAR with 0 mm separation distance: 0.46 W/kg (body-worn SAR); 0.46 W/kg (limb SAR)

Where possible, your radio device should be used on a table, desk or tray, which also assists

ventilation. To limit exposure from radio waves, use the device under good radio signal conditions and keep the antennas furthest from your body and that of other people. Refer to the *User Guide* of your product to view the locations of the antennas. Pregnant women should keep the antennas away from their stomach and adolescences away from their lower abdomen. Wearers of electronic implant devices (pacemakers, insulin pumps, neurostimulators, etc.) should maintain a distance greater than 15 centimeters between the radio device and the implant device. Obey all local restrictions when using your device in public areas, such as hospitals, airplanes, or schools.

## European Union — compliance with the Radio Equipment Directive

Hereby, Lenovo (Singapore) Pte. Ltd., declares that the radio equipment type ThinkPad E14 Gen 2 / E15 Gen 2 is in compliance with Directive 2014/53/EU. The full text of the system EU declaration of conformity is available at the following Internet address:

<https://www.lenovo.com/us/en/compliance/eu-doc>

This radio equipment operates with the following frequency bands and maximum radio-frequency power:

Technology	Frequency band [MHz]	Maximum transmit power
WLAN 802.11b/g/n/ax	2400 - 2483.5	< 20 dBm
WLAN 802.11a/n/ac/ax	5150 - 5725	< 23 dBm
WLAN 802.11a/n/ac/ax	5725 - 5875	< 13.98 dBm
Bluetooth BR/EDR/LE	2400 - 2483.5	< 20 dBm

Usage of all the radio devices is limited to indoor in the band 5150 MHz to 5350 MHz (channels 36, 40, 44, 48, 52, 56, 60, 64).

## Specific absorption rate (SAR)

### YOUR DEVICE MEETS INTERNATIONAL GUIDELINES FOR EXPOSURE TO RADIO WAVES.

Your device is a radio transmitter and receiver. It is designed not to exceed the limits for exposure to radio waves (radio frequency electromagnetic fields) recommended by international guidelines. The guidelines were developed by an independent scientific organization (ICNIRP) and include a substantial safety margin designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines use a unit of measurement known as the Specific Absorption Rate, or SAR. Refer to the following for 10g SAR limit and maximum reported SAR values:

10g SAR limit: 2 W/kg (body-worn SAR); 4 W/kg (limb SAR)

For E14 Gen 2: Maximum SAR with 0 mm separation distance: 0.59 W/kg (body-worn SAR); 0.59 W/kg (limb SAR)

For E15 Gen 2: Maximum SAR with 0 mm separation distance: 0.46 W/kg (body-worn SAR); 0.46 W/kg (limb SAR)

Where possible, your radio device should be used on a table, desk or tray, which also assists ventilation. To limit exposure from radio waves, use the device under good radio signal conditions and keep the antennas furthest from your body and that of other people. Refer to the *User Guide* of your product to view the locations of the antennas. Pregnant women should keep the antennas away from their stomach and adolescences away from their lower abdomen. Wearers of electronic implant devices (pacemakers, insulin pumps, neurostimulators, etc.) should maintain a distance greater than 15 centimeters between the radio device and the implant device. Obey all local restrictions when using your device in public areas, such as hospitals, airplanes, or schools.

## European Union — compliance with the Radio Equipment Directive

Hereby, Lenovo (Singapore) Pte. Ltd., declares that the radio equipment type ThinkPad E14 Gen 2 / E15 Gen 2 is in compliance with Directive 2014/53/EU. The full text of the system EU declaration of conformity is available at the following Internet address:

<https://www.lenovo.com/us/en/compliance/eu-doc>

This radio equipment operates with the following frequency bands and maximum radio-frequency power:

Technology	Frequency band [MHz]	Maximum transmit power
WLAN 802.11b/g/n/ax	2400 - 2483.5	< 20 dBm
WLAN 802.11a/n/ac/ax	5150 - 5725	< 23 dBm
WLAN 802.11a/n/ac/ax	5725 - 5875	< 13.98 dBm
Bluetooth BR/EDR/LE	2400 - 2483.5	< 20 dBm

Usage of all the radio devices is limited to indoor in the band 5150 MHz to 5350 MHz (channels 36, 40, 44, 48, 52, 56, 60, 64).

## Specific absorption rate (SAR)

YOUR DEVICE MEETS INTERNATIONAL GUIDELINES FOR EXPOSURE TO RADIO WAVES.

Your device is a radio transmitter and receiver. It is designed not to exceed the limits for exposure to radio waves (radio frequency electromagnetic fields) recommended by international guidelines. The guidelines were developed by an independent scientific organization (ICNIRP) and include a substantial safety margin designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines use a unit of measurement known as the Specific Absorption Rate, or SAR. Refer to the following for 10g SAR limit and maximum reported SAR values:

10g SAR limit: 2 W/kg (body-worn SAR); 4 W/kg (limb SAR)

For E14 Gen 2: Maximum SAR with 0 mm separation distance: 0.59 W/kg (body-worn SAR); 0.59 W/kg (limb SAR)

For E15 Gen 2: Maximum SAR with 0 mm separation distance: 0.46 W/kg (body-worn SAR); 0.46 W/kg (limb SAR)

Where possible, your radio device should be used on a table, desk or tray, which also assists ventilation. To limit exposure from radio waves, use the device under good radio signal conditions and keep the antennas furthest from your body and that of other people. Refer to the *User Guide* of your product to view the locations of the antennas. Pregnant women should keep the antennas away from their stomach and adolescences away from their lower abdomen. Wearers of electronic implant devices (pacemakers, insulin pumps, neurostimulators, etc.) should maintain a distance greater than 15 centimeters between the radio device and the implant device. Obey all local restrictions when using your device in public areas, such as hospitals, airplanes, or schools.

## European Union — compliance with the Radio Equipment Directive

Hereby, Lenovo (Singapore) Pte. Ltd., declares that the radio equipment type ThinkPad E14 Gen 2 / E15 Gen 2 is in compliance with Directive 2014/53/EU.

The full text of the system EU declaration of conformity is available at the following Internet address:

<https://www.lenovo.com/us/en/compliance/eu-doc>

This radio equipment operates with the following frequency bands and maximum radio-frequency power:

This radio equipment operates with the following frequency bands and maximum radio-frequency power:

Technology	Frequency band [MHz]	Maximum transmit power
WLAN 802.11b/g/n/ax	2400 - 2483.5	< 20 dBm

Technology	Frequency band [MHz]	Maximum transmit power
WLAN 802.11a/n/ac/ax	5150 - 5725	< 23 dBm
WLAN 802.11a/n/ac/ax	5725 - 5875	< 13.98 dBm
Bluetooth BR/EDR/LE	2400 - 2483.5	< 20 dBm

Usage of all the radio devices is limited to indoor in the band 5150 MHz to 5350 MHz (channels 36, 40, 44, 48, 52, 56, 60, 64).

# E-manual

Manuel en ligne | E-Handbuch | Manuale elettronico | E-handleiding | Manual eletrónico



---

**First Edition (October 2020)**

**© Copyright Lenovo 2020.**

**LIMITED AND RESTRICTED RIGHTS NOTICE:** If data or software is delivered pursuant to a General Services Administration "GSA" contract, use, reproduction, or disclosure is subject to restrictions set forth in Contract No. GS-35F-05925.

**Reduce I Reuse I Recycle**

