

## ELECTROMAGNETIC EMISSIONS COMPLIANCE CLASS II IV PERMISSIVE CHANGE REPORT



**Applicant:** MediaTek Inc.  
No. 1, Dusing 1st Rd., Hsinchu Science Park Hsinchu City 30078 Taiwan

**Product Name:** 2TX 11ax (WiFi6)+BLE Combo Card

**Brand Name:** MediaTek

**Model No.:** MT7921

**Model Difference:** N/A

**Report Number:** E2/2021/A0064

**FCC ID** RAS-MT7921


**IC:** 7542A-MT7921

**Issue Date:** Jan.10,2022

**Date of Test:** Oct.13,2021 ~ Oct.26,2021

**Date of EUT Received:** Oct.13,2021

Approved By



Jay Lin

### We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT comply with FCC rule part §15.247, ISED RSS-247.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Revision History

Report Number	Revision	Description	Issue Date	Revised By
E2/2021/A0064	Rev.00	Original.	Jan.10,2022	Viola Su

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Table of Contents

1	GENERAL INFORMATION .....	4
2	SYSTEM TEST CONFIGURATION.....	7
3	SUMMARY OF TEST RESULTS .....	10
4	DESCRIPTION OF TEST MODES .....	11
5	MEASUREMENT UNCERTAINTY .....	13
6	PEAK OUTPUT POWER MEASUREMENT .....	14
7	RADIATED BANDEdge AND SPURIOUS EMISSION MEASUREMENT .....	23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 1 GENERAL INFORMATION

### 1.1 Product description of host

Product Name:	Portable Computer
Brand Name:	DELL
Model No.:	P112F
Model Difference:	N/A
Hardware Version:	N/A
Firmware Version:	N/A
EUT Series No.:	7196294700020
Power Supply:	15Vdc

### 1.2 RF Specification

Wi-Fi	Frequency Range	Channels	Rated Power in dBm (Peak)	Modulation Technology
802.11b	2412~2472	13	19.46	DSSS
802.11g	2412~2472	13	25.83	OFDM
802.11ac20	2412~2472	13	25.54	OFDM
802.11ac40	2422~2462	9	26.02	OFDM
802.11ax20	2412~2472	13	25.97	OFDMA
802.11ax40	2422~2462	9	26.20	OFDMA
Modulation type:	CCK, DQPSK, DBPSK for DSSS			
	256 QAM, 64QAM, 16QAM, QPSK, BPSK for OFDM			
	1024 QAM, 64QAM, 16QAM, QPSK, BPSK for OFDMA			
Data Rate:	802.11 b: 1/2/5.5/11 Mbps			
	802.11 g: 6/9/12/18/24/36/48/54 Mbps			
	802.11 ac_20MHz:6.5 - 144.4Mbps			
	802.11 ac_40MHz:13.5 - 300Mbps			
	802.11 ax_20MHz:7.3 - 286.8Mbps			
	802.11 ax_40MHz:14.6 - 573.6Mbps			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 1.3 Antenna Designation

TOP / BASE Antenna	Antenna Type	Supplier	Main / Aux	Antenna Part No.	Freq.	Peak Antenna Gain (dBi)	Worst Antenna Gain
TOP	PIFA	AWAN	Main	AYP6Y-100004 (DC33002KF2L)	2.4GHz	0.53	
			Aux	AYP6Y-100192 (DC33002KF1L)	2.4GHz	-3.40	
TOP	PIFA	Hong Bo Co., Ltd.	Main	260-24375 (DC33002KG2L)	2.4GHz	-1.25	
			Aux	260-24374 (DC33002KG1L)	2.4GHz	1.27	
TOP	PIFA	SPEEDWIRE	Main	F-0G-FH-6134-003-00 (DC33002KH2L)	2.4GHz	0.10	
			Aux	F-0G-FH-6134-002-00 (DC33002KH1L)	2.4GHz	2.11	
BASE	PIFA	AWAN	Main	AYP6Y-100258 (DC33002N00L)	2.4GHz	1.59	
			Aux	AYP6Y-100259 (DC33002N01L)	2.4GHz	0.48	
BASE	PIFA	Hong Bo Co., Ltd.	Main	260-24388 (DC33002N20L)	2.4GHz	2.98	V
			Aux	260-24389 (DC33002N21L)	2.4GHz	2.49	

**Note:**

1. Pre-scanned was done on the above antennas, measurements were demonstrated by using the antenna with the highest gain as the worst case scenarios.
2. Antenna information is provided by the applicant.

### 1.4 Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247

FCC KDB 558074 D01 DTS Meas. Guidance v05r02

FCC KDB 662911 D01 Multiple Transmitter Output v02r01

RSS-247 issue 2 Feb. 2017

RSS-Gen Issue 5, Amendment 2, February 2021

ANSI C63.10:2013

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 1.5 Test Facility

Laboratory	Test Site Address	Test Site Name	FCC Designation number	IC CAB identifier
SGS Taiwan Ltd. Central RF Lab. (TAF code 3702)	No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan.	SAC 1 SAC 3 Conduction 1 Conducted 1 Conducted 2 Conducted 3 Conducted 4 Conducted 5 Conducted 6	TW0027	
	No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333	Conduction C SAC C SAC D SAC G Conducted A Conducted B Conducted C Conducted D Conducted E Conducted F Conducted G	TW3702 TW0028	

**Note:** Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

## 1.6 Special Accessories

There are no special accessories used while test was conducted.

## 1.7 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 2 SYSTEM TEST CONFIGURATION

### 2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

### 2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

### 2.3 Test Procedure

#### 2.3.1 Conducted Test (RF)

The active antenna port of the unlicensed wireless device is connected to the spectrum analyzer with attenuator to protect the instrumentation. If a second antenna port is available, it is tested at one operating frequency, with other port(s) appropriately terminated, to verify it has similar output characteristics as the fully tested port.

#### 2.3.2 Radiated Emissions

The EUT is placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made “while keeping the antenna in the ‘cone of radiation’ from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response.” is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 2.4 Measurement Results Explanation Example

### 2.4.1 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m\*6m\*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

### 2.4.2 For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 2.5 Configuration of Tested System

Fig. 2-1 Conducted Setup & Radiated Setup



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 3 SUMMARY OF TEST RESULTS

FCC Rules	IC Rules	Description Of Test	Result
§15.247(b) (3)	RSS-247 §5.4 d	Peak Output Power	Compliant
§15.247(d) §15.209	RSS-247 §5.5 RSS-Gen §8.9 RSS-Gen §8.10 RSS-Gen §6.13	Radiated Band Edge & Radiated Spurious Emission	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 4 DESCRIPTION OF TEST MODES

### 4.1 Operated in 2400 ~ 2483.5MHz Band

13 channels are provided for

802.11b/g/n/ac/ax 20M.

CHANNEL	FREQUENCY (MHz)
1	2412
2	2417
3	2422
4	2427
5	2432
6	2437
7	2442
8	2447
9	2452
10	2457
11	2462
12	2467
13	2472

11 channels are provided for

802.11n/ac/ax 40M

CHANNEL	FREQUENCY (MHz)
3	2422
4	2427
5	2432
6	2437
7	2442
8	2447
9	2452
10	2457
11	2462

### 4.2 The Worst Test Modes and Channel Details

1. The EUT has been tested under operating condition.
2. aTest program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
3. Investigation has been done on all the possible configurations for searching the worst case.

The given UE is pre-scanned among below modes.

Modulation	Transmission Chain				Multiple Transmission Spatial
<input checked="" type="checkbox"/> 802.11 b	<input checked="" type="checkbox"/> Ch0	<input checked="" type="checkbox"/> Ch1	<input type="checkbox"/> Ch2	<input type="checkbox"/> Ch3	<input checked="" type="checkbox"/> 2TX
<input checked="" type="checkbox"/> 802.11 g	<input checked="" type="checkbox"/> Ch0	<input checked="" type="checkbox"/> Ch1	<input type="checkbox"/> Ch2	<input type="checkbox"/> Ch3	<input checked="" type="checkbox"/> 2TX
<input checked="" type="checkbox"/> 802.11 n	<input checked="" type="checkbox"/> Ch0	<input checked="" type="checkbox"/> Ch1	<input type="checkbox"/> Ch2	<input type="checkbox"/> Ch3	<input checked="" type="checkbox"/> MIMO
<input checked="" type="checkbox"/> 802.11 ac	<input checked="" type="checkbox"/> Ch0	<input checked="" type="checkbox"/> Ch1	<input type="checkbox"/> Ch2	<input type="checkbox"/> Ch3	<input checked="" type="checkbox"/> MIMO
<input checked="" type="checkbox"/> 802.11 ax	<input checked="" type="checkbox"/> Ch0	<input checked="" type="checkbox"/> Ch1	<input type="checkbox"/> Ch2	<input type="checkbox"/> Ch3	<input checked="" type="checkbox"/> MIMO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4. Therefore, below summary is the modes of test configuration that yield the highest reading and generate the highest emission chosen to carry out the relevantly mandatory test items.

#### 4.3 Radiated Emission Test:

RADIATED EMISSION TEST (ABOVE 1 GHz)					
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT
802.11b	1 to 13	1,6,11,12,13	DSSS	1	2TX
802.11g	1 to 13	1,6,11,12,13	OFDM	6	2TX
802.11ac (VHT20)	1 to 13	1,6,11,12,13	OFDM	MCS0	MIMO
802.11ac (VHT40)	3 to 11	3,6,9,10,11	OFDM	MCS0	MIMO
802.11ax (HE20)	1 to 13	1,6,11,12,13	OFDMA	MCS0	MIMO
802.11ax (HE40)	3 to 11	3,6,9,10,11	OFDMA	MCS0	MIMO

#### Note:

The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

#### 4.4 Antenna Port Conducted Mesurement:

Conducted					
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT
802.11b	1 to 13	1,6,11,12,13	DSSS	1	2TX
802.11g	1 to 13	1,6,11,12,13	OFDM	6	2TX
802.11ac (VHT20)	1 to 13	1,6,11,12,13	OFDM	MCS0	MIMO
802.11ac (VHT40)	3 to 11	3,6,9,10,11	OFDM	MCS0	MIMO
802.11ax (HE20)	1 to 13	1,6,11,12,13	OFDMA	MCS0	MIMO
802.11ax (HE40)	3 to 11	3,6,9,10,11	OFDMA	MCS0	MIMO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 5 MEASUREMENT UNCERTAINTY

Test Items	Uncertainty	
Peak Output Power	+/-	1 dB
Temperature	+/-	0.4 °C
Humidity	+/-	3.5 %
DC / AC Power Source	+/-	1 %

Radiated Spurious Emission Measurement Uncertainty		
Polarization: Vertical	+/- 2.64 dB	9kHz~30MHz
	+/- 4.93 dB	30MHz - 1000MHz
	+/- 4.81 dB	1GHz - 18GHz
	+/- 4.52 dB	18GHz - 40GHz
Polarization: Horizontal	+/- 2.64 dB	9kHz~30MHz
	+/- 4.45 dB	30MHz - 1000MHz
	+/- 4.81 dB	1GHz - 18GHz
	+/- 4.52 dB	18GHz - 40GHz

**Note:**

1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 6 PEAK OUTPUT POWER MEASUREMENT

### 6.1 Standard Applicable

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.

If the transmitting antenna of directional gain greater than 6dBi are used the peak output power from the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.

In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.

**Note:**

As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

$$\bullet \quad \text{DirectionalGain} = 10 \cdot \log \left[ \frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

NSS = the number of independent spatial streams of data;

NANT = the total number of antennas

$g_{j,k}$  = / 20 10Gk if the kth antenna is being fed by spatial stream j, or zero if it is not;

$G_k$  is the gain in dBi of the kth antenna.

The antenna gain is grater than 6 dBi , therefore the limit needs to be reduced as below:

Frequency (MHz)	Effective Legacy Gain (dBi)	Conducted Power Limit (dBm)
2412~2462	0.00	30.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

## 6.2 Measurement Equipment Used

Conducted Emission Test Site: Conducted G					
EQUIPMENT TYPE	MFR/BRAND	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Spectrum Analyzer	KEYSIGHT	N9010B	MY59071570	06/01/2021	05/31/2022
Power Meter	Anritsu	ML2496A	1512003	07/27/2021	07/26/2022
Power Sensor	Anritsu	MA2411B	1339378	07/27/2021	07/26/2022
Power Sensor	Anritsu	MA2411B	1339379	07/27/2021	07/26/2022
Attenuator	Marvelous	MVE2213-10	RF06	11/19/2020	11/18/2021
Attenuator	Marvelous	WATT-218FS-10	RF18	11/19/2020	11/18/2021
Attenuator	Marvelous	WATT-218FS-10	RF23	11/19/2020	11/18/2021
DC Block	PASTERNACK	PE8210	RF154	11/19/2020	11/18/2021

## 6.3 Test Set-up

Power Meter:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

## 6.4 Measurement Procedure

1. Place the EUT on the table and set it in transmitting mode.
2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.

### Power Meter:

It is used as the auxiliary test equipment to conduct the output power measurement.

4. Record the max. Reading as observed from Spectrum or Power Meter.

**\* Note: The duty cycle factor is compensated to obtain the maximum value of measurement in average.**

## 6.5 Measurement Result

### 6.5.1 Peak Output Power

802.11b_2TX								
CH	Freq. (MHz)	Data Rate	Power set	Peak Output Power		Total Peak Output Power (dBm)	Limit (dBm)	RESULT
				CH 0	CH 1			
1	2412	1	10	16.49	16.41	19.46	30.00	PASS
6	2437	1	10	16.50	16.38	19.45	30.00	PASS
11	2462	1	10	16.50	16.00	19.27	30.00	PASS
12	2467	1	10	16.58	16.27	19.44	30.00	PASS
13	2472	1	5	11.68	11.51	14.61	30.00	PASS

802.11b_2TX								
CH	Freq. (MHz)	Data Rate	Power set	Avg. Output Power (dBm)		Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT
				CH 0	CH 1			
1	2412	1	10	13.88	13.69	16.82	30.00	PASS
6	2437	1	10	13.90	13.82	16.89	30.00	PASS
11	2462	1	10	14.08	13.81	16.98	30.00	PASS
12	2467	1	10	14.10	13.73	16.95	30.00	PASS
13	2472	1	5	9.27	9.08	12.21	30.00	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

802.11g_2TX								
CH	Freq. (MHz)	Data Rate	Power set	Peak Output Power		Total Peak Output Power (dBm)	Limit (dBm)	RESULT
				CH 0	CH 1			
1	2412	6	11	23.06	22.56	25.83	30.00	PASS
6	2437	6	11	22.02	21.52	24.79	30.00	PASS
11	2462	6	10.5	21.55	21.33	24.45	30.00	PASS
12	2467	6	8.5	20.83	21.31	24.09	30.00	PASS
13	2472	6	3.5	16.07	14.88	18.53	30.00	PASS

802.11g_2TX								
CH	Freq. (MHz)	Data Rate	Power set	Avg. Output Power (dBm)		Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT
				CH 0	CH 1			
1	2412	6	11	13.99	13.61	16.95	30.00	PASS
6	2437	6	11	13.88	13.75	16.97	30.00	PASS
11	2462	6	10.5	13.90	13.70	16.95	30.00	PASS
12	2467	6	8.5	12.08	11.91	15.15	30.00	PASS
13	2472	6	3.5	7.10	6.83	10.12	30.00	PASS

802.11ac_VHT20M MIMO								
CH	Freq. (MHz)	Data Rate	Power set	Peak Output Power		Total Peak Output Power (dBm)	Limit (dBm)	RESULT
				CH 0	CH 1			
1	2412	MCS8	11.5	22.79	22.26	25.54	30.00	PASS
6	2437	MCS8	11	21.32	21.06	24.20	30.00	PASS
11	2462	MCS8	11	21.52	21.42	24.48	30.00	PASS
12	2467	MCS8	7.5	19.11	19.20	22.17	30.00	PASS
13	2472	MCS8	2	14.01	13.96	17.00	30.00	PASS

802.11ac_VHT20M MIMO								
CH	Freq. (MHz)	Data Rate	Power set	Avg. Output Power (dBm)		Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT
				CH 0	CH 1			
1	2412	MCS8	11.5	13.84	13.39	16.91	30.00	PASS
6	2437	MCS8	11	13.74	13.28	16.81	30.00	PASS
11	2462	MCS8	11	13.88	13.37	16.92	30.00	PASS
12	2467	MCS8	7.5	10.17	9.81	13.28	30.00	PASS
13	2472	MCS8	2	4.57	4.51	7.83	30.00	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

**802.11ac\_VHT40M MIMO**

CH	Freq. (MHz)	Data Rate	Power set	Peak Output Power		Total Peak Output Power (dBm)	Limit (dBm)	RESULT
				CH 0	CH 1			
3	2422	MCS8	12	23.15	22.86	<b>26.02</b>	30.00	PASS
6	2437	MCS8	12	22.97	22.69	25.84	30.00	PASS
9	2452	MCS8	12	22.56	21.95	25.28	30.00	PASS
10	2457	MCS8	6	17.21	17.03	20.13	30.00	PASS
11	2462	MCS8	4	15.56	15.42	18.50	30.00	PASS

**802.11ac\_VHT40M MIMO**

CH	Freq. (MHz)	Data Rate	Power set	Avg. Output Power (dBm)		Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT
				CH 0	CH 1			
3	2422	MCS8	12	13.57	13.09	16.86	30.00	PASS
6	2437	MCS8	12	13.59	13.11	<b>16.88</b>	30.00	PASS
9	2452	MCS8	12	13.51	13.15	16.85	30.00	PASS
10	2457	MCS8	6	7.62	7.41	11.04	30.00	PASS
11	2462	MCS8	4	5.63	5.44	9.06	30.00	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

## 802.11ax\_HE20M MIMO

CH	Freq. (MHz)	Data Rate	RU Config	Power set	Peak Output Power		Total Peak Output Power (dBm)	Limit (dBm)	RESULT
					CH 0	CH 1			
1	2412	MCS0	full	11.5	23.03	22.88	<b>25.97</b>	30.00	PASS
6	2437	MCS0	full	11	21.79	21.46	24.64	30.00	PASS
11	2462	MCS0	full	11	21.91	21.52	24.73	30.00	PASS
12	2467	MCS0	full	7.5	19.33	19.13	22.24	30.00	PASS
13	2472	MCS0	full	2	14.37	14.07	17.23	30.00	PASS

## 802.11ax\_HE20M MIMO

CH	Freq. (MHz)	Data Rate	RU Config	Power set	Avg. Output Power (dBm)		Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT
					CH 0	CH 1			
1	2412	MCS0	full	11.5	13.70	13.50	16.95	30.00	PASS
6	2437	MCS0	full	11	13.64	13.47	16.91	30.00	PASS
11	2462	MCS0	full	11	13.72	13.51	<b>16.97</b>	30.00	PASS
12	2467	MCS0	full	7.5	10.36	10.08	13.57	30.00	PASS
13	2472	MCS0	full	2	5.51	4.89	8.56	30.00	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

802.11ax_HE40M MIMO									
CH	Freq. (MHz)	Data Rate	RU Config	Power set	Peak Output Power		Total Peak Output Power (dBm)	Limit (dBm)	RESULT
					CH 0	CH 1			
3	2422	MCS0	full	12	23.32	23.06	<b>26.20</b>	30.00	PASS
6	2437	MCS0	full	12	23.22	22.99	26.12	30.00	PASS
9	2452	MCS0	full	11.5	23.01	22.57	25.81	30.00	PASS
10	2457	MCS0	full	6	17.38	17.26	20.33	30.00	PASS
11	2462	MCS0	full	4.5	15.82	15.74	18.79	30.00	PASS

802.11ax_HE40M MIMO									
CH	Freq. (MHz)	Data Rate	RU Config	Power set	Avg. Output Power (dBm)		Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT
					CH 0	CH 1			
3	2422	MCS0	full	12	13.60	13.20	16.97	30.00	PASS
6	2437	MCS0	full	12	13.56	13.26	<b>16.98</b>	30.00	PASS
9	2452	MCS0	full	11.5	13.64	13.11	16.95	30.00	PASS
10	2457	MCS0	full	6	7.86	7.65	11.33	30.00	PASS
11	2462	MCS0	full	4.5	6.21	6.01	9.68	30.00	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

## 6.5.2 EIRP

802.11b_2TX									
CH	Freq. (MHz)	Data Rate	Avg. Output Power		Total Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT
			CH 0	CH 1					
1	2412	1	13.88	13.69	16.82	5.75	22.57	36	PASS
6	2437	1	13.90	13.82	16.89	5.75	22.64	36	PASS
11	2462	1	14.08	13.81	16.98	5.75	<b>22.73</b>	36	PASS
12	2467	1	14.10	13.73	16.95	5.75	22.70	36	PASS
13	2472	1	9.27	9.08	12.21	5.75	17.96	36	PASS

802.11g_2TX									
CH	Freq. (MHz)	Data Rate	Avg. Output Power		Total Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT
			CH 0	CH 1					
1	2412	6	13.99	13.61	16.95	5.75	22.70	36	PASS
6	2437	6	13.88	13.75	16.97	5.75	<b>22.72</b>	36	PASS
11	2462	6	13.90	13.70	16.95	5.75	22.70	36	PASS
12	2467	6	12.08	11.91	15.15	5.75	20.90	36	PASS
13	2472	6	7.10	6.83	10.12	5.75	15.87	36	PASS

802.11ac_VHT20M MIMO									
CH	Freq. (MHz)	Data Rate	Avg. Output Power		Total Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT
			CH 0	CH 1					
1	2412	MCS8	13.84	13.39	16.91	5.75	22.66	36	PASS
6	2437	MCS8	13.74	13.28	16.81	5.75	22.56	36	PASS
11	2462	MCS8	13.88	13.37	16.92	5.75	<b>22.67</b>	36	PASS
12	2467	MCS8	10.17	9.81	13.28	5.75	19.03	36	PASS
13	2472	MCS8	4.57	4.51	7.83	5.75	13.58	36	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

**802.11ac\_VHT40M MIMO**

CH	Freq. (MHz)	Data Rate	Avg. Output Power		Total Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT
			CH 0	CH 1					
3	2422	MCS8	13.57	13.09	16.86	5.75	22.61	36	PASS
6	2437	MCS8	13.59	13.11	16.88	5.75	<b>22.63</b>	36	PASS
9	2452	MCS8	13.51	13.15	16.85	5.75	22.60	36	PASS

**802.11ax\_HE20M MIMO**

CH	Freq. (MHz)	Data Rate	RU Config	Avg. Output Power		Total Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit	RESULT
				CH 0	CH 1					
1	2412	MCS0	full	13.70	13.50	16.95	5.75	22.70	36	PASS
6	2437	MCS0	full	13.64	13.47	16.91	5.75	22.66	36	PASS
11	2462	MCS0	full	13.72	13.51	16.97	5.75	<b>22.72</b>	36	PASS
12	2467	MCS0	full	10.36	10.08	13.57	5.75	19.32	36	PASS
13	2472	MCS0	full	5.51	4.89	8.56	5.75	14.31	36	PASS

**802.11ax\_HE40M MIMO**

CH	Freq. (MHz)	Data Rate	RU Config	Avg. Output Power		Total Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit	RESULT
				CH 0	CH 1					
3	2422	MCS0	full	13.60	13.20	16.97	5.75	22.72	36	PASS
6	2437	MCS0	full	13.56	13.26	16.98	5.75	<b>22.73</b>	36	PASS
9	2452	MCS0	full	13.64	13.11	16.95	5.75	22.70	36	PASS
10	2457	MCS0	full	7.86	7.65	11.33	5.75	17.08	36	PASS
11	2462	MCS0	full	6.21	6.01	9.68	5.75	15.43	36	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

## 7 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

### 7.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 and RSS-Gen §8.9 Table 5 and 6 limit as below.

And according to §15.33(a) (1) & RSS-Gen §6.13.2.a for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

**Note:**

1. The lower limit shall apply at the transition frequencies.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

## 7.2 Measurement Equipment Used:

Radiated Emission Test Site: SAC G					
EQUIPMENT TYPE	MFR/BRAND	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Broadband Antenna	SCHWAZBECK	VULB 9168	1206	02/22/2021	02/21/2022
Horn Antenna	Schwarzbeck	BBHA9170	185	08/06/2021	08/05/2022
Horn Antenna	Schwarzbeck	DRH18-E	210105A18E	04/09/2021	04/08/2022
Loop Antenna	ETS.LINDGREN	6502	143303	05/07/2021	05/06/2022
3m Site NSA	SGS	966 chamber G	N/A	03/30/2021	03/29/2022
Spectrum Analyzer	KEYSIGHT	N9010A	MY57120200	03/22/2021	03/21/2022
Test Software	audix	e3	E3 20923 SGS Ver.9 ( C )	N.C.R	N.C.R
Pre-Amplifier	EMC Instruments	EMC330N	980781	03/15/2021	03/14/2022
Pre-Amplifier	EMC Instruments	EMC118A45SE	980815	03/15/2021	03/14/2022
Attenuator	Marvelous	MVE2213-30	RF04	11/19/2020	11/18/2021
Highpass Filter	WI	WHKX10-2624-3200-1800-80SS	1	05/10/2021	05/09/2022
Highpass Filter	WI	WHKX10-6090-7000-17000-80SS	1	05/10/2021	05/09/2022
Highpass Filter	WI	WHKX10-1066-1300-1500-80SS	18	05/10/2021	05/09/2022
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM-8000-5000-2000	210216、210217、210218	03/15/2021	03/14/2022
Coaxial Cable	EMC Instruments	EMC104-SM-SM-8000-5000-5000	210219、210220、210221	03/15/2021	03/14/2022
Coaxial Cable	EMC Instruments	EMC105-NM-NM-5000-15000	210224、210306	03/15/2021	03/14/2022

NOTE: N.C.R refers to Not Calibrated Required.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

## 7.3 Test SET-UP


## (A) Radiated Emission Test Set-Up, Frequency Below 30MHz.



## (B) Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz.



## (C) Radiated Emission Test Set-Up, Frequency Above 1GHz.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

## 7.4 Measurement Procedure

1. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
5. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made “while keeping the antenna in the ‘cone of radiation’ from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response.” is still within the 3dB illumination BW of the measurement antenna.
6. Set the spectrum analyzer as RBW=100 kHz and VBW=300 kHz for Peak Detector (PK) at frequency between 30MHz and 1 GHz.
7. Use receiver mode as RBW=120 kHz for Quasi-peak (QP) at frequency between 30MHz and 1 GHz.
8. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
9. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW  $\geq$  1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
10. The test-receiver system was set to quasi-peak detect function and specified bandwidth with maximum hold mode when the test frequency is below 1 GHz.
11. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
12. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
13. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

## 7.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading.

The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$

**Where**  $FS$  = Field Strength

$CL$  = Cable Attenuation Factor (Cable Loss)

$RA$  = Reading Amplitude

$AG$  = Amplifier Gain

$AF$  = Antenna Factor

The limit of the emission level is expressed in  $dB\mu V/m$ , which converts  $20 * \log(\mu V/m)$

Actual  $FS(dB\mu V/m)$  = SPA. Reading level( $dB\mu V$ ) + Factor( $dB$ )

Factor( $dB$ ) = Antenna Factor( $dB\mu V/m$ ) + Cable Loss( $dB$ ) - Pre\_Amplifier Gain( $dB$ )

## 7.6 Test Results of Radiated Spurious Emissions from 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) & RSS-GEN §6.13.2 was not reported.

## 7.7 Measurement Result

### Note:

1. Refer to next page spectrum analyzer data chart and tabular data sheets.
2. Measurements are completed at peak and average level, the mark of average is the highest emission in restricted bands


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

### 7.7.1 Radiated Band Edge Measurement Result

Report Number	:E2/2021/A0064	Test Site	:SAC G
Operation Mode	:802.11b	Test Date	:2021-10-13
Test Frequency	:2412 MHz	Temp./Humi.	:23.9/65
Test Mode	:BE CH LOW	Antenna Pol.	:Vertical
EUT Pol	:NB Plane	Engineer	:Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual	Limit @3m	Margin dB
				FS dB $\mu$ V/m	dB $\mu$ V/m	
2354.880	Average	39.11	-3.62	35.49	54.00	-18.51
2354.880	Peak	53.18	-3.62	49.56	74.00	-24.44
2390.000	Average	39.29	-3.80	35.48	54.00	-18.52
2390.000	Peak	51.50	-3.80	47.70	74.00	-26.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
Operation Mode :802.11b  
Test Frequency :2412 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane

Test Site :SAC G  
Test Date :2021-10-13  
Temp./Humi. :23.9/65  
Antenna Pol. :Horizontal  
Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual	Limit @3m	Margin
				FS dB $\mu$ V/m	dB $\mu$ V/m	dB
2386.800	Average	42.42	-3.79	38.63	54.00	-15.37
2386.800	Peak	54.61	-3.79	50.82	74.00	-23.18
2390.000	Average	41.16	-3.80	37.36	54.00	-16.64
2390.000	Peak	52.70	-3.80	48.90	74.00	-25.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11b  
 Test Frequency :2462 MHz  
 Test Mode :BE CH HIGH  
 EUT Pol :NB Plane  
 Test Site :SAC G  
 Test Date :2021-10-13  
 Temp./Humi. :23.9/65  
 Antenna Pol. :Vertical  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading	Factor	Actual		Limit @3m	Margin
				PK/QP/AV	dB $\mu$ V		
			dB		dB $\mu$ V/m		dB
2483.500	Average	40.24	-3.92	36.32	54.00	54.00	-17.68
2483.500	Peak	51.45	-3.92	47.53	74.00	74.00	-26.47
2513.900	Average	39.99	-3.99	36.00	54.00	54.00	-18.00
2513.900	Peak	53.03	-3.99	49.04	74.00	74.00	-24.96


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

Report Number :E2/2021/A0064  
 Operation Mode :802.11b  
 Test Frequency :2462 MHz  
 Test Mode :BE CH HIGH  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-13  
 Temp./Humi. :23.9/65  
 Antenna Pol. :Horizontal  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level	Factor	Actual	Limit	Margin
				FS	@3m	dB
PK/QP/AV	dB $\mu$ V		dB	dB $\mu$ V/m	dB $\mu$ V/m	
2483.500	Average	40.80	-3.92	36.88	54.00	-17.12
2483.500	Peak	52.08	-3.92	48.17	74.00	-25.83
2491.300	Average	40.57	-3.88	36.69	54.00	-17.31
2491.300	Peak	54.19	-3.88	50.31	74.00	-23.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11b  
 Test Frequency :2467 MHz  
 Test Mode :BE CH 12  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-13  
 Temp./Humi. :23.9/65  
 Antenna Pol. :Vertical  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual		Limit @3m dB $\mu$ V/m	Margin dB
				FS	dB $\mu$ V/m		
2483.500	Average	40.53	-3.92	36.61	54.00	54.00	-17.39
2483.500	Peak	52.67	-3.92	48.75	74.00	74.00	-25.25
2487.700	Average	40.28	-3.89	36.39	54.00	54.00	-17.61
2487.700	Peak	53.22	-3.89	49.33	74.00	74.00	-24.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11b  
 Test Frequency :2467 MHz  
 Test Mode :BE CH 12  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-13  
 Temp./Humi. :23.9/65  
 Antenna Pol. :Horizontal  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading	Factor	Actual		Limit @3m	Margin
				PK/QP/AV	dB $\mu$ V		
			dB		dB $\mu$ V/m		dB
2483.500	Average	42.80	-3.92	38.88	54.00	54.00	-15.12
2483.500	Peak	53.77	-3.92	49.85	74.00	74.00	-24.15
2485.400	Average	42.85	-3.91	38.94	54.00	54.00	-15.06
2485.400	Peak	53.74	-3.91	49.84	74.00	74.00	-24.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11b  
 Test Frequency :2472 MHz  
 Test Mode :BE CH 13  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-22  
 Temp./Humi. :22.8/68  
 Antenna Pol. :Vertical  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor	Actual		Limit @3m dB $\mu$ V/m	Margin dB
				FS	dB $\mu$ V/m		
2483.500	Average	41.68	-3.92	37.76	54.00	54.00	-16.24
2483.500	Peak	52.67	-3.92	48.75	74.00	74.00	-25.25
2490.000	Average	40.64	-3.88	36.76	54.00	54.00	-17.24
2490.000	Peak	53.27	-3.88	49.39	74.00	74.00	-24.61


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

Report Number :E2/2021/A0064  
 Operation Mode :802.11b  
 Test Frequency :2472 MHz  
 Test Mode :BE CH 13  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-22  
 Temp./Humi. :22.8/68  
 Antenna Pol. :Horizontal  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading	Factor	Actual	Limit	Margin
				FS	@3m	
PK/QP/AV	dB $\mu$ V	dB	dB $\mu$ V/m	dB $\mu$ V/m	dB	
2483.500	Average	42.11	-3.92	38.20	54.00	-15.80
2483.500	Peak	53.02	-3.92	49.11	74.00	-24.89
2484.200	Average	42.15	-3.91	38.24	54.00	-15.76
2484.200	Peak	53.67	-3.91	49.75	74.00	-24.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11g  
 Test Frequency :2412 MHz  
 Test Mode :BE CH LOW  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-26  
 Temp./Humi. :24.0/64  
 Antenna Pol. :Vertical  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual		Limit @3m dB $\mu$ V/m	Margin dB
				FS	dB $\mu$ V/m		
2389.200	Average	43.00	-3.80	39.20	54.00	54.00	-14.80
2389.200	Peak	53.34	-3.80	49.54	74.00	74.00	-24.46
2390.000	Average	42.97	-3.80	39.17	54.00	54.00	-14.83
2390.000	Peak	51.63	-3.80	47.83	74.00	74.00	-26.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11g  
 Test Frequency :2412 MHz  
 Test Mode :BE CH LOW  
 EUT Pol :NB Plane  
 Test Site :SAC G  
 Test Date :2021-10-26  
 Temp./Humi. :24.0/64  
 Antenna Pol. :Horizontal  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual		Limit @3m dBuV/m	Margin dB
				FS dBuV/m	dBuV/m		
2388.840	Average	46.86	-3.80	43.06	54.00	54.00	-10.94
2388.840	Peak	58.31	-3.80	54.51	74.00	74.00	-19.49
2390.000	Average	47.01	-3.80	43.21	54.00	54.00	-10.79
2390.000	Peak	56.97	-3.80	53.17	74.00	74.00	-20.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064 Test Site :SAC G  
Operation Mode :802.11g Test Date :2021-10-26  
Test Frequency :2462 MHz Temp./Humi. :24.0/64  
Test Mode :BE CH HIGH Antenna Pol. :Vertical  
EUT Pol :NB Plane Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor	Actual	Limit	Margin
				FS	@3m	
2483.500	Average	42.41	-3.92	38.49	54.00	-15.51
2483.500	Peak	52.69	-3.92	48.77	74.00	-25.23
2486.000	Average	42.25	-3.90	38.35	54.00	-15.65
2486.000	Peak	53.88	-3.90	49.97	74.00	-24.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064 Test Site :SAC G  
Operation Mode :802.11g Test Date :2021-10-26  
Test Frequency :2462 MHz Temp./Humi. :24.0/64  
Test Mode :BE CH HIGH Antenna Pol. :Horizontal  
EUT Pol :NB Plane Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual	Limit	Margin
				FS dB $\mu$ V/m	@3m dB $\mu$ V/m	dB
2483.500	Average	46.35	-3.92	42.43	54.00	-11.57
2483.500	Peak	58.80	-3.92	54.88	74.00	-19.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11g  
 Test Frequency :2467 MHz  
 Test Mode :BE CH 12  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-22  
 Temp./Humi. :22.8/68  
 Antenna Pol. :Vertical  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual		Margin dB
				FS	Limit @3m dB $\mu$ V/m	
				dB $\mu$ V/m	dB $\mu$ V/m	
2483.500	Average	43.81	-3.92	39.89	54.00	-14.11
2483.500	Peak	54.96	-3.92	51.05	74.00	-22.95
2484.000	Average	43.08	-3.92	39.16	54.00	-14.84
2484.000	Peak	55.12	-3.92	51.21	74.00	-22.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11g  
 Test Frequency :2467 MHz  
 Test Mode :BE CH 12  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-22  
 Temp./Humi. :22.8/68  
 Antenna Pol. :Horizontal  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading	Factor	Actual		Limit @3m	Margin
				PK/QP/AV	dB $\mu$ V		
			dB		dB $\mu$ V/m		dB
2483.500	Average	44.15	-3.92	40.23	54.00	54.00	-13.77
2483.500	Peak	54.88	-3.92	50.96	74.00	74.00	-23.04
2487.100	Average	42.28	-3.90	38.38	54.00	54.00	-15.62
2487.100	Peak	55.31	-3.90	51.41	74.00	74.00	-22.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11g  
 Test Frequency :2472 MHz  
 Test Mode :BE CH 13  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-22  
 Temp./Humi. :22.8/68  
 Antenna Pol. :Vertical  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual	Limit @3m	Margin
				FS dB $\mu$ V/m	dB $\mu$ V/m	dB
2483.500	Average	42.72	-3.92	38.80	54.00	-15.20
2483.500	Peak	53.28	-3.92	49.36	74.00	-24.64
2484.100	Average	42.55	-3.92	38.63	54.00	-15.37
2484.100	Peak	54.58	-3.92	50.66	74.00	-23.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11g  
 Test Frequency :2472 MHz  
 Test Mode :BE CH 13  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-22  
 Temp./Humi. :22.8/68  
 Antenna Pol. :Horizontal  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading	Factor	Actual	Limit	Margin
				PK/QP/AV	dB $\mu$ V	dB
2483.500	Average	45.12	-3.92	41.20	54.00	-12.80
2483.500	Peak	53.90	-3.92	49.98	74.00	-24.02
2487.100	Average	45.06	-3.90	41.17	54.00	-12.83
2487.100	Peak	57.16	-3.90	53.26	74.00	-20.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11ac20  
 Test Frequency :2412 MHz  
 Test Mode :BE CH LOW  
 EUT Pol :NB Plane  
 Test Site :SAC G  
 Test Date :2021-10-13  
 Temp./Humi. :24.6/65  
 Antenna Pol. :Vertical  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual		Limit @3m dB $\mu$ V/m	Margin dB
				FS	dB $\mu$ V/m		
2388.600	Average	41.80	-3.79	38.01	54.00	54.00	-15.99
2388.600	Peak	55.64	-3.79	51.85	74.00	74.00	-22.15
2390.000	Average	42.21	-3.80	38.41	54.00	54.00	-15.59
2390.000	Peak	53.05	-3.80	49.25	74.00	74.00	-24.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11ac20  
 Test Frequency :2412 MHz  
 Test Mode :BE CH LOW  
 EUT Pol :NB Plane  
 Test Site :SAC G  
 Test Date :2021-10-13  
 Temp./Humi. :24.6/65  
 Antenna Pol. :Horizontal  
 Engineer :Jason Yeh




Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor	Actual		Limit @3m dB $\mu$ V/m	Margin dB
				FS	dB $\mu$ V/m		
2388.960	Average	47.25	-3.80	43.45	54.00	54.00	-10.55
2388.960	Peak	58.49	-3.80	54.69	74.00	74.00	-19.31
2390.000	Average	47.63	-3.80	43.83	54.00	54.00	-10.17
2390.000	Peak	56.55	-3.80	52.75	74.00	74.00	-21.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

Report Number :E2/2021/A0064  
 Operation Mode :802.11ac20  
 Test Frequency :2462 MHz  
 Test Mode :BE CH HIGH  
 EUT Pol :NB Plane  
 Test Site :SAC G  
 Test Date :2021-10-13  
 Temp./Humi. :24.6/65  
 Antenna Pol. :Vertical  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor	Actual		Limit @3m dB $\mu$ V/m	Margin dB
				FS	dB $\mu$ V/m		
2483.500	Average	42.96	-3.92	39.04	54.00	54.00	-14.96
2483.500	Peak	53.84	-3.92	49.92	74.00	74.00	-24.08
2484.000	Average	42.26	-3.92	38.34	54.00	54.00	-15.66
2484.000	Peak	53.91	-3.92	50.00	74.00	74.00	-24.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11ac20  
 Test Frequency :2462 MHz  
 Test Mode :BE CH HIGH  
 EUT Pol :NB Plane  
 Test Site :SAC G  
 Test Date :2021-10-13  
 Temp./Humi. :24.6/65  
 Antenna Pol. :Horizontal  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB <sub>μ</sub> V	Factor dB	Actual		Limit @3m dB <sub>μ</sub> V/m	Margin dB
				FS	dB <sub>μ</sub> V/m		
2483.500	Average	46.32	-3.92	42.40	54.00	54.00	-11.60
2483.500	Peak	57.31	-3.92	53.39	74.00	74.00	-20.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11ac20  
 Test Frequency :2467 MHz  
 Test Mode :BE CH 12  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-22  
 Temp./Humi. :22.8/68  
 Antenna Pol. :Vertical  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading	Factor	Actual	Limit	Margin
				FS	@3m	
	PK/QP/AV	dB $\mu$ V	dB	dB $\mu$ V/m	dB $\mu$ V/m	dB
2483.500	Average	41.94	-3.92	38.02	54.00	-15.98
2483.500	Peak	52.39	-3.92	48.47	74.00	-25.53
2486.200	Average	41.50	-3.90	37.60	54.00	-16.40
2486.200	Peak	53.66	-3.90	49.75	74.00	-24.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11ac20  
 Test Frequency :2467 MHz  
 Test Mode :BE CH 12  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-22  
 Temp./Humi. :22.8/68  
 Antenna Pol. :Horizontal  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level	Factor	Actual	Limit	Margin
				FS	@3m	
		dBuV	dB	dBuV/m	dBuV/m	dB
2483.500	Average	45.95	-3.92	42.03	54.00	-11.97
2483.500	Peak	56.26	-3.92	52.34	74.00	-21.66
2483.900	Average	45.67	-3.92	41.75	54.00	-12.25
2483.900	Peak	57.02	-3.92	53.11	74.00	-20.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064 Test Site :SAC G  
Operation Mode :802.11ac20 Test Date :2021-10-22  
Test Frequency :2472 MHz Temp./Humi. :22.8/68  
Test Mode :BE CH 13 Antenna Pol. :Vertical  
EUT Pol :NB Plane Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB <sub>μ</sub> V	Factor dB	Actual		Limit @3m dB <sub>μ</sub> V/m	Margin dB
				FS	dB <sub>μ</sub> V/m		
2483.500	Average	43.89	-3.92	39.97	54.00	54.00	-14.03
2483.500	Peak	54.23	-3.92	50.31	74.00	74.00	-23.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11ac20  
 Test Frequency :2472 MHz  
 Test Mode :BE CH 13  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-22  
 Temp./Humi. :22.8/68  
 Antenna Pol. :Horizontal  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading	Factor	Actual	Limit	Margin
				FS	@3m	
	PK/QP/AV	dB $\mu$ V	dB	dB $\mu$ V/m	dB $\mu$ V/m	dB
2483.500	Average	44.16	-3.92	40.24	54.00	-13.76
2483.500	Peak	52.80	-3.92	48.88	74.00	-25.12
2484.900	Average	42.27	-3.91	38.36	54.00	-15.64
2484.900	Peak	52.91	-3.91	49.00	74.00	-25.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11ac40  
 Test Frequency :2422 MHz  
 Test Mode :BE CH LOW  
 EUT Pol :NB Plane  
 Test Site :SAC G  
 Test Date :2021-10-13  
 Temp./Humi. :24.6/65  
 Antenna Pol. :Vertical  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading	Factor	Actual		Limit @3m	Margin
				PK/QP/AV	dB $\mu$ V		
			dB		dB $\mu$ V/m		dB
2387.400	Average	41.51	-3.79	37.72	54.00	54.00	-16.28
2387.400	Peak	54.31	-3.79	50.52	74.00	74.00	-23.48
2390.000	Average	41.65	-3.80	37.84	54.00	54.00	-16.16
2390.000	Peak	53.62	-3.80	49.82	74.00	74.00	-24.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064 Test Site :SAC G  
Operation Mode :802.11ac40 Test Date :2021-10-13  
Test Frequency :2422 MHz Temp./Humi. :24.6/65  
Test Mode :BE CH LOW Antenna Pol. :Horizontal  
EUT Pol :NB Plane Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual		Limit @3m dB $\mu$ V/m	Margin dB
				FS	dB $\mu$ V/m		
2388.120	Average	46.69	-3.79	42.90	54.00	54.00	-11.10
2388.120	Peak	61.86	-3.79	58.07	74.00	74.00	-15.93
2390.000	Average	47.42	-3.80	43.62	54.00	54.00	-10.38
2390.000	Peak	58.24	-3.80	54.44	74.00	74.00	-19.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11ac40  
 Test Frequency :2452 MHz  
 Test Mode :BE CH HIGH  
 EUT Pol :NB Plane  
 Test Site :SAC G  
 Test Date :2021-10-13  
 Temp./Humi. :24.6/65  
 Antenna Pol. :Vertical  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual		Limit @3m dB $\mu$ V/m	Margin dB
				FS dB $\mu$ V/m	Margin dB		
2483.500	Average	41.30	-3.92	37.38	54.00	54.00	-16.62
2483.500	Peak	51.97	-3.92	48.05	74.00	74.00	-25.95
2491.500	Average	41.19	-3.88	37.32	54.00	54.00	-16.68
2491.500	Peak	53.75	-3.88	49.88	74.00	74.00	-24.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064 Test Site :SAC G  
Operation Mode :802.11ac40 Test Date :2021-10-13  
Test Frequency :2452 MHz Temp./Humi. :24.6/65  
Test Mode :BE CH HIGH Antenna Pol. :Horizontal  
EUT Pol :NB Plane Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor	Actual		Limit @3m dB $\mu$ V/m	Margin dB
				FS	dB $\mu$ V/m		
2483.500	Average	45.77	-3.92	41.85	54.00	54.00	-12.15
2483.500	Peak	58.23	-3.92	54.32	74.00	74.00	-19.68
2485.000	Average	45.45	-3.91	41.54	54.00	54.00	-12.46
2485.000	Peak	59.08	-3.91	55.17	74.00	74.00	-18.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11ac40  
 Test Frequency :2457 MHz  
 Test Mode :BE CH 10  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-22  
 Temp./Humi. :22.8/68  
 Antenna Pol. :Vertical  
 Engineer :Jason Yeh




Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual		Limit @3m dB $\mu$ V/m	Margin dB
				FS dB $\mu$ V/m	Margin dB		
2483.500	Average	43.18	-3.92	39.26	54.00	54.00	-14.74
2483.500	Peak	53.27	-3.92	49.35	74.00	74.00	-24.65
2483.800	Average	43.15	-3.92	39.23	54.00	54.00	-14.77
2483.800	Peak	53.91	-3.92	49.99	74.00	74.00	-24.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2021/A0064  
 Operation Mode :802.11ac40  
 Test Frequency :2457 MHz  
 Test Mode :BE CH 10  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-22  
 Temp./Humi. :22.8/68  
 Antenna Pol. :Horizontal  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual		Limit @3m dB $\mu$ V/m	Margin dB
				FS	dB $\mu$ V/m		
2483.500	Average	43.79	-3.92	39.87	54.00	54.00	-14.13
2483.500	Peak	53.64	-3.92	49.72	74.00	74.00	-24.28
2490.900	Average	41.89	-3.88	38.01	54.00	54.00	-15.99
2490.900	Peak	54.67	-3.88	50.79	74.00	74.00	-23.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064 Test Site :SAC G  
Operation Mode :802.11ac40 Test Date :2021-10-22  
Test Frequency :2462 MHz Temp./Humi. :22.8/68  
Test Mode :BE CH HIGH Antenna Pol. :Vertical  
EUT Pol :NB Plane Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level	Factor dB	Actual		Limit @3m dBuV/m	Margin dB
				PK	QV		
2483.500	Average	44.87	-3.92	40.95		54.00	-13.05
2483.500	Peak	55.26	-3.92	51.34		74.00	-22.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11ac40  
 Test Frequency :2462 MHz  
 Test Mode :BE CH HIGH  
 EUT Pol :NB Plane  
 Test Site :SAC G  
 Test Date :2021-10-22  
 Temp./Humi. :22.8/68  
 Antenna Pol. :Horizontal  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual	Limit @3m dB $\mu$ V/m	Margin
				FS dB $\mu$ V/m	dB	
2483.500	Average	44.46	-3.92	40.54	54.00	-13.46
2483.500	Peak	56.89	-3.92	52.97	74.00	-21.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

Report Number :E2/2021/A0064  
 Operation Mode :802.11ax20  
 Test Frequency :2412 MHz  
 Test Mode :BE CH LOW  
 EUT Pol :NB Plane  
 Test Site :SAC G  
 Test Date :2021-10-13  
 Temp./Humi. :24.6/65  
 Antenna Pol. :Vertical  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual		Limit @3m dB $\mu$ V/m	Margin dB
				FS	dBuV/m		
2390.000	Average	45.67	-3.80	41.87	54.00	54.00	-12.13
2390.000	Peak	59.07	-3.80	55.27	74.00	74.00	-18.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11ax20  
 Test Frequency :2412 MHz  
 Test Mode :BE CH LOW  
 EUT Pol :NB Plane  
 Test Site :SAC G  
 Test Date :2021-10-13  
 Temp./Humi. :24.6/65  
 Antenna Pol. :Horizontal  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level	Factor	Actual		Limit @3m	Margin
				PK	QV		
				dB $\mu$ V	dB	dB $\mu$ V/m	dB
2390.000	Average	46.62	-3.80	42.81	54.00	54.00	-11.19
2390.000	Peak	59.24	-3.80	55.44	74.00	74.00	-18.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

Report Number :E2/2021/A0064  
 Operation Mode :802.11ax20  
 Test Frequency :2462 MHz  
 Test Mode :BE CH HIGH  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-13  
 Temp./Humi. :24.6/65  
 Antenna Pol. :Vertical  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual		Limit @3m dB $\mu$ V/m	Margin dB
				FS dB $\mu$ V/m	dB $\mu$ V/m		
2483.500	Average	43.50	-3.92	39.58	54.00	54.00	-14.42
2483.500	Peak	55.97	-3.92	52.05	74.00	74.00	-21.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064 Test Site :SAC G  
Operation Mode :802.11ax20 Test Date :2021-10-13  
Test Frequency :2462 MHz Temp./Humi. :24.6/65  
Test Mode :BE CH HIGH Antenna Pol. :Horizontal  
EUT Pol :NB Plane Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB <sub>μ</sub> V	Factor dB	Actual	Limit	Margin
				FS dB <sub>μ</sub> V/m	@3m dB <sub>μ</sub> V/m	dB
2483.500	Average	46.68	-3.92	42.76	54.00	-11.24
2483.500	Peak	58.60	-3.92	54.68	74.00	-19.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11ax20  
 Test Frequency :2467 MHz  
 Test Mode :BE CH 12  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-22  
 Temp./Humi. :22.8/68  
 Antenna Pol. :Vertical  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading	Factor	Actual		Limit @3m	Margin
				PK/QP/AV	dB $\mu$ V		
			dB		dB $\mu$ V/m		dB
2483.500	Average	42.28	-3.92	38.36	54.00	54.00	-15.64
2483.500	Peak	52.75	-3.92	48.83	74.00	74.00	-25.17
2485.200	Average	41.86	-3.91	37.95	54.00	54.00	-16.05
2485.200	Peak	53.72	-3.91	49.81	74.00	74.00	-24.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11ax20  
 Test Frequency :2467 MHz  
 Test Mode :BE CH 12  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-22  
 Temp./Humi. :22.8/68  
 Antenna Pol. :Horizontal  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading	Factor	Actual	Limit	Margin
				FS	@3m	
PK/QP/AV	dB $\mu$ V	dB	dB $\mu$ V/m	dB $\mu$ V/m	dB	
2483.500	Average	43.70	-3.92	39.78	54.00	-14.22
2483.500	Peak	54.33	-3.92	50.41	74.00	-23.59
2484.700	Average	43.40	-3.91	39.49	54.00	-14.51
2484.700	Peak	54.45	-3.91	50.53	74.00	-23.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

Report Number :E2/2021/A0064  
 Operation Mode :802.11ax20  
 Test Frequency :2472 MHz  
 Test Mode :BE CH 13  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-22  
 Temp./Humi. :22.8/68  
 Antenna Pol. :Vertical  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor	Actual		Limit @3m dB $\mu$ V/m	Margin dB
				FS	dB $\mu$ V/m		
2483.500	Average	43.56	-3.92	39.64	54.00	54.00	-14.36
2483.500	Peak	53.52	-3.92	49.60	74.00	74.00	-24.40
2483.800	Average	43.13	-3.92	39.21	54.00	54.00	-14.79
2483.800	Peak	53.62	-3.92	49.70	74.00	74.00	-24.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064 Test Site :SAC G  
 Operation Mode :802.11ax20 Test Date :2021-10-22  
 Test Frequency :2472 MHz Temp./Humi. :22.8/68  
 Test Mode :BE CH 13 Antenna Pol. :Horizontal  
 EUT Pol :NB Plane Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual	Limit @3m	Margin
				FS dB $\mu$ V/m	dB $\mu$ V/m	dB
2483.500	Average	44.20	-3.92	40.28	54.00	-13.72
2483.500	Peak	53.37	-3.92	49.45	74.00	-24.55
2484.300	Average	42.83	-3.91	38.92	54.00	-15.08
2484.300	Peak	53.37	-3.91	49.46	74.00	-24.54


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

Report Number :E2/2021/A0064  
Operation Mode :802.11ax40  
Test Frequency :2422 MHz  
Test Mode :BE CH LOW  
EUT Pol :NB Plane

Test Site :SAC G  
Test Date :2021-10-14  
Temp./Humi. :22.5/69  
Antenna Pol. :Vertical  
Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual	Limit @3m	Margin
				FS dB $\mu$ V/m	dB $\mu$ V/m	dB
2389.560	Average	44.13	-3.80	40.33	54.00	-13.67
2389.560	Peak	55.37	-3.80	51.57	74.00	-22.43
2390.000	Average	44.10	-3.80	40.30	54.00	-13.70
2390.000	Peak	55.02	-3.80	51.22	74.00	-22.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11ax40  
 Test Frequency :2422 MHz  
 Test Mode :BE CH LOW  
 EUT Pol :NB Plane  
 Test Site :SAC G  
 Test Date :2021-10-14  
 Temp./Humi. :22.5/69  
 Antenna Pol. :Horizontal  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor	Actual		Limit @3m dB $\mu$ V/m	Margin dB
				FS	dB $\mu$ V/m		
2386.320	Average	48.13	-3.79	44.34	54.00	54.00	-9.66
2386.320	Peak	61.30	-3.79	57.51	74.00	74.00	-16.49
2390.000	Average	48.97	-3.80	45.17	54.00	54.00	-8.83
2390.000	Peak	59.87	-3.80	56.07	74.00	74.00	-17.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11ax40  
 Test Frequency :2452 MHz  
 Test Mode :BE CH HIGH  
 EUT Pol :NB Plane  
 Test Site :SAC G  
 Test Date :2021-10-14  
 Temp./Humi. :22.5/69  
 Antenna Pol. :Vertical  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual		Margin dB
				FS	Limit @3m dB $\mu$ V/m	
				dB $\mu$ V/m	dB $\mu$ V/m	
2483.500	Average	44.33	-3.92	40.41	54.00	-13.59
2483.500	Peak	53.91	-3.92	49.99	74.00	-24.01
2484.900	Average	44.55	-3.91	40.64	54.00	-13.36
2484.900	Peak	56.41	-3.91	52.50	74.00	-21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11ax40  
 Test Frequency :2452 MHz  
 Test Mode :BE CH HIGH  
 EUT Pol :NB Plane  
 Test Site :SAC G  
 Test Date :2021-10-14  
 Temp./Humi. :22.5/69  
 Antenna Pol. :Horizontal  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading	Factor	Actual		Limit @3m	Margin
				PK/QP/AV	dB $\mu$ V		
			dB		dB $\mu$ V/m		dB
2483.500	Average	47.62	-3.92	43.70	54.00	54.00	-10.30
2483.500	Peak	59.06	-3.92	55.15	74.00	74.00	-18.85
2484.400	Average	47.75	-3.91	43.83	54.00	54.00	-10.17
2484.400	Peak	60.37	-3.91	56.46	74.00	74.00	-17.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11ax40  
 Test Frequency :2457 MHz  
 Test Mode :BE CH 10  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-22  
 Temp./Humi. :22.8/68  
 Antenna Pol. :Vertical  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor	Actual		Margin dB
				FS	Limit @3m dB $\mu$ V/m	
2483.500	Average	43.93	-3.92	40.01	54.00	-13.99
2483.500	Peak	54.13	-3.92	50.21	74.00	-23.79
2486.900	Average	43.26	-3.90	39.37	54.00	-14.63
2486.900	Peak	54.81	-3.90	50.91	74.00	-23.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11ax40  
 Test Frequency :2457 MHz  
 Test Mode :BE CH 10  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-22  
 Temp./Humi. :22.8/68  
 Antenna Pol. :Horizontal  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor	Actual	Limit	Margin
				FS	@3m	dB
2483.500	Average	43.98	-3.92	40.06	54.00	-13.94
2483.500	Peak	54.32	-3.92	50.40	74.00	-23.60
2485.500	Average	44.06	-3.91	40.15	54.00	-13.85
2485.500	Peak	54.78	-3.91	50.87	74.00	-23.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11ax40  
 Test Frequency :2462 MHz  
 Test Mode :BE CH HIGH  
 EUT Pol :NB Plane  
 Test Site :SAC G  
 Test Date :2021-10-22  
 Temp./Humi. :22.8/68  
 Antenna Pol. :Vertical  
 Engineer :Jason Yeh




Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual		Limit @3m dB $\mu$ V/m	Margin dB
				FS dB $\mu$ V/m	Margin dB		
2483.500	Average	44.64	-3.92	40.72	54.00	54.00	-13.28
2483.500	Peak	52.78	-3.92	48.86	74.00	74.00	-25.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

Report Number :E2/2021/A0064 Test Site :SAC G  
Operation Mode :802.11ax40 Test Date :2021-10-22  
Test Frequency :2462 MHz Temp./Humi. :22.8/68  
Test Mode :BE CH HIGH Antenna Pol. :Horizontal  
EUT Pol :NB Plane Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual	Limit	Margin
				FS dB $\mu$ V/m	@3m dB $\mu$ V/m	dB
2483.500	Average	45.86	-3.92	41.94	54.00	-12.06
2483.500	Peak	54.50	-3.92	50.58	74.00	-23.42
2486.200	Average	43.84	-3.90	39.93	54.00	-14.07
2486.200	Peak	55.53	-3.90	51.63	74.00	-22.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

### 7.7.1 Above 1GHz Emission:

Report Number	:E2/2021/A0064	Test Site	:SAC G
Operation Mode	:802.11b	Test Date	:2021-10-14
Test Frequency	:2437 MHz	Temp./Humi.	:24.9/64
Test Mode	:TX CH MID	Antenna Pol.	:Vertical
EUT Pol	:NB Plane	Engineer	:Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual	Limit	Margin
				FS	@3m	dB
4874.000	Average	43.25	3.23	46.48	54.00	-7.52
4874.000	Peak	45.73	3.23	48.96	74.00	-25.04
7311.000	Average	30.27	7.68	37.94	54.00	-16.06
7311.000	Peak	33.58	7.68	41.26	74.00	-32.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

Report Number :E2/2021/A0064  
 Operation Mode :802.11b  
 Test Frequency :2437 MHz  
 Test Mode :TX CH MID  
 EUT Pol :NB Plane

Test Site :SAC G  
 Test Date :2021-10-14  
 Temp./Humi. :24.9/64  
 Antenna Pol. :Horizontal  
 Engineer :Jason Yeh



Freq. MHz	Detector Mode	Spectrum Reading	Factor	Actual		Limit @3m	Margin
				PK/QP/AV	dB $\mu$ V		
				dB	dB $\mu$ V/m		
4874.000	Average	45.66	3.23	48.89	54.00	54.00	-5.11
4874.000	Peak	48.52	3.23	51.74	74.00	74.00	-22.26
7311.000	Average	31.90	7.68	39.57	54.00	54.00	-14.43
7311.000	Peak	39.09	7.68	46.77	74.00	74.00	-27.23

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路

134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group