



NR n41 SCS 30 kHz, MIMO-Ant 2, Channel Bandwidth: 30 MHz

CH 502200 (2511 MHz)




CH 534996 (2674.98 MHz)



NR n41 SCS 30 kHz, MIMO-Ant 2, Channel Bandwidth: 35 MHz



Channel 502704 (2513.52 MHz)



Channel 518598 (2592.99 MHz)




Channel 534498 (2672.49 MHz)


Note: The signal at 9 kHz is IF signal from spectrum analyzer.

NR n41 SCS 30 kHz, MIMO-Ant 2, Channel Bandwidth: 35 MHz

CH 502704 (2513.52 MHz)



CH 534498 (2672.49 MHz)




[RBW = 200 kHz / Reference RBW = 750 kHz]

Worst-case integrated BW power = [Max Measured Value (dBm) with RBW = 200 kHz] + 10log(750/200)


To compensate for this integration before comparison to the limit, 5.74 dB was added to Ref Lvl Offset.

i.e. 18.01 dB CF + 5.74 dB integration compensation factor = 23.75 dB Ref Lvl Offset


NR n41 SCS 30 kHz, MIMO-Ant 2, Channel Bandwidth: 40 MHz



Channel 503202 (2516.01 MHz)



Channel 518598 (2592.99 MHz)




Channel 534000 (2670 MHz)


Note: The signal at 9 kHz is IF signal from spectrum analyzer.

NR n41 SCS 30 kHz, MIMO-Ant 2, Channel Bandwidth: 40 MHz

CH 503202 (2516.01 MHz)



CH 534000 (2670 MHz)




[RBW = 200 kHz / Reference RBW = 820 kHz]

Worst-case integrated BW power = [Max Measured Value (dBm) with RBW = 200 kHz] + 10log(820/200)


To compensate for this integration before comparison to the limit, 6.12 dB was added to Ref Lvl Offset.

i.e. 18.01 dB CF + 6.12 dB integration compensation factor = 24.13 dB Ref Lvl Offset


NR n41 SCS 30 kHz, MIMO-Ant 2, Channel Bandwidth: 50 MHz



Channel 504204 (2521.02 MHz)



Channel 518598 (2592.99 MHz)




Channel 532998 (2664.99 MHz)

Note: The signal at 9 kHz is IF signal from spectrum analyzer.


NR n41 SCS 30 kHz, MIMO-Ant 2, Channel Bandwidth: 50 MHz

CH 504204 (2521.02 MHz)

1 RB




FULL RB





CH 532998 (2664.99 MHz)

1 RB



FULL RB




[RBW = 200 kHz / Reference RBW = 1 MHz]

Worst-case integrated BW power = [Max Measured Value (dBm) with RBW = 200 kHz] + 10log(1000/200)


To compensate for this integration before comparison to the limit, 6.98 dB was added to Ref Lvl Offset.

i.e. 18.01 dB CF + 6.98 dB integration compensation factor = 24.99 dB Ref Lvl Offset


NR n41 SCS 30 kHz, MIMO-Ant 2, Channel Bandwidth: 60 MHz



Channel 505200 (2526 MHz)



Channel 518598 (2592.99 MHz)



Channel 531996 (2659.98 MHz)

Note: The signal at 9 kHz is IF signal from spectrum analyzer.