Franklin Wireless Corp

6205 Lusk Blvd, San Diego CA 92121 USA

Date: Oct. 18, 2012

Federal Communications Commission Authorization and Evaluation Division 7435 Oakland Mills Road, Columbia, MD 21046

RE: LTE Attestation Letter for FCC ID: RB2-R772

To Whom It May Concern:

We attest the following regarding FCC ID: RB2-R772

- $1. \quad Supported \ LTE \ Transmission \ Bands, \ channel \ BWs, \ and \ modulations:$
 - a) LTE Band 25 (Channel BW 5 MHz)/QPSK & 16QAM
- 2. MPR is enabled for this device, according to 3GPP TS 36.101 Section 6.2.3 6.2.5 under Table 6.2.3 1. With the MPR permanently implemented, this device will never operate at a power higher than 23.0 dBm in QPSK and 16QAM.
- 3. We confirm the specific MPR targets and tolerances shown below: a) The LTE MPR Targets for Band 25 (5 MHz) are:

Low channel

Bandwidth	UL Channel	UL Freq.(MHz)	Modulation	RB Size	RB Offset	Max.Average Power (dBm)	Target MPR (dB)	Measured Power reduction (dB)
5 MHz	26065	1852.5	QPSK	1	0	22.28	0	0.00
				1	24	22.26	0	0.02
				12	6	21.26	1	1.02
				25	0	21.10	1	1.18
			16QAM	1	0	21.27	1	1.01
				1	24	21.38	1	0.90
				12	6	20.24	2	2.04
				25	0	20.10	2	2.18

Middle channel

Bandwidth	UL Channel	UL Freq.(MHz)	Modulation	RB Size	RB Offset	Max.Average Power (dBm)	Target MPR (dB)	Measured Power reduction (dB)
5 MHz	26365	1882.5	QPSK	1	0	22.06	0	0.00
				1	24	21.96	0	0.10
				12	6	20.88	1	1.18
				25	0	20.73	1	1.33
			16QAM	1	0	21.03	1	1.03
				1	24	21.00	1	1.06
				12	6	19.85	2	2.21
				25	0	19.87	2	2.19

High Channel

Bandwidth	UL Channel	UL Freq.(MHz)	Modulation	RB Size	RB Offset	Max.Average Power (dBm)	Target MPR (dB)	Measured Power reduction (dB)
5 MHz	26665	1912.5	QPSK	1	0	22.22	0	0.00
				1	24	22.17	0	0.05
				12	6	21.25	1	0.97
				25	0	21.11	1	1.11
			16QAM	1	0	21.13	1	1.09
				1	24	21.24	1	0.98
				12	6	20.33	2	1.89
				25	0	20.18	2	2.04

- 4. A-MPR was disabled for all SAR test samples for SAR testing purposes only.
- 5. We attest to the Simultaneous Tx listed on Operational Description to be accurate and furthermore, any other simultaneous Tx combinations not listed on the SAR report are not supported by software/hardware design.

Should you have any questions or comments concerning the above, please contact the undersigned.

Sincerely,

DAVID Kim DIRECTOR

Franklin Wireless Corp