



#### **XM Satellite Radio Limited Consumer Warranty**

Delphi Product and Service Solutions ("Delphi") warrants all XM Satellite Radio Products sold by Delphi ("Products") to be free of defects in material and workmanship, subject to the following conditions. The duration of Delphi's warranty with respect to Delphi XM Satellite Radio Products is limited to one (1) year from the date of sale to the original consumer purchaser. No other express warranties are made with respect to any Product. All implied warranties, including warranties of merchantability and fitness for a particular purpose are limited to the warranty period set forth above. This warranty is not transferable and applies only to the original consumer purchaser of the Product. Delphi will, as its sole obligation under this warranty, replace or repair, at its option, any Product that does not conform to this warranty. Under no circumstances will Delphi be liable for any incidental or consequential damages under this warranty or any implied warranties. Delphi will not be responsible for damage resulting from any (i) deviation from Delphi's operating instructions as printed in Delphi's catalog or on any packaging, labels or other literature provided with a Product, (ii) installation of a Product in a manner which is inconsistent with Delphi's written instructions, (iii) alteration or modification of a Product, (iv) misuse, (v) neglect, (vi) abuse, (vii) accident, (viii) normal wear and tear, (ix) commercial use, (x) service by anyone other than a Delphi authorized repair facility, or (xi) other improper application, installation or operation of the Product. How you (the Customer) can get service: To obtain warranty service during the first thirty (30) days after the date of purchase, you must return the defective Product with the original receipt to the original place of purchase. To obtain warranty service during the remainder of the warranty period, you must contact Delphi by phone at 1.877.GO DELPHI (1.877.463.3574) or by fax at 1.866.790.3675. When contacting Delphi by fax, please include a letter detailing your complaint and provide a daytime phone number where you can be reached. If further clarification or additional information is required from Delphi, you may call Delphi at 1.877.GO DELPHI (1.877.463.3574). If warranty service is needed at any time during the warranty period, the purchaser will be required to furnish a sales receipt/proof of purchase indicating the date of purchase, amount paid, and place of purchase. Customers who fail to provide such proof of purchase will be charged for the repair of any Product. How state law relates to the warranty: Some states do not allow limitations on how long implied warranties last, or the exclusion or the limitation of incidental or consequential damages. So the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights. You may also have other rights that may vary from state to state. NO PERSON IS AUTHORIZED BY DELPHI TO MODIFY OR ADD TO THIS LIMITED WARRANTY.

#### **Product Specifications**

Modulation: FM Stereo Modulation  
Frequencies: 88.1, 88.3, 88.5, 88.7, 107.1, 107.3, 107.5, 107.7 MHz  
Audio Input: 3.5mm Stereo Plug  
Power Input: 12V DC  
Power Output: 6V DC



#### **FCC Information**

This device complies with part 15 of the FCC rules and regulations.

Operation is subject to the following two conditions:  
(1) This device may not cause harmful interference.

(2) This device must accept any interference received.  
Including interference that may cause undesired operation.

#### **Audio Specifications**

Signal Format	Standard FM Stereo Format, 38KHz subcarrier
Audio Range	15Hz - 15kHz
Signal-to-Noise Ratio*	>60dB
Total Harmonic Distortion	0.3%, Max.
Channel Separation	40dB Typical
Channel Balance	+/- 2dB

\* A weighted



U.S. Patent #5,771,441 and other patents pending.  
Designed by Aerielle Group International, Inc. ©2003.

[www.aerielle.com](http://www.aerielle.com)

Made in China.

Hardware and required subscription for 100-channel basic service sold separately. Premium channel available at additional monthly fee. Other fees and taxes, including a one-time activation fee may apply. All fees and programming subject to change. Subscriptions subject to Customer Agreement included with the XM Welcome Kit and available at [xmradio.com](http://xmradio.com). Only available in the 48 contiguous United States. ©2003 XM Satellite Radio Inc. XM™ is a trademark of XM Satellite Radio Inc. All rights reserved. All other trademarks are property of their respective owners.

**DELPHI**




## **XM Roady™ Audio Adaptor Quick Guide**





## XM Ready Audio Adaptor



### Before You Begin


Please read all instructions thoroughly before installing your XM Ready Audio Adaptor.

### Compatibility

The XM Ready Audio Adaptor was designed to work with the Delphi XM Ready receiver. The adaptor supplies both the power supply and the audio output in a single, easy to install adaptor. Use of this adaptor with other audio devices including the Delphi XM SKYFi is not recommended.


### Installing the XM Ready Audio Adaptor

Insert the XM Ready Audio Adaptor into the vehicle's 12V power outlet. Note that some vehicles require that the ignition switch be turned on before power is supplied to the adaptor.




**Note:** A RED indicator light on the adaptor signals that the adaptor is receiving 12V power from your vehicle and will remain on during normal operation.

Insert the right angle Power connector at the end of the XM Ready Audio Adaptor cable into the plug on the Ready receiver identified by a 6V icon.



Insert the right angle Audio connector at the end of the XM Ready Audio Adaptor cable into the plug on the Ready receiver identified by a speaker icon.



### Changing the Transmitting Frequency

The XM Ready Audio Adaptor allows you to change the XM Satellite Radio broadcast signal to an FM frequency and output the sound to your vehicle radio via an FM station. You may experience some interference if a local FM station is broadcasting at the same frequency. Try all eight available frequencies on your vehicle's FM radio to avoid using a channel that is receiving a good quality local FM signal. Once you have determined which frequency is not being used by a local FM station, change your FM modulator frequency using the two switches on the top edge of the adaptor. One switch toggles between the high band (107.xMHz) and the low band (88.xMHz). The other switch has four frequency settings: xxx.1MHz, xxx.3MHz, xxx.5MHz, and xxx.7MHz. The combination of the individual location of the two switches will result in one of eight available FM frequencies to use. **FM Frequencies: 88.1, 88.3, 88.5, 88.7, 107.1, 107.3, 107.5, 107.7**

**Note:** The vehicle FM radio frequency should be set to the same value as the XM Ready Audio Adaptor frequency.

### Auto-On/Auto-Off Feature

The XM Ready Audio Adaptor will automatically switch on when an XM Satellite Radio signal is detected. The XM Ready Audio Adaptor will also automatically switch off when the Ready is turned off.

**Note:** A GREEN indicator light on the adaptor is visible as long as there is an XM Satellite Radio signal available from the receiver. There may be situations under normal use where the GREEN indicator light remains on for a short period of time after the receiver is switched off.

**Caution:** When in highly-populated metro areas with a large number of FM stations, you may have difficulty finding an available FM frequency on which to operate your XM Ready Audio Adaptor. This is not fault with XM reception or with the XM Ready Audio Adaptor. In many instances your XM Ready Audio Adaptor may override the FM broadcast signal.