




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant3




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant4




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3669.96MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3669.96MHz_Ant2




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3669.96MHz_Ant3




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3669.96MHz_Ant4




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant2




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant3




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant4




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant2




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant3




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant4




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant2



n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant3



n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant4



3. Frequency Stability

3.1 Test Result

3.1.1 30_Single_Ant1

Band n78d Single NTNV Ant1								
BW (MHz)	DL Frequency (MHz)	Test Mode	Temp. (°C)	Voltage (VDC)	Frequency Deviation (Hz)	Freq. vs. Rated (ppm)		Verdict
						Result	Limit	
CC1:10	CC1:3555	NR-FR1-TM3.1a	20	3.27	1103.00	-0.31	-1.5 to 1.5	Pass
				3.85	1098.00	-0.31	-1.5 to 1.5	Pass
				4.43	1098.00	-0.31	-1.5 to 1.5	Pass
			-30	3.85	1103.00	-0.31	-1.5 to 1.5	Pass
			-20	3.85	1108.00	-0.31	-1.5 to 1.5	Pass
			-10	3.85	1108.00	-0.31	-1.5 to 1.5	Pass
			0	3.85	1103.00	-0.31	-1.5 to 1.5	Pass
			10	3.85	1103.00	-0.31	-1.5 to 1.5	Pass
			30	3.85	1103.00	-0.31	-1.5 to 1.5	Pass
			40	3.85	1103.00	-0.31	-1.5 to 1.5	Pass
			50	3.85	1103.00	-0.31	-1.5 to 1.5	Pass
	CC1:3624.99	NR-FR1-TM3.1a	20	3.27	1118.00	-0.31	-1.5 to 1.5	Pass
				3.85	1113.00	-0.31	-1.5 to 1.5	Pass
				4.43	1113.00	-0.31	-1.5 to 1.5	Pass
			-30	3.85	1118.00	-0.31	-1.5 to 1.5	Pass
			-20	3.85	1118.00	-0.31	-1.5 to 1.5	Pass
			-10	3.85	1113.00	-0.31	-1.5 to 1.5	Pass
			0	3.85	1118.00	-0.31	-1.5 to 1.5	Pass
			10	3.85	1118.00	-0.31	-1.5 to 1.5	Pass
			30	3.85	1118.00	-0.31	-1.5 to 1.5	Pass
			40	3.85	1118.00	-0.31	-1.5 to 1.5	Pass
			50	3.85	1118.00	-0.31	-1.5 to 1.5	Pass
	CC1:3694.98	NR-FR1-TM3.1a	20	3.27	1143.00	-0.31	-1.5 to 1.5	Pass
				3.85	1143.00	-0.31	-1.5 to 1.5	Pass
				4.43	1143.00	-0.31	-1.5 to 1.5	Pass
			-30	3.85	1143.00	-0.31	-1.5 to 1.5	Pass
			-20	3.85	1143.00	-0.31	-1.5 to 1.5	Pass
			-10	3.85	1143.00	-0.31	-1.5 to 1.5	Pass
			0	3.85	1143.00	-0.31	-1.5 to 1.5	Pass
			10	3.85	1143.00	-0.31	-1.5 to 1.5	Pass
			30	3.85	1143.00	-0.31	-1.5 to 1.5	Pass
			40	3.85	1143.00	-0.31	-1.5 to 1.5	Pass
			50	3.85	1138.00	-0.31	-1.5 to 1.5	Pass
CC1:20	CC1:3560.01	NR-FR1-TM3.1a	20	3.27	-2909.00	0.82	-1.5 to 1.5	Pass
				3.85	-2904.00	0.82	-1.5 to 1.5	Pass
				4.43	-2904.00	0.82	-1.5 to 1.5	Pass
			-30	3.85	-2904.00	0.82	-1.5 to 1.5	Pass
			-20	3.85	-2904.00	0.82	-1.5 to 1.5	Pass
			-10	3.85	-2904.00	0.82	-1.5 to 1.5	Pass
			0	3.85	-2904.00	0.82	-1.5 to 1.5	Pass
			10	3.85	-2899.00	0.81	-1.5 to 1.5	Pass
			30	3.85	-2904.00	0.82	-1.5 to 1.5	Pass
			40	3.85	-2904.00	0.82	-1.5 to 1.5	Pass
			50	3.85	-2904.00	0.82	-1.5 to 1.5	Pass
	CC1:3624.99	NR-FR1-TM3.1a	20	3.27	-2884.00	0.80	-1.5 to 1.5	Pass
				3.85	-2884.00	0.80	-1.5 to 1.5	Pass
				4.43	-2884.00	0.80	-1.5 to 1.5	Pass

			-30	3.85	-2884.00	0.80	-1.5 to 1.5	Pass
			-20	3.85	-2884.00	0.80	-1.5 to 1.5	Pass
			-10	3.85	-2884.00	0.80	-1.5 to 1.5	Pass
			0	3.85	-2884.00	0.80	-1.5 to 1.5	Pass
			10	3.85	-2884.00	0.80	-1.5 to 1.5	Pass
			30	3.85	-2884.00	0.80	-1.5 to 1.5	Pass
			40	3.85	-2884.00	0.80	-1.5 to 1.5	Pass
			50	3.85	-2884.00	0.80	-1.5 to 1.5	Pass
	CC1:3689.97	NR-FR1-TM3.1a	20	3.27	-2869.00	0.78	-1.5 to 1.5	Pass
				3.85	-2869.00	0.78	-1.5 to 1.5	Pass
				4.43	-2869.00	0.78	-1.5 to 1.5	Pass
			-30	3.85	-2869.00	0.78	-1.5 to 1.5	Pass
			-20	3.85	-2839.00	0.77	-1.5 to 1.5	Pass
			-10	3.85	-2839.00	0.77	-1.5 to 1.5	Pass
			0	3.85	-2839.00	0.77	-1.5 to 1.5	Pass
			10	3.85	-2844.00	0.77	-1.5 to 1.5	Pass
			30	3.85	-2839.00	0.77	-1.5 to 1.5	Pass
			40	3.85	-2839.00	0.77	-1.5 to 1.5	Pass
			50	3.85	-2839.00	0.77	-1.5 to 1.5	Pass
CC1:30	CC1:3565.02	NR-FR1-TM3.1a	20	3.27	-263.00	0.07	-1.5 to 1.5	Pass
				3.85	-263.00	0.07	-1.5 to 1.5	Pass
				4.43	-263.00	0.07	-1.5 to 1.5	Pass
			-30	3.85	-4260.00	1.19	-1.5 to 1.5	Pass
			-20	3.85	-4260.00	1.19	-1.5 to 1.5	Pass
			-10	3.85	-4260.00	1.19	-1.5 to 1.5	Pass
			0	3.85	-4260.00	1.19	-1.5 to 1.5	Pass
			10	3.85	-4260.00	1.19	-1.5 to 1.5	Pass
			30	3.85	-4260.00	1.19	-1.5 to 1.5	Pass
			40	3.85	-4260.00	1.19	-1.5 to 1.5	Pass
			50	3.85	-4260.00	1.19	-1.5 to 1.5	Pass
	CC1:3624.99	NR-FR1-TM3.1a	20	3.27	-4280.00	1.18	-1.5 to 1.5	Pass
				3.85	-4280.00	1.18	-1.5 to 1.5	Pass
				4.43	-4280.00	1.18	-1.5 to 1.5	Pass
			-30	3.85	-4280.00	1.18	-1.5 to 1.5	Pass
			-20	3.85	-4280.00	1.18	-1.5 to 1.5	Pass
			-10	3.85	-4280.00	1.18	-1.5 to 1.5	Pass
			0	3.85	-4280.00	1.18	-1.5 to 1.5	Pass
			10	3.85	-4280.00	1.18	-1.5 to 1.5	Pass
			30	3.85	-4280.00	1.18	-1.5 to 1.5	Pass
			40	3.85	-4280.00	1.18	-1.5 to 1.5	Pass
			50	3.85	-4280.00	1.18	-1.5 to 1.5	Pass
	CC1:3684.99	NR-FR1-TM3.1a	20	3.27	-4285.00	1.16	-1.5 to 1.5	Pass
				3.85	-4285.00	1.16	-1.5 to 1.5	Pass
				4.43	-4285.00	1.16	-1.5 to 1.5	Pass
			-30	3.85	-288.00	0.08	-1.5 to 1.5	Pass
			-20	3.85	-4285.00	1.16	-1.5 to 1.5	Pass
			-10	3.85	-4285.00	1.16	-1.5 to 1.5	Pass
			0	3.85	-4285.00	1.16	-1.5 to 1.5	Pass
			10	3.85	-4285.00	1.16	-1.5 to 1.5	Pass
			30	3.85	-4285.00	1.16	-1.5 to 1.5	Pass
			40	3.85	-4285.00	1.16	-1.5 to 1.5	Pass
			50	3.85	-288.00	0.08	-1.5 to 1.5	Pass
CC1:40	CC1:3570	NR-FR1-TM3.1a	20	3.27	-2869.00	0.80	-1.5 to 1.5	Pass
				3.85	-2869.00	0.80	-1.5 to 1.5	Pass
				4.43	-2869.00	0.80	-1.5 to 1.5	Pass
			-30	3.85	-2869.00	0.80	-1.5 to 1.5	Pass
			-20	3.85	-2869.00	0.80	-1.5 to 1.5	Pass
			-10	3.85	-2869.00	0.80	-1.5 to 1.5	Pass

			0	3.85	-2869.00	0.80	-1.5 to 1.5	Pass
			10	3.85	-2869.00	0.80	-1.5 to 1.5	Pass
			30	3.85	-2869.00	0.80	-1.5 to 1.5	Pass
			40	3.85	-2869.00	0.80	-1.5 to 1.5	Pass
			50	3.85	-2874.00	0.81	-1.5 to 1.5	Pass
	CC1:3624.99	NR-FR1-TM3.1a	20	3.27	-2864.00	0.79	-1.5 to 1.5	Pass
				3.85	-2859.00	0.79	-1.5 to 1.5	Pass
				4.43	-2864.00	0.79	-1.5 to 1.5	Pass
			-30	3.85	-2864.00	0.79	-1.5 to 1.5	Pass
			-20	3.85	-2859.00	0.79	-1.5 to 1.5	Pass
			-10	3.85	-2859.00	0.79	-1.5 to 1.5	Pass
			0	3.85	-2859.00	0.79	-1.5 to 1.5	Pass
			10	3.85	-2859.00	0.79	-1.5 to 1.5	Pass
			30	3.85	-2859.00	0.79	-1.5 to 1.5	Pass
			40	3.85	-2859.00	0.79	-1.5 to 1.5	Pass
			50	3.85	-2859.00	0.79	-1.5 to 1.5	Pass
	CC1:3679.98	NR-FR1-TM3.1a	20	3.27	-2839.00	0.77	-1.5 to 1.5	Pass
				3.85	-2839.00	0.77	-1.5 to 1.5	Pass
				4.43	-2839.00	0.77	-1.5 to 1.5	Pass
			-30	3.85	-2839.00	0.77	-1.5 to 1.5	Pass
			-20	3.85	-2834.00	0.77	-1.5 to 1.5	Pass
			-10	3.85	-2839.00	0.77	-1.5 to 1.5	Pass
			0	3.85	-2839.00	0.77	-1.5 to 1.5	Pass
			10	3.85	-2839.00	0.77	-1.5 to 1.5	Pass
			30	3.85	-2839.00	0.77	-1.5 to 1.5	Pass
			40	3.85	-2834.00	0.77	-1.5 to 1.5	Pass
			50	3.85	-2839.00	0.77	-1.5 to 1.5	Pass
CC1:60	CC1:3579.99	NR-FR1-TM3.1a	20	3.27	-2879.00	0.80	-1.5 to 1.5	Pass
				3.85	-2879.00	0.80	-1.5 to 1.5	Pass
				4.43	-2879.00	0.80	-1.5 to 1.5	Pass
			-30	3.85	-2879.00	0.80	-1.5 to 1.5	Pass
			-20	3.85	-2879.00	0.80	-1.5 to 1.5	Pass
			-10	3.85	-2879.00	0.80	-1.5 to 1.5	Pass
			0	3.85	-2879.00	0.80	-1.5 to 1.5	Pass
			10	3.85	-2879.00	0.80	-1.5 to 1.5	Pass
			30	3.85	-2879.00	0.80	-1.5 to 1.5	Pass
			40	3.85	-2874.00	0.80	-1.5 to 1.5	Pass
			50	3.85	-2879.00	0.80	-1.5 to 1.5	Pass
	CC1:3624.99	NR-FR1-TM3.1a	20	3.27	-2874.00	0.79	-1.5 to 1.5	Pass
				3.85	-2869.00	0.79	-1.5 to 1.5	Pass
				4.43	-2869.00	0.79	-1.5 to 1.5	Pass
			-30	3.85	-2869.00	0.79	-1.5 to 1.5	Pass
			-20	3.85	-2869.00	0.79	-1.5 to 1.5	Pass
			-10	3.85	-2869.00	0.79	-1.5 to 1.5	Pass
			0	3.85	-2869.00	0.79	-1.5 to 1.5	Pass
			10	3.85	-2864.00	0.79	-1.5 to 1.5	Pass
			30	3.85	-2864.00	0.79	-1.5 to 1.5	Pass
			40	3.85	-2864.00	0.79	-1.5 to 1.5	Pass
	CC1:3669.96	NR-FR1-TM3.1a	20	3.27	-4865.00	1.33	-1.5 to 1.5	Pass
				3.85	-4865.00	1.33	-1.5 to 1.5	Pass
				4.43	-4865.00	1.33	-1.5 to 1.5	Pass
			-30	3.85	-4865.00	1.33	-1.5 to 1.5	Pass
			-20	3.85	-4870.00	1.33	-1.5 to 1.5	Pass
			-10	3.85	-4865.00	1.33	-1.5 to 1.5	Pass
			0	3.85	-4865.00	1.33	-1.5 to 1.5	Pass
			10	3.85	-4865.00	1.33	-1.5 to 1.5	Pass
			30	3.85	-4865.00	1.33	-1.5 to 1.5	Pass

CC1:100	CC1:3600	NR-FR1-TM3.1a	40	3.85	-4865.00	1.33	-1.5 to 1.5	Pass
			50	3.85	-4865.00	1.33	-1.5 to 1.5	Pass
			20	3.27	-2874.00	0.80	-1.5 to 1.5	Pass
				3.85	-2874.00	0.80	-1.5 to 1.5	Pass
				4.43	-2869.00	0.80	-1.5 to 1.5	Pass
			-30	3.85	-2869.00	0.80	-1.5 to 1.5	Pass
			-20	3.85	-2869.00	0.80	-1.5 to 1.5	Pass
			-10	3.85	-2874.00	0.80	-1.5 to 1.5	Pass
			0	3.85	-2869.00	0.80	-1.5 to 1.5	Pass
			10	3.85	-2874.00	0.80	-1.5 to 1.5	Pass
	CC1:3624.99	NR-FR1-TM3.1a	30	3.85	-2874.00	0.80	-1.5 to 1.5	Pass
			40	3.85	-2874.00	0.80	-1.5 to 1.5	Pass
			50	3.85	-2869.00	0.80	-1.5 to 1.5	Pass
			20	3.27	-2874.00	0.79	-1.5 to 1.5	Pass
				3.85	-2874.00	0.79	-1.5 to 1.5	Pass
				4.43	-2874.00	0.79	-1.5 to 1.5	Pass
			-30	3.85	-2874.00	0.79	-1.5 to 1.5	Pass
			-20	3.85	-2874.00	0.79	-1.5 to 1.5	Pass
			-10	3.85	-2874.00	0.79	-1.5 to 1.5	Pass
			0	3.85	-2869.00	0.79	-1.5 to 1.5	Pass
	CC1:3649.98	NR-FR1-TM3.1a	10	3.85	-2869.00	0.79	-1.5 to 1.5	Pass
			30	3.85	-2874.00	0.79	-1.5 to 1.5	Pass
			40	3.85	-2874.00	0.79	-1.5 to 1.5	Pass
			50	3.85	-2874.00	0.79	-1.5 to 1.5	Pass
			20	3.27	-2859.00	0.78	-1.5 to 1.5	Pass
				3.85	-2859.00	0.78	-1.5 to 1.5	Pass
				4.43	-2859.00	0.78	-1.5 to 1.5	Pass
			-30	3.85	-2859.00	0.78	-1.5 to 1.5	Pass
			-20	3.85	-2859.00	0.78	-1.5 to 1.5	Pass
			-10	3.85	-2864.00	0.78	-1.5 to 1.5	Pass
			0	3.85	-2859.00	0.78	-1.5 to 1.5	Pass
			10	3.85	-2859.00	0.78	-1.5 to 1.5	Pass
			30	3.85	-2864.00	0.78	-1.5 to 1.5	Pass
			40	3.85	-2859.00	0.78	-1.5 to 1.5	Pass
			50	3.85	-2859.00	0.78	-1.5 to 1.5	Pass

4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 30_Single_OBW

Band n78d Single NTV						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
CC1:10	CC1:3555	NR-FR1-TM3.1a	1	8.61	/	Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	8.61	/	Pass
	CC1:3694.98	NR-FR1-TM3.1a	1	8.61	/	Pass
CC1:20	CC1:3560.01	NR-FR1-TM3.1a	1	18.42	/	Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	18.42	/	Pass
	CC1:3689.97	NR-FR1-TM3.1a	1	18.41	/	Pass
CC1:30	CC1:3565.02	NR-FR1-TM3.1a	1	27.97	/	Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	27.99	/	Pass
	CC1:3684.99	NR-FR1-TM3.1a	1	27.98	/	Pass
CC1:40	CC1:3570	NR-FR1-TM3.1a	1	38.31	/	Pass


	CC1:3624.99	NR-FR1-TM3.1a	1	38.31	/	Pass
	CC1:3679.98	NR-FR1-TM3.1a	1	38.27	/	Pass
CC1:60	CC1:3579.99	NR-FR1-TM3.1a	1	58.41	/	Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	58.53	/	Pass
	CC1:3669.96	NR-FR1-TM3.1a	1	58.48	/	Pass
CC1:100	CC1:3600	NR-FR1-TM3.1a	1	98.80	/	Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	98.81	/	Pass
	CC1:3649.98	NR-FR1-TM3.1a	1	98.79	/	Pass

4.1.2 30_Single_XDB


Band n78d Single NTN						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	26dB Bandwidth (MHz)		Verdict
				Result	Limit	
CC1:10	CC1:3555	NR-FR1-TM3.1a	1	9.57	/	Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	9.57	/	Pass
	CC1:3694.98	NR-FR1-TM3.1a	1	9.58	/	Pass
CC1:20	CC1:3560.01	NR-FR1-TM3.1a	1	20.43	/	Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	20.43	/	Pass
	CC1:3689.97	NR-FR1-TM3.1a	1	20.47	/	Pass
CC1:30	CC1:3565.02	NR-FR1-TM3.1a	1	30.41	/	Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	30.57	/	Pass
	CC1:3684.99	NR-FR1-TM3.1a	1	30.46	/	Pass
CC1:40	CC1:3570	NR-FR1-TM3.1a	1	43.58	/	Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	43.56	/	Pass
	CC1:3679.98	NR-FR1-TM3.1a	1	43.51	/	Pass
CC1:60	CC1:3579.99	NR-FR1-TM3.1a	1	62.43	/	Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	62.48	/	Pass
	CC1:3669.96	NR-FR1-TM3.1a	1	62.52	/	Pass
CC1:100	CC1:3600	NR-FR1-TM3.1a	1	105.11	/	Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	105.10	/	Pass
	CC1:3649.98	NR-FR1-TM3.1a	1	105.09	/	Pass

4.2 Test Graph


4.2.1 30_Single_OBW




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3694.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3560.01MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3689.97MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3565.02MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3684.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3570MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3679.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3579.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3669.96MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1




4.2.2 30_Single_XDB


n78d BS Type 1-C_30_Single NTNv CC1:10MHz NR-FR1-TM3.1a CC1:3555MHz_Ant1




n78d BS Type 1-C_30_Single NTNv CC1:10MHz NR-FR1-TM3.1a CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3694.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3560.01MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3689.97MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3565.02MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3684.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3570MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3679.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3579.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3669.96MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1





5. Peak-Average Ratio

5.1 Test Result


5.1.1 30_Single

Band n78d Single NTN Ant1						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Peak-Average Ratio (dB)		Verdict
				Result	Limit	
CC1:10	CC1:3555	NR-FR1-TM3.1a	1	8.42	<=13	Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	10.40	<=13	Pass
	CC1:3694.98	NR-FR1-TM3.1a	1	8.34	<=13	Pass
CC1:20	CC1:3560.01	NR-FR1-TM3.1a	1	8.34	<=13	Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	10.27	<=13	Pass
	CC1:3689.97	NR-FR1-TM3.1a	1	8.25	<=13	Pass
CC1:30	CC1:3565.02	NR-FR1-TM3.1a	1	8.24	<=13	Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	8.26	<=13	Pass
	CC1:3684.99	NR-FR1-TM3.1a	1	8.23	<=13	Pass
CC1:40	CC1:3570	NR-FR1-TM3.1a	1	8.75	<=13	Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	9.87	<=13	Pass
	CC1:3679.98	NR-FR1-TM3.1a	1	8.70	<=13	Pass
CC1:60	CC1:3579.99	NR-FR1-TM3.1a	1	8.86	<=13	Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	9.48	<=13	Pass
	CC1:3669.96	NR-FR1-TM3.1a	1	8.76	<=13	Pass
CC1:100	CC1:3600	NR-FR1-TM3.1a	1	8.49	<=13	Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	8.24	<=13	Pass
	CC1:3649.98	NR-FR1-TM3.1a	1	8.19	<=13	Pass


5.2 Test Graph

5.2.1 30_Single


n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3555MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3694.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3560.01MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3689.97MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3565.02MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3684.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3570MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3679.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3579.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3669.96MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1



6. Spurious Emission


6.1 Test Result

6.1.1 30_Single


Band n78d Single NTVN Ant1						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Spurious Emission		Verdict
				Result	Limit	
CC1:10	CC1:3555	NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
	CC1:3694.98	NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
CC1:20	CC1:3560.01	NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
	CC1:3689.97	NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
CC1:30	CC1:3565.02	NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
	CC1:3684.99	NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
CC1:40	CC1:3570	NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
	CC1:3679.98	NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
CC1:60	CC1:3579.99	NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
	CC1:3669.96	NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
CC1:100	CC1:3600	NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
	CC1:3624.99	NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
	CC1:3649.98	NR-FR1-TM3.1a	1	Refer To Test Graph		Pass

6.2 Test Graph


6.2.1 30_Single




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3555MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3555MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3555MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3555MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3555MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3555MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3523.815	-54.46	-40	Pass
3530	3540	1	CHP	2	3534.540	-54.74	-25	Pass
3540	3619.158	1	CHP	3	3618.652	-31.48	-13	Pass
3619.158	3620.158	0.13	/	4	3620.147	-32.25	-13	Pass
3620.158	3629.822	0.13	/	/	/	/	/	/
3629.822	3630.822	0.13	/	5	3630.678	-40.90	-13	Pass
3630.822	3710	1	CHP	6	3632.433	-32.75	-13	Pass
3710	3720	1	CHP	7	3710.045	-56.29	-25	Pass
3720	3730	1	CHP	8	3722.460	-56.95	-40	Pass


n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3694.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3694.98MHz_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3528.322	-54.32	-40	Pass
3530	3540	1	CHP	2	3532.417	-54.39	-25	Pass
3540	3680.344	1	CHP	3	3680.320	-38.69	-25	Pass
3680.344	3689.344	1	CHP	4	3688.836	-30.90	-13	Pass
3689.344	3690.344	0.13	/	5	3690.137	-31.86	-13	Pass
3690.344	3699.617	0.13	/	/	/	/	/	/
3699.617	3700.617	0.13	/	6	3699.628	-39.49	-13	Pass
3700.617	3709.617	1	CHP	7	3702.814	-33.07	-13	Pass
3709.617	3710	1	CHP	8	3709.640	-40.29	-25	Pass
3710	3720	1	CHP	9	3710.485	-40.22	-25	Pass
3720	3869.96	1	CHP	10	3720.497	-46.75	-40	Pass


n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3694.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3694.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3694.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3694.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3694.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:10MHz_NR-FR1-TM3.1a_CC1:3694.98MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3560.01MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3560.01MHz_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3390.02	3530	1	CHP	1	3529.853	-46.69	-40	Pass
3530	3540	1	CHP	2	3539.305	-41.59	-25	Pass
3540	3548.796	1	CHP	3	3548.157	-34.53	-13	Pass
3548.796	3549.796	0.3	/	4	3549.658	-35.33	-13	Pass
3549.796	3570.225	0.3	/	/	/	/	/	/
3570.225	3571.225	0.3	/	5	3570.362	-36.55	-13	Pass
3571.225	3710	1	CHP	6	3571.863	-35.42	-13	Pass
3710	3720	1	CHP	7	3714.696	-60.16	-25	Pass
3720	3730	1	CHP	8	3722.648	-60.10	-40	Pass


n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3560.01MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3560.01MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3560.01MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3560.01MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3560.01MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3560.01MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3526.281	-58.75	-40	Pass
3530	3540	1	CHP	2	3534.981	-58.85	-25	Pass
3540	3613.864	1	CHP	3	3613.289	-34.49	-13	Pass
3613.864	3614.864	0.3	/	4	3614.789	-35.14	-13	Pass
3614.864	3635.116	0.3	/	/	/	/	/	/
3635.116	3636.116	0.3	/	5	3635.191	-36.38	-13	Pass
3636.116	3710	1	CHP	6	3636.691	-35.42	-13	Pass
3710	3720	1	CHP	7	3712.298	-59.59	-25	Pass
3720	3730	1	CHP	8	3723.999	-59.62	-40	Pass


n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3689.97MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3689.97MHz_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.401	-58.09	-40	Pass
3530	3540	1	CHP	2	3532.902	-58.10	-25	Pass
3540	3678.928	1	CHP	3	3678.419	-34.62	-13	Pass
3678.928	3679.928	0.3	/	4	3679.919	-34.94	-13	Pass
3679.928	3700.012	0.3	/	/	/	/	/	/
3700.012	3701.012	0.3	/	5	3700.171	-36.14	-13	Pass
3701.012	3710	1	CHP	6	3701.521	-36.12	-13	Pass
3710	3720	1	CHP	7	3710.072	-42.44	-25	Pass
3720	3859.94	1	CHP	8	3720.124	-48.16	-40	Pass


n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3689.97MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3689.97MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3689.97MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3689.97MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3689.97MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:20MHz_NR-FR1-TM3.1a_CC1:3689.97MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3565.02MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3565.02MHz_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3400.04	3530	1	CHP	1	3529.983	-46.11	-40	Pass
3530	3540	1	CHP	2	3539.887	-43.18	-25	Pass
3540	3548.814	1	CHP	3	3548.289	-38.09	-13	Pass
3548.814	3549.814	0.421	CHP	4	3549.790	-36.05	-13	Pass
3549.814	3580.226	0.421	CHP	/	/	/	/	/
3580.226	3581.226	0.421	CHP	5	3580.250	-37.25	-13	Pass
3581.226	3710	1	CHP	6	3581.751	-34.53	-13	Pass
3710	3720	1	CHP	7	3713.194	-58.92	-25	Pass
3720	3730	1	CHP	8	3728.499	-59.13	-40	Pass


n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3565.02MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3565.02MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3565.02MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3565.02MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3565.02MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3565.02MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3524.030	-56.50	-40	Pass
3530	3540	1	CHP	2	3534.681	-55.69	-25	Pass
3540	3608.707	1	CHP	3	3608.188	-38.28	-13	Pass
3608.707	3609.707	0.421	CHP	4	3609.689	-36.70	-13	Pass
3609.707	3640.274	0.421	CHP	5	3640.291	-38.62	-13	Pass
3640.274	3641.274	0.421	CHP	6	3642.092	-35.83	-13	Pass
3641.274	3710	1	CHP	7	3711.248	-57.52	-25	Pass
3710	3720	1	CHP	8	3720.849	-58.16	-40	Pass


n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3684.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3684.99MHz_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3528.103	-56.66	-40	Pass
3530	3540	1	CHP	2	3536.507	-56.58	-25	Pass
3540	3668.759	1	CHP	3	3668.258	-35.71	-13	Pass
3668.759	3669.759	0.421	CHP	4	3669.609	-34.52	-13	Pass
3669.759	3700.221	0.421	CHP	/	/	/	/	/
3700.221	3701.221	0.421	CHP	5	3701.121	-38.10	-13	Pass
3701.221	3710	1	CHP	6	3702.172	-35.06	-13	Pass
3710	3720	1	CHP	7	3712.976	-41.55	-25	Pass
3720	3849.98	1	CHP	8	3722.730	-44.88	-40	Pass


n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3684.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3684.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3684.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3684.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3684.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:30MHz_NR-FR1-TM3.1a_CC1:3684.99MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3570MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3570MHz_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3410	3530	1	CHP	1	3530.000	-43.59	-40	Pass
3530	3540	1	CHP	2	3539.922	-41.74	-25	Pass
3540	3547.531	1	CHP	3	3546.744	-39.09	-13	Pass
3547.531	3548.531	0.62	/	4	3548.295	-40.25	-13	Pass
3548.531	3591.47	0.62	/	/	/	/	/	/
3591.47	3592.47	0.62	/	5	3591.705	-37.09	-13	Pass
3592.47	3710	1	CHP	6	3593.256	-39.42	-13	Pass
3710	3720	1	CHP	7	3719.147	-61.63	25	Pass
3720	3730	1	CHP	8	3728.140	-61.54	-40	Pass


n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3570MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3570MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3570MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3570MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3570MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3570MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3529.851	-55.92	-40	Pass
3530	3540	1	CHP	2	3535.731	-55.13	-25	Pass
3540	3602.846	1	CHP	3	3602.308	-39.36	-13	Pass
3602.846	3603.846	0.62	/	4	3603.778	-39.59	-13	Pass
3603.846	3646.134	0.62	/	/	/	/	/	/
3646.134	3647.134	0.62	/	5	3646.202	-34.19	-13	Pass
3647.134	3710	1	CHP	6	3647.252	-37.99	-13	Pass
3710	3720	1	CHP	7	3711.098	-55.99	-25	Pass
3720	3730	1	CHP	8	3720.969	-58.58	-40	Pass


n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3679.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3679.98MHz_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.240	-59.83	-40	Pass
3530	3540	1	CHP	2	3539.222	-59.87	-25	Pass
3540	3657.743	1	CHP	3	3657.037	-40.54	-13	Pass
3657.743	3658.743	0.62	/	4	3658.587	-40.72	-13	Pass
3658.743	3701.217	0.62	/	/	/	/	/	/
3701.217	3702.217	0.62	/	5	3701.373	-35.48	-13	Pass
3702.217	3710	1	CHP	6	3702.303	-39.54	-13	Pass
3710	3720	1	CHP	7	3710.054	-42.51	-25	Pass
3720	3839.96	1	CHP	8	3720.285	-45.87	-40	Pass


n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3679.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3679.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3679.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3679.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3679.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:40MHz_NR-FR1-TM3.1a_CC1:3679.98MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3579.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3579.99MHz_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3429.98	3530	1	CHP	1	3525.986	-46.54	-40	Pass
3530	3540	1	CHP	2	3535.887	-45.26	-25	Pass
3540	3544.926	1	CHP	3	3544.588	-43.41	-13	Pass
3544.926	3545.926	0.91	/	4	3545.488	-43.70	-13	Pass
3545.926	3614.054	0.91	/	/	/	/	/	/
3614.054	3615.054	0.91	/	5	3614.792	-42.72	-13	Pass
3615.054	3710	1	CHP	6	3615.392	-41.58	-13	Pass
3710	3720	1	CHP	7	3711.099	-60.75	-25	Pass
3720	3730	1	CHP	8	3730.000	-61.19	-40	Pass


n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3579.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3579.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3579.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3579.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3579.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3579.99MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3529.851	-50.55	-40	Pass
3530	3540	1	CHP	2	3539.932	-48.84	-25	Pass
3540	3592.904	1	CHP	3	3592.647	-39.64	-13	Pass
3592.904	3593.904	0.91	/	4	3593.697	-39.40	-13	Pass
3593.904	3656.076	0.91	/	/	/	/	/	/
3656.076	3657.076	0.91	/	5	3656.283	-39.66	-13	Pass
3657.076	3710	1	CHP	6	3661.533	-39.00	-13	Pass
3710	3720	1	CHP	7	3710.468	-49.20	-25	Pass
3720	3730	1	CHP	8	3720.549	-50.85	-40	Pass


n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3669.96MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3669.96MHz_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.298	-57.89	-40	Pass
3530	3540	1	CHP	2	3539.795	-56.84	-25	Pass
3540	3637.958	1	CHP	3	3636.369	-42.05	-13	Pass
3637.958	3638.958	0.91	/	4	3638.468	-42.09	-13	Pass
3638.958	3700.963	0.91	/	/	/	/	/	/
3700.963	3701.963	0.91	/	5	3701.152	-41.99	-13	Pass
3701.963	3710	1	CHP	6	3706.850	-40.83	-13	Pass
3710	3720	1	CHP	7	3716.148	-44.39	-25	Pass
3720	3819.92	1	CHP	8	3726.645	-46.82	-40	Pass


n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3669.96MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3669.96MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3669.96MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3669.96MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3669.96MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:60MHz_NR-FR1-TM3.1a_CC1:3669.96MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3470	3530	1	/	1	3529.800	-43.18	-40	Pass
3530	3540	1	/	2	3539.940	-42.30	-25	Pass
3540	3546.671	1	/	3	3543.320	-41.17	-13	Pass
3546.671	3547.671	1	/	4	3547.480	-41.69	-13	Pass
3547.671	3652.329	1	/	/	/	/	/	/
3652.329	3653.329	1	/	5	3653.300	-41.57	-13	Pass
3653.329	3710	1	/	6	3655.120	-40.81	-13	Pass
3710	3720	1	/	7	3710.240	-47.73	-25	Pass
3720	3730	1	/	8	3720.900	-49.17	-40	Pass


n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	/	1	3529.851	-44.16	-40	Pass
3530	3540	1	/	2	3539.512	-42.77	-25	Pass
3540	3571.69	1	/	3	3566.814	-40.22	-13	Pass
3571.69	3572.69	1	/	4	3572.275	-40.41	-13	Pass
3572.69	3677.29	1	/	5	3678.125	-41.96	-13	Pass
3677.29	3678.29	1	/	6	3680.645	-40.90	-13	Pass
3678.29	3710	1	/	7	3711.938	-44.40	-25	Pass
3710	3720	1	/	8	3720.339	-45.24	-40	Pass


n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	/	1	3529.878	-47.81	-40	Pass
3530	3540	1	/	2	3537.157	-46.50	-25	Pass
3540	3596.628	1	/	3	3592.269	-42.17	-13	Pass
3596.628	3597.628	1	/	4	3596.688	-42.49	-13	Pass
3597.628	3702.332	1	/	/	/	/	/	/
3702.332	3703.332	1	/	5	3703.272	-43.57	-13	Pass
3703.332	3710	1	/	6	3706.391	-42.48	-13	Pass
3710	3720	1	/	7	3715.750	-43.92	-25	Pass
3720	3779.96	1	/	8	3726.928	-45.02	-40	Pass


n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1




n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1



n78d_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1

