

1. Signal Calibration

1.1 Test Result

1.1.1 SC


Band: 2A							
Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal		Signal Calibration		Verdict
			Type	Trial Id	Result	Limit	
802.11ax (HEW20)	20	5320	0	0	Refer To Test Graph		Pass
			1	0	Refer To Test Graph		Pass
			2	0	Refer To Test Graph		Pass
			3	0	Refer To Test Graph		Pass
			4	0	Refer To Test Graph		Pass
			5	0	Refer To Test Graph		Pass
			6	0	Refer To Test Graph		Pass

1.1.2 SC


Band: 2C							
Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal		Signal Calibration		Verdict
			Type	Trial Id	Result	Limit	
802.11ax (HEW20)	20	5500	0	0	Refer To Test Graph		Pass
			1	0	Refer To Test Graph		Pass
			2	0	Refer To Test Graph		Pass
			3	0	Refer To Test Graph		Pass
			4	0	Refer To Test Graph		Pass
			5	0	Refer To Test Graph		Pass
			6	0	Refer To Test Graph		Pass
802.11ax (HEW160)	160	5570	0	0	Refer To Test Graph		Pass
			1	0	Refer To Test Graph		Pass
			2	0	Refer To Test Graph		Pass
			3	0	Refer To Test Graph		Pass
			4	0	Refer To Test Graph		Pass
			5	0	Refer To Test Graph		Pass
			6	0	Refer To Test Graph		Pass

1.2 Test Graph


1.2.1 SC




Signal Calibration_802.11ax(HEW20)_2A_5320MHz_RadarType2_Trial0




Signal Calibration_802.11ax(HEW20)_2A_5320MHz_RadarType3_Trial0




Signal Calibration_802.11ax(HEW20)_2A_5320MHz_RadarType4_Trial0



Signal Calibration_802.11ax(HEW20)_2A_5320MHz_RadarType5_Trial0




Signal Calibration_802.11ax(HEW20)_2A_5320MHz_RadarType6_Trial0




1.2.2 SC


Signal Calibration_802.11ax(HEW20)_2C_5500MHz_RadarType0_Trial0




Signal Calibration_802.11ax(HEW20)_2C_5500MHz_RadarType1_Trial0




Signal Calibration_802.11ax(HEW20)_2C_5500MHz_RadarType2_Trial0




Signal Calibration_802.11ax(HEW20)_2C_5500MHz_RadarType3_Trial0




Signal Calibration_802.11ax(HEW20)_2C_5500MHz_RadarType4_Trial0




Signal Calibration_802.11ax(HEW20)_2C_5500MHz_RadarType5_Trial0




Signal Calibration_802.11ax(HEW20)_2C_5500MHz_RadarType6_Trial0




Signal Calibration_802.11ax(HEW160)_2C_5570MHz_RadarType0_Trial0




Signal Calibration_802.11ax(HEW160)_2C_5570MHz_RadarType1_Trial0




Signal Calibration_802.11ax(HEW160)_2C_5570MHz_RadarType2_Trial0




Signal Calibration_802.11ax(HEW160)_2C_5570MHz_RadarType3_Trial0




Signal Calibration_802.11ax(HEW160)_2C_5570MHz_RadarType4_Trial0



Signal Calibration_802.11ax(HEW160)_2C_5570MHz_RadarType5_Trial0



Signal Calibration_802.11ax(HEW160)_2C_5570MHz_RadarType6_Trial0



2. Channel Loading (Payload)

2.1 Test Result

2.1.1 Payload


Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11ax (HEW20)	20	5320	22.70	>=17	Pass

2.1.2 Payload

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11ax (HEW20)	20	5500	44.44	>=17	Pass
802.11ax (HEW160)	160	5570	49.37	>=17	Pass


2.2 Test Graph

2.2.1 Payload




2.2.2 Payload

Channel Loading (Payload)_802.11ax(HEW20)_2C_5500MHz



Channel Loading (Payload)_802.11ax(HEW160)_2C_5570MHz



3. Channel Available Check_init

3.1 Test Result

3.1.1 CAC_init


Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Available Check_init (s)		Verdict
			Result	Limit	
802.11ax (HEW20)	20	5320	106.81	>=60	Pass

3.1.2 CAC_init


Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Available Check_init (s)		Verdict
			Result	Limit	
802.11ax (HEW20)	20	5500	93.56	>=60	Pass
802.11ax (HEW160)	160	5570	85.05	>=60	Pass

3.2 Test Graph

3.2.1 CAC_init



3.2.2 CAC_init



4. Channel Available Check_Beginning

4.1 Test Result

4.1.1 CAC_Begin


Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Available Check Beginning		Verdict
			Result	Limit	
802.11ax (HEW20)	20	5320	Refer To Test Graph		Pass

4.1.2 CAC_Begin

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Available Check Beginning		Verdict
			Result	Limit	
802.11ax (HEW20)	20	5500	Refer To Test Graph		Pass
802.11ax (HEW160)	160	5570	Refer To Test Graph		Pass


4.2 Test Graph

4.2.1 CAC_Begin




4.2.2 CAC_Begin

Channel Available Check_Beginning_802.11ax(HEW20)_2C_5500MHz



Channel Available Check_Beginning_802.11ax(HEW160)_2C_5570MHz



5. Channel Available Check_Ending

5.1 Test Result

5.1.1 CAC_End


Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Available Check Ending		Verdict
			Result	Limit	
802.11ax (HEW20)	20	5320	Refer To Test Graph		Pass

5.1.2 CAC_End

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Available Check_Ending		Verdict
			Result	Limit	
802.11ax (HEW20)	20	5500	Refer To Test Graph		Pass
802.11ax (HEW160)	160	5570	Refer To Test Graph		Pass


5.2 Test Graph

5.2.1 CAC_End




5.2.2 CAC_End

Channel Available Check_Ending_802.11ax(HEW20)_2C_5500MHz



Channel Available Check_Ending_802.11ax(HEW160)_2C_5570MHz



6. Channel Move Time and Closing Transmission Time

6.1 Test Result

6.1.1 CMT_CTT


Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Move Time and Closing Transmission Time		Verdict
			Result	Limit	
802.11ax (HEW20)	20	5320	Refer To Test Graph		Pass

6.1.2 CMT_CTT

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Move Time and Closing Transmission Time		Verdict
			Result	Limit	
802.11ax (HEW20)	20	5500	Refer To Test Graph		Pass
802.11ax (HEW160)	160	5570	Refer To Test Graph		Pass


6.2 Test Graph

6.2.1 CMT_CTT




6.2.2 CMT_CTT

Channel Move Time and Closing Transmission Time_802.11ax(HEW20)_2C_5500MHz



Channel Move Time and Closing Transmission Time_802.11ax(HEW160)_2C_5570MHz



7. Non-Occupancy Period

7.1 Test Result

7.1.1 Period


Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Non-Occupancy Period		Verdict
			Result	Limit	
802.11ax (HEW20)	20	5320	Refer To Test Graph		Pass

7.1.2 Period

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Non-Occupancy Period		Verdict
			Result	Limit	
802.11ax (HEW20)	20	5500	Refer To Test Graph		Pass
802.11ax (HEW160)	160	5570	Refer To Test Graph		Pass


7.2 Test Graph

7.2.1 Period




7.2.2 Period

Non-Occupancy Period_802.11ax(HEW20)_2C_5500MHz



Non-Occupancy Period_802.11ax(HEW160)_2C_5570MHz



8. U-NII Detection Bandwidth

8.1 20MHz_5500MHz

8.1.1 Test Result

Band: 2C							
Mode	Bandwidth (MHz)	Frequency (MHz)	Detection Bandwidth (MHz)				Verdict
			FL	FH	Result	Limit	
802.11a	20	5500	5490.000	5510.000	20.000	16.803	Pass

8.2 20MHz_5500MHz_Data

8.2.1 Test Result

Band: 2C / Bandwidth: 20MHz / Frequency: 5500MHz / RadarType: 0												
Frequency (MHz)	Trial Number and Detection result (Y: Detected; N: Non-detected)										Detection Probability (%)	
	0	1	2	3	4	5	6	7	8	9	Result	FL/FH
5485	N	N	N	N	N	N	N	N	N	N	0.00	/
5490	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	FL
5495	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/
5505	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/
5510	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	FH
5515	N	N	N	N	N	N	N	N	N	N	0.00	/

8.3 40MHz_5510MHz

8.3.1 Test Result

Band: 2C				
Mode	Bandwidth	Frequency	Detection Bandwidth (MHz)	Verdict

	(MHz)	(MHz)	FL	FH	Result	Limit	
802.11n (HT40)	40	5510	5490.000	5530.000	40.000	36.153	Pass

8.4 40MHz_5510MHz_Data

8.4.1 Test Result

Band: 2C / Bandwidth: 40MHz / Frequency: 5510MHz / RadarType: 0												
Frequency (MHz)	Trial Number and Detection result (Y: Detected; N: Non-detected)										Detection Probability (%)	
	0	1	2	3	4	5	6	7	8	9	Result	FL/FH
5485	N	N	N	N	N	N	N	N	N	N	0.00	/
5490	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	FL
5495	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/
5500	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/
5505	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/
5515	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/
5520	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/
5525	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/
5530	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	FH
5535	N	N	N	N	N	N	N	N	N	N	0.00	/

8.5 80MHz_5530MHz

8.5.1 Test Result

Band: 2C				
Mode	Bandwidth	Frequency	Detection Bandwidth (MHz)	Verdict

	(MHz)	(MHz)	FL	FH	Result	Limit	
802.11ac (VHT80)	80	5530	5490.000	5570.000	80.000	76.069	Pass

8.6 80MHz_5530MHz_Data

8.6.1 Test Result

[illegible]

[illegible]

8.7 160MHz_5570MHz

8.7.1 Test Result

Band: 2C							
Mode	Bandwidth (MHz)	Frequency (MHz)	Detection Bandwidth (MHz)				Verdict
			FL	FH	Result	Limit	
802.11ax (HEW160)	160	5570	5490	5650	160	155.294	Pass

8.8 160MHz_5570MHz_Data

8.8.1 Test Result

[illegible]

[illegible]

5650	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100	FH
5655	N	N	N	N	N	N	N	N	N	N	0	/

9. Statistical Performance Check

9.1 SPC

9.1.1 Test Result

Band: 2C						
Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal Type	Detection Probability (%)		Verdict
				Result	Limit	
802.11a	20	5500	1	86.66	≥ 60	Pass
			2	90.00	≥ 60	Pass
			3	90.00	≥ 60	Pass
			4	93.33	≥ 60	Pass
			ADP ¹	90.00	≥ 80	Pass
			5	86.66	≥ 80	Pass
			6	90.00	≥ 70	Pass
802.11n (HT40)	40	5510	1	83.33	≥ 60	Pass
			2	90.00	≥ 60	Pass
			3	93.33	≥ 60	Pass
			4	90.00	≥ 60	Pass
			ADP ¹	89.16	≥ 80	Pass
			5	86.66	≥ 80	Pass
			6	93.33	≥ 70	Pass
802.11ac	80	5530	1	96.66	≥ 60	Pass

(VHT80)			2	93.33	>=60	Pass
			3	90.00	>=60	Pass
			4	93.33	>=60	Pass
			ADP ¹	93.33	>=80	Pass
			5	90.00	>=80	Pass
			6	93.33	>=70	Pass
802.11ax (HEW160)	160	5570	1	90.00	>=60	Pass
			2	93.33	>=60	Pass
			3	96.66	>=60	Pass
			4	93.33	>=60	Pass
			ADP ¹	93.33	>=80	Pass
			5	90.00	>=80	Pass
			6	86.66	>=70	Pass
Note1: Aggregate Detection Probability of Type 1 ~ Type 4 (%)						

9.2 SPC_Data

9.2.1 Test Result

Band: 2C									
Mode	Bandwidth (MHz)	Frequency (MHz)	Trial Id	Radar Signal Type					
				1	2	3	4	5	6
802.11a	20	5500	0	Y	Y	Y	Y	Y	Y
			1	Y	Y	Y	Y	Y	Y
			2	Y	N	Y	Y	Y	Y
			3	Y	Y	Y	Y	Y	Y
			4	N	Y	Y	Y	Y	Y

			5	Y	Y	N	Y	Y	Y
			6	Y	Y	Y	Y	N	N
			7	Y	Y	Y	Y	Y	Y
			8	Y	Y	Y	Y	Y	Y
			9	Y	Y	Y	Y	Y	Y
			10	Y	Y	Y	Y	Y	Y
			11	Y	N	Y	Y	Y	Y
			12	Y	Y	Y	Y	Y	Y
			13	Y	Y	Y	Y	N	Y
			14	N	Y	Y	Y	Y	Y
			15	Y	Y	Y	Y	Y	Y
			16	Y	Y	N	Y	Y	Y
			17	Y	Y	Y	Y	Y	Y
			18	Y	Y	Y	Y	Y	N
			19	N	Y	Y	Y	Y	Y
			20	Y	Y	Y	Y	N	Y
			21	Y	Y	Y	Y	Y	Y
			22	Y	N	Y	Y	Y	Y
			23	Y	Y	Y	Y	Y	Y
			24	Y	Y	Y	Y	N	Y
			25	Y	Y	Y	Y	Y	N
			26	N	Y	N	Y	Y	Y
			27	Y	Y	Y	Y	Y	Y
			28	Y	Y	Y	Y	Y	Y
			29	Y	Y	Y	Y	Y	Y

802.11n (HT40)	40	5510	0	Y	Y	Y	Y	Y	Y
			1	Y	Y	Y	Y	Y	Y
			2	Y	Y	Y	Y	Y	Y
			3	N	N	Y	Y	Y	Y
			4	Y	Y	Y	N	Y	Y
			5	Y	Y	Y	Y	N	Y
			6	Y	Y	Y	Y	Y	Y
			7	Y	Y	Y	Y	Y	N
			8	N	Y	Y	Y	N	Y
			9	Y	Y	Y	Y	Y	Y
			10	Y	Y	Y	Y	Y	Y
			11	Y	Y	Y	N	Y	Y
			12	N	Y	Y	Y	Y	Y
			13	Y	N	Y	Y	Y	Y
			14	Y	Y	N	Y	N	Y
			15	Y	Y	Y	Y	Y	Y
			16	Y	Y	Y	Y	Y	Y
			17	Y	Y	Y	Y	Y	Y
			18	Y	N	Y	Y	Y	N
			19	Y	Y	Y	Y	N	Y
			20	Y	Y	Y	Y	Y	Y
			21	Y	Y	Y	Y	Y	Y
			22	Y	Y	Y	Y	Y	Y
			23	N	Y	N	Y	Y	Y
			24	Y	Y	Y	Y	Y	Y

			25	Y	Y	Y	N	Y	Y
			26	N	Y	Y	Y	Y	Y
			27	Y	Y	Y	Y	Y	Y
			28	Y	Y	Y	Y	Y	Y
			29	Y	Y	Y	Y	Y	?
802.11ac (VHT80)	80	5530	0	Y	Y	Y	Y	Y	Y
			1	Y	Y	Y	Y	Y	Y
			2	Y	Y	N	Y	Y	Y
			3	Y	Y	Y	Y	Y	Y
			4	Y	Y	Y	Y	N	Y
			5	Y	Y	Y	Y	Y	Y
			6	Y	Y	Y	Y	Y	Y
			7	Y	Y	Y	Y	Y	N
			8	Y	Y	Y	Y	Y	Y
			9	Y	N	Y	Y	Y	Y
			10	Y	Y	N	Y	Y	Y
			11	Y	Y	Y	Y	Y	Y
			12	Y	Y	Y	Y	Y	Y
			13	N	Y	Y	N	Y	Y
			14	Y	Y	Y	Y	Y	N
			15	Y	Y	Y	Y	Y	Y
			16	Y	Y	N	Y	Y	Y
			17	Y	Y	Y	Y	Y	Y
			18	Y	Y	Y	Y	Y	Y
			19	Y	Y	Y	Y	Y	Y

			20	Y	Y	Y	Y	N	Y
			21	Y	Y	Y	Y	Y	Y
			22	Y	N	Y	N	Y	Y
			23	Y	Y	Y	Y	Y	Y
			24	Y	Y	Y	Y	Y	Y
			25	Y	Y	Y	Y	Y	Y
			26	Y	Y	Y	Y	N	Y
			27	Y	Y	Y	Y	Y	Y
			28	Y	Y	Y	Y	Y	Y
			29	Y	Y	Y	Y	Y	Y
802.11ax (HEW160)	160	5570	0	Y	Y	Y	Y	Y	Y
			1	Y	Y	Y	Y	Y	Y
			2	Y	Y	Y	Y	Y	Y
			3	Y	Y	Y	Y	Y	Y
			4	Y	Y	Y	Y	Y	Y
			5	Y	Y	Y	Y	Y	Y
			6	Y	Y	Y	Y	N	N
			7	N	Y	Y	Y	Y	Y
			8	Y	Y	Y	Y	Y	Y
			9	Y	N	Y	Y	Y	Y
			10	Y	Y	Y	Y	Y	Y
			11	Y	Y	Y	Y	Y	Y
			12	Y	Y	Y	Y	Y	Y
			13	Y	Y	Y	Y	N	Y
			14	N	Y	Y	Y	Y	Y

			15	Y	Y	N	N	Y	Y
			16	Y	Y	Y	Y	Y	Y
			17	Y	Y	Y	Y	Y	N
			18	Y	Y	Y	Y	Y	Y
			19	Y	Y	Y	Y	Y	Y
			20	Y	Y	Y	N	Y	Y
			21	Y	Y	Y	Y	Y	Y
			22	Y	Y	Y	Y	N	Y
			23	Y	N	Y	Y	Y	Y
			24	Y	Y	Y	Y	Y	Y
			25	N	Y	Y	Y	Y	N
			26	Y	Y	Y	Y	Y	Y
			27	Y	Y	Y	Y	Y	Y
			28	Y	Y	Y	Y	Y	N
			29	Y	Y	Y	Y	Y	Y

9.2.2 Statistical Performance check

TestMode	Frequency[MHz]	Radar Type	Trial ID	Pulse width(μs)	PRI(μs)	Pulses per Burst	Detection (1: Yes; 0: No)
11ax20MIMO	5500	Type1	0	1.0	938.0	57	1
		Type1	1	1.0	698.0	76	1
		Type1	2	1.0	618.0	86	0
		Type1	3	1.0	538.0	99	1
		Type1	4	1.0	878.0	61	1
		Type1	5	1.0	3066.0	18	1
		Type1	6	1.0	638.0	83	1

	Type1	7	1.0	918.0	58	1
	Type1	8	1.0	838.0	63	1
	Type1	9	1.0	858.0	62	1
	Type1	10	1.0	798.0	67	1
	Type1	11	1.0	718.0	74	1
	Type1	12	1.0	578.0	92	1
	Type1	13	1.0	598.0	89	1
	Type1	14	1.0	558.0	95	1
	Type1	15	1.0	2536.0	21	1
	Type1	16	1.0	966.0	55	1
	Type1	17	1.0	827.0	64	1
	Type1	18	1.0	2501.0	22	1
	Type1	19	1.0	2595.0	21	1
	Type1	20	1.0	1114.0	48	1
	Type1	21	1.0	1302.0	41	1
	Type1	22	1.0	3045.0	18	1
	Type1	23	1.0	1624.0	33	1
	Type1	24	1.0	2878.0	19	1
	Type1	25	1.0	1027.0	52	1
	Type1	26	1.0	2485.0	22	1
	Type1	27	1.0	1600.0	33	1
	Type1	28	1.0	1172.0	46	1
	Type1	29	1.0	1177.0	45	1
	Type2	0	3.2	179.0	26	1
	Type2	1	1.1	207.0	23	1
	Type2	2	2.1	230.0	24	1
	Type2	3	4.8	200.0	29	1
	Type2	4	3.9	214.0	28	1
	Type2	5	2.9	222.0	26	0
	Type2	6	3.2	204.0	26	0

	Type2	7	2.5	192.0	25	1
	Type2	8	3.1	164.0	26	1
	Type2	9	1.2	156.0	23	1
	Type2	10	3.9	210.0	27	1
	Type2	11	4.6	201.0	29	1
	Type2	12	3.2	162.0	26	1
	Type2	13	2.2	197.0	25	1
	Type2	14	4.5	163.0	29	1
	Type2	15	3.0	203.0	26	1
	Type2	16	5.0	168.0	29	1
	Type2	17	2.4	217.0	25	1
	Type2	18	2.9	191.0	26	1
	Type2	19	2.3	166.0	25	1
	Type2	20	3.7	150.0	27	1
	Type2	21	2.2	176.0	25	1
	Type2	22	4.9	195.0	29	1
	Type2	23	2.9	202.0	26	1
	Type2	24	2.5	178.0	25	0
	Type2	25	1.1	206.0	23	1
	Type2	26	3.8	155.0	27	1
	Type2	27	4.7	157.0	29	1
	Type2	28	2.4	224.0	25	1
	Type2	29	4.2	159.0	28	1
	Type3	0	8.2	355.0	17	1
	Type3	1	6.1	487.0	16	1
	Type3	2	7.1	344.0	16	1
	Type3	3	9.8	288.0	18	1
	Type3	4	8.9	230.0	18	1
	Type3	5	7.9	432.0	17	0
	Type3	6	8.2	207.0	17	1

	Type3	7	7.5	443.0	17	1
	Type3	8	8.1	439.0	17	0
	Type3	9	6.2	223.0	16	1
	Type3	10	8.9	208.0	18	1
	Type3	11	9.6	463.0	18	1
	Type3	12	8.2	441.0	17	1
	Type3	13	7.2	323.0	16	1
	Type3	14	9.5	297.0	18	0
	Type3	15	8.0	412.0	17	1
	Type3	16	10.0	324.0	18	1
	Type3	17	7.4	271.0	17	1
	Type3	18	7.9	349.0	17	1
	Type3	19	7.3	409.0	16	1
	Type3	20	8.7	373.0	18	1
	Type3	21	7.2	254.0	16	1
	Type3	22	9.9	274.0	18	1
	Type3	23	7.9	278.0	17	1
	Type3	24	7.5	317.0	17	1
	Type3	25	6.1	260.0	16	1
	Type3	26	8.8	211.0	18	1
	Type3	27	9.7	272.0	18	1
	Type3	28	7.4	264.0	17	1
	Type3	29	9.2	284.0	18	1
	Type4	0	16.0	355.0	14	1
	Type4	1	11.3	487.0	12	1
	Type4	2	13.5	344.0	13	0
	Type4	3	19.4	288.0	16	1
	Type4	4	17.5	230.0	15	1
	Type4	5	15.3	432.0	14	1
	Type4	6	15.9	207.0	14	1

		Type4	7	14.3	443.0	13	1
		Type4	8	15.8	439.0	14	1
		Type4	9	11.5	223.0	12	1
		Type4	10	17.4	208.0	15	1
		Type4	11	19.0	463.0	16	0
		Type4	12	16.0	441.0	14	1
		Type4	13	13.8	323.0	13	1
		Type4	14	18.9	297.0	16	0
		Type4	15	15.5	412.0	14	1
		Type4	16	19.9	324.0	16	1
		Type4	17	14.1	271.0	13	1
		Type4	18	15.2	349.0	14	1
		Type4	19	13.8	409.0	13	1
		Type4	20	17.1	373.0	15	1
		Type4	21	13.8	254.0	13	1
		Type4	22	19.8	274.0	16	1
		Type4	23	15.3	278.0	14	1
		Type4	24	14.5	317.0	13	1
		Type4	25	11.3	260.0	12	1
		Type4	26	17.3	211.0	15	1
		Type4	27	19.2	272.0	16	1
		Type4	28	14.2	264.0	13	1
		Type4	29	18.2	284.0	15	1
111ax40MIMO	5510	Type1	0	1.0	938.0	57	1
		Type1	1	1.0	698.0	76	1
		Type1	2	1.0	618.0	86	1
		Type1	3	1.0	538.0	99	1
		Type1	4	1.0	878.0	61	1
		Type1	5	1.0	3066.0	18	1
		Type1	6	1.0	638.0	83	1

	Type1	7	1.0	918.0	58	1
	Type1	8	1.0	838.0	63	1
	Type1	9	1.0	858.0	62	1
	Type1	10	1.0	798.0	67	1
	Type1	11	1.0	718.0	74	1
	Type1	12	1.0	578.0	92	1
	Type1	13	1.0	598.0	89	1
	Type1	14	1.0	558.0	95	1
	Type1	15	1.0	2536.0	21	1
	Type1	16	1.0	966.0	55	1
	Type1	17	1.0	827.0	64	1
	Type1	18	1.0	2501.0	22	1
	Type1	19	1.0	2595.0	21	1
	Type1	20	1.0	1114.0	48	1
	Type1	21	1.0	1302.0	41	1
	Type1	22	1.0	3045.0	18	1
	Type1	23	1.0	1624.0	33	1
	Type1	24	1.0	2878.0	19	1
	Type1	25	1.0	1027.0	52	1
	Type1	26	1.0	2485.0	22	1
	Type1	27	1.0	1600.0	33	1
	Type1	28	1.0	1172.0	46	1
	Type1	29	1.0	1177.0	45	1
	Type2	0	3.2	179.0	26	1
	Type2	1	1.1	207.0	23	1
	Type2	2	2.1	230.0	24	1
	Type2	3	4.8	200.0	29	0
	Type2	4	3.9	214.0	28	1
	Type2	5	2.9	222.0	26	1
	Type2	6	3.2	204.0	26	1

	Type2	7	2.5	192.0	25	1
	Type2	8	3.1	164.0	26	1
	Type2	9	1.2	156.0	23	1
	Type2	10	3.9	210.0	27	1
	Type2	11	4.6	201.0	29	1
	Type2	12	3.2	162.0	26	1
	Type2	13	2.2	197.0	25	1
	Type2	14	4.5	163.0	29	1
	Type2	15	3.0	203.0	26	1
	Type2	16	5.0	168.0	29	1
	Type2	17	2.4	217.0	25	1
	Type2	18	2.9	191.0	26	1
	Type2	19	2.3	166.0	25	1
	Type2	20	3.7	150.0	27	1
	Type2	21	2.2	176.0	25	1
	Type2	22	4.9	195.0	29	1
	Type2	23	2.9	202.0	26	1
	Type2	24	2.5	178.0	25	1
	Type2	25	1.1	206.0	23	1
	Type2	26	3.8	155.0	27	1
	Type2	27	4.7	157.0	29	1
	Type2	28	2.4	224.0	25	1
	Type2	29	4.2	159.0	28	1
	Type3	0	8.2	355.0	17	1
	Type3	1	6.1	487.0	16	1
	Type3	2	7.1	344.0	16	1
	Type3	3	9.8	288.0	18	1
	Type3	4	8.9	230.0	18	1
	Type3	5	7.9	432.0	17	1
	Type3	6	8.2	207.0	17	1

	Type3	7	7.5	443.0	17	1
	Type3	8	8.1	439.0	17	1
	Type3	9	6.2	223.0	16	1
	Type3	10	8.9	208.0	18	0
	Type3	11	9.6	463.0	18	1
	Type3	12	8.2	441.0	17	1
	Type3	13	7.2	323.0	16	1
	Type3	14	9.5	297.0	18	1
	Type3	15	8.0	412.0	17	1
	Type3	16	10.0	324.0	18	1
	Type3	17	7.4	271.0	17	1
	Type3	18	7.9	349.0	17	1
	Type3	19	7.3	409.0	16	1
	Type3	20	8.7	373.0	18	1
	Type3	21	7.2	254.0	16	1
	Type3	22	9.9	274.0	18	1
	Type3	23	7.9	278.0	17	1
	Type3	24	7.5	317.0	17	1
	Type3	25	6.1	260.0	16	1
	Type3	26	8.8	211.0	18	1
	Type3	27	9.7	272.0	18	1
	Type3	28	7.4	264.0	17	1
	Type3	29	9.2	284.0	18	1
	Type4	0	16.0	355.0	14	1
	Type4	1	11.3	487.0	12	1
	Type4	2	13.5	344.0	13	1
	Type4	3	19.4	288.0	16	1
	Type4	4	17.5	230.0	15	1
	Type4	5	15.3	432.0	14	1
	Type4	6	15.9	207.0	14	1

		Type4	7	14.3	443.0	13	1
		Type4	8	15.8	439.0	14	0
		Type4	9	11.5	223.0	12	1
		Type4	10	17.4	208.0	15	1
		Type4	11	19.0	463.0	16	1
		Type4	12	16.0	441.0	14	1
		Type4	13	13.8	323.0	13	1
		Type4	14	18.9	297.0	16	1
		Type4	15	15.5	412.0	14	1
		Type4	16	19.9	324.0	16	1
		Type4	17	14.1	271.0	13	1
		Type4	18	15.2	349.0	14	1
		Type4	19	13.8	409.0	13	1
		Type4	20	17.1	373.0	15	1
		Type4	21	13.8	254.0	13	1
		Type4	22	19.8	274.0	16	1
		Type4	23	15.3	278.0	14	1
		Type4	24	14.5	317.0	13	1
		Type4	25	11.3	260.0	12	1
		Type4	26	17.3	211.0	15	1
		Type4	27	19.2	272.0	16	1
		Type4	28	14.2	264.0	13	1
		Type4	29	18.2	284.0	15	1
11ax80MIMO	5530	Type1	0	1.0	938.0	57	1
		Type1	1	1.0	698.0	76	1
		Type1	2	1.0	618.0	86	1
		Type1	3	1.0	538.0	99	1
		Type1	4	1.0	878.0	61	1
		Type1	5	1.0	3066.0	18	1
		Type1	6	1.0	638.0	83	1

	Type1	7	1.0	918.0	58	1
	Type1	8	1.0	838.0	63	0
	Type1	9	1.0	858.0	62	1
	Type1	10	1.0	798.0	67	1
	Type1	11	1.0	718.0	74	1
	Type1	12	1.0	578.0	92	1
	Type1	13	1.0	598.0	89	1
	Type1	14	1.0	558.0	95	0
	Type1	15	1.0	2536.0	21	1
	Type1	16	1.0	966.0	55	1
	Type1	17	1.0	827.0	64	1
	Type1	18	1.0	2501.0	22	0
	Type1	19	1.0	2595.0	21	1
	Type1	20	1.0	1114.0	48	1
	Type1	21	1.0	1302.0	41	1
	Type1	22	1.0	3045.0	18	1
	Type1	23	1.0	1624.0	33	1
	Type1	24	1.0	2878.0	19	1
	Type1	25	1.0	1027.0	52	1
	Type1	26	1.0	2485.0	22	1
	Type1	27	1.0	1600.0	33	1
	Type1	28	1.0	1172.0	46	1
	Type1	29	1.0	1177.0	45	1
	Type2	0	3.2	179.0	26	1
	Type2	1	1.1	207.0	23	1
	Type2	2	2.1	230.0	24	0
	Type2	3	4.8	200.0	29	1
	Type2	4	3.9	214.0	28	1
	Type2	5	2.9	222.0	26	1
	Type2	6	3.2	204.0	26	1

	Type2	7	2.5	192.0	25	1
	Type2	8	3.1	164.0	26	1
	Type2	9	1.2	156.0	23	1
	Type2	10	3.9	210.0	27	1
	Type2	11	4.6	201.0	29	1
	Type2	12	3.2	162.0	26	1
	Type2	13	2.2	197.0	25	1
	Type2	14	4.5	163.0	29	1
	Type2	15	3.0	203.0	26	1
	Type2	16	5.0	168.0	29	1
	Type2	17	2.4	217.0	25	1
	Type2	18	2.9	191.0	26	1
	Type2	19	2.3	166.0	25	0
	Type2	20	3.7	150.0	27	1
	Type2	21	2.2	176.0	25	0
	Type2	22	4.9	195.0	29	1
	Type2	23	2.9	202.0	26	1
	Type2	24	2.5	178.0	25	0
	Type2	25	1.1	206.0	23	1
	Type2	26	3.8	155.0	27	1
	Type2	27	4.7	157.0	29	0
	Type2	28	2.4	224.0	25	1
	Type2	29	4.2	159.0	28	1
	Type3	0	8.2	355.0	17	1
	Type3	1	6.1	487.0	16	1
	Type3	2	7.1	344.0	16	1
	Type3	3	9.8	288.0	18	1
	Type3	4	8.9	230.0	18	1
	Type3	5	7.9	432.0	17	1
	Type3	6	8.2	207.0	17	1

	Type3	7	7.5	443.0	17	1
	Type3	8	8.1	439.0	17	1
	Type3	9	6.2	223.0	16	1
	Type3	10	8.9	208.0	18	1
	Type3	11	9.6	463.0	18	1
	Type3	12	8.2	441.0	17	1
	Type3	13	7.2	323.0	16	1
	Type3	14	9.5	297.0	18	1
	Type3	15	8.0	412.0	17	1
	Type3	16	10.0	324.0	18	1
	Type3	17	7.4	271.0	17	1
	Type3	18	7.9	349.0	17	1
	Type3	19	7.3	409.0	16	1
	Type3	20	8.7	373.0	18	1
	Type3	21	7.2	254.0	16	1
	Type3	22	9.9	274.0	18	0
	Type3	23	7.9	278.0	17	1
	Type3	24	7.5	317.0	17	0
	Type3	25	6.1	260.0	16	1
	Type3	26	8.8	211.0	18	1
	Type3	27	9.7	272.0	18	1
	Type3	28	7.4	264.0	17	1
	Type3	29	9.2	284.0	18	1
	Type4	0	16.0	355.0	14	1
	Type4	1	11.3	487.0	12	1
	Type4	2	13.5	344.0	13	1
	Type4	3	19.4	288.0	16	1
	Type4	4	17.5	230.0	15	1
	Type4	5	15.3	432.0	14	1
	Type4	6	15.9	207.0	14	1

		Type4	7	14.3	443.0	13	1
		Type4	8	15.8	439.0	14	1
		Type4	9	11.5	223.0	12	1
		Type4	10	17.4	208.0	15	1
		Type4	11	19.0	463.0	16	0
		Type4	12	16.0	441.0	14	1
		Type4	13	13.8	323.0	13	1
		Type4	14	18.9	297.0	16	1
		Type4	15	15.5	412.0	14	1
		Type4	16	19.9	324.0	16	1
		Type4	17	14.1	271.0	13	1
		Type4	18	15.2	349.0	14	1
		Type4	19	13.8	409.0	13	1
		Type4	20	17.1	373.0	15	1
		Type4	21	13.8	254.0	13	1
		Type4	22	19.8	274.0	16	1
		Type4	23	15.3	278.0	14	1
		Type4	24	14.5	317.0	13	1
		Type4	25	11.3	260.0	12	1
		Type4	26	17.3	211.0	15	1
		Type4	27	19.2	272.0	16	1
		Type4	28	14.2	264.0	13	1
		Type4	29	18.2	284.0	15	1
11ax160MIMO	5570	Type1	0	1.0	938.0	57	1
		Type1	1	1.0	698.0	76	1
		Type1	2	1.0	618.0	86	1
		Type1	3	1.0	538.0	99	1
		Type1	4	1.0	878.0	61	1
		Type1	5	1.0	3066.0	18	1
		Type1	6	1.0	638.0	83	1

	Type1	7	1.0	918.0	58	1
	Type1	8	1.0	838.0	63	1
	Type1	9	1.0	858.0	62	1
	Type1	10	1.0	798.0	67	0
	Type1	11	1.0	718.0	74	1
	Type1	12	1.0	578.0	92	1
	Type1	13	1.0	598.0	89	0
	Type1	14	1.0	558.0	95	1
	Type1	15	1.0	2536.0	21	1
	Type1	16	1.0	966.0	55	1
	Type1	17	1.0	827.0	64	1
	Type1	18	1.0	2501.0	22	1
	Type1	19	1.0	2595.0	21	1
	Type1	20	1.0	1114.0	48	1
	Type1	21	1.0	1302.0	41	1
	Type1	22	1.0	3045.0	18	1
	Type1	23	1.0	1624.0	33	1
	Type1	24	1.0	2878.0	19	1
	Type1	25	1.0	1027.0	52	1
	Type1	26	1.0	2485.0	22	1
	Type1	27	1.0	1600.0	33	1
	Type1	28	1.0	1172.0	46	1
	Type1	29	1.0	1177.0	45	1
	Type2	0	3.2	179.0	26	1
	Type2	1	1.1	207.0	23	1
	Type2	2	2.1	230.0	24	1
	Type2	3	4.8	200.0	29	1
	Type2	4	3.9	214.0	28	1
	Type2	5	2.9	222.0	26	1
	Type2	6	3.2	204.0	26	1

	Type2	7	2.5	192.0	25	1
	Type2	8	3.1	164.0	26	1
	Type2	9	1.2	156.0	23	1
	Type2	10	3.9	210.0	27	1
	Type2	11	4.6	201.0	29	1
	Type2	12	3.2	162.0	26	1
	Type2	13	2.2	197.0	25	0
	Type2	14	4.5	163.0	29	1
	Type2	15	3.0	203.0	26	1
	Type2	16	5.0	168.0	29	1
	Type2	17	2.4	217.0	25	1
	Type2	18	2.9	191.0	26	0
	Type2	19	2.3	166.0	25	1
	Type2	20	3.7	150.0	27	1
	Type2	21	2.2	176.0	25	1
	Type2	22	4.9	195.0	29	1
	Type2	23	2.9	202.0	26	1
	Type2	24	2.5	178.0	25	1
	Type2	25	1.1	206.0	23	1
	Type2	26	3.8	155.0	27	1
	Type2	27	4.7	157.0	29	1
	Type2	28	2.4	224.0	25	1
	Type2	29	4.2	159.0	28	0
	Type3	0	8.2	355.0	17	1
	Type3	1	6.1	487.0	16	1
	Type3	2	7.1	344.0	16	1
	Type3	3	9.8	288.0	18	1
	Type3	4	8.9	230.0	18	1
	Type3	5	7.9	432.0	17	1
	Type3	6	8.2	207.0	17	1

	Type3	7	7.5	443.0	17	1
	Type3	8	8.1	439.0	17	1
	Type3	9	6.2	223.0	16	1
	Type3	10	8.9	208.0	18	0
	Type3	11	9.6	463.0	18	1
	Type3	12	8.2	441.0	17	1
	Type3	13	7.2	323.0	16	1
	Type3	14	9.5	297.0	18	1
	Type3	15	8.0	412.0	17	1
	Type3	16	10.0	324.0	18	1
	Type3	17	7.4	271.0	17	1
	Type3	18	7.9	349.0	17	1
	Type3	19	7.3	409.0	16	1
	Type3	20	8.7	373.0	18	1
	Type3	21	7.2	254.0	16	0
	Type3	22	9.9	274.0	18	1
	Type3	23	7.9	278.0	17	1
	Type3	24	7.5	317.0	17	1
	Type3	25	6.1	260.0	16	1
	Type3	26	8.8	211.0	18	1
	Type3	27	9.7	272.0	18	1
	Type3	28	7.4	264.0	17	1
	Type3	29	9.2	284.0	18	1
	Type4	0	16.0	355.0	14	1
	Type4	1	11.3	487.0	12	1
	Type4	2	13.5	344.0	13	1
	Type4	3	19.4	288.0	16	1
	Type4	4	17.5	230.0	15	1
	Type4	5	15.3	432.0	14	1
	Type4	6	15.9	207.0	14	0

	Type4	7	14.3	443.0	13	1
	Type4	8	15.8	439.0	14	1
	Type4	9	11.5	223.0	12	1
	Type4	10	17.4	208.0	15	1
	Type4	11	19.0	463.0	16	1
	Type4	12	16.0	441.0	14	1
	Type4	13	13.8	323.0	13	1
	Type4	14	18.9	297.0	16	1
	Type4	15	15.5	412.0	14	1
	Type4	16	19.9	324.0	16	1
	Type4	17	14.1	271.0	13	1
	Type4	18	15.2	349.0	14	1
	Type4	19	13.8	409.0	13	1
	Type4	20	17.1	373.0	15	1
	Type4	21	13.8	254.0	13	1
	Type4	22	19.8	274.0	16	1
	Type4	23	15.3	278.0	14	0
	Type4	24	14.5	317.0	13	1
	Type4	25	11.3	260.0	12	1
	Type4	26	17.3	211.0	15	1
	Type4	27	19.2	272.0	16	1
	Type4	28	14.2	264.0	13	1
	Type4	29	18.2	284.0	15	1

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr0@											
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11ax20MIMO	5500	Type5	0	0	636185.0	13	2	77.8	1665.0	1477.0	---
11ax20MIMO	5500	Type5	0	1	32674.0	13	1	51.9	1074.0	---	---
11ax20MIMO	5500	Type5	0	2	226294.0	13	1	63.8	1584.0	---	---
11ax20MIMO	5500	Type5	0	3	417976.0	13	3	96.6	1682.0	1786.0	1843.0
11ax20MIMO	5500	Type5	0	4	611152.0	13	3	85.9	1795.0	1215.0	1729.0
11ax20MIMO	5500	Type5	0	5	8789.0	13	2	73.7	1198.0	1549.0	---
11ax20MIMO	5500	Type5	0	6	201917.0	13	2	77.2	1837.0	1819.0	---
11ax20MIMO	5500	Type5	0	7	395530.0	13	2	68.4	1587.0	1114.0	---
11ax20MIMO	5500	Type5	0	8	588564.0	13	2	76.7	2000.0	1155.0	---
11ax20MIMO	5500	Type5	0	9	783794.0	13	1	53.2	1147.0	---	---
11ax20MIMO	5500	Type5	0	10	177933.0	13	3	85.7	1433.0	1695.0	1394.0
11ax20MIMO	5500	Type5	0	11	370624.0	13	3	94.3	1670.0	1426.0	1935.0
11ax20MIMO	5500	Type5	0	12	564893.0	13	2	77.6	1294.0	1671.0	---
11ax20MIMO	5500	Type5	0	13	759583.0	13	1	65.7	1512.0	---	---
11ax20MIMO	5500	Type5	0	14	154262.0	13	3	93.5	1444.0	1130.0	1468.0
11ax40MIMO	5510	Type5	0	0	636185.0	13	2	77.8	1665.0	1477.0	---
11ax40MIMO	5510	Type5	0	1	32674.0	13	1	51.9	1074.0	---	---
11ax40MIMO	5510	Type5	0	2	226294.0	13	1	63.8	1584.0	---	---
11ax40MIMO	5510	Type5	0	3	417976.0	13	3	96.6	1682.0	1786.0	1843.0
11ax40MIMO	5510	Type5	0	4	611152.0	13	3	85.9	1795.0	1215.0	1729.0
11ax40MIMO	5510	Type5	0	5	8789.0	13	2	73.7	1198.0	1549.0	---
11ax40MIMO	5510	Type5	0	6	201917.0	13	2	77.2	1837.0	1819.0	---
11ax40MIMO	5510	Type5	0	7	395530.0	13	2	68.4	1587.0	1114.0	---
11ax40MIMO	5510	Type5	0	8	588564.0	13	2	76.7	2000.0	1155.0	---
11ax40MIMO	5510	Type5	0	9	783794.0	13	1	53.2	1147.0	---	---

11ax40MIMO	5510	Type5	0	10	177933.0	13	3	85.7	1433.0	1695.0	1394.0
11ax40MIMO	5510	Type5	0	11	370624.0	13	3	94.3	1670.0	1426.0	1935.0
11ax40MIMO	5510	Type5	0	12	564893.0	13	2	77.6	1294.0	1671.0	---
11ax40MIMO	5510	Type5	0	13	759583.0	13	1	65.7	1512.0	---	---
11ax40MIMO	5510	Type5	0	14	154262.0	13	3	93.5	1444.0	1130.0	1468.0
11ax80MIMO	5530	Type5	0	0	636185.0	13	2	77.8	1665.0	1477.0	---
11ax80MIMO	5530	Type5	0	1	32674.0	13	1	51.9	1074.0	---	---
1AX80MIMO	5530	Type5	0	2	226294.0	13	1	63.8	1584.0	---	---
1AX80MIMO	5530	Type5	0	3	417976.0	13	3	96.6	1682.0	1786.0	1843.0
1AX80MIMO	5530	Type5	0	4	611152.0	13	3	85.9	1795.0	1215.0	1729.0
1AX80MIMO	5530	Type5	0	5	8789.0	13	2	73.7	1198.0	1549.0	---
1AX80MIMO	5530	Type5	0	6	201917.0	13	2	77.2	1837.0	1819.0	---
1AX80MIMO	5530	Type5	0	7	395530.0	13	2	68.4	1587.0	1114.0	---
1AX80MIMO	5530	Type5	0	8	588564.0	13	2	76.7	2000.0	1155.0	---
1AX80MIMO	5530	Type5	0	9	783794.0	13	1	53.2	1147.0	---	---
1AX80MIMO	5530	Type5	0	10	177933.0	13	3	85.7	1433.0	1695.0	1394.0
1AX80MIMO	5530	Type5	0	11	370624.0	13	3	94.3	1670.0	1426.0	1935.0
1AX80MIMO	5530	Type5	0	12	564893.0	13	2	77.6	1294.0	1671.0	---
1AX80MIMO	5530	Type5	0	13	759583.0	13	1	65.7	1512.0	---	---
1AX80MIMO	5530	Type5	0	14	154262.0	13	3	93.5	1444.0	1130.0	1468.0
11ax160MIMO	5570	Type5	0	0	636185.0	13	2	77.8	1665.0	1477.0	---
11ax160MIMO	5570	Type5	0	1	32674.0	13	1	51.9	1074.0	---	---
11ax160MIMO	5570	Type5	0	2	226294.0	13	1	63.8	1584.0	---	---
11ax160MIMO	5570	Type5	0	3	417976.0	13	3	96.6	1682.0	1786.0	1843.0
11ax160MIMO	5570	Type5	0	4	611152.0	13	3	85.9	1795.0	1215.0	1729.0
11ax160MIMO	5570	Type5	0	5	8789.0	13	2	73.7	1198.0	1549.0	---
11ax160MIMO	5570	Type5	0	6	201917.0	13	2	77.2	1837.0	1819.0	---
11ax160MIMO	5570	Type5	0	7	395530.0	13	2	68.4	1587.0	1114.0	---
11ax160MIMO	5570	Type5	0	8	588564.0	13	2	76.7	2000.0	1155.0	---
11ax160MIMO	5570	Type5	0	9	783794.0	13	1	53.2	1147.0	---	---
11ax160MIMO	5570	Type5	0	10	177933.0	13	3	85.7	1433.0	1695.0	1394.0

11ax160MIMO	5570	Type5	0	11	370624.0	13	3	94.3	1670.0	1426.0	1935.0
11ax160MIMO	5570	Type5	0	12	564893.0	13	2	77.6	1294.0	1671.0	---
11ax160MIMO	5570	Type5	0	13	759583.0	13	1	65.7	1512.0	---	---
11ax160MIMO	5570	Type5	0	14	154262.0	13	3	93.5	1444.0	1130.0	1468.0

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr1@											
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11ax20MIMO	5500	Type5	1	0	653020.0	5	2	75.0	1880.0	1527.0	---
11ax20MIMO	5500	Type5	1	1	1015643.0	5	3	99.4	1401.0	1262.0	1257.0
11ax20MIMO	5500	Type5	1	2	1379398.0	5	2	67.4	1531.0	1403.0	---
11ax20MIMO	5500	Type5	1	3	245489.0	5	2	73.6	1449.0	1041.0	---
11ax20MIMO	5500	Type5	1	4	609113.0	5	1	65.9	1432.0	---	---
11ax20MIMO	5500	Type5	1	5	970852.0	5	3	83.8	1356.0	1292.0	1419.0
11ax20MIMO	5500	Type5	1	6	1335913.0	5	1	65.5	1543.0	---	---
11ax20MIMO	5500	Type5	1	7	200406.0	5	3	98.6	1548.0	1796.0	1728.0
11ax40MIMO	5510	Type5	1	0	653020.0	5	2	75.0	1880.0	1527.0	---
11ax40MIMO	5510	Type5	1	1	1015643.0	5	3	99.4	1401.0	1262.0	1257.0
11ax40MIMO	5510	Type5	1	2	1379398.0	5	2	67.4	1531.0	1403.0	---
11ax40MIMO	5510	Type5	1	3	245489.0	5	2	73.6	1449.0	1041.0	---
11ax40MIMO	5510	Type5	1	4	609113.0	5	1	65.9	1432.0	---	---
11ax40MIMO	5510	Type5	1	5	970852.0	5	3	83.8	1356.0	1292.0	1419.0
11ax40MIMO	5510	Type5	1	6	1335913.0	5	1	65.5	1543.0	---	---
11ax40MIMO	5510	Type5	1	7	200406.0	5	3	98.6	1548.0	1796.0	1728.0
11ax80MIMO	5530	Type5	1	0	653020.0	5	2	75.0	1880.0	1527.0	---
11ax80MIMO	5530	Type5	1	1	1015643.0	5	3	99.4	1401.0	1262.0	1257.0
11ax80MIMO	5530	Type5	1	2	1379398.0	5	2	67.4	1531.0	1403.0	---
11ax80MIMO	5530	Type5	1	3	245489.0	5	2	73.6	1449.0	1041.0	---

11ax80MIMO	5530	Type5	1	4	609113.0	5	1	65.9	1432.0	---	---
11ax80MIMO	5530	Type5	1	5	970852.0	5	3	83.8	1356.0	1292.0	1419.0
11ax80MIMO	5530	Type5	1	6	1335913.0	5	1	65.5	1543.0	---	---
11ax80MIMO	5530	Type5	1	7	200406.0	5	3	98.6	1548.0	1796.0	1728.0
11ax160MIMO	5570	Type5	1	0	653020.0	5	2	75.0	1880.0	1527.0	---
11ax160MIMO	5570	Type5	1	1	1015643.0	5	3	99.4	1401.0	1262.0	1257.0
11ax160MIMO	5570	Type5	1	2	1379398.0	5	2	67.4	1531.0	1403.0	---
11ax160MIMO	5570	Type5	1	3	245489.0	5	2	73.6	1449.0	1041.0	---
11ax160MIMO	5570	Type5	1	4	609113.0	5	1	65.9	1432.0	---	---
11ax160MIMO	5570	Type5	1	5	970852.0	5	3	83.8	1356.0	1292.0	1419.0
11ax160MIMO	5570	Type5	1	6	1335913.0	5	1	65.5	1543.0	---	---
11ax160MIMO	5570	Type5	1	7	200406.0	5	3	98.6	1548.0	1796.0	1728.0

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr2@											
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11ax20MIMO	5500	Type5	2	0	409565.0	9	2	73.8	1806.0	1538.0	---
11ax20MIMO	5500	Type5	2	1	673692.0	9	2	69.5	1117.0	1649.0	---
11ax20MIMO	5500	Type5	2	2	938562.0	9	1	51.9	1651.0	---	---
11ax20MIMO	5500	Type5	2	3	113209.0	9	3	84.6	1976.0	1032.0	1271.0
11ax20MIMO	5500	Type5	2	4	376726.0	9	3	95.4	1060.0	1903.0	1388.0
11ax20MIMO	5500	Type5	2	5	641212.0	9	2	68.0	1368.0	1351.0	---
11ax20MIMO	5500	Type5	2	6	903714.0	9	3	89.6	1338.0	1514.0	1573.0
11ax20MIMO	5500	Type5	2	7	80863.0	9	2	81.9	1022.0	1689.0	---
11ax20MIMO	5500	Type5	2	8	344067.0	9	3	88.3	1810.0	1330.0	1838.0
11ax20MIMO	5500	Type5	2	9	609331.0	9	1	53.7	1597.0	---	---
11ax20MIMO	5500	Type5	2	10	871542.0	9	3	91.3	1961.0	1106.0	1001.0
11ax40MIMO	5510	Type5	2	0	409565.0	9	2	73.8	1806.0	1538.0	---
11ax40MIMO	5510	Type5	2	1	673692.0	9	2	69.5	1117.0	1649.0	---
11ax40MIMO	5510	Type5	2	2	938562.0	9	1	51.9	1651.0	---	---
11ax40MIMO	5510	Type5	2	3	113209.0	9	3	84.6	1976.0	1032.0	1271.0
11ax40MIMO	5510	Type5	2	4	376726.0	9	3	95.4	1060.0	1903.0	1388.0
11ax40MIMO	5510	Type5	2	5	641212.0	9	2	68.0	1368.0	1351.0	---
11ax40MIMO	5510	Type5	2	6	903714.0	9	3	89.6	1338.0	1514.0	1573.0
11ax40MIMO	5510	Type5	2	7	80863.0	9	2	81.9	1022.0	1689.0	---
11ax40MIMO	5510	Type5	2	8	344067.0	9	3	88.3	1810.0	1330.0	1838.0
11ax40MIMO	5510	Type5	2	9	609331.0	9	1	53.7	1597.0	---	---
11ax40MIMO	5510	Type5	2	10	871542.0	9	3	91.3	1961.0	1106.0	1001.0
11ax80MIMO	5530	Type5	2	0	409565.0	9	2	73.8	1806.0	1538.0	---
11ax80MIMO	5530	Type5	2	1	673692.0	9	2	69.5	1117.0	1649.0	---
11ax80MIMO	5530	Type5	2	2	938562.0	9	1	51.9	1651.0	---	---
11ax80MIMO	5530	Type5	2	3	113209.0	9	3	84.6	1976.0	1032.0	1271.0

11ax80MIMO	5530	Type5	2	4	376726.0	9	3	95.4	1060.0	1903.0	1388.0
11ax80MIMO	5530	Type5	2	5	641212.0	9	2	68.0	1368.0	1351.0	---
11ax80MIMO	5530	Type5	2	6	903714.0	9	3	89.6	1338.0	1514.0	1573.0
11ax80MIMO	5530	Type5	2	7	80863.0	9	2	81.9	1022.0	1689.0	---
11ax80MIMO	5530	Type5	2	8	344067.0	9	3	88.3	1810.0	1330.0	1838.0
11ax80MIMO	5530	Type5	2	9	609331.0	9	1	53.7	1597.0	---	---
11ax80MIMO	5530	Type5	2	10	871542.0	9	3	91.3	1961.0	1106.0	1001.0
11ax160MIMO	5570	Type5	2	0	409565.0	9	2	73.8	1806.0	1538.0	---
11ax160MIMO	5570	Type5	2	1	673692.0	9	2	69.5	1117.0	1649.0	---
11ax160MIMO	5570	Type5	2	2	938562.0	9	1	51.9	1651.0	---	---
11ax160MIMO	5570	Type5	2	3	113209.0	9	3	84.6	1976.0	1032.0	1271.0
11ax160MIMO	5570	Type5	2	4	376726.0	9	3	95.4	1060.0	1903.0	1388.0
11ax160MIMO	5570	Type5	2	5	641212.0	9	2	68.0	1368.0	1351.0	---
11ax160MIMO	5570	Type5	2	6	903714.0	9	3	89.6	1338.0	1514.0	1573.0
11ax160MIMO	5570	Type5	2	7	80863.0	9	2	81.9	1022.0	1689.0	---
11ax160MIMO	5570	Type5	2	8	344067.0	9	3	88.3	1810.0	1330.0	1838.0
11ax160MIMO	5570	Type5	2	9	609331.0	9	1	53.7	1597.0	---	---
11ax160MIMO	5570	Type5	2	10	871542.0	9	3	91.3	1961.0	1106.0	1001.0

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr3@											
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11ax20MIMO	5500	Type5	3	0	26541.0	19	2	68.1	1339.0	1355.0	---
11ax20MIMO	5500	Type5	3	1	171821.0	19	1	58.7	1251.0	---	---
11ax20MIMO	5500	Type5	3	2	316229.0	19	2	75.3	1136.0	1640.0	---
11ax20MIMO	5500	Type5	3	3	461864.0	19	1	56.4	1753.0	---	---
11ax20MIMO	5500	Type5	3	4	8677.0	19	3	99.7	1196.0	1708.0	1159.0
11ax20MIMO	5500	Type5	3	5	153995.0	19	1	57.7	1013.0	---	---
11ax20MIMO	5500	Type5	3	6	299238.0	19	1	59.5	1072.0	---	---
11ax20MIMO	5500	Type5	3	7	443177.0	19	2	80.0	1482.0	1369.0	---
11ax20MIMO	5500	Type5	3	8	587671.0	19	2	82.0	1993.0	1197.0	---
11ax20MIMO	5500	Type5	3	9	135674.0	19	2	82.8	1883.0	1005.0	---
11ax20MIMO	5500	Type5	3	10	279928.0	19	3	88.0	1061.0	1928.0	1101.0
11ax20MIMO	5500	Type5	3	11	424279.0	19	3	93.2	1207.0	1907.0	1223.0
11ax20MIMO	5500	Type5	3	12	570132.0	19	2	70.4	1526.0	1360.0	---
11ax20MIMO	5500	Type5	3	13	117439.0	19	3	95.3	1171.0	1955.0	1775.0
11ax20MIMO	5500	Type5	3	14	262502.0	19	2	81.9	1690.0	1545.0	---
11ax20MIMO	5500	Type5	3	15	406573.0	19	3	98.5	1975.0	1169.0	1062.0
11ax20MIMO	5500	Type5	3	16	553328.0	19	1	65.0	1767.0	---	---
11ax20MIMO	5500	Type5	3	17	99799.0	19	3	85.4	1011.0	1637.0	1425.0
11ax20MIMO	5500	Type5	3	18	244095.0	19	3	91.6	1878.0	1445.0	1325.0
11ax20MIMO	5500	Type5	3	19	390012.0	19	2	67.3	1091.0	1218.0	---
11ax40MIMO	5510	Type5	3	0	26541.0	19	2	68.1	1339.0	1355.0	---
11ax40MIMO	5510	Type5	3	1	171821.0	19	1	58.7	1251.0	---	---
11ax40MIMO	5510	Type5	3	2	316229.0	19	2	75.3	1136.0	1640.0	---
11ax40MIMO	5510	Type5	3	3	461864.0	19	1	56.4	1753.0	---	---
11ax40MIMO	5510	Type5	3	4	8677.0	19	3	99.7	1196.0	1708.0	1159.0
11ax40MIMO	5510	Type5	3	5	153995.0	19	1	57.7	1013.0	---	---

11ax40MIMO	5510	Type5	3	6	299238.0	19	1	59.5	1072.0	---	---
11ax40MIMO	5510	Type5	3	7	443177.0	19	2	80.0	1482.0	1369.0	---
11ax40MIMO	5510	Type5	3	8	587671.0	19	2	82.0	1993.0	1197.0	---
11ax40MIMO	5510	Type5	3	9	135674.0	19	2	82.8	1883.0	1005.0	---
11ax40MIMO	5510	Type5	3	10	279928.0	19	3	88.0	1061.0	1928.0	1101.0
11ax40MIMO	5510	Type5	3	11	424279.0	19	3	93.2	1207.0	1907.0	1223.0
11ax40MIMO	5510	Type5	3	12	570132.0	19	2	70.4	1526.0	1360.0	---
11ax40MIMO	5510	Type5	3	13	117439.0	19	3	95.3	1171.0	1955.0	1775.0
11ax40MIMO	5510	Type5	3	14	262502.0	19	2	81.9	1690.0	1545.0	---
11ax40MIMO	5510	Type5	3	15	406573.0	19	3	98.5	1975.0	1169.0	1062.0
11ax40MIMO	5510	Type5	3	16	553328.0	19	1	65.0	1767.0	---	---
11ax40MIMO	5510	Type5	3	17	99799.0	19	3	85.4	1011.0	1637.0	1425.0
11ax40MIMO	5510	Type5	3	18	244095.0	19	3	91.6	1878.0	1445.0	1325.0
11ax40MIMO	5510	Type5	3	19	390012.0	19	2	67.3	1091.0	1218.0	---
11ax80MIMO	5530	Type5	3	0	26541.0	19	2	68.1	1339.0	1355.0	---
11ax80MIMO	5530	Type5	3	1	171821.0	19	1	58.7	1251.0	---	---
11ax80MIMO	5530	Type5	3	2	316229.0	19	2	75.3	1136.0	1640.0	---
11ax80MIMO	5530	Type5	3	3	461864.0	19	1	56.4	1753.0	---	---
11ax80MIMO	5530	Type5	3	4	8677.0	19	3	99.7	1196.0	1708.0	1159.0
11ax80MIMO	5530	Type5	3	5	153995.0	19	1	57.7	1013.0	---	---
11ax80MIMO	5530	Type5	3	6	299238.0	19	1	59.5	1072.0	---	---
11ax80MIMO	5530	Type5	3	7	443177.0	19	2	80.0	1482.0	1369.0	---
11ax80MIMO	5530	Type5	3	8	587671.0	19	2	82.0	1993.0	1197.0	---
11ax80MIMO	5530	Type5	3	9	135674.0	19	2	82.8	1883.0	1005.0	---
11ax80MIMO	5530	Type5	3	10	279928.0	19	3	88.0	1061.0	1928.0	1101.0
11ax80MIMO	5530	Type5	3	11	424279.0	19	3	93.2	1207.0	1907.0	1223.0
11ax80MIMO	5530	Type5	3	12	570132.0	19	2	70.4	1526.0	1360.0	---
11ax80MIMO	5530	Type5	3	13	117439.0	19	3	95.3	1171.0	1955.0	1775.0
11ax80MIMO	5530	Type5	3	14	262502.0	19	2	81.9	1690.0	1545.0	---
11ax80MIMO	5530	Type5	3	15	406573.0	19	3	98.5	1975.0	1169.0	1062.0
11ax80MIMO	5530	Type5	3	16	553328.0	19	1	65.0	1767.0	---	---

11ax80MIMO	5530	Type5	3	17	99799.0	19	3	85.4	1011.0	1637.0	1425.0
11ax80MIMO	5530	Type5	3	18	244095.0	19	3	91.6	1878.0	1445.0	1325.0
11ax80MIMO	5530	Type5	3	19	390012.0	19	2	67.3	1091.0	1218.0	---
11ax160MIMO	5570	Type5	3	0	26541.0	19	2	68.1	1339.0	1355.0	---
11ax160MIMO	5570	Type5	3	1	171821.0	19	1	58.7	1251.0	---	---
11ax160MIMO	5570	Type5	3	2	316229.0	19	2	75.3	1136.0	1640.0	---
11ax160MIMO	5570	Type5	3	3	461864.0	19	1	56.4	1753.0	---	---
11ax160MIMO	5570	Type5	3	4	8677.0	19	3	99.7	1196.0	1708.0	1159.0
11ax160MIMO	5570	Type5	3	5	153995.0	19	1	57.7	1013.0	---	---
11ax160MIMO	5570	Type5	3	6	299238.0	19	1	59.5	1072.0	---	---
11ax160MIMO	5570	Type5	3	7	443177.0	19	2	80.0	1482.0	1369.0	---
11ax160MIMO	5570	Type5	3	8	587671.0	19	2	82.0	1993.0	1197.0	---
11ax160MIMO	5570	Type5	3	9	135674.0	19	2	82.8	1883.0	1005.0	---
11ax160MIMO	5570	Type5	3	10	279928.0	19	3	88.0	1061.0	1928.0	1101.0
11ax160MIMO	5570	Type5	3	11	424279.0	19	3	93.2	1207.0	1907.0	1223.0
11ax160MIMO	5570	Type5	3	12	570132.0	19	2	70.4	1526.0	1360.0	---
11ax160MIMO	5570	Type5	3	13	117439.0	19	3	95.3	1171.0	1955.0	1775.0
11ax160MIMO	5570	Type5	3	14	262502.0	19	2	81.9	1690.0	1545.0	---
11ax160MIMO	5570	Type5	3	15	406573.0	19	3	98.5	1975.0	1169.0	1062.0
11ax160MIMO	5570	Type5	3	16	553328.0	19	1	65.0	1767.0	---	---
11ax160MIMO	5570	Type5	3	17	99799.0	19	3	85.4	1011.0	1637.0	1425.0
11ax160MIMO	5570	Type5	3	18	244095.0	19	3	91.6	1878.0	1445.0	1325.0
11ax160MIMO	5570	Type5	3	19	390012.0	19	2	67.3	1091.0	1218.0	---

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr4@											
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11ax20MIMO	5500	Type5	4	0	629614.0	16	2	67.9	1320.0	1133.0	---
11ax20MIMO	5500	Type5	4	1	96856.0	16	1	62.3	1957.0	---	---
11ax20MIMO	5500	Type5	4	2	267719.0	16	1	53.3	1592.0	---	---
11ax20MIMO	5500	Type5	4	3	436784.0	16	3	90.0	1900.0	1153.0	1346.0
11ax20MIMO	5500	Type5	4	4	608289.0	16	2	77.1	1166.0	1646.0	---
11ax20MIMO	5500	Type5	4	5	75610.0	16	3	83.9	1278.0	1232.0	1459.0
11ax20MIMO	5500	Type5	4	6	245638.0	16	3	89.1	1240.0	1384.0	1939.0
11ax20MIMO	5500	Type5	4	7	416355.0	16	2	81.8	1833.0	1676.0	---
11ax20MIMO	5500	Type5	4	8	588736.0	16	1	50.3	1075.0	---	---
11ax20MIMO	5500	Type5	4	9	54571.0	16	3	87.1	1116.0	1996.0	1756.0
11ax20MIMO	5500	Type5	4	10	225175.0	16	2	71.3	1225.0	1815.0	---
11ax20MIMO	5500	Type5	4	11	394825.0	16	3	97.5	1884.0	1465.0	1132.0
11ax20MIMO	5500	Type5	4	12	565361.0	16	3	90.6	1561.0	1040.0	1354.0
11ax20MIMO	5500	Type5	4	13	33643.0	16	3	86.3	1596.0	1183.0	1792.0
11ax20MIMO	5500	Type5	4	14	203957.0	16	3	97.6	1365.0	1073.0	1361.0
11ax20MIMO	5500	Type5	4	15	373812.0	16	3	84.7	1021.0	1718.0	1854.0
11ax20MIMO	5500	Type5	4	16	544060.0	16	3	99.7	1150.0	1244.0	1988.0
11ax40MIMO	5510	Type5	4	0	629614.0	16	2	67.9	1320.0	1133.0	---
11ax40MIMO	5510	Type5	4	1	96856.0	16	1	62.3	1957.0	---	---
11ax40MIMO	5510	Type5	4	2	267719.0	16	1	53.3	1592.0	---	---
11ax40MIMO	5510	Type5	4	3	436784.0	16	3	90.0	1900.0	1153.0	1346.0
11ax40MIMO	5510	Type5	4	4	608289.0	16	2	77.1	1166.0	1646.0	---
11ax40MIMO	5510	Type5	4	5	75610.0	16	3	83.9	1278.0	1232.0	1459.0
11ax40MIMO	5510	Type5	4	6	245638.0	16	3	89.1	1240.0	1384.0	1939.0
11ax40MIMO	5510	Type5	4	7	416355.0	16	2	81.8	1833.0	1676.0	---
11ax40MIMO	5510	Type5	4	8	588736.0	16	1	50.3	1075.0	---	---

11ax40MIMO	5510	Type5	4	9	54571.0	16	3	87.1	1116.0	1996.0	1756.0
11ax40MIMO	5510	Type5	4	10	225175.0	16	2	71.3	1225.0	1815.0	---
11ax40MIMO	5510	Type5	4	11	394825.0	16	3	97.5	1884.0	1465.0	1132.0
11ax40MIMO	5510	Type5	4	12	565361.0	16	3	90.6	1561.0	1040.0	1354.0
11ax40MIMO	5510	Type5	4	13	33643.0	16	3	86.3	1596.0	1183.0	1792.0
11ax40MIMO	5510	Type5	4	14	203957.0	16	3	97.6	1365.0	1073.0	1361.0
11ax40MIMO	5510	Type5	4	15	373812.0	16	3	84.7	1021.0	1718.0	1854.0
11ax40MIMO	5510	Type5	4	16	544060.0	16	3	99.7	1150.0	1244.0	1988.0
11ax80MIMO	5530	Type5	4	0	629614.0	16	2	67.9	1320.0	1133.0	---
11ax80MIMO	5530	Type5	4	1	96856.0	16	1	62.3	1957.0	---	---
11ax80MIMO	5530	Type5	4	2	267719.0	16	1	53.3	1592.0	---	---
11ax80MIMO	5530	Type5	4	3	436784.0	16	3	90.0	1900.0	1153.0	1346.0
11ax80MIMO	5530	Type5	4	4	608289.0	16	2	77.1	1166.0	1646.0	---
11ax80MIMO	5530	Type5	4	5	75610.0	16	3	83.9	1278.0	1232.0	1459.0
11ax80MIMO	5530	Type5	4	6	245638.0	16	3	89.1	1240.0	1384.0	1939.0
11ax80MIMO	5530	Type5	4	7	416355.0	16	2	81.8	1833.0	1676.0	---
11ax80MIMO	5530	Type5	4	8	588736.0	16	1	50.3	1075.0	---	---
11ax80MIMO	5530	Type5	4	9	54571.0	16	3	87.1	1116.0	1996.0	1756.0
11ax80MIMO	5530	Type5	4	10	225175.0	16	2	71.3	1225.0	1815.0	---
11ax80MIMO	5530	Type5	4	11	394825.0	16	3	97.5	1884.0	1465.0	1132.0
11ax80MIMO	5530	Type5	4	12	565361.0	16	3	90.6	1561.0	1040.0	1354.0
11ax80MIMO	5530	Type5	4	13	33643.0	16	3	86.3	1596.0	1183.0	1792.0
11ax80MIMO	5530	Type5	4	14	203957.0	16	3	97.6	1365.0	1073.0	1361.0
11ax80MIMO	5530	Type5	4	15	373812.0	16	3	84.7	1021.0	1718.0	1854.0
11ax80MIMO	5530	Type5	4	16	544060.0	16	3	99.7	1150.0	1244.0	1988.0
11ax160MIMO	5570	Type5	4	0	629614.0	16	2	67.9	1320.0	1133.0	---
11ax160MIMO	5570	Type5	4	1	96856.0	16	1	62.3	1957.0	---	---
11ax160MIMO	5570	Type5	4	2	267719.0	16	1	53.3	1592.0	---	---
11ax160MIMO	5570	Type5	4	3	436784.0	16	3	90.0	1900.0	1153.0	1346.0
11ax160MIMO	5570	Type5	4	4	608289.0	16	2	77.1	1166.0	1646.0	---
11ax160MIMO	5570	Type5	4	5	75610.0	16	3	83.9	1278.0	1232.0	1459.0

11ax160MIMO	5570	Type5	4	6	245638.0	16	3	89.1	1240.0	1384.0	1939.0
11ax160MIMO	5570	Type5	4	7	416355.0	16	2	81.8	1833.0	1676.0	---
11ax160MIMO	5570	Type5	4	8	588736.0	16	1	50.3	1075.0	---	---
11ax160MIMO	5570	Type5	4	9	54571.0	16	3	87.1	1116.0	1996.0	1756.0
11ax160MIMO	5570	Type5	4	10	225175.0	16	2	71.3	1225.0	1815.0	---
11ax160MIMO	5570	Type5	4	11	394825.0	16	3	97.5	1884.0	1465.0	1132.0
11ax160MIMO	5570	Type5	4	12	565361.0	16	3	90.6	1561.0	1040.0	1354.0
11ax160MIMO	5570	Type5	4	13	33643.0	16	3	86.3	1596.0	1183.0	1792.0
11ax160MIMO	5570	Type5	4	14	203957.0	16	3	97.6	1365.0	1073.0	1361.0
11ax160MIMO	5570	Type5	4	15	373812.0	16	3	84.7	1021.0	1718.0	1854.0
11ax160MIMO	5570	Type5	4	16	544060.0	16	3	99.7	1150.0	1244.0	1988.0

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr5@											
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11ax20MIMO	5500	Type5	5	0	15438.0	12	3	92.9	1085.0	1564.0	1407.0
11ax20MIMO	5500	Type5	5	1	222486.0	12	2	67.7	1744.0	1747.0	---
11ax20MIMO	5500	Type5	5	2	430731.0	12	1	65.8	1092.0	---	---
11ax20MIMO	5500	Type5	5	3	637784.0	12	1	56.3	1851.0	---	---
11ax20MIMO	5500	Type5	5	4	845342.0	12	1	53.7	1727.0	---	---
11ax20MIMO	5500	Type5	5	5	196720.0	12	3	83.5	1679.0	1930.0	1025.0
11ax20MIMO	5500	Type5	5	6	404955.0	12	1	65.8	1519.0	---	---
11ax20MIMO	5500	Type5	5	7	610711.0	12	3	85.9	1134.0	1034.0	1808.0
11ax20MIMO	5500	Type5	5	8	818057.0	12	2	76.3	1606.0	1926.0	---
11ax20MIMO	5500	Type5	5	9	171459.0	12	2	81.5	1891.0	1714.0	---
11ax20MIMO	5500	Type5	5	10	377969.0	12	3	89.4	1310.0	1594.0	1827.0
11ax20MIMO	5500	Type5	5	11	586875.0	12	1	63.4	1568.0	---	---
11ax20MIMO	5500	Type5	5	12	792834.0	12	2	69.6	1307.0	1925.0	---
11ax20MIMO	5500	Type5	5	13	146044.0	12	2	74.5	1264.0	1846.0	---
11ax40MIMO	5510	Type5	5	0	15438.0	12	3	92.9	1085.0	1564.0	1407.0
11ax40MIMO	5510	Type5	5	1	222486.0	12	2	67.7	1744.0	1747.0	---
11ax40MIMO	5510	Type5	5	2	430731.0	12	1	65.8	1092.0	---	---
11ax40MIMO	5510	Type5	5	3	637784.0	12	1	56.3	1851.0	---	---
11ax40MIMO	5510	Type5	5	4	845342.0	12	1	53.7	1727.0	---	---
11ax40MIMO	5510	Type5	5	5	196720.0	12	3	83.5	1679.0	1930.0	1025.0
11ax40MIMO	5510	Type5	5	6	404955.0	12	1	65.8	1519.0	---	---
11ax40MIMO	5510	Type5	5	7	610711.0	12	3	85.9	1134.0	1034.0	1808.0
11ax40MIMO	5510	Type5	5	8	818057.0	12	2	76.3	1606.0	1926.0	---
11ax40MIMO	5510	Type5	5	9	171459.0	12	2	81.5	1891.0	1714.0	---
11ax40MIMO	5510	Type5	5	10	377969.0	12	3	89.4	1310.0	1594.0	1827.0
11ax40MIMO	5510	Type5	5	11	586875.0	12	1	63.4	1568.0	---	---

11ax40MIMO	5510	Type5	5	12	792834.0	12	2	69.6	1307.0	1925.0	---
11ax40MIMO	5510	Type5	5	13	146044.0	12	2	74.5	1264.0	1846.0	---
11ax80MIMO	5530	Type5	5	0	15438.0	12	3	92.9	1085.0	1564.0	1407.0
11ax80MIMO	5530	Type5	5	1	222486.0	12	2	67.7	1744.0	1747.0	---
11ax80MIMO	5530	Type5	5	2	430731.0	12	1	65.8	1092.0	---	---
11ax80MIMO	5530	Type5	5	3	637784.0	12	1	56.3	1851.0	---	---
11ax80MIMO	5530	Type5	5	4	845342.0	12	1	53.7	1727.0	---	---
11ax80MIMO	5530	Type5	5	5	196720.0	12	3	83.5	1679.0	1930.0	1025.0
11ax80MIMO	5530	Type5	5	6	404955.0	12	1	65.8	1519.0	---	---
11ax80MIMO	5530	Type5	5	7	610711.0	12	3	85.9	1134.0	1034.0	1808.0
11ax80MIMO	5530	Type5	5	8	818057.0	12	2	76.3	1606.0	1926.0	---
11ax80MIMO	5530	Type5	5	9	171459.0	12	2	81.5	1891.0	1714.0	---
11ax80MIMO	5530	Type5	5	10	377969.0	12	3	89.4	1310.0	1594.0	1827.0
11ax80MIMO	5530	Type5	5	11	586875.0	12	1	63.4	1568.0	---	---
11ax80MIMO	5530	Type5	5	12	792834.0	12	2	69.6	1307.0	1925.0	---
11ax80MIMO	5530	Type5	5	13	146044.0	12	2	74.5	1264.0	1846.0	---
11ax160MIMO	5570	Type5	5	0	15438.0	12	3	92.9	1085.0	1564.0	1407.0
11ax160MIMO	5570	Type5	5	1	222486.0	12	2	67.7	1744.0	1747.0	---
11ax160MIMO	5570	Type5	5	2	430731.0	12	1	65.8	1092.0	---	---
11ax160MIMO	5570	Type5	5	3	637784.0	12	1	56.3	1851.0	---	---
11ax160MIMO	5570	Type5	5	4	845342.0	12	1	53.7	1727.0	---	---
11ax160MIMO	5570	Type5	5	5	196720.0	12	3	83.5	1679.0	1930.0	1025.0
11ax160MIMO	5570	Type5	5	6	404955.0	12	1	65.8	1519.0	---	---
11ax160MIMO	5570	Type5	5	7	610711.0	12	3	85.9	1134.0	1034.0	1808.0
11ax160MIMO	5570	Type5	5	8	818057.0	12	2	76.3	1606.0	1926.0	---
11ax160MIMO	5570	Type5	5	9	171459.0	12	2	81.5	1891.0	1714.0	---
11ax160MIMO	5570	Type5	5	10	377969.0	12	3	89.4	1310.0	1594.0	1827.0
11ax160MIMO	5570	Type5	5	11	586875.0	12	1	63.4	1568.0	---	---
11ax160MIMO	5570	Type5	5	12	792834.0	12	2	69.6	1307.0	1925.0	---
11ax160MIMO	5570	Type5	5	13	146044.0	12	2	74.5	1264.0	1846.0	---

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr6@											
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11ax20MIMO	5500	Type5	6	0	329022.0	13	3	96.6	1182.0	1609.0	1581.0
11ax20MIMO	5500	Type5	6	1	521718.0	13	3	96.7	1829.0	1799.0	1154.0
11ax20MIMO	5500	Type5	6	2	714222.0	13	3	86.5	1923.0	1396.0	1865.0
11ax20MIMO	5500	Type5	6	3	112450.0	13	2	73.3	1908.0	1318.0	---
11ax20MIMO	5500	Type5	6	4	306283.0	13	1	55.8	1688.0	---	---
11ax20MIMO	5500	Type5	6	5	500239.0	13	1	55.4	1145.0	---	---
11ax20MIMO	5500	Type5	6	6	690932.0	13	3	85.3	1336.0	1504.0	1820.0
11ax20MIMO	5500	Type5	6	7	88645.0	13	2	79.4	1344.0	1893.0	---
11ax20MIMO	5500	Type5	6	8	282508.0	13	1	65.7	1476.0	---	---
11ax20MIMO	5500	Type5	6	9	475842.0	13	2	68.6	1008.0	1028.0	---
11ax20MIMO	5500	Type5	6	10	667887.0	13	2	77.7	1972.0	1835.0	---
11ax20MIMO	5500	Type5	6	11	64845.0	13	2	79.6	1882.0	1331.0	---
11ax20MIMO	5500	Type5	6	12	257755.0	13	3	94.9	1830.0	1070.0	1349.0
11ax20MIMO	5500	Type5	6	13	452335.0	13	1	61.4	1451.0	---	---
11ax20MIMO	5500	Type5	6	14	643395.0	13	3	90.6	1233.0	1562.0	1887.0
11ax40MIMO	5510	Type5	6	0	329022.0	13	3	96.6	1182.0	1609.0	1581.0
11ax40MIMO	5510	Type5	6	1	521718.0	13	3	96.7	1829.0	1799.0	1154.0
11ax40MIMO	5510	Type5	6	2	714222.0	13	3	86.5	1923.0	1396.0	1865.0
11ax40MIMO	5510	Type5	6	3	112450.0	13	2	73.3	1908.0	1318.0	---
11ax40MIMO	5510	Type5	6	4	306283.0	13	1	55.8	1688.0	---	---
11ax40MIMO	5510	Type5	6	5	500239.0	13	1	55.4	1145.0	---	---
11ax40MIMO	5510	Type5	6	6	690932.0	13	3	85.3	1336.0	1504.0	1820.0
11ax40MIMO	5510	Type5	6	7	88645.0	13	2	79.4	1344.0	1893.0	---
11ax40MIMO	5510	Type5	6	8	282508.0	13	1	65.7	1476.0	---	---
11ax40MIMO	5510	Type5	6	9	475842.0	13	2	68.6	1008.0	1028.0	---
11ax40MIMO	5510	Type5	6	10	667887.0	13	2	77.7	1972.0	1835.0	---
11ax40MIMO	5510	Type5	6	11	64845.0	13	2	79.6	1882.0	1331.0	---

11ax40MIMO	5510	Type5	6	12	257755.0	13	3	94.9	1830.0	1070.0	1349.0
11ax40MIMO	5510	Type5	6	13	452335.0	13	1	61.4	1451.0	---	---
11ax40MIMO	5510	Type5	6	14	643395.0	13	3	90.6	1233.0	1562.0	1887.0
11ax80MIMO	5530	Type5	6	0	329022.0	13	3	96.6	1182.0	1609.0	1581.0
11ax80MIMO	5530	Type5	6	1	521718.0	13	3	96.7	1829.0	1799.0	1154.0
11ax80MIMO	5530	Type5	6	2	714222.0	13	3	86.5	1923.0	1396.0	1865.0
11ax80MIMO	5530	Type5	6	3	112450.0	13	2	73.3	1908.0	1318.0	---
11ax80MIMO	5530	Type5	6	4	306283.0	13	1	55.8	1688.0	---	---
11ax80MIMO	5530	Type5	6	5	500239.0	13	1	55.4	1145.0	---	---
11ax80MIMO	5530	Type5	6	6	690932.0	13	3	85.3	1336.0	1504.0	1820.0
11ax80MIMO	5530	Type5	6	7	88645.0	13	2	79.4	1344.0	1893.0	---
11ax80MIMO	5530	Type5	6	8	282508.0	13	1	65.7	1476.0	---	---
11ax80MIMO	5530	Type5	6	9	475842.0	13	2	68.6	1008.0	1028.0	---
11ax80MIMO	5530	Type5	6	10	667887.0	13	2	77.7	1972.0	1835.0	---
11ax80MIMO	5530	Type5	6	11	64845.0	13	2	79.6	1882.0	1331.0	---
11ax80MIMO	5530	Type5	6	12	257755.0	13	3	94.9	1830.0	1070.0	1349.0
11ax80MIMO	5530	Type5	6	13	452335.0	13	1	61.4	1451.0	---	---
11ax80MIMO	5530	Type5	6	14	643395.0	13	3	90.6	1233.0	1562.0	1887.0
11ax160MIMO	5570	Type5	6	0	329022.0	13	3	96.6	1182.0	1609.0	1581.0
11ax160MIMO	5570	Type5	6	1	521718.0	13	3	96.7	1829.0	1799.0	1154.0
11ax160MIMO	5570	Type5	6	2	714222.0	13	3	86.5	1923.0	1396.0	1865.0
11ax160MIMO	5570	Type5	6	3	112450.0	13	2	73.3	1908.0	1318.0	---
11ax160MIMO	5570	Type5	6	4	306283.0	13	1	55.8	1688.0	---	---
11ax160MIMO	5570	Type5	6	5	500239.0	13	1	55.4	1145.0	---	---
11ax160MIMO	5570	Type5	6	6	690932.0	13	3	85.3	1336.0	1504.0	1820.0
11ax160MIMO	5570	Type5	6	7	88645.0	13	2	79.4	1344.0	1893.0	---
11ax160MIMO	5570	Type5	6	8	282508.0	13	1	65.7	1476.0	---	---
11ax160MIMO	5570	Type5	6	9	475842.0	13	2	68.6	1008.0	1028.0	---
11ax160MIMO	5570	Type5	6	10	667887.0	13	2	77.7	1972.0	1835.0	---
11ax160MIMO	5570	Type5	6	11	64845.0	13	2	79.6	1882.0	1331.0	---
11ax160MIMO	5570	Type5	6	12	257755.0	13	3	94.9	1830.0	1070.0	1349.0



11ax160MIMO	5570	Type5	6	13	452335.0	13	1	61.4	1451.0	---	---
11ax160MIMO	5570	Type5	6	14	643395.0	13	3	90.6	1233.0	1562.0	1887.0

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr7@											
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11ax20MIMO	5500	Type5	7	0	51446.0	10	1	52.6	1210.0	---	---
11ax20MIMO	5500	Type5	7	1	292696.0	10	3	84.1	1314.0	1725.0	1529.0
11ax20MIMO	5500	Type5	7	2	533989.0	10	3	97.7	1139.0	1868.0	1805.0
11ax20MIMO	5500	Type5	7	3	775564.0	10	3	97.3	1341.0	1446.0	1755.0
11ax20MIMO	5500	Type5	7	4	21542.0	10	3	98.8	1544.0	1386.0	1302.0
11ax20MIMO	5500	Type5	7	5	263385.0	10	2	72.2	1771.0	1184.0	---
11ax20MIMO	5500	Type5	7	6	505581.0	10	2	67.6	1175.0	1027.0	---
11ax20MIMO	5500	Type5	7	7	747058.0	10	2	75.7	1026.0	1871.0	---
11ax20MIMO	5500	Type5	7	8	989976.0	10	1	60.9	1798.0	---	---
11ax20MIMO	5500	Type5	7	9	234024.0	10	1	64.2	1138.0	---	---
11ax20MIMO	5500	Type5	7	10	475207.0	10	2	78.8	1784.0	1604.0	---
11ax20MIMO	5500	Type5	7	11	715825.0	10	3	87.5	1511.0	1712.0	1683.0
11ax40MIMO	5510	Type5	7	0	51446.0	10	1	52.6	1210.0	---	---
11ax40MIMO	5510	Type5	7	1	292696.0	10	3	84.1	1314.0	1725.0	1529.0
11ax40MIMO	5510	Type5	7	2	533989.0	10	3	97.7	1139.0	1868.0	1805.0
11ax40MIMO	5510	Type5	7	3	775564.0	10	3	97.3	1341.0	1446.0	1755.0
11ax40MIMO	5510	Type5	7	4	21542.0	10	3	98.8	1544.0	1386.0	1302.0
11ax40MIMO	5510	Type5	7	5	263385.0	10	2	72.2	1771.0	1184.0	---
11ax40MIMO	5510	Type5	7	6	505581.0	10	2	67.6	1175.0	1027.0	---
11ax40MIMO	5510	Type5	7	7	747058.0	10	2	75.7	1026.0	1871.0	---
11ax40MIMO	5510	Type5	7	8	989976.0	10	1	60.9	1798.0	---	---
11ax40MIMO	5510	Type5	7	9	234024.0	10	1	64.2	1138.0	---	---
11ax40MIMO	5510	Type5	7	10	475207.0	10	2	78.8	1784.0	1604.0	---
11ax40MIMO	5510	Type5	7	11	715825.0	10	3	87.5	1511.0	1712.0	1683.0
11ax80MIMO	5530	Type5	7	0	51446.0	10	1	52.6	1210.0	---	---
11ax80MIMO	5530	Type5	7	1	292696.0	10	3	84.1	1314.0	1725.0	1529.0

11ax80MIMO	5530	Type5	7	2	533989.0	10	3	97.7	1139.0	1868.0	1805.0
11ax80MIMO	5530	Type5	7	3	775564.0	10	3	97.3	1341.0	1446.0	1755.0
11ax80MIMO	5530	Type5	7	4	21542.0	10	3	98.8	1544.0	1386.0	1302.0
11ax80MIMO	5530	Type5	7	5	263385.0	10	2	72.2	1771.0	1184.0	---
11ax80MIMO	5530	Type5	7	6	505581.0	10	2	67.6	1175.0	1027.0	---
11ax80MIMO	5530	Type5	7	7	747058.0	10	2	75.7	1026.0	1871.0	---
11ax80MIMO	5530	Type5	7	8	989976.0	10	1	60.9	1798.0	---	---
11ax80MIMO	5530	Type5	7	9	234024.0	10	1	64.2	1138.0	---	---
11ax80MIMO	5530	Type5	7	10	475207.0	10	2	78.8	1784.0	1604.0	---
11ax80MIMO	5530	Type5	7	11	715825.0	10	3	87.5	1511.0	1712.0	1683.0
11ax160MIMO	5570	Type5	7	0	51446.0	10	1	52.6	1210.0	---	---
11ax160MIMO	5570	Type5	7	1	292696.0	10	3	84.1	1314.0	1725.0	1529.0
11ax160MIMO	5570	Type5	7	2	533989.0	10	3	97.7	1139.0	1868.0	1805.0
11ax160MIMO	5570	Type5	7	3	775564.0	10	3	97.3	1341.0	1446.0	1755.0
11ax160MIMO	5570	Type5	7	4	21542.0	10	3	98.8	1544.0	1386.0	1302.0
11ax160MIMO	5570	Type5	7	5	263385.0	10	2	72.2	1771.0	1184.0	---
11ax160MIMO	5570	Type5	7	6	505581.0	10	2	67.6	1175.0	1027.0	---
11ax160MIMO	5570	Type5	7	7	747058.0	10	2	75.7	1026.0	1871.0	---
11ax160MIMO	5570	Type5	7	8	989976.0	10	1	60.9	1798.0	---	---
11ax160MIMO	5570	Type5	7	9	234024.0	10	1	64.2	1138.0	---	---
11ax160MIMO	5570	Type5	7	10	475207.0	10	2	78.8	1784.0	1604.0	---
11ax160MIMO	5570	Type5	7	11	715825.0	10	3	87.5	1511.0	1712.0	1683.0

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr8@											
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11ax20MIMO	5500	Type5	8	0	823112.0	13	1	54.1	1415.0	---	---
11ax20MIMO	5500	Type5	8	1	174965.0	13	1	50.7	1221.0	---	---
11ax20MIMO	5500	Type5	8	2	382216.0	13	1	52.3	1974.0	---	---
11ax20MIMO	5500	Type5	8	3	587395.0	13	3	99.8	1558.0	1696.0	1949.0
11ax20MIMO	5500	Type5	8	4	796897.0	13	2	68.4	1014.0	1099.0	---
11ax20MIMO	5500	Type5	8	5	149042.0	13	2	80.8	1736.0	1505.0	---
11ax20MIMO	5500	Type5	8	6	356750.0	13	1	62.5	1778.0	---	---
11ax20MIMO	5500	Type5	8	7	563824.0	13	2	74.8	1149.0	1204.0	---
11ax20MIMO	5500	Type5	8	8	772314.0	13	1	50.8	1049.0	---	---
11ax20MIMO	5500	Type5	8	9	123796.0	13	1	54.0	1417.0	---	---
11ax20MIMO	5500	Type5	8	10	331215.0	13	1	63.0	1730.0	---	---
11ax20MIMO	5500	Type5	8	11	537402.0	13	3	91.8	1143.0	1270.0	1347.0
11ax20MIMO	5500	Type5	8	12	744805.0	13	2	79.3	1274.0	1992.0	---
11ax20MIMO	5500	Type5	8	13	98172.0	13	1	64.3	1937.0	---	---
11ax40MIMO	5510	Type5	8	0	823112.0	13	1	54.1	1415.0	---	---
11ax40MIMO	5510	Type5	8	1	174965.0	13	1	50.7	1221.0	---	---
11ax40MIMO	5510	Type5	8	2	382216.0	13	1	52.3	1974.0	---	---
11ax40MIMO	5510	Type5	8	3	587395.0	13	3	99.8	1558.0	1696.0	1949.0
11ax40MIMO	5510	Type5	8	4	796897.0	13	2	68.4	1014.0	1099.0	---
11ax40MIMO	5510	Type5	8	5	149042.0	13	2	80.8	1736.0	1505.0	---
11ax40MIMO	5510	Type5	8	6	356750.0	13	1	62.5	1778.0	---	---
11ax40MIMO	5510	Type5	8	7	563824.0	13	2	74.8	1149.0	1204.0	---
11ax40MIMO	5510	Type5	8	8	772314.0	13	1	50.8	1049.0	---	---
11ax40MIMO	5510	Type5	8	9	123796.0	13	1	54.0	1417.0	---	---
11ax40MIMO	5510	Type5	8	10	331215.0	13	1	63.0	1730.0	---	---
11ax40MIMO	5510	Type5	8	11	537402.0	13	3	91.8	1143.0	1270.0	1347.0

11ax40MIMO	5510	Type5	8	12	744805.0	13	2	79.3	1274.0	1992.0	---
11ax40MIMO	5510	Type5	8	13	98172.0	13	1	64.3	1937.0	---	---
11ax80MIMO	5530	Type5	8	0	823112.0	13	1	54.1	1415.0	---	---
11ax80MIMO	5530	Type5	8	1	174965.0	13	1	50.7	1221.0	---	---
11ax80MIMO	5530	Type5	8	2	382216.0	13	1	52.3	1974.0	---	---
11ax80MIMO	5530	Type5	8	3	587395.0	13	3	99.8	1558.0	1696.0	1949.0
11ax80MIMO	5530	Type5	8	4	796897.0	13	2	68.4	1014.0	1099.0	---
11ax80MIMO	5530	Type5	8	5	149042.0	13	2	80.8	1736.0	1505.0	---
11ax80MIMO	5530	Type5	8	6	356750.0	13	1	62.5	1778.0	---	---
11ax80MIMO	5530	Type5	8	7	563824.0	13	2	74.8	1149.0	1204.0	---
11ax80MIMO	5530	Type5	8	8	772314.0	13	1	50.8	1049.0	---	---
11ax80MIMO	5530	Type5	8	9	123796.0	13	1	54.0	1417.0	---	---
11ax80MIMO	5530	Type5	8	10	331215.0	13	1	63.0	1730.0	---	---
11ax80MIMO	5530	Type5	8	11	537402.0	13	3	91.8	1143.0	1270.0	1347.0
11ax80MIMO	5530	Type5	8	12	744805.0	13	2	79.3	1274.0	1992.0	---
11ax80MIMO	5530	Type5	8	13	98172.0	13	1	64.3	1937.0	---	---
11ax160MIMO	5570	Type5	8	0	823112.0	13	1	54.1	1415.0	---	---
11ax160MIMO	5570	Type5	8	1	174965.0	13	1	50.7	1221.0	---	---
11ax160MIMO	5570	Type5	8	2	382216.0	13	1	52.3	1974.0	---	---
11ax160MIMO	5570	Type5	8	3	587395.0	13	3	99.8	1558.0	1696.0	1949.0
11ax160MIMO	5570	Type5	8	4	796897.0	13	2	68.4	1014.0	1099.0	---
11ax160MIMO	5570	Type5	8	5	149042.0	13	2	80.8	1736.0	1505.0	---
11ax160MIMO	5570	Type5	8	6	356750.0	13	1	62.5	1778.0	---	---
11ax160MIMO	5570	Type5	8	7	563824.0	13	2	74.8	1149.0	1204.0	---
11ax160MIMO	5570	Type5	8	8	772314.0	13	1	50.8	1049.0	---	---
11ax160MIMO	5570	Type5	8	9	123796.0	13	1	54.0	1417.0	---	---
11ax160MIMO	5570	Type5	8	10	331215.0	13	1	63.0	1730.0	---	---
11ax160MIMO	5570	Type5	8	11	537402.0	13	3	91.8	1143.0	1270.0	1347.0
11ax160MIMO	5570	Type5	8	12	744805.0	13	2	79.3	1274.0	1992.0	---
11ax160MIMO	5570	Type5	8	13	98172.0	13	1	64.3	1937.0	---	---

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr9@											
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11ax20MIMO	5500	Type5	9	0	535615.0	6	1	63.4	1043.0	---	---
11ax20MIMO	5500	Type5	9	1	898668.0	6	1	52.0	1863.0	---	---
11ax20MIMO	5500	Type5	9	2	1259235.0	6	3	97.2	1973.0	1605.0	1583.0
11ax20MIMO	5500	Type5	9	3	127106.0	6	2	78.7	1466.0	1743.0	---
11ax20MIMO	5500	Type5	9	4	490358.0	6	2	74.2	1280.0	1219.0	---
11ax20MIMO	5500	Type5	9	5	852409.0	6	3	88.7	1293.0	1934.0	1273.0
11ax20MIMO	5500	Type5	9	6	1217152.0	6	1	54.3	1991.0	---	---
11ax20MIMO	5500	Type5	9	7	82296.0	6	3	95.4	1580.0	1555.0	1791.0
11ax40MIMO	5510	Type5	9	0	535615.0	6	1	63.4	1043.0	---	---
11ax40MIMO	5510	Type5	9	1	898668.0	6	1	52.0	1863.0	---	---
11ax40MIMO	5510	Type5	9	2	1259235.0	6	3	97.2	1973.0	1605.0	1583.0
11ax40MIMO	5510	Type5	9	3	127106.0	6	2	78.7	1466.0	1743.0	---
11ax40MIMO	5510	Type5	9	4	490358.0	6	2	74.2	1280.0	1219.0	---
11ax40MIMO	5510	Type5	9	5	852409.0	6	3	88.7	1293.0	1934.0	1273.0
11ax40MIMO	5510	Type5	9	6	1217152.0	6	1	54.3	1991.0	---	---
11ax40MIMO	5510	Type5	9	7	82296.0	6	3	95.4	1580.0	1555.0	1791.0
11ax80MIMO	5530	Type5	9	0	535615.0	6	1	63.4	1043.0	---	---
11ax80MIMO	5530	Type5	9	1	898668.0	6	1	52.0	1863.0	---	---
11ax80MIMO	5530	Type5	9	2	1259235.0	6	3	97.2	1973.0	1605.0	1583.0
11ax80MIMO	5530	Type5	9	3	127106.0	6	2	78.7	1466.0	1743.0	---
11ax80MIMO	5530	Type5	9	4	490358.0	6	2	74.2	1280.0	1219.0	---
11ax80MIMO	5530	Type5	9	5	852409.0	6	3	88.7	1293.0	1934.0	1273.0
11ax80MIMO	5530	Type5	9	6	1217152.0	6	1	54.3	1991.0	---	---
11ax80MIMO	5530	Type5	9	7	82296.0	6	3	95.4	1580.0	1555.0	1791.0
11ax160MIMO	5570	Type5	9	0	535615.0	6	1	63.4	1043.0	---	---
11ax160MIMO	5570	Type5	9	1	898668.0	6	1	52.0	1863.0	---	---
11ax160MIMO	5570	Type5	9	2	1259235.0	6	3	97.2	1973.0	1605.0	1583.0

11ax160MIMO	5570	Type5	9	3	127106.0	6	2	78.7	1466.0	1743.0	---
11ax160MIMO	5570	Type5	9	4	490358.0	6	2	74.2	1280.0	1219.0	---
11ax160MIMO	5570	Type5	9	5	852409.0	6	3	88.7	1293.0	1934.0	1273.0
11ax160MIMO	5570	Type5	9	6	1217152.0	6	1	54.3	1991.0	---	---
11ax160MIMO	5570	Type5	9	7	82296.0	6	3	95.4	1580.0	1555.0	1791.0

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr10@											
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11ax20MIMO	5500	Type5	10	0	209249.0	16	2	73.7	1208.0	1497.0	---
11ax20MIMO	5500	Type5	10	1	378386.0	16	3	97.4	1942.0	1754.0	1613.0
11ax20MIMO	5500	Type5	10	2	548411.0	16	3	91.7	1999.0	1702.0	1462.0
11ax20MIMO	5500	Type5	10	3	17733.0	16	1	66.2	1393.0	---	---
11ax20MIMO	5500	Type5	10	4	187952.0	16	2	70.8	1968.0	1821.0	---
11ax20MIMO	5500	Type5	10	5	359277.0	16	1	52.3	1740.0	---	---
11ax20MIMO	5500	Type5	10	6	528886.0	16	2	78.9	1308.0	1984.0	---
11ax20MIMO	5500	Type5	10	7	700166.0	16	2	70.9	1050.0	1358.0	---
11ax20MIMO	5500	Type5	10	8	167197.0	16	2	75.6	1437.0	1430.0	---
11ax20MIMO	5500	Type5	10	9	338262.0	16	1	59.1	1697.0	---	---
11ax20MIMO	5500	Type5	10	10	508324.0	16	2	77.0	1397.0	1304.0	---
11ax20MIMO	5500	Type5	10	11	678689.0	16	2	67.9	1803.0	1083.0	---
11ax20MIMO	5500	Type5	10	12	146031.0	16	2	81.2	1720.0	1932.0	---
11ax20MIMO	5500	Type5	10	13	316923.0	16	2	78.7	1247.0	1121.0	---
11ax20MIMO	5500	Type5	10	14	488056.0	16	1	63.3	1634.0	---	---
11ax20MIMO	5500	Type5	10	15	657326.0	16	2	68.9	1849.0	1423.0	---
11ax20MIMO	5500	Type5	10	16	125509.0	16	1	59.3	1093.0	---	---
11ax40MIMO	5510	Type5	10	0	209249.0	16	2	73.7	1208.0	1497.0	---
11ax40MIMO	5510	Type5	10	1	378386.0	16	3	97.4	1942.0	1754.0	1613.0
11ax40MIMO	5510	Type5	10	2	548411.0	16	3	91.7	1999.0	1702.0	1462.0
11ax40MIMO	5510	Type5	10	3	17733.0	16	1	66.2	1393.0	---	---
11ax40MIMO	5510	Type5	10	4	187952.0	16	2	70.8	1968.0	1821.0	---
11ax40MIMO	5510	Type5	10	5	359277.0	16	1	52.3	1740.0	---	---
11ax40MIMO	5510	Type5	10	6	528886.0	16	2	78.9	1308.0	1984.0	---
11ax40MIMO	5510	Type5	10	7	700166.0	16	2	70.9	1050.0	1358.0	---
11ax40MIMO	5510	Type5	10	8	167197.0	16	2	75.6	1437.0	1430.0	---

11ax40MIMO	5510	Type5	10	9	338262.0	16	1	59.1	1697.0	---	---
11ax40MIMO	5510	Type5	10	10	508324.0	16	2	77.0	1397.0	1304.0	---
11ax40MIMO	5510	Type5	10	11	678689.0	16	2	67.9	1803.0	1083.0	---
11ax40MIMO	5510	Type5	10	12	146031.0	16	2	81.2	1720.0	1932.0	---
11ax40MIMO	5510	Type5	10	13	316923.0	16	2	78.7	1247.0	1121.0	---
11ax40MIMO	5510	Type5	10	14	488056.0	16	1	63.3	1634.0	---	---
11ax40MIMO	5510	Type5	10	15	657326.0	16	2	68.9	1849.0	1423.0	---
11ax40MIMO	5510	Type5	10	16	125509.0	16	1	59.3	1093.0	---	---
11ax80MIMO	5530	Type5	10	0	209249.0	16	2	73.7	1208.0	1497.0	---
11ax80MIMO	5530	Type5	10	1	378386.0	16	3	97.4	1942.0	1754.0	1613.0
11ax80MIMO	5530	Type5	10	2	548411.0	16	3	91.7	1999.0	1702.0	1462.0
11ax80MIMO	5530	Type5	10	3	17733.0	16	1	66.2	1393.0	---	---
11ax80MIMO	5530	Type5	10	4	187952.0	16	2	70.8	1968.0	1821.0	---
11ax80MIMO	5530	Type5	10	5	359277.0	16	1	52.3	1740.0	---	---
11ax80MIMO	5530	Type5	10	6	528886.0	16	2	78.9	1308.0	1984.0	---
11ax80MIMO	5530	Type5	10	7	700166.0	16	2	70.9	1050.0	1358.0	---
11ax80MIMO	5530	Type5	10	8	167197.0	16	2	75.6	1437.0	1430.0	---
11ax80MIMO	5530	Type5	10	9	338262.0	16	1	59.1	1697.0	---	---
11ax80MIMO	5530	Type5	10	10	508324.0	16	2	77.0	1397.0	1304.0	---
11ax80MIMO	5530	Type5	10	11	678689.0	16	2	67.9	1803.0	1083.0	---
11ax80MIMO	5530	Type5	10	12	146031.0	16	2	81.2	1720.0	1932.0	---
11ax80MIMO	5530	Type5	10	13	316923.0	16	2	78.7	1247.0	1121.0	---
11ax80MIMO	5530	Type5	10	14	488056.0	16	1	63.3	1634.0	---	---
11ax80MIMO	5530	Type5	10	15	657326.0	16	2	68.9	1849.0	1423.0	---
11ax80MIMO	5530	Type5	10	16	125509.0	16	1	59.3	1093.0	---	---
11ax160MIMO	5570	Type5	10	0	209249.0	16	2	73.7	1208.0	1497.0	---
11ax160MIMO	5570	Type5	10	1	378386.0	16	3	97.4	1942.0	1754.0	1613.0
11ax160MIMO	5570	Type5	10	2	548411.0	16	3	91.7	1999.0	1702.0	1462.0
11ax160MIMO	5570	Type5	10	3	17733.0	16	1	66.2	1393.0	---	---
11ax160MIMO	5570	Type5	10	4	187952.0	16	2	70.8	1968.0	1821.0	---
11ax160MIMO	5570	Type5	10	5	359277.0	16	1	52.3	1740.0	---	---

11ax160MIMO	5570	Type5	10	6	528886.0	16	2	78.9	1308.0	1984.0	---
11ax160MIMO	5570	Type5	10	7	700166.0	16	2	70.9	1050.0	1358.0	---
11ax160MIMO	5570	Type5	10	8	167197.0	16	2	75.6	1437.0	1430.0	---
11ax160MIMO	5570	Type5	10	9	338262.0	16	1	59.1	1697.0	---	---
11ax160MIMO	5570	Type5	10	10	508324.0	16	2	77.0	1397.0	1304.0	---
11ax160MIMO	5570	Type5	10	11	678689.0	16	2	67.9	1803.0	1083.0	---
11ax160MIMO	5570	Type5	10	12	146031.0	16	2	81.2	1720.0	1932.0	---
11ax160MIMO	5570	Type5	10	13	316923.0	16	2	78.7	1247.0	1121.0	---
11ax160MIMO	5570	Type5	10	14	488056.0	16	1	63.3	1634.0	---	---
11ax160MIMO	5570	Type5	10	15	657326.0	16	2	68.9	1849.0	1423.0	---
11ax160MIMO	5570	Type5	10	16	125509.0	16	1	59.3	1093.0	---	---

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr11@											
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11ax20MIMO	5500	Type5	11	0	263736.0	19	3	98.9	1381.0	1680.0	1488.0
11ax20MIMO	5500	Type5	11	1	416459.0	19	2	82.3	1716.0	1855.0	---
11ax20MIMO	5500	Type5	11	2	567902.0	19	3	86.7	1211.0	1400.0	1919.0
11ax20MIMO	5500	Type5	11	3	92979.0	19	3	89.7	1861.0	1068.0	1282.0
11ax20MIMO	5500	Type5	11	4	245155.0	19	3	98.6	1507.0	1194.0	1461.0
11ax20MIMO	5500	Type5	11	5	397609.0	19	2	71.1	1921.0	1789.0	---
11ax20MIMO	5500	Type5	11	6	551431.0	19	1	55.9	1947.0	---	---
11ax20MIMO	5500	Type5	11	7	74413.0	19	2	67.9	1350.0	1372.0	---
11ax20MIMO	5500	Type5	11	8	226559.0	19	3	84.4	1203.0	1107.0	1443.0
11ax20MIMO	5500	Type5	11	9	380056.0	19	1	58.8	1715.0	---	---
11ax20MIMO	5500	Type5	11	10	533408.0	19	1	65.6	1017.0	---	---
11ax20MIMO	5500	Type5	11	11	55547.0	19	2	78.5	1911.0	1704.0	---
11ax20MIMO	5500	Type5	11	12	207876.0	19	2	82.3	1845.0	1686.0	---
11ax20MIMO	5500	Type5	11	13	359771.0	19	3	90.1	1938.0	1071.0	1266.0
11ax20MIMO	5500	Type5	11	14	511297.0	19	3	90.2	1989.0	1089.0	1950.0
11ax20MIMO	5500	Type5	11	15	36803.0	19	2	83.1	1943.0	1406.0	---
11ax20MIMO	5500	Type5	11	16	189652.0	19	1	58.8	1742.0	---	---
11ax20MIMO	5500	Type5	11	17	341809.0	19	2	77.0	1187.0	1657.0	---
11ax20MIMO	5500	Type5	11	18	495737.0	19	1	55.0	1012.0	---	---
11ax40MIMO	5510	Type5	11	0	263736.0	19	3	98.9	1381.0	1680.0	1488.0
11ax40MIMO	5510	Type5	11	1	416459.0	19	2	82.3	1716.0	1855.0	---
11ax40MIMO	5510	Type5	11	2	567902.0	19	3	86.7	1211.0	1400.0	1919.0
11ax40MIMO	5510	Type5	11	3	92979.0	19	3	89.7	1861.0	1068.0	1282.0
11ax40MIMO	5510	Type5	11	4	245155.0	19	3	98.6	1507.0	1194.0	1461.0
11ax40MIMO	5510	Type5	11	5	397609.0	19	2	71.1	1921.0	1789.0	---
11ax40MIMO	5510	Type5	11	6	551431.0	19	1	55.9	1947.0	---	---

11ax40MIMO	5510	Type5	11	7	74413.0	19	2	67.9	1350.0	1372.0	---
11ax40MIMO	5510	Type5	11	8	226559.0	19	3	84.4	1203.0	1107.0	1443.0
11ax40MIMO	5510	Type5	11	9	380056.0	19	1	58.8	1715.0	---	---
11ax40MIMO	5510	Type5	11	10	533408.0	19	1	65.6	1017.0	---	---
11ax40MIMO	5510	Type5	11	11	55547.0	19	2	78.5	1911.0	1704.0	---
11ax40MIMO	5510	Type5	11	12	207876.0	19	2	82.3	1845.0	1686.0	---
11ax40MIMO	5510	Type5	11	13	359771.0	19	3	90.1	1938.0	1071.0	1266.0
11ax40MIMO	5510	Type5	11	14	511297.0	19	3	90.2	1989.0	1089.0	1950.0
11ax40MIMO	5510	Type5	11	15	36803.0	19	2	83.1	1943.0	1406.0	---
11ax40MIMO	5510	Type5	11	16	189652.0	19	1	58.8	1742.0	---	---
11ax40MIMO	5510	Type5	11	17	341809.0	19	2	77.0	1187.0	1657.0	---
11ax40MIMO	5510	Type5	11	18	495737.0	19	1	55.0	1012.0	---	---
11ax80MIMO	5530	Type5	11	0	263736.0	19	3	98.9	1381.0	1680.0	1488.0
11ax80MIMO	5530	Type5	11	1	416459.0	19	2	82.3	1716.0	1855.0	---
11ax80MIMO	5530	Type5	11	2	567902.0	19	3	86.7	1211.0	1400.0	1919.0
11ax80MIMO	5530	Type5	11	3	92979.0	19	3	89.7	1861.0	1068.0	1282.0
11ax80MIMO	5530	Type5	11	4	245155.0	19	3	98.6	1507.0	1194.0	1461.0
11ax80MIMO	5530	Type5	11	5	397609.0	19	2	71.1	1921.0	1789.0	---
11ax80MIMO	5530	Type5	11	6	551431.0	19	1	55.9	1947.0	---	---
11ax80MIMO	5530	Type5	11	7	74413.0	19	2	67.9	1350.0	1372.0	---
11ax80MIMO	5530	Type5	11	8	226559.0	19	3	84.4	1203.0	1107.0	1443.0
11ax80MIMO	5530	Type5	11	9	380056.0	19	1	58.8	1715.0	---	---
11ax80MIMO	5530	Type5	11	10	533408.0	19	1	65.6	1017.0	---	---
11ax80MIMO	5530	Type5	11	11	55547.0	19	2	78.5	1911.0	1704.0	---
11ax80MIMO	5530	Type5	11	12	207876.0	19	2	82.3	1845.0	1686.0	---
11ax80MIMO	5530	Type5	11	13	359771.0	19	3	90.1	1938.0	1071.0	1266.0
11ax80MIMO	5530	Type5	11	14	511297.0	19	3	90.2	1989.0	1089.0	1950.0
11ax80MIMO	5530	Type5	11	15	36803.0	19	2	83.1	1943.0	1406.0	---
11ax80MIMO	5530	Type5	11	16	189652.0	19	1	58.8	1742.0	---	---
11ax80MIMO	5530	Type5	11	17	341809.0	19	2	77.0	1187.0	1657.0	---
11ax80MIMO	5530	Type5	11	18	495737.0	19	1	55.0	1012.0	---	---

11ax160MIMO	5570	Type5	11	0	263736.0	19	3	98.9	1381.0	1680.0	1488.0
11ax160MIMO	5570	Type5	11	1	416459.0	19	2	82.3	1716.0	1855.0	---
11ax160MIMO	5570	Type5	11	2	567902.0	19	3	86.7	1211.0	1400.0	1919.0
11ax160MIMO	5570	Type5	11	3	92979.0	19	3	89.7	1861.0	1068.0	1282.0
11ax160MIMO	5570	Type5	11	4	245155.0	19	3	98.6	1507.0	1194.0	1461.0
11ax160MIMO	5570	Type5	11	5	397609.0	19	2	71.1	1921.0	1789.0	---
11ax160MIMO	5570	Type5	11	6	551431.0	19	1	55.9	1947.0	---	---
11ax160MIMO	5570	Type5	11	7	74413.0	19	2	67.9	1350.0	1372.0	---
11ax160MIMO	5570	Type5	11	8	226559.0	19	3	84.4	1203.0	1107.0	1443.0
11ax160MIMO	5570	Type5	11	9	380056.0	19	1	58.8	1715.0	---	---
11ax160MIMO	5570	Type5	11	10	533408.0	19	1	65.6	1017.0	---	---
11ax160MIMO	5570	Type5	11	11	55547.0	19	2	78.5	1911.0	1704.0	---
11ax160MIMO	5570	Type5	11	12	207876.0	19	2	82.3	1845.0	1686.0	---
11ax160MIMO	5570	Type5	11	13	359771.0	19	3	90.1	1938.0	1071.0	1266.0
11ax160MIMO	5570	Type5	11	14	511297.0	19	3	90.2	1989.0	1089.0	1950.0
11ax160MIMO	5570	Type5	11	15	36803.0	19	2	83.1	1943.0	1406.0	---
11ax160MIMO	5570	Type5	11	16	189652.0	19	1	58.8	1742.0	---	---
11ax160MIMO	5570	Type5	11	17	341809.0	19	2	77.0	1187.0	1657.0	---
11ax160MIMO	5570	Type5	11	18	495737.0	19	1	55.0	1012.0	---	---

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr12@											
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11ax20MIMO	5500	Type5	12	0	22911.0	13	1	58.1	1929.0	---	---
11ax20MIMO	5500	Type5	12	1	216473.0	13	1	52.1	1910.0	---	---
11ax20MIMO	5500	Type5	12	2	410004.0	13	1	59.9	1971.0	---	---
11ax20MIMO	5500	Type5	12	3	603671.0	13	1	60.2	1812.0	---	---
11ax20MIMO	5500	Type5	12	4	794160.0	13	3	95.9	1399.0	1906.0	1608.0
11ax20MIMO	5500	Type5	12	5	192251.0	13	2	79.9	1626.0	1859.0	---
11ax20MIMO	5500	Type5	12	6	385590.0	13	2	78.5	1238.0	1917.0	---
11ax20MIMO	5500	Type5	12	7	579862.0	13	1	53.8	1763.0	---	---
11ax20MIMO	5500	Type5	12	8	773423.0	13	1	64.7	1800.0	---	---
11ax20MIMO	5500	Type5	12	9	168898.0	13	1	61.4	1390.0	---	---
11ax20MIMO	5500	Type5	12	10	361606.0	13	2	83.2	1692.0	1858.0	---
11ax20MIMO	5500	Type5	12	11	553866.0	13	3	84.7	1533.0	1677.0	1638.0
11ax20MIMO	5500	Type5	12	12	747241.0	13	3	88.7	1703.0	1528.0	1058.0
11ax20MIMO	5500	Type5	12	13	144710.0	13	2	78.3	1258.0	1951.0	---
11ax20MIMO	5500	Type5	12	14	337856.0	13	2	69.3	1731.0	1717.0	---
11ax40MIMO	5510	Type5	12	0	22911.0	13	1	58.1	1929.0	---	---
11ax40MIMO	5510	Type5	12	1	216473.0	13	1	52.1	1910.0	---	---
11ax40MIMO	5510	Type5	12	2	410004.0	13	1	59.9	1971.0	---	---
11ax40MIMO	5510	Type5	12	3	603671.0	13	1	60.2	1812.0	---	---
11ax40MIMO	5510	Type5	12	4	794160.0	13	3	95.9	1399.0	1906.0	1608.0
11ax40MIMO	5510	Type5	12	5	192251.0	13	2	79.9	1626.0	1859.0	---
11ax40MIMO	5510	Type5	12	6	385590.0	13	2	78.5	1238.0	1917.0	---
11ax40MIMO	5510	Type5	12	7	579862.0	13	1	53.8	1763.0	---	---
11ax40MIMO	5510	Type5	12	8	773423.0	13	1	64.7	1800.0	---	---
11ax40MIMO	5510	Type5	12	9	168898.0	13	1	61.4	1390.0	---	---
11ax40MIMO	5510	Type5	12	10	361606.0	13	2	83.2	1692.0	1858.0	---

11ax40MIMO	5510	Type5	12	11	553866.0	13	3	84.7	1533.0	1677.0	1638.0
11ax40MIMO	5510	Type5	12	12	747241.0	13	3	88.7	1703.0	1528.0	1058.0
11ax40MIMO	5510	Type5	12	13	144710.0	13	2	78.3	1258.0	1951.0	---
11ax40MIMO	5510	Type5	12	14	337856.0	13	2	69.3	1731.0	1717.0	---
11ax80MIMO	5530	Type5	12	0	22911.0	13	1	58.1	1929.0	---	---
11ax80MIMO	5530	Type5	12	1	216473.0	13	1	52.1	1910.0	---	---
11ax80MIMO	5530	Type5	12	2	410004.0	13	1	59.9	1971.0	---	---
11ax80MIMO	5530	Type5	12	3	603671.0	13	1	60.2	1812.0	---	---
11ax80MIMO	5530	Type5	12	4	794160.0	13	3	95.9	1399.0	1906.0	1608.0
11ax80MIMO	5530	Type5	12	5	192251.0	13	2	79.9	1626.0	1859.0	---
11ax80MIMO	5530	Type5	12	6	385590.0	13	2	78.5	1238.0	1917.0	---
11ax80MIMO	5530	Type5	12	7	579862.0	13	1	53.8	1763.0	---	---
11ax80MIMO	5530	Type5	12	8	773423.0	13	1	64.7	1800.0	---	---
11ax80MIMO	5530	Type5	12	9	168898.0	13	1	61.4	1390.0	---	---
11ax80MIMO	5530	Type5	12	10	361606.0	13	2	83.2	1692.0	1858.0	---
11ax80MIMO	5530	Type5	12	11	553866.0	13	3	84.7	1533.0	1677.0	1638.0
11ax80MIMO	5530	Type5	12	12	747241.0	13	3	88.7	1703.0	1528.0	1058.0
11ax80MIMO	5530	Type5	12	13	144710.0	13	2	78.3	1258.0	1951.0	---
11ax80MIMO	5530	Type5	12	14	337856.0	13	2	69.3	1731.0	1717.0	---
11ax160MIMO	5570	Type5	12	0	22911.0	13	1	58.1	1929.0	---	---
11ax160MIMO	5570	Type5	12	1	216473.0	13	1	52.1	1910.0	---	---
11ax160MIMO	5570	Type5	12	2	410004.0	13	1	59.9	1971.0	---	---
11ax160MIMO	5570	Type5	12	3	603671.0	13	1	60.2	1812.0	---	---
11ax160MIMO	5570	Type5	12	4	794160.0	13	3	95.9	1399.0	1906.0	1608.0
11ax160MIMO	5570	Type5	12	5	192251.0	13	2	79.9	1626.0	1859.0	---
11ax160MIMO	5570	Type5	12	6	385590.0	13	2	78.5	1238.0	1917.0	---
11ax160MIMO	5570	Type5	12	7	579862.0	13	1	53.8	1763.0	---	---
11ax160MIMO	5570	Type5	12	8	773423.0	13	1	64.7	1800.0	---	---
11ax160MIMO	5570	Type5	12	9	168898.0	13	1	61.4	1390.0	---	---
11ax160MIMO	5570	Type5	12	10	361606.0	13	2	83.2	1692.0	1858.0	---
11ax160MIMO	5570	Type5	12	11	553866.0	13	3	84.7	1533.0	1677.0	1638.0

11ax160MIMO	5570	Type5	12	12	747241.0	13	3	88.7	1703.0	1528.0	1058.0
11ax160MIMO	5570	Type5	12	13	144710.0	13	2	78.3	1258.0	1951.0	---
11ax160MIMO	5570	Type5	12	14	337856.0	13	2	69.3	1731.0	1717.0	---

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr13@											
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11ax20MIMO	5500	Type5	13	0	664275.0	10	2	75.3	1994.0	1612.0	---
11ax20MIMO	5500	Type5	13	1	907886.0	10	1	56.3	1456.0	---	---
11ax20MIMO	5500	Type5	13	2	151316.0	10	2	67.7	1617.0	1185.0	---
11ax20MIMO	5500	Type5	13	3	393746.0	10	1	55.6	1337.0	---	---
11ax20MIMO	5500	Type5	13	4	635093.0	10	2	75.2	1421.0	1267.0	---
11ax20MIMO	5500	Type5	13	5	876993.0	10	2	76.3	1359.0	1305.0	---
11ax20MIMO	5500	Type5	13	6	121278.0	10	3	85.7	1547.0	1362.0	1924.0
11ax20MIMO	5500	Type5	13	7	362696.0	10	3	98.4	1873.0	1550.0	1249.0
11ax20MIMO	5500	Type5	13	8	604342.0	10	3	86.4	1779.0	1439.0	1046.0
11ax20MIMO	5500	Type5	13	9	846453.0	10	3	93.6	1059.0	1031.0	1452.0
11ax20MIMO	5500	Type5	13	10	91871.0	10	1	63.3	1328.0	---	---
11ax20MIMO	5500	Type5	13	11	333050.0	10	3	92.4	1412.0	1673.0	1322.0
11ax40MIMO	5510	Type5	13	0	664275.0	10	2	75.3	1994.0	1612.0	---
11ax40MIMO	5510	Type5	13	1	907886.0	10	1	56.3	1456.0	---	---
11ax40MIMO	5510	Type5	13	2	151316.0	10	2	67.7	1617.0	1185.0	---
11ax40MIMO	5510	Type5	13	3	393746.0	10	1	55.6	1337.0	---	---
11ax40MIMO	5510	Type5	13	4	635093.0	10	2	75.2	1421.0	1267.0	---
11ax40MIMO	5510	Type5	13	5	876993.0	10	2	76.3	1359.0	1305.0	---
11ax40MIMO	5510	Type5	13	6	121278.0	10	3	85.7	1547.0	1362.0	1924.0
11ax40MIMO	5510	Type5	13	7	362696.0	10	3	98.4	1873.0	1550.0	1249.0
11ax40MIMO	5510	Type5	13	8	604342.0	10	3	86.4	1779.0	1439.0	1046.0
11ax40MIMO	5510	Type5	13	9	846453.0	10	3	93.6	1059.0	1031.0	1452.0
11ax40MIMO	5510	Type5	13	10	91871.0	10	1	63.3	1328.0	---	---
11ax40MIMO	5510	Type5	13	11	333050.0	10	3	92.4	1412.0	1673.0	1322.0
11ax80MIMO	5530	Type5	13	0	664275.0	10	2	75.3	1994.0	1612.0	---
11ax80MIMO	5530	Type5	13	1	907886.0	10	1	56.3	1456.0	---	---

11ax80MIMO	5530	Type5	13	2	151316.0	10	2	67.7	1617.0	1185.0	---
11ax80MIMO	5530	Type5	13	3	393746.0	10	1	55.6	1337.0	---	---
11ax80MIMO	5530	Type5	13	4	635093.0	10	2	75.2	1421.0	1267.0	---
11ax80MIMO	5530	Type5	13	5	876993.0	10	2	76.3	1359.0	1305.0	---
11ax80MIMO	5530	Type5	13	6	121278.0	10	3	85.7	1547.0	1362.0	1924.0
11ax80MIMO	5530	Type5	13	7	362696.0	10	3	98.4	1873.0	1550.0	1249.0
11ax80MIMO	5530	Type5	13	8	604342.0	10	3	86.4	1779.0	1439.0	1046.0
11ax80MIMO	5530	Type5	13	9	846453.0	10	3	93.6	1059.0	1031.0	1452.0
11ax80MIMO	5530	Type5	13	10	91871.0	10	1	63.3	1328.0	---	---
11ax80MIMO	5530	Type5	13	11	333050.0	10	3	92.4	1412.0	1673.0	1322.0
11ax160MIMO	5570	Type5	13	0	664275.0	10	2	75.3	1994.0	1612.0	---
11ax160MIMO	5570	Type5	13	1	907886.0	10	1	56.3	1456.0	---	---
11ax160MIMO	5570	Type5	13	2	151316.0	10	2	67.7	1617.0	1185.0	---
11ax160MIMO	5570	Type5	13	3	393746.0	10	1	55.6	1337.0	---	---
11ax160MIMO	5570	Type5	13	4	635093.0	10	2	75.2	1421.0	1267.0	---
11ax160MIMO	5570	Type5	13	5	876993.0	10	2	76.3	1359.0	1305.0	---
11ax160MIMO	5570	Type5	13	6	121278.0	10	3	85.7	1547.0	1362.0	1924.0
11ax160MIMO	5570	Type5	13	7	362696.0	10	3	98.4	1873.0	1550.0	1249.0
11ax160MIMO	5570	Type5	13	8	604342.0	10	3	86.4	1779.0	1439.0	1046.0
11ax160MIMO	5570	Type5	13	9	846453.0	10	3	93.6	1059.0	1031.0	1452.0
11ax160MIMO	5570	Type5	13	10	91871.0	10	1	63.3	1328.0	---	---
11ax160MIMO	5570	Type5	13	11	333050.0	10	3	92.4	1412.0	1673.0	1322.0

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr14@											
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11ax20MIMO	5500	Type5	14	0	361323.0	18	3	93.3	1983.0	1912.0	1535.0
11ax20MIMO	5500	Type5	14	1	515261.0	18	2	69.1	1102.0	1794.0	---
11ax20MIMO	5500	Type5	14	2	39025.0	18	3	86.9	1044.0	1152.0	1148.0
11ax20MIMO	5500	Type5	14	3	190900.0	18	3	84.9	1894.0	1948.0	1118.0
11ax20MIMO	5500	Type5	14	4	343941.0	18	2	72.3	1094.0	1916.0	---
11ax20MIMO	5500	Type5	14	5	497624.0	18	1	51.7	1447.0	---	---
11ax20MIMO	5500	Type5	14	6	20319.0	18	1	58.3	1429.0	---	---
11ax20MIMO	5500	Type5	14	7	172999.0	18	1	60.8	1979.0	---	---
11ax20MIMO	5500	Type5	14	8	325872.0	18	1	57.1	1641.0	---	---
11ax20MIMO	5500	Type5	14	9	475841.0	18	3	88.9	1886.0	1964.0	1489.0
11ax20MIMO	5500	Type5	14	10	1489.0	18	2	72.0	1909.0	1297.0	---
11ax20MIMO	5500	Type5	14	11	153647.0	18	3	90.9	1261.0	1566.0	1370.0
11ax20MIMO	5500	Type5	14	12	307096.0	18	1	59.8	1552.0	---	---
11ax20MIMO	5500	Type5	14	13	458804.0	18	2	70.0	1759.0	1291.0	---
11ax20MIMO	5500	Type5	14	14	610798.0	18	2	67.2	1625.0	1881.0	---
11ax20MIMO	5500	Type5	14	15	134759.0	18	3	91.2	1382.0	1832.0	1661.0
11ax20MIMO	5500	Type5	14	16	288306.0	18	1	56.5	1483.0	---	---
11ax20MIMO	5500	Type5	14	17	441296.0	18	1	51.2	1237.0	---	---
11ax20MIMO	5500	Type5	14	18	592780.0	18	2	74.1	1471.0	1245.0	---
11ax40MIMO	5510	Type5	14	0	361323.0	18	3	93.3	1983.0	1912.0	1535.0
11ax40MIMO	5510	Type5	14	1	515261.0	18	2	69.1	1102.0	1794.0	---
11ax40MIMO	5510	Type5	14	2	39025.0	18	3	86.9	1044.0	1152.0	1148.0
11ax40MIMO	5510	Type5	14	3	190900.0	18	3	84.9	1894.0	1948.0	1118.0
11ax40MIMO	5510	Type5	14	4	343941.0	18	2	72.3	1094.0	1916.0	---
11ax40MIMO	5510	Type5	14	5	497624.0	18	1	51.7	1447.0	---	---
11ax40MIMO	5510	Type5	14	6	20319.0	18	1	58.3	1429.0	---	---

11ax40MIMO	5510	Type5	14	7	172999.0	18	1	60.8	1979.0	---	---
11ax40MIMO	5510	Type5	14	8	325872.0	18	1	57.1	1641.0	---	---
11ax40MIMO	5510	Type5	14	9	475841.0	18	3	88.9	1886.0	1964.0	1489.0
11ax40MIMO	5510	Type5	14	10	1489.0	18	2	72.0	1909.0	1297.0	---
11ax40MIMO	5510	Type5	14	11	153647.0	18	3	90.9	1261.0	1566.0	1370.0
11ax40MIMO	5510	Type5	14	12	307096.0	18	1	59.8	1552.0	---	---
11ax40MIMO	5510	Type5	14	13	458804.0	18	2	70.0	1759.0	1291.0	---
11ax40MIMO	5510	Type5	14	14	610798.0	18	2	67.2	1625.0	1881.0	---
11ax40MIMO	5510	Type5	14	15	134759.0	18	3	91.2	1382.0	1832.0	1661.0
11ax40MIMO	5510	Type5	14	16	288306.0	18	1	56.5	1483.0	---	---
11ax40MIMO	5510	Type5	14	17	441296.0	18	1	51.2	1237.0	---	---
11ax40MIMO	5510	Type5	14	18	592780.0	18	2	74.1	1471.0	1245.0	---
11ax80MIMO	5530	Type5	14	0	361323.0	18	3	93.3	1983.0	1912.0	1535.0
11ax80MIMO	5530	Type5	14	1	515261.0	18	2	69.1	1102.0	1794.0	---
11ax80MIMO	5530	Type5	14	2	39025.0	18	3	86.9	1044.0	1152.0	1148.0
11ax80MIMO	5530	Type5	14	3	190900.0	18	3	84.9	1894.0	1948.0	1118.0
11ax80MIMO	5530	Type5	14	4	343941.0	18	2	72.3	1094.0	1916.0	---
11ax80MIMO	5530	Type5	14	5	497624.0	18	1	51.7	1447.0	---	---
11ax80MIMO	5530	Type5	14	6	20319.0	18	1	58.3	1429.0	---	---
11ax80MIMO	5530	Type5	14	7	172999.0	18	1	60.8	1979.0	---	---
11ax80MIMO	5530	Type5	14	8	325872.0	18	1	57.1	1641.0	---	---
11ax80MIMO	5530	Type5	14	9	475841.0	18	3	88.9	1886.0	1964.0	1489.0
11ax80MIMO	5530	Type5	14	10	1489.0	18	2	72.0	1909.0	1297.0	---
11ax80MIMO	5530	Type5	14	11	153647.0	18	3	90.9	1261.0	1566.0	1370.0
11ax80MIMO	5530	Type5	14	12	307096.0	18	1	59.8	1552.0	---	---
11ax80MIMO	5530	Type5	14	13	458804.0	18	2	70.0	1759.0	1291.0	---
11ax80MIMO	5530	Type5	14	14	610798.0	18	2	67.2	1625.0	1881.0	---
11ax80MIMO	5530	Type5	14	15	134759.0	18	3	91.2	1382.0	1832.0	1661.0
11ax80MIMO	5530	Type5	14	16	288306.0	18	1	56.5	1483.0	---	---
11ax80MIMO	5530	Type5	14	17	441296.0	18	1	51.2	1237.0	---	---
11ax80MIMO	5530	Type5	14	18	592780.0	18	2	74.1	1471.0	1245.0	---

11ax160MIMO	5570	Type5	14	0	361323.0	18	3	93.3	1983.0	1912.0	1535.0
11ax160MIMO	5570	Type5	14	1	515261.0	18	2	69.1	1102.0	1794.0	---
11ax160MIMO	5570	Type5	14	2	39025.0	18	3	86.9	1044.0	1152.0	1148.0
11ax160MIMO	5570	Type5	14	3	190900.0	18	3	84.9	1894.0	1948.0	1118.0
11ax160MIMO	5570	Type5	14	4	343941.0	18	2	72.3	1094.0	1916.0	---
11ax160MIMO	5570	Type5	14	5	497624.0	18	1	51.7	1447.0	---	---
11ax160MIMO	5570	Type5	14	6	20319.0	18	1	58.3	1429.0	---	---
11ax160MIMO	5570	Type5	14	7	172999.0	18	1	60.8	1979.0	---	---
11ax160MIMO	5570	Type5	14	8	325872.0	18	1	57.1	1641.0	---	---
11ax160MIMO	5570	Type5	14	9	475841.0	18	3	88.9	1886.0	1964.0	1489.0
11ax160MIMO	5570	Type5	14	10	1489.0	18	2	72.0	1909.0	1297.0	---
11ax160MIMO	5570	Type5	14	11	153647.0	18	3	90.9	1261.0	1566.0	1370.0
11ax160MIMO	5570	Type5	14	12	307096.0	18	1	59.8	1552.0	---	---
11ax160MIMO	5570	Type5	14	13	458804.0	18	2	70.0	1759.0	1291.0	---
11ax160MIMO	5570	Type5	14	14	610798.0	18	2	67.2	1625.0	1881.0	---
11ax160MIMO	5570	Type5	14	15	134759.0	18	3	91.2	1382.0	1832.0	1661.0
11ax160MIMO	5570	Type5	14	16	288306.0	18	1	56.5	1483.0	---	---
11ax160MIMO	5570	Type5	14	17	441296.0	18	1	51.2	1237.0	---	---
11ax160MIMO	5570	Type5	14	18	592780.0	18	2	74.1	1471.0	1245.0	---

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr15@											
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11ax20MIMO	5500	Type5	15	0	158286.0	12	2	76.9	1110.0	1140.0	---
11ax20MIMO	5500	Type5	15	1	366024.0	12	1	50.2	1316.0	---	---
11ax20MIMO	5500	Type5	15	2	573452.0	12	1	62.9	1520.0	---	---
11ax20MIMO	5500	Type5	15	3	780619.0	12	1	64.7	1902.0	---	---
11ax20MIMO	5500	Type5	15	4	132455.0	12	3	83.8	1410.0	1097.0	1621.0
11ax20MIMO	5500	Type5	15	5	340207.0	12	1	65.4	1944.0	---	---
11ax20MIMO	5500	Type5	15	6	548208.0	12	1	53.2	1024.0	---	---
11ax20MIMO	5500	Type5	15	7	755333.0	12	1	51.7	1603.0	---	---
11ax20MIMO	5500	Type5	15	8	107117.0	12	2	78.7	1804.0	1168.0	---
11ax20MIMO	5500	Type5	15	9	314500.0	12	2	72.4	1030.0	1343.0	---
11ax20MIMO	5500	Type5	15	10	522447.0	12	1	53.8	1327.0	---	---
11ax20MIMO	5500	Type5	15	11	728517.0	12	2	73.6	1524.0	1553.0	---
11ax20MIMO	5500	Type5	15	12	81611.0	12	2	66.7	1722.0	1122.0	---
11ax20MIMO	5500	Type5	15	13	288948.0	12	2	82.5	1404.0	1019.0	---
11ax40MIMO	5510	Type5	15	0	158286.0	12	2	76.9	1110.0	1140.0	---
11ax40MIMO	5510	Type5	15	1	366024.0	12	1	50.2	1316.0	---	---
11ax40MIMO	5510	Type5	15	2	573452.0	12	1	62.9	1520.0	---	---
11ax40MIMO	5510	Type5	15	3	780619.0	12	1	64.7	1902.0	---	---
11ax40MIMO	5510	Type5	15	4	132455.0	12	3	83.8	1410.0	1097.0	1621.0
11ax40MIMO	5510	Type5	15	5	340207.0	12	1	65.4	1944.0	---	---
11ax40MIMO	5510	Type5	15	6	548208.0	12	1	53.2	1024.0	---	---
11ax40MIMO	5510	Type5	15	7	755333.0	12	1	51.7	1603.0	---	---
11ax40MIMO	5510	Type5	15	8	107117.0	12	2	78.7	1804.0	1168.0	---
11ax40MIMO	5510	Type5	15	9	314500.0	12	2	72.4	1030.0	1343.0	---
11ax40MIMO	5510	Type5	15	10	522447.0	12	1	53.8	1327.0	---	---
11ax40MIMO	5510	Type5	15	11	728517.0	12	2	73.6	1524.0	1553.0	---

11ax40MIMO	5510	Type5	15	12	81611.0	12	2	66.7	1722.0	1122.0	---
11ax40MIMO	5510	Type5	15	13	288948.0	12	2	82.5	1404.0	1019.0	---
11ax80MIMO	5530	Type5	15	0	158286.0	12	2	76.9	1110.0	1140.0	---
11ax80MIMO	5530	Type5	15	1	366024.0	12	1	50.2	1316.0	---	---
11ax80MIMO	5530	Type5	15	2	573452.0	12	1	62.9	1520.0	---	---
11ax80MIMO	5530	Type5	15	3	780619.0	12	1	64.7	1902.0	---	---
11ax80MIMO	5530	Type5	15	4	132455.0	12	3	83.8	1410.0	1097.0	1621.0
11ax80MIMO	5530	Type5	15	5	340207.0	12	1	65.4	1944.0	---	---
11ax80MIMO	5530	Type5	15	6	548208.0	12	1	53.2	1024.0	---	---
11ax80MIMO	5530	Type5	15	7	755333.0	12	1	51.7	1603.0	---	---
11ax80MIMO	5530	Type5	15	8	107117.0	12	2	78.7	1804.0	1168.0	---
11ax80MIMO	5530	Type5	15	9	314500.0	12	2	72.4	1030.0	1343.0	---
11ax80MIMO	5530	Type5	15	10	522447.0	12	1	53.8	1327.0	---	---
11ax80MIMO	5530	Type5	15	11	728517.0	12	2	73.6	1524.0	1553.0	---
11ax80MIMO	5530	Type5	15	12	81611.0	12	2	66.7	1722.0	1122.0	---
11ax80MIMO	5530	Type5	15	13	288948.0	12	2	82.5	1404.0	1019.0	---
11ax160MIMO	5570	Type5	15	0	158286.0	12	2	76.9	1110.0	1140.0	---
11ax160MIMO	5570	Type5	15	1	366024.0	12	1	50.2	1316.0	---	---
11ax160MIMO	5570	Type5	15	2	573452.0	12	1	62.9	1520.0	---	---
11ax160MIMO	5570	Type5	15	3	780619.0	12	1	64.7	1902.0	---	---
11ax160MIMO	5570	Type5	15	4	132455.0	12	3	83.8	1410.0	1097.0	1621.0
11ax160MIMO	5570	Type5	15	5	340207.0	12	1	65.4	1944.0	---	---
11ax160MIMO	5570	Type5	15	6	548208.0	12	1	53.2	1024.0	---	---
11ax160MIMO	5570	Type5	15	7	755333.0	12	1	51.7	1603.0	---	---
11ax160MIMO	5570	Type5	15	8	107117.0	12	2	78.7	1804.0	1168.0	---
11ax160MIMO	5570	Type5	15	9	314500.0	12	2	72.4	1030.0	1343.0	---
11ax160MIMO	5570	Type5	15	10	522447.0	12	1	53.8	1327.0	---	---
11ax160MIMO	5570	Type5	15	11	728517.0	12	2	73.6	1524.0	1553.0	---
11ax160MIMO	5570	Type5	15	12	81611.0	12	2	66.7	1722.0	1122.0	---
11ax160MIMO	5570	Type5	15	13	288948.0	12	2	82.5	1404.0	1019.0	---

@FCC_RLAN_DFS_SPC_Radar_T5_SP2_Tr16@											
TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11ax20MIMO	5500	Type5	16	0	345766.0	20	3	87.6	1565.0	1055.0	1840.0
11ax20MIMO	5500	Type5	16	1	490019.0	20	3	85.2	1735.0	1541.0	1408.0
11ax20MIMO	5500	Type5	16	2	39073.0	20	3	84.8	1534.0	1889.0	1463.0
11ax20MIMO	5500	Type5	16	3	183923.0	20	2	77.9	1749.0	1460.0	---
11ax20MIMO	5500	Type5	16	4	328777.0	20	2	76.5	1518.0	1485.0	---
11ax20MIMO	5500	Type5	16	5	474728.0	20	1	60.9	1540.0	---	---
11ax20MIMO	5500	Type5	16	6	21394.0	20	2	83.0	1080.0	1010.0	---
11ax20MIMO	5500	Type5	16	7	165992.0	20	2	80.4	1824.0	1752.0	---
11ax20MIMO	5500	Type5	16	8	310973.0	20	2	67.5	1764.0	1181.0	---
11ax20MIMO	5500	Type5	16	9	456884.0	20	1	62.1	1495.0	---	---
11ax20MIMO	5500	Type5	16	10	3515.0	20	3	86.4	1773.0	1966.0	1263.0
11ax20MIMO	5500	Type5	16	11	147928.0	20	3	84.3	1593.0	1188.0	1788.0
11ax20MIMO	5500	Type5	16	12	293225.0	20	2	76.9	1226.0	1537.0	---
11ax20MIMO	5500	Type5	16	13	436922.0	20	3	95.8	1192.0	1298.0	1844.0
11ax20MIMO	5500	Type5	16	14	584015.0	20	1	55.2	1644.0	---	---
11ax20MIMO	5500	Type5	16	15	130832.0	20	1	59.0	1402.0	---	---
11ax20MIMO	5500	Type5	16	16	274684.0	20	3	94.5	1296.0	1700.0	1283.0
11ax20MIMO	5500	Type5	16	17	418579.0	20	3	91.9	1970.0	1978.0	1165.0
11ax20MIMO	5500	Type5	16	18	563464.0	20	3	85.2	1732.0	1551.0	1189.0
11ax20MIMO	5500	Type5	16	19	112787.0	20	2	69.5	1038.0	1224.0	---
11ax40MIMO	5510	Type5	16	0	345766.0	20	3	87.6	1565.0	1055.0	1840.0
11ax40MIMO	5510	Type5	16	1	490019.0	20	3	85.2	1735.0	1541.0	1408.0
11ax40MIMO	5510	Type5	16	2	39073.0	20	3	84.8	1534.0	1889.0	1463.0
11ax40MIMO	5510	Type5	16	3	183923.0	20	2	77.9	1749.0	1460.0	---
11ax40MIMO	5510	Type5	16	4	328777.0	20	2	76.5	1518.0	1485.0	---
11ax40MIMO	5510	Type5	16	5	474728.0	20	1	60.9	1540.0	---	---

11ax40MIMO	5510	Type5	16	6	21394.0	20	2	83.0	1080.0	1010.0	---
11ax40MIMO	5510	Type5	16	7	165992.0	20	2	80.4	1824.0	1752.0	---
11ax40MIMO	5510	Type5	16	8	310973.0	20	2	67.5	1764.0	1181.0	---
11ax40MIMO	5510	Type5	16	9	456884.0	20	1	62.1	1495.0	---	---
11ax40MIMO	5510	Type5	16	10	3515.0	20	3	86.4	1773.0	1966.0	1263.0
11ax40MIMO	5510	Type5	16	11	147928.0	20	3	84.3	1593.0	1188.0	1788.0
11ax40MIMO	5510	Type5	16	12	293225.0	20	2	76.9	1226.0	1537.0	---
11ax40MIMO	5510	Type5	16	13	436922.0	20	3	95.8	1192.0	1298.0	1844.0
11ax40MIMO	5510	Type5	16	14	584015.0	20	1	55.2	1644.0	---	---
11ax40MIMO	5510	Type5	16	15	130832.0	20	1	59.0	1402.0	---	---
11ax40MIMO	5510	Type5	16	16	274684.0	20	3	94.5	1296.0	1700.0	1283.0
11ax40MIMO	5510	Type5	16	17	418579.0	20	3	91.9	1970.0	1978.0	1165.0
11ax40MIMO	5510	Type5	16	18	563464.0	20	3	85.2	1732.0	1551.0	1189.0
11ax40MIMO	5510	Type5	16	19	112787.0	20	2	69.5	1038.0	1224.0	---
11ax80MIMO	5530	Type5	16	0	345766.0	20	3	87.6	1565.0	1055.0	1840.0
11ax80MIMO	5530	Type5	16	1	490019.0	20	3	85.2	1735.0	1541.0	1408.0
11ax80MIMO	5530	Type5	16	2	39073.0	20	3	84.8	1534.0	1889.0	1463.0
11ax80MIMO	5530	Type5	16	3	183923.0	20	2	77.9	1749.0	1460.0	---
11ax80MIMO	5530	Type5	16	4	328777.0	20	2	76.5	1518.0	1485.0	---
11ax80MIMO	5530	Type5	16	5	474728.0	20	1	60.9	1540.0	---	---
11ax80MIMO	5530	Type5	16	6	21394.0	20	2	83.0	1080.0	1010.0	---
11ax80MIMO	5530	Type5	16	7	165992.0	20	2	80.4	1824.0	1752.0	---
11ax80MIMO	5530	Type5	16	8	310973.0	20	2	67.5	1764.0	1181.0	---
11ax80MIMO	5530	Type5	16	9	456884.0	20	1	62.1	1495.0	---	---
11ax80MIMO	5530	Type5	16	10	3515.0	20	3	86.4	1773.0	1966.0	1263.0
11ax80MIMO	5530	Type5	16	11	147928.0	20	3	84.3	1593.0	1188.0	1788.0
11ax80MIMO	5530	Type5	16	12	293225.0	20	2	76.9	1226.0	1537.0	---
11ax80MIMO	5530	Type5	16	13	436922.0	20	3	95.8	1192.0	1298.0	1844.0
11ax80MIMO	5530	Type5	16	14	584015.0	20	1	55.2	1644.0	---	---
11ax80MIMO	5530	Type5	16	15	130832.0	20	1	59.0	1402.0	---	---
11ax80MIMO	5530	Type5	16	16	274684.0	20	3	94.5	1296.0	1700.0	1283.0

11ax80MIMO	5530	Type5	16	17	418579.0	20	3	91.9	1970.0	1978.0	1165.0
11ax80MIMO	5530	Type5	16	18	563464.0	20	3	85.2	1732.0	1551.0	1189.0
11ax80MIMO	5530	Type5	16	19	112787.0	20	2	69.5	1038.0	1224.0	---
11ax160MIMO	5570	Type5	16	0	345766.0	20	3	87.6	1565.0	1055.0	1840.0
11ax160MIMO	5570	Type5	16	1	490019.0	20	3	85.2	1735.0	1541.0	1408.0
11ax160MIMO	5570	Type5	16	2	39073.0	20	3	84.8	1534.0	1889.0	1463.0
11ax160MIMO	5570	Type5	16	3	183923.0	20	2	77.9	1749.0	1460.0	---
11ax160MIMO	5570	Type5	16	4	328777.0	20	2	76.5	1518.0	1485.0	---
11ax160MIMO	5570	Type5	16	5	474728.0	20	1	60.9	1540.0	---	---
11ax160MIMO	5570	Type5	16	6	21394.0	20	2	83.0	1080.0	1010.0	---
11ax160MIMO	5570	Type5	16	7	165992.0	20	2	80.4	1824.0	1752.0	---
11ax160MIMO	5570	Type5	16	8	310973.0	20	2	67.5	1764.0	1181.0	---
11ax160MIMO	5570	Type5	16	9	456884.0	20	1	62.1	1495.0	---	---
11ax160MIMO	5570	Type5	16	10	3515.0	20	3	86.4	1773.0	1966.0	1263.0
11ax160MIMO	5570	Type5	16	11	147928.0	20	3	84.3	1593.0	1188.0	1788.0
11ax160MIMO	5570	Type5	16	12	293225.0	20	2	76.9	1226.0	1537.0	---
11ax160MIMO	5570	Type5	16	13	436922.0	20	3	95.8	1192.0	1298.0	1844.0
11ax160MIMO	5570	Type5	16	14	584015.0	20	1	55.2	1644.0	---	---
11ax160MIMO	5570	Type5	16	15	130832.0	20	1	59.0	1402.0	---	---
11ax160MIMO	5570	Type5	16	16	274684.0	20	3	94.5	1296.0	1700.0	1283.0
11ax160MIMO	5570	Type5	16	17	418579.0	20	3	91.9	1970.0	1978.0	1165.0
11ax160MIMO	5570	Type5	16	18	563464.0	20	3	85.2	1732.0	1551.0	1189.0
11ax160MIMO	5570	Type5	16	19	112787.0	20	2	69.5	1038.0	1224.0	---