



## Radiated Emissions (Below 1GHz)

### 11ac20\_Channel 64 Worse



| Final Data List |                 |                |             |           |                   |                   |                |            |
|-----------------|-----------------|----------------|-------------|-----------|-------------------|-------------------|----------------|------------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF [dB/m] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity   |
| 1               | 33.6375         | 53.26          | -33.97      | 18.16     | 37.46             | 40.00             | 2.54           | Horizontal |
| 2               | 40.4275         | 40.26          | -33.85      | 18.80     | 25.21             | 40.00             | 14.79          | Horizontal |
| 3               | 61.525          | 48.32          | -33.53      | 17.45     | 32.23             | 40.00             | 7.77           | Horizontal |
| 4               | 68.0725         | 51.29          | -33.45      | 16.79     | 34.63             | 40.00             | 5.37           | Horizontal |
| 5               | 75.3475         | 50.86          | -33.38      | 15.40     | 32.88             | 40.00             | 7.12           | Horizontal |
| 6               | 86.26           | 53.59          | -33.29      | 14.30     | 34.60             | 40.00             | 5.40           | Horizontal |


## 11ac20\_Channel 64 Worse



| Final Data List |                 |                |             |           |                   |                   |                |          |
|-----------------|-----------------|----------------|-------------|-----------|-------------------|-------------------|----------------|----------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF [dB/m] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity |
| 1               | 32.1825         | 50.06          | -33.99      | 18.10     | 34.17             | 40.00             | 5.83           | Vertical |
| 2               | 36.0625         | 51.96          | -33.93      | 18.31     | 36.35             | 40.00             | 3.65           | Vertical |
| 3               | 60.3125         | 49.99          | -33.55      | 17.50     | 33.94             | 40.00             | 6.06           | Vertical |
| 4               | 67.83           | 52.27          | -33.45      | 16.85     | 35.67             | 40.00             | 4.33           | Vertical |
| 5               | 75.3475         | 53.28          | -33.38      | 15.40     | 35.30             | 40.00             | 4.70           | Vertical |
| 6               | 109.54          | 46.53          | -33.00      | 15.45     | 28.98             | 43.50             | 14.52          | Vertical |

## Radiated Emissions (Above 1GHz)


### 802.11a\_Channel 36



#### Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10360.000       | 44.56          | 38.54     | -38.82      | 44.28          | 68.30          | 24.02       | Horizontal |
| 2   | 10813.458       | 54.06          | 38.58     | -38.38      | 54.26          | 74.00          | 19.74       | Horizontal |
| 3   | 10813.937       | 51.88          | 38.58     | -38.38      | 52.08          | 54.00          | 1.92        | Horizontal |
| 4   | 11200.145       | 50.75          | 38.70     | -36.60      | 52.85          | 74.00          | 21.15       | Horizontal |
| 5   | 11200.625       | 46.93          | 38.70     | -36.60      | 49.03          | 54.00          | 4.97        | Horizontal |
| 6   | 15540.000       | 41.17          | 40.47     | -34.81      | 46.82          | 74.00          | 27.18       | Horizontal |


## 802.11a\_Channel 36



### Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10360.000       | 44.09          | 38.54     | -38.82      | 43.81          | 68.30          | 24.49       | Vertical |
| 2   | 10813.458       | 51.82          | 38.58     | -38.38      | 52.02          | 74.00          | 21.98       | Vertical |
| 3   | 10813.937       | 49.94          | 38.58     | -38.38      | 50.14          | 54.00          | 3.86        | Vertical |
| 4   | 11200.145       | 47.41          | 38.70     | -36.60      | 49.51          | 74.00          | 24.49       | Vertical |
| 5   | 11200.625       | 42.37          | 38.70     | -36.60      | 44.47          | 54.00          | 9.53        | Vertical |
| 6   | 15540.000       | 41.73          | 40.47     | -34.81      | 47.38          | 74.00          | 26.62       | Vertical |


## 802.11a\_Channel 44



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10440.666       | 48.32          | 38.54     | -38.74      | 48.13          | 68.30          | 20.17       | Horizontal |
| 2   | 10813.458       | 53.26          | 38.58     | -38.38      | 53.46          | 74.00          | 20.54       | Horizontal |
| 3   | 10813.937       | 51.82          | 38.58     | -38.38      | 52.02          | 54.00          | 1.98        | Horizontal |
| 4   | 11200.145       | 50.96          | 38.70     | -36.60      | 53.06          | 74.00          | 20.94       | Horizontal |
| 5   | 11200.625       | 47.54          | 38.70     | -36.60      | 49.64          | 54.00          | 4.36        | Horizontal |
| 6   | 15600.000       | 41.90          | 40.34     | -34.37      | 47.87          | 74.00          | 26.13       | Horizontal |


## 802.11a\_Channel 44



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10447.375       | 50.02          | 38.54     | -38.74      | 49.83          | 68.30          | 18.47       | Vertical |
| 2   | 10813.458       | 51.81          | 38.58     | -38.38      | 52.01          | 74.00          | 21.99       | Vertical |
| 3   | 10813.937       | 50.04          | 38.58     | -38.38      | 50.24          | 54.00          | 3.76        | Vertical |
| 4   | 11200.145       | 47.78          | 38.70     | -36.60      | 49.88          | 74.00          | 24.12       | Vertical |
| 5   | 11200.625       | 43.45          | 38.70     | -36.60      | 45.55          | 54.00          | 8.45        | Vertical |
| 6   | 15600.000       | 44.32          | 40.34     | -34.37      | 50.29          | 74.00          | 23.71       | Vertical |

## 802.11a\_Channel 48




## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10481.875       | 51.45          | 38.55     | -38.75      | 51.25          | 68.30          | 17.05       | Horizontal |
| 2   | 10813.458       | 53.26          | 38.58     | -38.38      | 53.46          | 74.00          | 20.54       | Horizontal |
| 3   | 10813.937       | 51.44          | 38.58     | -38.38      | 51.64          | 54.00          | 2.36        | Horizontal |
| 4   | 11200.145       | 50.53          | 38.70     | -36.60      | 52.63          | 74.00          | 21.37       | Horizontal |
| 5   | 11200.625       | 47.50          | 38.70     | -36.60      | 49.60          | 54.00          | 4.40        | Horizontal |
| 6   | 15732.104       | 44.84          | 40.06     | -33.20      | 51.71          | 74.00          | 22.29       | Horizontal |




802.11a\_Channel 48



| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 10477.083       | 52.69          | 38.55     | -38.75      | 52.49          | 68.30          | 15.81       | Vertical |
| 2         | 10813.458       | 51.70          | 38.58     | -38.38      | 51.90          | 74.00          | 22.10       | Vertical |
| 3         | 10813.937       | 50.51          | 38.58     | -38.38      | 50.71          | 54.00          | 3.29        | Vertical |
| 4         | 11199.6667      | 46.43          | 38.70     | -36.60      | 48.53          | 74.00          | 25.47       | Vertical |
| 5         | 11200.625       | 42.47          | 38.70     | -36.60      | 44.57          | 54.00          | 9.43        | Vertical |
| 6         | 15719.166       | 44.24          | 40.09     | -33.22      | 51.11          | 74.00          | 22.89       | Vertical |


## 802.11a\_Channel 52



## Data List


| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10513.5         | 50.64          | 38.55     | -38.66      | 50.53          | 68.30          | 17.77       | Horizontal |
| 2   | 10813.458       | 52.50          | 38.58     | -38.38      | 52.70          | 74.00          | 21.30       | Horizontal |
| 3   | 10813.937       | 51.11          | 38.58     | -38.38      | 51.31          | 54.00          | 2.69        | Horizontal |
| 4   | 11200.145       | 50.07          | 38.70     | -36.60      | 52.17          | 74.00          | 21.83       | Horizontal |
| 5   | 11200.625       | 47.20          | 38.70     | -36.60      | 49.30          | 54.00          | 4.70        | Horizontal |
| 6   | 15779.062       | 46.29          | 39.96     | -33.10      | 53.15          | 74.00          | 20.85       | Horizontal |

## 802.11a\_Channel 52



| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 10520.000       | 43.71          | 38.55     | -38.61      | 43.65          | 68.30          | 24.65       | Vertical |
| 2         | 10813.458       | 52.19          | 38.58     | -38.38      | 52.39          | 74.00          | 21.61       | Vertical |
| 3         | 10813.937       | 50.48          | 38.58     | -38.38      | 50.68          | 54.00          | 3.32        | Vertical |
| 4         | 11200.145       | 47.62          | 38.70     | -36.60      | 49.72          | 74.00          | 24.28       | Vertical |
| 5         | 11200.625       | 44.29          | 38.70     | -36.60      | 46.39          | 54.00          | 7.61        | Vertical |
| 6         | 15780.000       | 41.96          | 39.96     | -33.10      | 48.82          | 74.00          | 25.18       | Vertical |


## 802.11a\_Channel 60



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10597.833       | 49.09          | 38.56     | -38.03      | 49.62          | 68.30          | 18.68       | Horizontal |
| 2   | 10813.458       | 53.67          | 38.58     | -38.38      | 53.87          | 74.00          | 20.13       | Horizontal |
| 3   | 10813.937       | 52.50          | 38.58     | -38.38      | 52.70          | 54.00          | 1.30        | Horizontal |
| 4   | 11199.6667      | 50.27          | 38.70     | -36.60      | 52.37          | 74.00          | 21.63       | Horizontal |
| 5   | 11200.625       | 46.91          | 38.70     | -36.60      | 49.01          | 54.00          | 4.99        | Horizontal |
| 6   | 15900.000       | 41.55          | 39.71     | -34.13      | 47.13          | 74.00          | 26.87       | Horizontal |


## 802.11a\_Channel 60



### Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10601.666       | 47.32          | 38.56     | -38.00      | 47.88          | 74.00          | 26.12       | Vertical |
| 2   | 10813.458       | 52.39          | 38.58     | -38.38      | 52.59          | 74.00          | 21.41       | Vertical |
| 3   | 10813.937       | 50.26          | 38.58     | -38.38      | 50.46          | 54.00          | 3.54        | Vertical |
| 4   | 11199.6667      | 49.22          | 38.70     | -36.60      | 51.32          | 74.00          | 22.68       | Vertical |
| 5   | 11200.625       | 44.80          | 38.70     | -36.60      | 46.90          | 54.00          | 7.10        | Vertical |
| 6   | 15900.000       | 41.30          | 39.71     | -34.13      | 46.88          | 74.00          | 27.12       | Vertical |


## 802.11a\_Channel 64



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10640.000       | 43.44          | 38.56     | -37.80      | 44.20          | 74.00          | 29.80       | Horizontal |
| 2   | 10813.458       | 53.23          | 38.58     | -38.38      | 53.43          | 74.00          | 20.57       | Horizontal |
| 3   | 10813.937       | 51.95          | 38.58     | -38.38      | 52.15          | 54.00          | 1.85        | Horizontal |
| 4   | 11200.145       | 50.85          | 38.70     | -36.60      | 52.95          | 74.00          | 21.05       | Horizontal |
| 5   | 11200.625       | 47.55          | 38.70     | -36.60      | 49.65          | 54.00          | 4.35        | Horizontal |
| 6   | 15960.000       | 42.65          | 39.58     | -34.63      | 47.60          | 74.00          | 26.40       | Horizontal |


## 802.11a\_Channel 64



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10640.000       | 42.52          | 38.56     | -37.80      | 43.28          | 74.00          | 30.72       | Vertical |
| 2   | 10813.458       | 51.99          | 38.58     | -38.38      | 52.19          | 74.00          | 21.81       | Vertical |
| 3   | 10813.937       | 50.33          | 38.58     | -38.38      | 50.53          | 54.00          | 3.47        | Vertical |
| 4   | 11200.145       | 48.29          | 38.70     | -36.60      | 50.39          | 74.00          | 23.61       | Vertical |
| 5   | 11200.625       | 43.97          | 38.70     | -36.60      | 46.07          | 54.00          | 7.93        | Vertical |
| 6   | 15960.000       | 41.68          | 39.58     | -34.63      | 46.63          | 74.00          | 27.37       | Vertical |


## 802.11a\_Channel 100



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10813.458       | 54.15          | 38.58     | -38.38      | 54.35          | 74.00          | 19.65       | Horizontal |
| 2   | 10813.937       | 52.37          | 38.58     | -38.38      | 52.57          | 54.00          | 1.43        | Horizontal |
| 3   | 10998.416       | 48.41          | 38.60     | -37.59      | 49.42          | 74.00          | 24.58       | Horizontal |
| 4   | 11002.25        | 39.04          | 38.60     | -37.59      | 40.05          | 54.00          | 13.95       | Horizontal |
| 5   | 11200.145       | 50.29          | 38.70     | -36.60      | 52.39          | 74.00          | 21.61       | Horizontal |
| 6   | 11200.625       | 47.24          | 38.70     | -36.60      | 49.34          | 54.00          | 4.66        | Horizontal |


## 802.11a\_Channel 100



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10813.458       | 52.02          | 38.58     | -38.38      | 52.22          | 74.00          | 21.78       | Vertical |
| 2   | 10813.937       | 50.49          | 38.58     | -38.38      | 50.69          | 54.00          | 3.31        | Vertical |
| 3   | 11002.729       | 42.90          | 38.60     | -37.59      | 43.91          | 54.00          | 10.09       | Vertical |
| 4   | 11003.208       | 51.10          | 38.60     | -37.60      | 52.11          | 74.00          | 21.89       | Vertical |
| 5   | 11200.145       | 47.06          | 38.70     | -36.60      | 49.16          | 74.00          | 24.84       | Vertical |
| 6   | 11200.625       | 43.31          | 38.70     | -36.60      | 45.41          | 54.00          | 8.59        | Vertical |


## 802.11a\_Channel 116



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10813.458       | 53.34          | 38.58     | -38.38      | 53.54          | 74.00          | 20.46       | Horizontal |
| 2   | 10813.937       | 51.56          | 38.58     | -38.38      | 51.76          | 54.00          | 2.24        | Horizontal |
| 3   | 11059.75        | 43.80          | 38.63     | -37.69      | 44.74          | 54.00          | 9.26        | Horizontal |
| 4   | 11065.979       | 52.28          | 38.63     | -37.70      | 53.22          | 74.00          | 20.78       | Horizontal |
| 5   | 11200.145       | 50.25          | 38.70     | -36.60      | 52.35          | 74.00          | 21.65       | Horizontal |
| 6   | 11200.625       | 47.83          | 38.70     | -36.60      | 49.93          | 54.00          | 4.07        | Horizontal |


## 802.11a\_Channel 116



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10813.458       | 52.05          | 38.58     | -38.38      | 52.25          | 74.00          | 21.75       | Vertical |
| 2   | 10813.937       | 50.20          | 38.58     | -38.38      | 50.40          | 54.00          | 3.60        | Vertical |
| 3   | 11062.145       | 43.51          | 38.63     | -37.69      | 44.45          | 54.00          | 9.55        | Vertical |
| 4   | 11062.625       | 52.27          | 38.63     | -37.69      | 53.21          | 74.00          | 20.79       | Vertical |
| 5   | 11200.145       | 47.66          | 38.70     | -36.60      | 49.76          | 74.00          | 24.24       | Vertical |
| 6   | 11200.625       | 44.16          | 38.70     | -36.60      | 46.26          | 54.00          | 7.74        | Vertical |


## 802.11a\_Channel 140



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10813.458       | 54.53          | 38.58     | -38.38      | 54.73          | 74.00          | 19.27       | Horizontal |
| 2   | 10813.937       | 52.93          | 38.58     | -38.38      | 53.13          | 54.00          | 0.87        | Horizontal |
| 3   | 11199.6667      | 50.91          | 38.70     | -36.60      | 53.01          | 74.00          | 20.99       | Horizontal |
| 4   | 11200.625       | 47.64          | 38.70     | -36.60      | 49.74          | 54.00          | 4.26        | Horizontal |
| 5   | 11400.000       | 42.44          | 38.80     | -37.51      | 43.73          | 74.00          | 30.27       | Horizontal |
| 6   | 17100.000       | 44.27          | 42.54     | -33.74      | 53.07          | 68.30          | 15.23       | Horizontal |


## 802.11a\_Channel 140



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10813.458       | 52.52          | 38.58     | -38.38      | 52.72          | 74.00          | 21.28       | Vertical |
| 2   | 10813.937       | 50.16          | 38.58     | -38.38      | 50.36          | 54.00          | 3.64        | Vertical |
| 3   | 11200.145       | 48.01          | 38.70     | -36.60      | 50.11          | 74.00          | 23.89       | Vertical |
| 4   | 11200.625       | 44.76          | 38.70     | -36.60      | 46.86          | 54.00          | 7.14        | Vertical |
| 5   | 11400.000       | 44.34          | 38.80     | -37.51      | 45.63          | 74.00          | 28.37       | Vertical |
| 6   | 17100.000       | 42.85          | 42.54     | -33.74      | 51.65          | 68.30          | 16.65       | Vertical |


## 802.11a\_Channel 149



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10813.458       | 53.33          | 38.58     | -38.38      | 53.53          | 74.00          | 20.47       | Horizontal |
| 2   | 10813.937       | 51.56          | 38.58     | -38.38      | 51.76          | 54.00          | 2.24        | Horizontal |
| 3   | 11200.145       | 50.30          | 38.70     | -36.60      | 52.40          | 74.00          | 21.60       | Horizontal |
| 4   | 11200.625       | 46.85          | 38.70     | -36.60      | 48.95          | 54.00          | 5.05        | Horizontal |
| 5   | 11490.000       | 41.51          | 38.85     | -36.61      | 43.75          | 74.00          | 30.25       | Horizontal |
| 6   | 17235.000       | 43.04          | 43.14     | -34.96      | 51.22          | 68.30          | 17.08       | Horizontal |


## 802.11a\_Channel 149



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10813.458       | 51.52          | 38.58     | -38.38      | 51.72          | 74.00          | 22.28       | Vertical |
| 2   | 10813.937       | 50.01          | 38.58     | -38.38      | 50.21          | 54.00          | 3.79        | Vertical |
| 3   | 11199.6667      | 48.39          | 38.70     | -36.60      | 50.49          | 74.00          | 23.51       | Vertical |
| 4   | 11200.625       | 43.73          | 38.70     | -36.60      | 45.83          | 54.00          | 8.17        | Vertical |
| 5   | 11490.000       | 42.72          | 38.85     | -36.61      | 44.96          | 74.00          | 29.04       | Vertical |
| 6   | 17235.000       | 43.65          | 43.14     | -34.96      | 51.83          | 68.30          | 16.47       | Vertical |


## 802.11a\_Channel 157



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10813.458       | 53.88          | 38.58     | -38.38      | 54.08          | 74.00          | 19.92       | Horizontal |
| 2   | 10813.937       | 52.12          | 38.58     | -38.38      | 52.32          | 54.00          | 1.68        | Horizontal |
| 3   | 11200.145       | 50.55          | 38.70     | -36.60      | 52.65          | 74.00          | 21.35       | Horizontal |
| 4   | 11200.625       | 47.18          | 38.70     | -36.60      | 49.28          | 54.00          | 4.72        | Horizontal |
| 5   | 11570.000       | 42.50          | 38.89     | -36.84      | 44.55          | 74.00          | 29.45       | Horizontal |
| 6   | 17355.000       | 42.77          | 43.66     | -35.00      | 51.43          | 68.30          | 16.87       | Horizontal |


## 802.11a\_Channel 157



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10813.458       | 52.42          | 38.58     | -38.38      | 52.62          | 74.00          | 21.38       | Vertical |
| 2   | 10813.937       | 50.19          | 38.58     | -38.38      | 50.39          | 54.00          | 3.61        | Vertical |
| 3   | 11200.145       | 45.95          | 38.70     | -36.60      | 48.05          | 74.00          | 25.95       | Vertical |
| 4   | 11200.625       | 42.23          | 38.70     | -36.60      | 44.33          | 54.00          | 9.67        | Vertical |
| 5   | 11570.000       | 43.25          | 38.89     | -36.84      | 45.30          | 74.00          | 28.70       | Vertical |
| 6   | 17355.000       | 42.22          | 43.66     | -35.00      | 50.88          | 68.30          | 17.42       | Vertical |


## 802.11a\_Channel 165



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10813.458       | 53.36          | 38.58     | -38.38      | 53.56          | 74.00          | 20.44       | Horizontal |
| 2   | 10813.937       | 51.72          | 38.58     | -38.38      | 51.92          | 54.00          | 2.08        | Horizontal |
| 3   | 11200.145       | 50.06          | 38.70     | -36.60      | 52.16          | 74.00          | 21.84       | Horizontal |
| 4   | 11200.625       | 46.81          | 38.70     | -36.60      | 48.91          | 54.00          | 5.09        | Horizontal |
| 5   | 11647.208       | 45.50          | 38.92     | -36.56      | 47.86          | 74.00          | 26.14       | Horizontal |
| 6   | 17475.000       | 43.53          | 44.19     | -34.07      | 53.65          | 68.30          | 14.65       | Horizontal |


## 802.11a\_Channel 165



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10813.458       | 52.74          | 38.58     | -38.38      | 52.94          | 74.00          | 21.06       | Vertical |
| 2   | 10813.937       | 50.28          | 38.58     | -38.38      | 50.48          | 54.00          | 3.52        | Vertical |
| 3   | 11199.6667      | 47.22          | 38.70     | -36.60      | 49.32          | 74.00          | 24.68       | Vertical |
| 4   | 11200.625       | 44.02          | 38.70     | -36.60      | 46.12          | 54.00          | 7.88        | Vertical |
| 5   | 11643.854       | 45.96          | 38.92     | -36.59      | 48.29          | 74.00          | 25.71       | Vertical |
| 6   | 17475.000       | 42.40          | 44.19     | -34.07      | 52.52          | 68.30          | 15.78       | Vertical |


## 802.11ac20\_Channel 36



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10360.000       | 44.34          | 38.54     | -38.82      | 44.06          | 68.30          | 24.24       | Horizontal |
| 2   | 10813.458       | 53.18          | 38.58     | -38.38      | 53.38          | 74.00          | 20.62       | Horizontal |
| 3   | 10813.937       | 51.20          | 38.58     | -38.38      | 51.40          | 54.00          | 2.60        | Horizontal |
| 4   | 11200.145       | 50.37          | 38.70     | -36.60      | 52.47          | 74.00          | 21.53       | Horizontal |
| 5   | 11200.625       | 46.95          | 38.70     | -36.60      | 49.05          | 54.00          | 4.95        | Horizontal |
| 6   | 15540.000       | 41.97          | 40.47     | -34.81      | 47.62          | 54.00          | 6.38        | Horizontal |


## 802.11ac20\_Channel 36



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10360.000       | 44.87          | 38.54     | -38.82      | 44.59          | 68.30          | 23.71       | Vertical |
| 2   | 10813.458       | 51.84          | 38.58     | -38.38      | 52.04          | 74.00          | 21.96       | Vertical |
| 3   | 10813.937       | 50.25          | 38.58     | -38.38      | 50.45          | 54.00          | 3.55        | Vertical |
| 4   | 11199.6667      | 47.00          | 38.70     | -36.60      | 49.10          | 74.00          | 24.90       | Vertical |
| 5   | 11200.625       | 42.68          | 38.70     | -36.60      | 44.78          | 54.00          | 9.22        | Vertical |
| 6   | 15540.000       | 41.80          | 40.47     | -34.81      | 47.45          | 54.00          | 6.55        | Vertical |


## 802.11ac20\_Channel 44



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10442.104       | 47.46          | 38.54     | -38.74      | 47.27          | 68.30          | 21.03       | Horizontal |
| 2   | 10813.458       | 53.04          | 38.58     | -38.38      | 53.24          | 74.00          | 20.76       | Horizontal |
| 3   | 10813.937       | 51.25          | 38.58     | -38.38      | 51.45          | 54.00          | 2.55        | Horizontal |
| 4   | 11199.6667      | 49.85          | 38.70     | -36.60      | 51.95          | 74.00          | 22.05       | Horizontal |
| 5   | 11200.625       | 46.58          | 38.70     | -36.60      | 48.68          | 54.00          | 5.32        | Horizontal |
| 6   | 15600.000       | 43.31          | 40.34     | -34.37      | 49.28          | 74.00          | 24.72       | Horizontal |


## 802.11ac20\_Channel 44



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10438.75        | 48.19          | 38.54     | -38.74      | 48.00          | 68.30          | 20.30       | Vertical |
| 2   | 10813.458       | 52.07          | 38.58     | -38.38      | 52.27          | 74.00          | 21.73       | Vertical |
| 3   | 10813.937       | 50.23          | 38.58     | -38.38      | 50.43          | 54.00          | 3.57        | Vertical |
| 4   | 11200.145       | 46.51          | 38.70     | -36.60      | 48.61          | 74.00          | 25.39       | Vertical |
| 5   | 11200.625       | 43.32          | 38.70     | -36.60      | 45.42          | 54.00          | 8.58        | Vertical |
| 6   | 15600.000       | 41.90          | 40.34     | -34.37      | 47.87          | 74.00          | 26.13       | Vertical |


## 802.11ac20\_Channel 48



## Data List

| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|------------|
| 1   | 10479.958          | 50.71             | 38.55        | -38.75         | 50.51             | 68.30             | 17.79          | Horizontal |
| 2   | 10813.458          | 53.21             | 38.58        | -38.38         | 53.41             | 74.00             | 20.59          | Horizontal |
| 3   | 10813.937          | 51.01             | 38.58        | -38.38         | 51.21             | 54.00             | 2.79           | Horizontal |
| 4   | 11199.6667         | 50.89             | 38.70        | -36.60         | 52.99             | 74.00             | 21.01          | Horizontal |
| 5   | 11200.625          | 47.31             | 38.70        | -36.60         | 49.41             | 54.00             | 4.59           | Horizontal |
| 6   | 15720.000          | 41.37             | 40.09        | -33.22         | 48.24             | 74.00             | 25.76          | Horizontal |


## 802.11ac20\_Channel 48



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10483.791       | 51.88          | 38.55     | -38.75      | 51.67          | 68.30          | 16.63       | Vertical |
| 2   | 10813.458       | 52.90          | 38.58     | -38.38      | 53.10          | 74.00          | 20.90       | Vertical |
| 3   | 10813.937       | 49.99          | 38.58     | -38.38      | 50.19          | 54.00          | 3.81        | Vertical |
| 4   | 11200.145       | 48.67          | 38.70     | -36.60      | 50.77          | 74.00          | 23.23       | Vertical |
| 5   | 11200.625       | 44.08          | 38.70     | -36.60      | 46.18          | 54.00          | 7.82        | Vertical |
| 6   | 15720.000       | 41.04          | 40.09     | -33.22      | 47.91          | 74.00          | 26.09       | Vertical |


## 802.11ac20\_Channel 52



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10517.333       | 50.97          | 38.55     | -38.63      | 50.89          | 68.30          | 17.41       | Horizontal |
| 2   | 10813.458       | 51.99          | 38.58     | -38.38      | 52.19          | 74.00          | 21.81       | Horizontal |
| 3   | 10813.937       | 50.66          | 38.58     | -38.38      | 50.86          | 54.00          | 3.14        | Horizontal |
| 4   | 11199.6667      | 50.09          | 38.70     | -36.60      | 52.19          | 74.00          | 21.81       | Horizontal |
| 5   | 11200.625       | 47.03          | 38.70     | -36.60      | 49.13          | 54.00          | 4.87        | Horizontal |
| 6   | 15780.000       | 43.73          | 39.96     | -33.10      | 50.59          | 74.00          | 23.41       | Horizontal |


## 802.11ac20\_Channel 52



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10519.729       | 50.41          | 38.55     | -38.61      | 50.35          | 68.30          | 17.95       | Vertical |
| 2   | 10813.458       | 52.70          | 38.58     | -38.38      | 52.90          | 74.00          | 21.10       | Vertical |
| 3   | 10813.937       | 51.12          | 38.58     | -38.38      | 51.32          | 54.00          | 2.68        | Vertical |
| 4   | 11200.145       | 47.49          | 38.70     | -36.60      | 49.59          | 74.00          | 24.41       | Vertical |
| 5   | 11200.625       | 44.94          | 38.70     | -36.60      | 47.04          | 54.00          | 6.96        | Vertical |
| 6   | 15780.000       | 42.50          | 39.96     | -33.10      | 49.36          | 74.00          | 24.64       | Vertical |


## 802.11ac20\_Channel 60



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10600.000       | 44.83          | 38.56     | -38.01      | 45.38          | 74.00          | 28.62       | Horizontal |
| 2   | 10813.458       | 52.94          | 38.58     | -38.38      | 53.14          | 74.00          | 20.86       | Horizontal |
| 3   | 10813.937       | 51.47          | 38.58     | -38.38      | 51.67          | 54.00          | 2.33        | Horizontal |
| 4   | 11199.6667      | 50.29          | 38.70     | -36.60      | 52.39          | 74.00          | 21.61       | Horizontal |
| 5   | 11200.625       | 47.36          | 38.70     | -36.60      | 49.46          | 54.00          | 4.54        | Horizontal |
| 6   | 15900.000       | 41.82          | 39.71     | -34.13      | 47.40          | 74.00          | 26.60       | Horizontal |


## 802.11ac20\_Channel 60



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10600.000       | 43.44          | 38.56     | -38.01      | 43.99          | 74.00          | 30.01       | Vertical |
| 2   | 10813.458       | 51.84          | 38.58     | -38.38      | 52.04          | 74.00          | 21.96       | Vertical |
| 3   | 10813.937       | 50.56          | 38.58     | -38.38      | 50.76          | 54.00          | 3.24        | Vertical |
| 4   | 11200.145       | 47.61          | 38.70     | -36.60      | 49.71          | 74.00          | 24.29       | Vertical |
| 5   | 11200.625       | 43.88          | 38.70     | -36.60      | 45.98          | 54.00          | 8.02        | Vertical |
| 6   | 15900.000       | 41.48          | 39.71     | -34.13      | 47.06          | 74.00          | 26.94       | Vertical |


## 802.11ac20\_Channel 64



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10640.000       | 43.65          | 38.56     | -37.80      | 44.41          | 74.00          | 29.59       | Horizontal |
| 2   | 10813.458       | 54.25          | 38.58     | -38.38      | 54.45          | 74.00          | 19.55       | Horizontal |
| 3   | 10813.937       | 52.28          | 38.58     | -38.38      | 52.48          | 54.00          | 1.52        | Horizontal |
| 4   | 11200.145       | 50.74          | 38.70     | -36.60      | 52.84          | 74.00          | 21.16       | Horizontal |
| 5   | 11200.625       | 47.28          | 38.70     | -36.60      | 49.38          | 54.00          | 4.62        | Horizontal |
| 6   | 15960.000       | 41.65          | 39.58     | -34.63      | 46.60          | 74.00          | 27.40       | Horizontal |


## 802.11ac20\_Channel 64



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10640.000       | 42.51          | 38.56     | -37.80      | 43.27          | 74.00          | 30.73       | Vertical |
| 2   | 10813.458       | 52.13          | 38.58     | -38.38      | 52.33          | 74.00          | 21.67       | Vertical |
| 3   | 10813.937       | 51.00          | 38.58     | -38.38      | 51.20          | 54.00          | 2.80        | Vertical |
| 4   | 11200.145       | 48.48          | 38.70     | -36.60      | 50.58          | 74.00          | 23.42       | Vertical |
| 5   | 11200.625       | 44.52          | 38.70     | -36.60      | 46.62          | 54.00          | 7.38        | Vertical |
| 6   | 15960.000       | 41.12          | 39.58     | -34.63      | 46.07          | 74.00          | 27.93       | Vertical |


## 802.11ac20\_Channel 100



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10813.458       | 52.71          | 38.58     | -38.38      | 52.91          | 74.00          | 21.09       | Horizontal |
| 2   | 10813.937       | 51.00          | 38.58     | -38.38      | 51.20          | 54.00          | 2.80        | Horizontal |
| 3   | 11000.000       | 45.56          | 38.60     | -37.59      | 46.57          | 74.00          | 27.43       | Horizontal |
| 4   | 11199.6667      | 50.30          | 38.70     | -36.60      | 52.40          | 74.00          | 21.60       | Horizontal |
| 5   | 11200.625       | 47.27          | 38.70     | -36.60      | 49.37          | 54.00          | 4.63        | Horizontal |
| 6   | 16500.000       | 42.07          | 40.80     | -34.28      | 48.59          | 68.30          | 19.71       | Horizontal |


## 802.11ac20\_Channel 100



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10813.458       | 52.37          | 38.58     | -38.38      | 52.57          | 74.00          | 21.43       | Vertical |
| 2   | 10813.937       | 50.45          | 38.58     | -38.38      | 50.65          | 54.00          | 3.35        | Vertical |
| 3   | 11008           | 48.62          | 38.60     | -37.60      | 49.62          | 74.00          | 24.38       | Vertical |
| 4   | 11199.6667      | 46.70          | 38.70     | -36.60      | 48.80          | 74.00          | 25.20       | Vertical |
| 5   | 16500.000       | 41.20          | 40.80     | -34.28      | 47.72          | 68.30          | 20.58       | Vertical |


## 802.11ac20\_Channel 116



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10813.458       | 52.85          | 38.58     | -38.38      | 53.05          | 74.00          | 20.95       | Horizontal |
| 2   | 10813.937       | 51.09          | 38.58     | -38.38      | 51.29          | 54.00          | 2.71        | Horizontal |
| 3   | 11158.4583      | 53.41          | 38.68     | -37.08      | 55.01          | 74.00          | 18.99       | Horizontal |
| 4   | 11200.625       | 46.90          | 38.70     | -36.60      | 49.00          | 54.00          | 5.00        | Horizontal |
| 5   | 16740.000       | 44.30          | 41.42     | -34.77      | 50.96          | 68.30          | 17.34       | Horizontal |


## 802.11ac20\_Channel 116



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10813.458       | 52.34          | 38.58     | -38.38      | 52.54          | 74.00          | 21.46       | Vertical |
| 2   | 10813.937       | 50.90          | 38.58     | -38.38      | 51.10          | 54.00          | 2.90        | Vertical |
| 3   | 11159.8958      | 54.23          | 38.68     | -37.06      | 55.85          | 74.00          | 18.15       | Vertical |
| 4   | 11200.625       | 44.68          | 38.70     | -36.60      | 46.78          | 54.00          | 7.22        | Vertical |
| 5   | 16740.000       | 44.19          | 41.42     | -34.77      | 50.85          | 68.30          | 17.45       | Vertical |


## 802.11ac20\_Channel 140



## Data List

| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|------------|
| 1   | 10813.458          | 53.34             | 38.58        | -38.38         | 53.54             | 74.00             | 20.46          | Horizontal |
| 2   | 10813.937          | 51.08             | 38.58        | -38.38         | 51.28             | 54.00             | 2.72           | Horizontal |
| 3   | 11199.6667         | 50.27             | 38.70        | -36.60         | 52.37             | 74.00             | 21.63          | Horizontal |
| 4   | 11200.625          | 46.78             | 38.70        | -36.60         | 48.88             | 54.00             | 5.12           | Horizontal |
| 5   | 11400.000          | 41.53             | 38.80        | -37.51         | 42.82             | 74.00             | 31.18          | Horizontal |
| 6   | 17100.000          | 44.51             | 42.54        | -33.74         | 53.31             | 68.30             | 14.99          | Horizontal |


## 802.11ac20\_Channel 140



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10813.458       | 52.14          | 38.58     | -38.38      | 52.34          | 74.00          | 21.66       | Vertical |
| 2   | 10813.937       | 50.70          | 38.58     | -38.38      | 50.90          | 54.00          | 3.10        | Vertical |
| 3   | 11200.145       | 46.86          | 38.70     | -36.60      | 48.96          | 74.00          | 25.04       | Vertical |
| 4   | 11200.625       | 43.10          | 38.70     | -36.60      | 45.20          | 54.00          | 8.80        | Vertical |
| 5   | 11400.000       | 42.42          | 38.80     | -37.51      | 43.71          | 74.00          | 30.29       | Vertical |
| 6   | 17100.000       | 44.46          | 42.54     | -33.74      | 53.26          | 68.30          | 15.04       | Vertical |


## 802.11ac20\_Channel 149



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10813.458       | 54.33          | 38.58     | -38.38      | 54.53          | 74.00          | 19.47       | Horizontal |
| 2   | 10813.937       | 52.50          | 38.58     | -38.38      | 52.70          | 54.00          | 1.30        | Horizontal |
| 3   | 11200.145       | 50.91          | 38.70     | -36.60      | 53.01          | 74.00          | 20.99       | Horizontal |
| 4   | 11200.625       | 47.33          | 38.70     | -36.60      | 49.43          | 54.00          | 4.57        | Horizontal |
| 5   | 11490.000       | 42.13          | 38.85     | -36.61      | 44.37          | 74.00          | 29.63       | Horizontal |
| 6   | 17235.000       | 43.70          | 43.14     | -34.96      | 51.88          | 68.30          | 16.42       | Horizontal |


## 802.11ac20\_Channel 149



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10813.458       | 52.06          | 38.58     | -38.38      | 52.26          | 74.00          | 21.74       | Vertical |
| 2   | 10813.937       | 50.30          | 38.58     | -38.38      | 50.50          | 54.00          | 3.50        | Vertical |
| 3   | 11200.145       | 48.67          | 38.70     | -36.60      | 50.77          | 74.00          | 23.23       | Vertical |
| 4   | 11200.625       | 45.35          | 38.70     | -36.60      | 47.45          | 54.00          | 6.55        | Vertical |
| 5   | 11490.000       | 41.75          | 38.85     | -36.61      | 43.99          | 74.00          | 30.01       | Vertical |
| 6   | 17235.000       | 43.08          | 43.14     | -34.96      | 51.26          | 68.30          | 17.04       | Vertical |


## 802.11ac20\_Channel 157



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10813.458       | 54.32          | 38.58     | -38.38      | 54.52          | 74.00          | 19.48       | Horizontal |
| 2   | 10813.937       | 52.15          | 38.58     | -38.38      | 52.35          | 54.00          | 1.65        | Horizontal |
| 3   | 11199.6667      | 50.50          | 38.70     | -36.60      | 52.60          | 74.00          | 21.40       | Horizontal |
| 4   | 11200.625       | 47.38          | 38.70     | -36.60      | 49.48          | 54.00          | 4.52        | Horizontal |
| 5   | 11570.000       | 42.14          | 38.89     | -36.84      | 44.19          | 54.00          | 9.81        | Horizontal |
| 6   | 17355.000       | 43.11          | 43.66     | -35.00      | 51.77          | 68.30          | 16.53       | Horizontal |


## 802.11ac20\_Channel 157



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10813.458       | 52.15          | 38.58     | -38.38      | 52.35          | 74.00          | 21.65       | Vertical |
| 2   | 10813.937       | 50.61          | 38.58     | -38.38      | 50.81          | 54.00          | 3.19        | Vertical |
| 3   | 11200.145       | 48.56          | 38.70     | -36.60      | 50.66          | 74.00          | 23.34       | Vertical |
| 4   | 11200.625       | 44.63          | 38.70     | -36.60      | 46.73          | 54.00          | 7.27        | Vertical |
| 5   | 11570.000       | 41.33          | 38.89     | -36.84      | 43.38          | 54.00          | 10.62       | Vertical |
| 6   | 17355.000       | 43.06          | 43.66     | -35.00      | 51.72          | 68.30          | 16.58       | Vertical |


## 802.11ac20\_Channel 165



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10813.458       | 53.04          | 38.58     | -38.38      | 53.24          | 74.00          | 20.76       | Horizontal |
| 2   | 10813.937       | 51.34          | 38.58     | -38.38      | 51.54          | 54.00          | 2.46        | Horizontal |
| 3   | 11200.145       | 50.21          | 38.70     | -36.60      | 52.31          | 74.00          | 21.69       | Horizontal |
| 4   | 11200.625       | 46.60          | 38.70     | -36.60      | 48.70          | 54.00          | 5.30        | Horizontal |
| 5   | 11650.000       | 43.09          | 38.93     | -36.53      | 45.48          | 74.00          | 28.52       | Horizontal |
| 6   | 17475.000       | 41.96          | 44.19     | -34.07      | 52.08          | 68.30          | 16.22       | Horizontal |


## 802.11ac20\_Channel 165



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10813.458       | 52.87          | 38.58     | -38.38      | 53.07          | 74.00          | 20.93       | Vertical |
| 2   | 10813.937       | 50.45          | 38.58     | -38.38      | 50.65          | 54.00          | 3.35        | Vertical |
| 3   | 11199.6667      | 47.60          | 38.70     | -36.60      | 49.70          | 74.00          | 24.30       | Vertical |
| 4   | 11200.625       | 44.02          | 38.70     | -36.60      | 46.12          | 54.00          | 7.88        | Vertical |
| 5   | 11650.000       | 42.02          | 38.93     | -36.53      | 44.41          | 74.00          | 29.59       | Vertical |
| 6   | 17475.000       | 42.47          | 44.19     | -34.07      | 52.59          | 68.30          | 15.71       | Vertical |


## 802.11ac40\_Channel 38



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10380.000       | 43.77          | 38.54     | -38.77      | 43.54          | 68.30          | 24.76       | Horizontal |
| 2   | 10813.458       | 54.09          | 38.58     | -38.38      | 54.29          | 74.00          | 19.71       | Horizontal |
| 3   | 10813.937       | 53.08          | 38.58     | -38.38      | 53.28          | 54.00          | 0.72        | Horizontal |
| 4   | 11199.6667      | 50.38          | 38.70     | -36.60      | 52.48          | 74.00          | 21.52       | Horizontal |
| 5   | 11200.625       | 46.86          | 38.70     | -36.60      | 48.96          | 54.00          | 5.04        | Horizontal |
| 6   | 15570.000       | 42.03          | 40.40     | -34.59      | 47.84          | 74.00          | 26.16       | Horizontal |


## 802.11ac40\_Channel 38



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10380.000       | 43.56          | 38.54     | -38.77      | 43.33          | 68.30          | 24.97       | Vertical |
| 2   | 10813.458       | 53.05          | 38.58     | -38.38      | 53.25          | 74.00          | 20.75       | Vertical |
| 3   | 10813.937       | 51.56          | 38.58     | -38.38      | 51.76          | 54.00          | 2.24        | Vertical |
| 4   | 11200.145       | 47.90          | 38.70     | -36.60      | 50.00          | 74.00          | 24.00       | Vertical |
| 5   | 11200.625       | 44.71          | 38.70     | -36.60      | 46.81          | 54.00          | 7.19        | Vertical |
| 6   | 15570.000       | 42.50          | 40.40     | -34.59      | 48.31          | 74.00          | 25.69       | Vertical |


## 802.11ac40\_Channel 46



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10458.875       | 47.50          | 38.55     | -38.74      | 47.30          | 68.30          | 21.00       | Horizontal |
| 2   | 10813.458       | 53.20          | 38.58     | -38.38      | 53.40          | 74.00          | 20.60       | Horizontal |
| 3   | 10813.937       | 51.98          | 38.58     | -38.38      | 52.18          | 54.00          | 1.82        | Horizontal |
| 4   | 11200.145       | 50.47          | 38.70     | -36.60      | 52.57          | 74.00          | 21.43       | Horizontal |
| 5   | 11200.625       | 46.74          | 38.70     | -36.60      | 48.84          | 54.00          | 5.16        | Horizontal |
| 6   | 15716.770       | 44.42          | 40.09     | -33.23      | 51.29          | 74.00          | 22.71       | Horizontal |


## 802.11ac40\_Channel 46



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10467.979       | 48.31          | 38.55     | -38.75      | 48.11          | 68.30          | 20.19       | Vertical |
| 2   | 10813.458       | 53.24          | 38.58     | -38.38      | 53.44          | 74.00          | 20.56       | Vertical |
| 3   | 10813.937       | 51.75          | 38.58     | -38.38      | 51.95          | 54.00          | 2.05        | Vertical |
| 4   | 11200.145       | 47.71          | 38.70     | -36.60      | 49.81          | 74.00          | 24.19       | Vertical |
| 5   | 11200.625       | 43.75          | 38.70     | -36.60      | 45.85          | 54.00          | 8.15        | Vertical |
| 6   | 15711.979       | 44.12          | 40.10     | -33.24      | 50.99          | 74.00          | 23.01       | Vertical |


## 802.11ac40\_Channel 54



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10460.000       | 41.23          | 38.55     | -38.74      | 41.03          | 68.30          | 27.27       | Horizontal |
| 2   | 10813.458       | 52.81          | 38.58     | -38.38      | 53.01          | 74.00          | 20.99       | Horizontal |
| 3   | 10813.937       | 50.95          | 38.58     | -38.38      | 51.15          | 54.00          | 2.85        | Horizontal |
| 4   | 11199.6667      | 49.55          | 38.70     | -36.60      | 51.65          | 74.00          | 22.35       | Horizontal |
| 5   | 11200.625       | 45.53          | 38.70     | -36.60      | 47.63          | 54.00          | 6.37        | Horizontal |
| 6   | 15690.000       | 41.52          | 40.15     | -33.37      | 48.30          | 74.00          | 25.70       | Horizontal |


## 802.11ac40\_Channel 54



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10460.000       | 42.70          | 38.55     | -38.74      | 42.50          | 68.30          | 25.80       | Vertical |
| 2   | 10813.458       | 52.53          | 38.58     | -38.38      | 52.73          | 74.00          | 21.27       | Vertical |
| 3   | 10813.937       | 51.01          | 38.58     | -38.38      | 51.21          | 54.00          | 2.79        | Vertical |
| 4   | 11199.6667      | 46.55          | 38.70     | -36.60      | 48.65          | 74.00          | 25.35       | Vertical |
| 5   | 11200.625       | 42.36          | 38.70     | -36.60      | 44.46          | 54.00          | 9.54        | Vertical |
| 6   | 15690.000       | 42.55          | 40.15     | -33.37      | 49.33          | 74.00          | 24.67       | Vertical |


## 802.11ac40\_Channel 62



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10620.000       | 43.32          | 38.56     | -37.90      | 43.98          | 74.00          | 30.02       | Horizontal |
| 2   | 10813.458       | 54.35          | 38.58     | -38.38      | 54.55          | 74.00          | 19.45       | Horizontal |
| 3   | 10813.937       | 53.13          | 38.58     | -38.38      | 53.33          | 54.00          | 0.67        | Horizontal |
| 4   | 11200.145       | 51.48          | 38.70     | -36.60      | 53.58          | 74.00          | 20.42       | Horizontal |
| 5   | 11200.625       | 48.24          | 38.70     | -36.60      | 50.34          | 54.00          | 3.66        | Horizontal |
| 6   | 15930.000       | 41.46          | 39.65     | -34.38      | 46.73          | 74.00          | 27.27       | Horizontal |


## 802.11ac40\_Channel 62



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10620.000       | 43.50          | 38.56     | -37.90      | 44.16          | 74.00          | 29.84       | Vertical |
| 2   | 10813.458       | 53.79          | 38.58     | -38.38      | 53.99          | 74.00          | 20.01       | Vertical |
| 3   | 10813.937       | 52.75          | 38.58     | -38.38      | 52.95          | 54.00          | 1.05        | Vertical |
| 4   | 11199.6667      | 50.07          | 38.70     | -36.60      | 52.17          | 74.00          | 21.83       | Vertical |
| 5   | 11200.625       | 45.88          | 38.70     | -36.60      | 47.98          | 54.00          | 6.02        | Vertical |
| 6   | 15930.000       | 41.36          | 39.65     | -34.38      | 46.63          | 74.00          | 27.37       | Vertical |


## 802.11ac40\_Channel 102



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10813.458       | 52.80          | 38.58     | -38.38      | 53.00          | 74.00          | 21.00       | Horizontal |
| 2   | 10813.937       | 51.50          | 38.58     | -38.38      | 51.70          | 54.00          | 2.30        | Horizontal |
| 3   | 11020.000       | 43.60          | 38.61     | -37.62      | 44.59          | 74.00          | 29.41       | Horizontal |
| 4   | 11200.145       | 50.37          | 38.70     | -36.60      | 52.47          | 74.00          | 21.53       | Horizontal |
| 5   | 11200.625       | 47.05          | 38.70     | -36.60      | 49.15          | 54.00          | 4.85        | Horizontal |
| 6   | 16530.000       | 43.46          | 40.88     | -34.35      | 49.99          | 68.30          | 18.31       | Horizontal |


## 802.11ac40\_Channel 102



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10813.458       | 53.85          | 38.58     | -38.38      | 54.05          | 74.00          | 19.95       | Vertical |
| 2   | 10813.937       | 52.20          | 38.58     | -38.38      | 52.40          | 54.00          | 1.60        | Vertical |
| 3   | 11020.000       | 44.02          | 38.61     | -37.62      | 45.01          | 74.00          | 28.99       | Vertical |
| 4   | 11199.6667      | 48.58          | 38.70     | -36.60      | 50.68          | 74.00          | 23.32       | Vertical |
| 5   | 11200.625       | 43.92          | 38.70     | -36.60      | 46.02          | 54.00          | 7.98        | Vertical |
| 6   | 16530.000       | 42.30          | 40.88     | -34.35      | 48.83          | 68.30          | 19.47       | Vertical |


## 802.11ac40\_Channel 110



## Data List

| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|------------|
| 1   | 10813.458          | 54.00             | 38.58        | -38.38         | 54.20             | 74.00             | 19.80          | Horizontal |
| 2   | 10813.937          | 53.00             | 38.58        | -38.38         | 53.20             | 54.00             | 0.80           | Horizontal |
| 3   | 11111.0208         | 47.99             | 38.66        | -37.62         | 49.02             | 74.00             | 24.98          | Horizontal |
| 4   | 11200.145          | 51.05             | 38.70        | -36.60         | 53.15             | 74.00             | 20.85          | Horizontal |
| 5   | 11200.625          | 47.81             | 38.70        | -36.60         | 49.91             | 54.00             | 4.09           | Horizontal |
| 6   | 16650.000          | 43.28             | 41.19        | -34.68         | 49.79             | 68.30             | 18.51          | Horizontal |


## 802.11ac40\_Channel 110



### Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10813.458       | 53.67          | 38.58     | -38.38      | 53.87          | 74.00          | 20.13       | Vertical |
| 2   | 10813.937       | 52.23          | 38.58     | -38.38      | 52.43          | 54.00          | 1.57        | Vertical |
| 3   | 11100.0000      | 46.00          | 38.65     | -37.75      | 46.90          | 74.00          | 27.10       | Vertical |
| 4   | 11200.145       | 47.79          | 38.70     | -36.60      | 49.89          | 74.00          | 24.11       | Vertical |
| 5   | 11200.625       | 44.89          | 38.70     | -36.60      | 46.99          | 54.00          | 7.01        | Vertical |
| 6   | 16650.000       | 43.56          | 41.19     | -34.68      | 50.07          | 68.30          | 18.23       | Vertical |


## 802.11ac40\_Channel 134



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10813.458       | 54.27          | 38.58     | -38.38      | 54.47          | 74.00          | 19.53       | Horizontal |
| 2   | 10813.937       | 52.94          | 38.58     | -38.38      | 53.14          | 54.00          | 0.86        | Horizontal |
| 3   | 11200.145       | 51.40          | 38.70     | -36.60      | 53.50          | 74.00          | 20.50       | Horizontal |
| 4   | 11200.625       | 48.10          | 38.70     | -36.60      | 50.20          | 54.00          | 3.80        | Horizontal |
| 5   | 11340.000       | 41.26          | 38.77     | -37.34      | 42.69          | 54.00          | 11.31       | Horizontal |
| 6   | 17010.000       | 43.96          | 42.14     | -33.70      | 52.40          | 68.3           | 15.90       | Horizontal |


## 802.11ac40\_Channel 134



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10813.458       | 52.98          | 38.58     | -38.38      | 53.18          | 74.00          | 20.82       | Vertical |
| 2   | 10813.937       | 51.48          | 38.58     | -38.38      | 51.68          | 54.00          | 2.32        | Vertical |
| 3   | 11199.6667      | 47.31          | 38.70     | -36.60      | 49.41          | 74.00          | 24.59       | Vertical |
| 4   | 11200.625       | 44.11          | 38.70     | -36.60      | 46.21          | 54.00          | 7.79        | Vertical |
| 5   | 11340.000       | 41.10          | 38.77     | -37.34      | 42.53          | 54.00          | 11.47       | Vertical |
| 6   | 17010.000       | 45.48          | 42.14     | -33.70      | 53.92          | -              | -           | Vertical |


## 802.11ac40\_Channel 151



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10813.458       | 52.60          | 38.58     | -38.38      | 52.80          | 74.00          | 21.20       | Horizontal |
| 2   | 10813.937       | 51.03          | 38.58     | -38.38      | 51.23          | 54.00          | 2.77        | Horizontal |
| 3   | 11200.145       | 50.72          | 38.70     | -36.60      | 52.82          | 74.00          | 21.18       | Horizontal |
| 4   | 11200.625       | 47.63          | 38.70     | -36.60      | 49.73          | 54.00          | 4.27        | Horizontal |
| 5   | 11510.000       | 41.32          | 38.86     | -36.56      | 43.62          | 74.00          | 30.38       | Horizontal |
| 6   | 17265.000       | 42.41          | 43.27     | -35.11      | 50.57          | 68.30          | 17.73       | Horizontal |


## 802.11ac40\_Channel 151



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10813.458       | 52.72          | 38.58     | -38.38      | 52.92          | 74.00          | 21.08       | Vertical |
| 2   | 10813.937       | 51.32          | 38.58     | -38.38      | 51.52          | 54.00          | 2.48        | Vertical |
| 3   | 11200.145       | 48.62          | 38.70     | -36.60      | 50.72          | 74.00          | 23.28       | Vertical |
| 4   | 11200.625       | 45.69          | 38.70     | -36.60      | 47.79          | 54.00          | 6.21        | Vertical |
| 5   | 11510.000       | 41.07          | 38.86     | -36.56      | 43.37          | 74.00          | 30.63       | Vertical |
| 6   | 17265.000       | 42.74          | 43.27     | -35.11      | 50.90          | 68.30          | 17.40       | Vertical |


## 802.11ac40\_Channel 159



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10813.458       | 53.35          | 38.58     | -38.38      | 53.55          | 74.00          | 20.45       | Horizontal |
| 2   | 10813.937       | 52.27          | 38.58     | -38.38      | 52.47          | 54.00          | 1.53        | Horizontal |
| 3   | 11200.145       | 49.94          | 38.70     | -36.60      | 52.04          | 74.00          | 21.96       | Horizontal |
| 4   | 11200.625       | 46.55          | 38.70     | -36.60      | 48.65          | 54.00          | 5.35        | Horizontal |
| 5   | 11590.000       | 41.79          | 38.90     | -36.93      | 43.75          | 74.00          | 30.25       | Horizontal |
| 6   | 17385.000       | 42.29          | 43.80     | -34.85      | 51.24          | 68.30          | 17.06       | Horizontal |


## 802.11ac40\_Channel 159



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10813.458       | 52.12          | 38.58     | -38.38      | 52.32          | 74.00          | 21.68       | Vertical |
| 2   | 10813.937       | 49.54          | 38.58     | -38.38      | 49.74          | 54.00          | 4.26        | Vertical |
| 3   | 11199.6667      | 47.41          | 38.70     | -36.60      | 49.51          | 74.00          | 24.49       | Vertical |
| 4   | 11200.625       | 43.59          | 38.70     | -36.60      | 45.69          | 54.00          | 8.31        | Vertical |
| 5   | 11590.000       | 42.41          | 38.90     | -36.93      | 44.37          | 74.00          | 29.63       | Vertical |
| 6   | 17385.000       | 43.83          | 43.80     | -34.85      | 52.78          | 68.30          | 15.52       | Vertical |


## 802.11ac80\_Channel 42



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10420.000       | 41.91          | 38.54     | -38.73      | 41.72          | 68.30          | 26.58       | Horizontal |
| 2   | 10813.458       | 51.70          | 38.58     | -38.38      | 51.90          | 74.00          | 22.10       | Horizontal |
| 3   | 10813.937       | 49.92          | 38.58     | -38.38      | 50.12          | 54.00          | 3.88        | Horizontal |
| 4   | 11200.145       | 49.53          | 38.70     | -36.60      | 51.63          | 74.00          | 22.37       | Horizontal |
| 5   | 11200.625       | 46.48          | 38.70     | -36.60      | 48.58          | 54.00          | 5.42        | Horizontal |
| 6   | 15630.000       | 41.97          | 40.28     | -34.04      | 48.21          | 74.00          | 25.79       | Horizontal |


## 802.11ac80\_Channel 42



| Data List |                 |                |           |             |                |                |             |          |
|-----------|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| NO.       | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
| 1         | 10420.000       | 41.64          | 38.54     | -38.73      | 41.45          | 68.30          | 26.85       | Vertical |
| 2         | 10813.458       | 51.96          | 38.58     | -38.38      | 52.16          | 74.00          | 21.84       | Vertical |
| 3         | 10813.937       | 50.85          | 38.58     | -38.38      | 51.05          | 54.00          | 2.95        | Vertical |
| 4         | 11199.6667      | 47.15          | 38.70     | -36.60      | 49.25          | 74.00          | 24.75       | Vertical |
| 5         | 11200.625       | 43.65          | 38.70     | -36.60      | 45.75          | 54.00          | 8.25        | Vertical |
| 6         | 15630.000       | 40.88          | 40.28     | -34.04      | 47.12          | 74.00          | 26.88       | Vertical |



802.11ac80\_Channel 58




Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10813.458       | 53.53          | 38.58     | -38.38      | 53.73          | 74.00          | 20.27       | Horizontal |
| 2   | 10813.937       | 51.80          | 38.58     | -38.38      | 52.00          | 54.00          | 2.00        | Horizontal |
| 3   | 11199.6667      | 50.19          | 38.70     | -36.60      | 52.29          | 74.00          | 21.71       | Horizontal |
| 4   | 11200.625       | 47.02          | 38.70     | -36.60      | 49.12          | 54.00          | 4.88        | Horizontal |




802.11ac80\_Channel 58



Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10813.458       | 52.71          | 38.58     | -38.38      | 52.91          | 74.00          | 21.09       | Vertical |
| 2   | 10813.937       | 51.09          | 38.58     | -38.38      | 51.29          | 54.00          | 2.71        | Vertical |
| 3   | 11200.145       | 47.95          | 38.70     | -36.60      | 50.05          | 74.00          | 23.95       | Vertical |
| 4   | 11200.625       | 44.49          | 38.70     | -36.60      | 46.59          | 54.00          | 7.41        | Vertical |


## 802.11ac80\_Channel 106



## Data List

| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|------------|
| 1   | 10813.458          | 55.02             | 38.58        | -38.38         | 55.22             | 74.00             | 18.78          | Horizontal |
| 2   | 10813.937          | 53.15             | 38.58        | -38.38         | 53.35             | 54.00             | 0.65           | Horizontal |
| 3   | 11060.000          | 42.86             | 38.63        | -37.69         | 43.80             | 74.00             | 30.20          | Horizontal |
| 4   | 11199.6667         | 51.21             | 38.70        | -36.60         | 53.31             | 74.00             | 20.69          | Horizontal |
| 5   | 11200.625          | 47.85             | 38.70        | -36.60         | 49.95             | 54.00             | 4.05           | Horizontal |
| 6   | 16590.000          | 42.42             | 41.03        | -34.50         | 48.96             | 68.30             | 19.34          | Horizontal |


## 802.11ac80\_Channel 106



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10813.458       | 52.52          | 38.58     | -38.38      | 52.72          | 74.00          | 21.28       | Vertical |
| 2   | 10813.937       | 50.91          | 38.58     | -38.38      | 51.11          | 54.00          | 2.89        | Vertical |
| 3   | 11090.416       | 46.04          | 38.65     | -37.73      | 46.95          | 74.00          | 27.05       | Vertical |
| 4   | 11200.145       | 48.11          | 38.70     | -36.60      | 50.21          | 74.00          | 23.79       | Vertical |
| 5   | 11200.625       | 45.16          | 38.70     | -36.60      | 47.26          | 54.00          | 6.74        | Vertical |
| 6   | 16590.000       | 41.96          | 41.03     | -34.50      | 48.50          | 68.30          | 19.80       | Vertical |


## 802.11ac80\_Channel 155



## Data List

| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|------------|
| 1   | 10813.458          | 54.14             | 38.58        | -38.38         | 54.34             | 74.00             | 19.66          | Horizontal |
| 2   | 10813.937          | 52.70             | 38.58        | -38.38         | 52.90             | 54.00             | 1.10           | Horizontal |
| 3   | 11200.145          | 50.86             | 38.70        | -36.60         | 52.96             | 74.00             | 21.04          | Horizontal |
| 4   | 11200.625          | 47.41             | 38.70        | -36.60         | 49.51             | 54.00             | 4.49           | Horizontal |
| 5   | 11550.000          | 41.10             | 38.88        | -36.75         | 43.23             | 74.00             | 30.77          | Horizontal |
| 6   | 17325.000          | 42.62             | 43.53        | -35.15         | 51.00             | 68.30             | 17.30          | Horizontal |


## 802.11ac80\_Channel 155



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10813.458       | 52.28          | 38.58     | -38.38      | 52.48          | 74.00          | 21.52       | Vertical |
| 2   | 10813.937       | 50.69          | 38.58     | -38.38      | 50.89          | 54.00          | 3.11        | Vertical |
| 3   | 11200.625       | 45.00          | 38.70     | -36.60      | 47.10          | 54.00          | 6.90        | Vertical |
| 4   | 11200.625       | 48.58          | 38.70     | -36.60      | 50.68          | 74.00          | 23.32       | Vertical |
| 5   | 11550.000       | 41.78          | 38.88     | -36.75      | 43.91          | 74.00          | 30.09       | Vertical |
| 6   | 17325.000       | 43.92          | 43.53     | -35.15      | 52.30          | 68.30          | 16.00       | Vertical |


## 802.11ac160\_Channel 50



## Data List

| NO. | Frequency<br>[MHz] | Reading<br>[dBμV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBμV/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   |
|-----|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|------------|
| 1   | 10500.000          | 41.51             | 38.55        | -38.76         | 41.30             | 68.30             | 27.00          | Horizontal |
| 2   | 10813.458          | 53.31             | 38.58        | -38.38         | 53.51             | 74.00             | 20.49          | Horizontal |
| 3   | 10813.937          | 52.11             | 38.58        | -38.38         | 52.31             | 54.00             | 1.69           | Horizontal |
| 4   | 11200.145          | 51.41             | 38.70        | -36.60         | 53.51             | 74.00             | 20.49          | Horizontal |
| 5   | 11200.625          | 47.76             | 38.70        | -36.60         | 49.86             | 54.00             | 4.14           | Horizontal |
| 6   | 15750.000          | 40.84             | 40.02        | -33.16         | 47.70             | 74.00             | 26.30          | Horizontal |


## 802.11ac160\_Channel 50



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10493.854       | 51.40          | 38.55     | -38.76      | 51.19          | 68.30          | 17.11       | Vertical |
| 2   | 10813.458       | 52.06          | 38.58     | -38.38      | 52.26          | 74.00          | 21.74       | Vertical |
| 3   | 10813.937       | 50.69          | 38.58     | -38.38      | 50.89          | 54.00          | 3.11        | Vertical |
| 4   | 11200.145       | 48.54          | 38.70     | -36.60      | 50.64          | 74.00          | 23.36       | Vertical |
| 5   | 11200.625       | 45.54          | 38.70     | -36.60      | 47.64          | 54.00          | 6.36        | Vertical |
| 6   | 15750.000       | 41.19          | 40.02     | -33.16      | 48.05          | 74.00          | 25.95       | Vertical |


## 802.11ac160\_Channel 114



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10813.458       | 54.18          | 38.58     | -38.38      | 54.38          | 74.00          | 19.62       | Horizontal |
| 2   | 10813.937       | 52.91          | 38.58     | -38.38      | 53.11          | 54.00          | 0.89        | Horizontal |
| 3   | 11140.0000      | 43.04          | 38.67     | -37.29      | 44.42          | 74.00          | 29.58       | Horizontal |
| 4   | 11199.6667      | 50.97          | 38.70     | -36.60      | 53.07          | 74.00          | 20.93       | Horizontal |
| 5   | 11200.625       | 48.13          | 38.70     | -36.60      | 50.23          | 54.00          | 3.77        | Horizontal |
| 6   | 16710.000       | 45.55          | 41.35     | -34.82      | 52.07          | 68.30          | 16.23       | Horizontal |


## 802.11ac160\_Channel 114



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10813.458       | 52.89          | 38.58     | -38.38      | 53.09          | 74.00          | 20.91       | Vertical |
| 2   | 10813.937       | 51.26          | 38.58     | -38.38      | 51.46          | 54.00          | 2.54        | Vertical |
| 3   | 11140.0000      | 42.49          | 38.67     | -37.29      | 43.87          | 74.00          | 30.13       | Vertical |
| 4   | 11199.6667      | 48.70          | 38.70     | -36.60      | 50.80          | 74.00          | 23.20       | Vertical |
| 5   | 11200.625       | 45.53          | 38.70     | -36.60      | 47.63          | 54.00          | 6.37        | Vertical |
| 6   | 16710.000       | 44.52          | 41.35     | -34.82      | 51.04          | 68.30          | 17.26       | Vertical |


## 802.11be20\_Channel 36



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10360.000       | 43.64          | 38.54     | -38.82      | 43.36          | 68.30          | 24.94       | Horizontal |
| 2   | 10813.458       | 53.78          | 38.58     | -38.38      | 53.98          | 74.00          | 20.02       | Horizontal |
| 3   | 10813.937       | 51.98          | 38.58     | -38.38      | 52.18          | 54.00          | 1.82        | Horizontal |
| 4   | 11200.145       | 50.39          | 38.70     | -36.60      | 52.49          | 74.00          | 21.51       | Horizontal |
| 5   | 11200.625       | 47.81          | 38.70     | -36.60      | 49.91          | 54.00          | 4.09        | Horizontal |
| 6   | 15540.000       | 40.87          | 40.47     | -34.81      | 46.52          | 74.00          | 27.48       | Horizontal |


## 802.11be20\_Channel 36



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10360.000       | 44.47          | 38.54     | -38.82      | 44.19          | 68.30          | 24.11       | Vertical |
| 2   | 10813.458       | 53.49          | 38.58     | -38.38      | 53.69          | 74.00          | 20.31       | Vertical |
| 3   | 10813.937       | 51.53          | 38.58     | -38.38      | 51.73          | 54.00          | 2.27        | Vertical |
| 4   | 11200.145       | 48.63          | 38.70     | -36.60      | 50.73          | 74.00          | 23.27       | Vertical |
| 5   | 11200.625       | 45.25          | 38.70     | -36.60      | 47.35          | 54.00          | 6.65        | Vertical |
| 6   | 15540.000       | 41.40          | 40.47     | -34.81      | 47.05          | 74.00          | 26.95       | Vertical |


## 802.11be20\_Channel 44



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10400.000       | 42.56          | 38.54     | -38.72      | 42.38          | 68.30          | 25.92       | Horizontal |
| 2   | 10813.458       | 52.96          | 38.58     | -38.38      | 53.16          | 74.00          | 20.84       | Horizontal |
| 3   | 10813.937       | 51.34          | 38.58     | -38.38      | 51.54          | 54.00          | 2.46        | Horizontal |
| 4   | 11200.145       | 50.59          | 38.70     | -36.60      | 52.69          | 74.00          | 21.31       | Horizontal |
| 5   | 11200.625       | 47.40          | 38.70     | -36.60      | 49.50          | 54.00          | 4.50        | Horizontal |
| 6   | 15600.000       | 41.58          | 40.34     | -34.37      | 47.55          | 74.00          | 26.45       | Horizontal |


## 802.11be20\_Channel 44



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10449.770       | 47.29          | 38.54     | -38.74      | 47.10          | 68.30          | 21.20       | Vertical |
| 2   | 10813.458       | 52.83          | 38.58     | -38.38      | 53.03          | 74.00          | 20.97       | Vertical |
| 3   | 10813.937       | 50.40          | 38.58     | -38.38      | 50.60          | 54.00          | 3.40        | Vertical |
| 4   | 11200.145       | 49.26          | 38.70     | -36.60      | 51.36          | 74.00          | 22.64       | Vertical |
| 5   | 11200.625       | 46.44          | 38.70     | -36.60      | 48.54          | 54.00          | 5.46        | Vertical |
| 6   | 15600.000       | 42.19          | 40.34     | -34.37      | 48.16          | 74.00          | 25.84       | Vertical |


## 802.11be20\_Channel 48



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10480.000       | 46.55          | 38.55     | -38.75      | 46.35          | 68.30          | 21.95       | Horizontal |
| 2   | 10813.458       | 54.55          | 38.58     | -38.38      | 54.75          | 74.00          | 19.25       | Horizontal |
| 3   | 10813.937       | 53.28          | 38.58     | -38.38      | 53.48          | 54.00          | 0.52        | Horizontal |
| 4   | 11200.145       | 51.14          | 38.70     | -36.60      | 53.24          | 74.00          | 20.76       | Horizontal |
| 5   | 11200.625       | 47.95          | 38.70     | -36.60      | 50.05          | 54.00          | 3.95        | Horizontal |
| 6   | 15720.000       | 41.48          | 40.09     | -33.22      | 48.35          | 74.00          | 25.65       | Horizontal |


## 802.11be20\_Channel 48



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|----------|
| 1   | 10479.958       | 47.59          | 38.55     | -38.75      | 47.39          | 68.30          | 20.91       | Vertical |
| 2   | 10812.979       | 52.45          | 38.58     | -38.38      | 52.65          | 74.00          | 21.35       | Vertical |
| 3   | 10813.937       | 51.25          | 38.58     | -38.38      | 51.45          | 54.00          | 2.55        | Vertical |
| 4   | 11199.6667      | 49.13          | 38.70     | -36.60      | 51.23          | 74.00          | 22.77       | Vertical |
| 5   | 11200.625       | 46.04          | 38.70     | -36.60      | 48.14          | 54.00          | 5.86        | Vertical |
| 6   | 15720.000       | 40.43          | 40.09     | -33.22      | 47.30          | 74.00          | 26.70       | Vertical |

## 802.11be20\_Channel 52



## Data List

| NO. | Frequency [MHz] | Reading [dBμV] | AF [dB/m] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   |
|-----|-----------------|----------------|-----------|-------------|----------------|----------------|-------------|------------|
| 1   | 10520.000       | 48.60          | 38.55     | -38.61      | 48.54          | 68.30          | 19.76       | Horizontal |
| 2   | 10813.458       | 52.72          | 38.58     | -38.38      | 52.92          | 74.00          | 21.08       | Horizontal |
| 3   | 10813.937       | 50.57          | 38.58     | -38.38      | 50.77          | 54.00          | 3.23        | Horizontal |
| 4   | 11200.145       | 51.00          | 38.70     | -36.60      | 53.10          | 74.00          | 20.90       | Horizontal |
| 5   | 11200.625       | 47.99          | 38.70     | -36.60      | 50.09          | 54.00          | 3.91        | Horizontal |
| 6   | 15780.000       | 41.59          | 39.96     | -33.10      | 48.45          | 74.00          | 25.55       | Horizontal |