



802.11ac40_Channel 102



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5456.865	48.08	32.22	-19.11	61.19	74.00	12.81	Horizontal
2	5468.255	53.42	32.24	-19.13	66.53	68.30	1.77	Horizontal
3	5729.27	47.70	32.35	-18.82	61.23	68.30	7.07	Horizontal


802.11ac40_Channel 102



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.7583	48.48	32.22	-19.11	61.59	74.00	12.41	Vertical
2	5469.3717	52.11	32.24	-19.13	65.22	68.30	3.08	Vertical
3	5735.24	48.22	32.35	-18.84	61.73	68.30	6.57	Vertical


802.11ac40_Channel 134



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5448.155	48.26	32.21	-19.10	61.37	74.00	12.63	Horizontal
2	5466.0217	47.99	32.24	-19.13	61.10	68.30	7.20	Horizontal
3	5725.71	47.84	32.35	-18.81	61.38	68.30	6.92	Horizontal


802.11ac40_Channel 134



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.4033	47.96	32.22	-19.11	61.07	74.00	12.93	Vertical
2	5465.7983	48.04	32.24	-19.13	61.15	68.30	7.15	Vertical
3	5734.12	48.16	32.35	-18.83	61.67	68.30	6.63	Vertical


802.11ac40_Channel 134



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5444.2467	35.16	32.20	-19.09	48.27	54.00	5.73	Horizontal
2	5456.6417	35.12	32.22	-19.11	48.23	54.00	5.77	Horizontal


802.11ac40_Channel 134



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5442.3483	34.92	32.20	-19.09	48.03	54.00	5.97	Vertical
2	5455.6367	34.82	32.22	-19.11	47.93	54.00	6.07	Vertical


802.11ac40_Channel 151



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5642.3875	47.65	32.33	-18.72	61.25	68.30	7.05	Horizontal
2	5685.45	50.12	32.34	-18.73	63.73	94.57	30.84	Horizontal
3	5715.1875	63.36	32.34	-18.78	76.93	109.55	32.62	Horizontal
4	5723.6375	66.77	32.34	-18.80	80.31	119.19	38.88	Horizontal
5	5850.7125	47.75	32.37	-18.88	61.24	120.67	59.43	Horizontal
6	5874.275	47.24	32.37	-18.81	60.80	105.50	44.70	Horizontal
7	5901.7375	47.42	32.38	-18.74	61.06	85.48	24.42	Horizontal
8	5936.675	47.95	32.39	-18.82	61.52	68.30	6.78	Horizontal


802.11ac40_Channel 151



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5634.9125	47.50	32.33	-18.72	61.10	68.30	7.20	Vertical
2	5672.775	48.99	32.33	-18.73	62.60	85.19	22.59	Vertical
3	5711.6125	62.32	32.34	-18.76	75.90	108.55	32.65	Vertical
4	5723.3125	66.49	32.34	-18.80	80.03	118.45	38.42	Vertical
5	5854.125	47.61	32.37	-18.87	61.11	112.89	51.78	Vertical
6	5867.2875	48.96	32.37	-18.83	62.50	107.46	44.96	Vertical
7	5906.2875	47.76	32.38	-18.75	61.39	82.11	20.72	Vertical
8	5933.5875	47.74	32.39	-18.81	61.32	68.30	6.98	Vertical


802.11ac40_Channel 159



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5632.8	47.33	32.33	-18.72	60.93	68.30	7.37	Horizontal
2	5671.6375	47.44	32.33	-18.73	61.05	84.35	23.30	Horizontal
3	5713.4	47.38	32.34	-18.77	60.95	109.05	48.10	Horizontal
4	5722.5	51.44	32.34	-18.80	64.99	116.60	51.61	Horizontal
5	5851.85	53.51	32.37	-18.88	67.00	118.08	51.08	Horizontal
6	5865.0125	49.09	32.37	-18.84	62.62	108.09	45.47	Horizontal
7	5893.45	47.64	32.38	-18.76	61.26	91.61	30.35	Horizontal
8	5931.9625	47.66	32.39	-18.81	61.24	68.30	7.06	Horizontal


802.11ac40_Channel 159



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5640.1125	47.05	32.33	-18.72	60.65	68.30	7.65	Vertical
2	5674.5625	47.39	32.33	-18.73	61.00	86.52	25.52	Vertical
3	5714.2125	48.47	32.34	-18.77	62.04	109.28	47.24	Vertical
4	5723.6375	50.64	32.34	-18.80	64.18	119.19	55.01	Vertical
5	5850.875	52.37	32.37	-18.88	65.86	120.30	54.44	Vertical
6	5866.475	48.61	32.37	-18.84	62.15	107.68	45.53	Vertical
7	5914.575	48.54	32.38	-18.77	62.15	75.99	13.84	Vertical
8	5934.725	47.97	32.39	-18.81	61.54	68.30	6.76	Vertical


802.11ac80_Channel 42



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.44	40.41	31.67	-19.14	52.94	54.00	1.06	Horizontal
2	5355.0775	35.30	32.04	-18.91	48.43	54.00	5.57	Horizontal


802.11ac80_Channel 42



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.5467	39.26	31.67	-19.14	51.79	54.00	2.21	Vertical
2	5352.5225	35.36	32.03	-18.91	48.49	54.00	5.51	Vertical


802.11ac80_Channel 42



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.24	51.45	31.67	-19.15	63.97	74.00	10.03	Horizontal
2	5376.8125	48.00	32.08	-18.96	61.11	74.00	12.89	Horizontal

802.11ac80_Channel 42



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.94	49.69	31.67	-19.14	62.22	74.00	11.78	Vertical
2	5358.1925	46.68	32.04	-18.92	59.81	74.00	14.19	Vertical


802.11ac80_Channel 58



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.3	34.47	31.66	-19.15	46.98	54.00	7.02	Horizontal
2	5350.325	38.47	32.03	-18.90	51.60	54.00	2.40	Horizontal


802.11ac80_Channel 58



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.75	34.58	31.67	-19.14	47.11	54.00	6.89	Vertical
2	5351.65	38.06	32.03	-18.90	51.19	54.00	2.81	Vertical


802.11ac80_Channel 58



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.2667	47.22	31.67	-19.14	59.75	74.00	14.25	Horizontal
2	5361.0875	51.26	32.05	-18.93	64.38	74.00	9.62	Horizontal


802.11ac80_Channel 58



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.8667	47.49	31.66	-19.15	60.01	74.00	13.99	Vertical
2	5353.0875	49.30	32.04	-18.91	62.43	74.00	11.57	Vertical


802.11ac80_Channel 106



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.855	50.02	32.22	-19.11	63.13	74.00	10.87	Horizontal
2	5463.9	50.87	32.24	-19.12	63.98	68.30	4.32	Horizontal
3	5742.38	48.09	32.35	-18.86	61.58	68.30	6.72	Horizontal


802.11ac80_Channel 106



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.7583	50.73	32.22	-19.11	63.84	74.00	10.16	Vertical
2	5468.7017	51.97	32.24	-19.13	65.08	68.30	3.22	Vertical
3	5731.15	47.54	32.35	-18.82	61.06	68.30	7.24	Vertical


802.11ac80_Channel 106



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.7433	38.10	32.22	-19.11	51.21	54.00	2.79	Horizontal
2	5458.875	38.25	32.23	-19.11	51.36	54.00	2.64	Horizontal


802.11ac80_Channel 106



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.85	37.67	32.22	-19.11	50.78	54.00	3.22	Vertical
2	5457.87	38.01	32.22	-19.11	51.12	54.00	2.88	Vertical


802.11ac80_Channel 155



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5636.05	48.91	32.33	-18.72	62.51	68.30	5.79	Horizontal
2	5659.45	51.75	32.33	-18.73	65.36	75.32	9.96	Horizontal
3	5712.1	63.71	32.34	-18.77	77.29	108.69	31.40	Horizontal
4	5724.775	68.01	32.34	-18.80	81.55	121.79	40.24	Horizontal
5	5850.7125	61.11	32.37	-18.88	74.60	120.67	46.07	Horizontal
6	5865.9875	58.33	32.37	-18.84	71.86	107.82	35.96	Horizontal
7	5914.0875	47.98	32.38	-18.77	61.59	76.35	14.76	Horizontal
8	5939.1125	47.77	32.39	-18.82	61.34	68.30	6.96	Horizontal


802.11ac80_Channel 155



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.1375	49.19	32.33	-18.72	62.79	68.30	5.51	Vertical
2	5682.85	59.23	32.34	-18.73	72.84	92.65	19.81	Vertical
3	5708.6875	64.37	32.34	-18.76	77.96	107.73	29.77	Vertical
4	5723.9625	67.86	32.34	-18.80	81.40	119.94	38.54	Vertical
5	5850.7125	60.23	32.37	-18.88	73.72	120.67	46.95	Vertical
6	5867.125	56.20	32.37	-18.84	69.74	107.50	37.76	Vertical
7	5907.75	47.97	32.38	-18.76	61.60	81.03	19.43	Vertical
8	5931.3125	47.14	32.39	-18.81	60.72	68.30	7.58	Vertical


802.11ac160_Channel 50



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.16	35.67	31.67	-19.14	48.19	54.00	5.81	Horizontal
2	5352.2425	39.12	32.03	-18.91	52.25	54.00	1.75	Horizontal


802.11ac160_Channel 50



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.6267	36.58	31.67	-19.15	49.10	54.00	4.90	Vertical
2	5351.2275	38.82	32.03	-18.90	51.95	54.00	2.05	Vertical


802.11ac160_Channel 50



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5117.68	48.11	31.61	-19.22	60.50	74.00	13.50	Horizontal
2	5366.9075	50.82	32.06	-18.94	63.94	74.00	10.06	Horizontal


802.11ac160_Channel 50



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.12	47.64	31.66	-19.16	60.14	74.00	13.86	Vertical
2	5361.885	49.58	32.05	-18.93	62.70	74.00	11.30	Vertical


802.11ac160_Channel 114



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.7183	37.72	32.21	-19.10	50.83	54.00	3.17	Horizontal
2	5459.7683	37.83	32.23	-19.12	50.94	54.00	3.06	Horizontal


802.11ac160_Channel 114



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.0483	39.03	32.21	-19.10	52.14	54.00	1.86	Vertical
2	5458.205	40.00	32.22	-19.11	53.11	54.00	0.89	Vertical


802.11ac160_Channel 114



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5447.5967	50.71	32.21	-19.10	63.82	74.00	10.18	Horizontal
2	5467.1383	51.33	32.24	-19.13	64.44	68.30	3.86	Horizontal
3	5726.39	51.24	32.35	-18.81	64.78	68.30	3.52	Horizontal


802.11ac160_Channel 114



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.515	52.36	32.22	-19.11	65.47	74.00	8.53	Vertical
2	5466.0217	53.07	32.24	-19.13	66.18	68.30	2.12	Vertical
3	5726.58	50.76	32.35	-18.81	64.30	68.30	4.00	Vertical

802.11be20_Channel 36




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.2	36.57	31.67	-19.14	49.09	54.00	4.91	Horizontal
2	5149.5	37.07	31.67	-19.14	49.60	54.00	4.40	Horizontal




802.11be20_Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.7	38.90	31.67	-19.14	51.42	54.00	2.58	Vertical
2	5149.4	38.94	31.67	-19.14	51.47	54.00	2.53	Vertical


802.11be20_Channel 36



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.7	46.76	31.66	-19.15	59.27	74.00	14.73	Horizontal
2	5148.3	49.26	31.67	-19.14	61.78	74.00	12.22	Horizontal


802.11be20_Channel 36



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147	51.32	31.66	-19.15	63.84	74.00	10.16	Vertical
2	5149.5	50.05	31.67	-19.14	62.58	74.00	11.42	Vertical


802.11be20_Channel 64



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350	38.27	32.03	-18.90	51.40	54.00	2.60	Horizontal
2	5351	37.37	32.03	-18.90	50.50	54.00	3.50	Horizontal


802.11be20_Channel 64



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.1	39.68	32.03	-18.90	52.81	54.00	1.19	Vertical
2	5350.8	39.57	32.03	-18.90	52.70	54.00	1.30	Vertical


802.11be20_Channel 64



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.5	49.45	32.03	-18.90	62.58	74.00	11.42	Horizontal
2	5351.8	48.85	32.03	-18.90	61.98	74.00	12.02	Horizontal

802.11be20_Channel 64




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.8	52.12	32.03	-18.90	65.25	74.00	8.75	Vertical
2	5352.9	49.69	32.04	-18.91	62.82	74.00	11.18	Vertical




802.11be20_Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5456.38	40.76	32.22	-19.11	53.87	74.00	20.13	Horizontal
2	5467.78	43.09	32.24	-19.13	56.20	68.30	12.10	Horizontal


802.11be20_Channel 100



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.28	41.22	32.22	-19.11	54.33	74.00	19.67	Vertical
2	5464.42	44.70	32.24	-19.12	57.81	68.30	10.49	Vertical


802.11be20_Channel 100



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.32	35.47	32.22	-19.11	48.58	54.00	5.42	Horizontal
2	5457.1	35.30	32.22	-19.11	48.41	54.00	5.59	Horizontal


802.11be20_Channel 100



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.66	35.56	32.21	-19.10	48.67	54.00	5.33	Vertical
2	5457.76	35.84	32.22	-19.11	48.95	54.00	5.05	Vertical


802.11be20_Channel 140



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.1	54.57	32.35	-18.81	68.11	68.30	0.19	Horizontal
2	5726.5	52.95	32.35	-18.81	66.49	68.30	1.81	Horizontal


802.11be20_Channel 140



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.75	54.46	32.35	-18.81	68.00	68.30	0.30	Vertical
2	5727.15	50.34	32.35	-18.81	63.87	68.30	4.43	Vertical


802.11be20_Channel 149



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5644.0125	47.19	32.33	-18.72	60.79	68.30	7.51	Horizontal
2	5659.6125	47.84	32.33	-18.73	61.45	75.44	13.99	Horizontal
3	5715.8375	50.89	32.34	-18.78	64.46	109.74	45.28	Horizontal
4	5723.9625	55.87	32.34	-18.80	69.41	119.94	50.53	Horizontal


802.11be20_Channel 149



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5636.05	46.83	32.33	-18.72	60.43	68.30	7.87	Vertical
2	5682.2	47.13	32.34	-18.73	60.74	92.17	31.43	Vertical
3	5714.375	52.19	32.34	-18.77	65.76	109.33	43.57	Vertical
4	5724.6125	57.29	32.34	-18.80	70.83	121.42	50.59	Vertical

802.11be20_Channel 165



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.3875	61.05	32.37	-18.88	74.54	121.42	46.88	Horizontal
2	5863.875	48.64	32.37	-18.84	62.17	108.41	46.24	Horizontal
3	5904.175	47.88	32.38	-18.75	61.51	83.67	22.16	Horizontal
4	5930.175	47.76	32.39	-18.80	61.34	68.30	6.96	Horizontal


802.11be20_Channel 165



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.525	57.93	32.37	-18.88	71.42	118.82	47.40	Vertical
2	5869.5625	48.59	32.37	-18.83	62.14	106.82	44.68	Vertical
3	5894.5875	47.87	32.38	-18.76	61.49	90.77	29.28	Vertical
4	5928.0625	47.81	32.39	-18.80	61.40	68.30	6.90	Vertical

802.11be40_Channel 38




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.8667	38.58	31.67	-19.14	51.11	54.00	2.89	Horizontal
2	5350.0375	34.73	32.03	-18.90	47.86	54.00	6.14	Horizontal




802.11be40_Channel 38



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.92	40.99	31.67	-19.14	53.52	54.00	0.48	Vertical
2	5352.7675	34.90	32.03	-18.91	48.03	54.00	5.97	Vertical

802.11be40_Channel 38




Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.26	50.12	31.66	-19.16	62.62	74.00	11.38	Horizontal
2	5353.17	47.25	32.04	-18.91	60.38	74.00	13.62	Horizontal




802.11be40_Channel 38



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.3	52.07	31.66	-19.15	64.58	74.00	9.42	Vertical
2	5351.0175	46.64	32.03	-18.90	59.77	74.00	14.23	Vertical


802.11be40_Channel 62



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.35	34.51	31.67	-19.14	47.04	54.00	6.96	Horizontal
2	5350.4	37.68	32.03	-18.90	50.81	54.00	3.19	Horizontal


802.11be40_Channel 62



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.25	34.43	31.66	-19.15	46.94	54.00	7.06	Vertical
2	5350.2	39.27	32.03	-18.90	52.40	54.00	1.60	Vertical


802.11be40_Channel 62



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.2667	46.18	31.66	-19.15	58.69	74.00	15.31	Horizontal
2	5356.3125	51.61	32.04	-18.92	64.74	74.00	9.26	Horizontal


802.11be40_Channel 62



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146	46.74	31.66	-19.15	59.25	74.00	14.75	Vertical
2	5352.475	52.36	32.03	-18.91	65.49	74.00	8.51	Vertical


802.11be40_Channel 102



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5456.9767	51.08	32.22	-19.11	64.19	74.00	9.81	Horizontal
2	5462.3367	54.51	32.23	-19.12	67.62	68.30	0.68	Horizontal
3	5733.86	47.67	32.35	-18.83	61.19	68.30	7.11	Horizontal


802.11be40_Channel 102



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5459.9917	55.10	32.23	-19.12	68.21	74.00	5.79	Vertical
2	5466.915	54.87	32.24	-19.13	67.98	68.30	0.32	Vertical
3	5741.53	49.04	32.35	-18.85	62.53	68.30	5.77	Vertical


802.11be40_Channel 102



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5451.84	36.67	32.21	-19.10	49.78	54.00	4.22	Horizontal
2	5459.545	38.40	32.23	-19.12	51.51	54.00	2.49	Horizontal


802.11be40_Channel 102



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.9667	36.50	32.22	-19.11	49.61	54.00	4.39	Vertical
2	5459.4333	38.35	32.23	-19.12	51.46	54.00	2.54	Vertical


802.11be40_Channel 134



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.855	47.95	32.22	-19.11	61.06	74.00	12.94	Horizontal
2	5468.1433	47.78	32.24	-19.13	60.89	68.30	7.41	Horizontal
3	5727.44	51.34	32.35	-18.81	64.87	68.30	3.43	Horizontal


802.11be40_Channel 134



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.9667	48.03	32.22	-19.11	61.14	74.00	12.86	Vertical
2	5462.0017	48.41	32.23	-19.12	61.52	68.30	6.78	Vertical
3	5729.02	50.46	32.35	-18.82	63.99	68.30	4.31	Vertical


802.11be40_Channel 134



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.9117	34.99	32.20	-19.09	48.10	54.00	5.90	Horizontal
2	5455.525	35.00	32.22	-19.11	48.11	54.00	5.89	Horizontal


802.11be40_Channel 134



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5448.155	35.00	32.21	-19.10	48.11	54.00	5.89	Vertical
2	5456.865	34.92	32.22	-19.11	48.03	54.00	5.97	Vertical


802.11be40_Channel 151



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5637.5125	48.11	32.33	-18.72	61.71	68.30	6.59	Horizontal
2	5677	47.69	32.34	-18.73	61.30	88.32	27.02	Horizontal
3	5707.225	55.16	32.34	-18.75	68.75	107.33	38.58	Horizontal
4	5721.6875	58.94	32.34	-18.80	72.49	114.75	42.26	Horizontal
5	5850.3875	47.18	32.37	-18.88	60.67	121.42	60.75	Horizontal
6	5872.4875	47.13	32.37	-18.82	60.68	106.00	45.32	Horizontal
7	5915.55	47.94	32.38	-18.77	61.55	75.27	13.72	Horizontal
8	5927.9	48.39	32.39	-18.80	61.98	68.30	6.32	Horizontal


802.11be40_Channel 151



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5644.825	47.09	32.33	-18.72	60.69	68.30	7.61	Vertical
2	5684.3125	47.35	32.34	-18.73	60.96	93.73	32.77	Vertical
3	5705.1125	55.11	32.34	-18.75	68.71	106.73	38.02	Vertical
4	5723.15	59.94	32.34	-18.80	73.49	118.08	44.59	Vertical
5	5852.3375	47.69	32.37	-18.88	61.18	116.97	55.79	Vertical
6	5875.4125	48.12	32.38	-18.81	61.68	104.99	43.31	Vertical
7	5905.475	48.84	32.38	-18.75	62.47	82.71	20.24	Vertical
8	5933.425	47.81	32.39	-18.81	61.39	68.30	6.91	Vertical


802.11be40_Channel 159



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5633.775	47.69	32.33	-18.72	61.29	68.30	7.01	Horizontal
2	5679.7625	47.15	32.34	-18.73	60.76	90.36	29.60	Horizontal
3	5712.9125	48.89	32.34	-18.77	62.46	108.92	46.46	Horizontal
4	5724.6125	50.47	32.34	-18.80	64.01	121.42	57.41	Horizontal
5	5851.525	53.49	32.37	-18.88	66.98	118.82	51.84	Horizontal
6	5869.5625	48.04	32.37	-18.83	61.59	106.82	45.23	Horizontal
7	5916.6875	47.67	32.38	-18.78	61.28	74.43	13.15	Horizontal
8	5931.6375	47.66	32.39	-18.81	61.24	68.30	7.06	Horizontal


802.11be40_Channel 159



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5637.8375	47.20	32.33	-18.72	60.80	68.30	7.50	Vertical
2	5665.95	47.51	32.33	-18.73	61.12	80.14	19.02	Vertical
3	5713.4	50.01	32.34	-18.77	63.58	109.05	45.47	Vertical
4	5723.15	49.77	32.34	-18.80	63.32	118.08	54.76	Vertical
5	5851.2	53.37	32.37	-18.88	66.86	119.56	52.70	Vertical
6	5865.9875	48.04	32.37	-18.84	61.57	107.82	46.25	Vertical
7	5903.3625	47.91	32.38	-18.75	61.54	84.27	22.73	Vertical
8	5945.45	47.33	32.39	-18.84	60.88	68.30	7.42	Vertical


802.11be80_Channel 42



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.92	36.61	31.67	-19.14	49.14	54.00	4.86	Horizontal
2	5354.5875	34.75	32.04	-18.91	47.88	54.00	6.12	Horizontal


802.11be80_Channel 42



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.7067	37.71	31.67	-19.14	50.24	54.00	3.76	Vertical
2	5354.22	34.73	32.04	-18.91	47.86	54.00	6.14	Vertical


802.11be80_Channel 42



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.94	48.42	31.66	-19.15	60.93	74.00	13.07	Horizontal
2	5365.3675	46.72	32.06	-18.94	59.84	74.00	14.16	Horizontal


802.11be80_Channel 42



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5140.34	47.05	31.65	-19.16	59.54	74.00	14.46	Vertical
2	5382.5175	47.17	32.09	-18.98	60.28	74.00	13.72	Vertical


802.11be80_Channel 58



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.8	34.51	31.67	-19.14	47.03	54.00	6.97	Horizontal
2	5352.25	38.51	32.03	-18.91	51.64	54.00	2.36	Horizontal


802.11be80_Channel 58



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.2	34.42	31.66	-19.15	46.93	54.00	7.07	Vertical
2	5351.5	37.64	32.03	-18.90	50.77	54.00	3.23	Vertical


802.11be80_Channel 58



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.0667	46.76	31.66	-19.15	59.27	74.00	14.73	Horizontal
2	5367.8125	49.90	32.06	-18.94	63.02	74.00	10.98	Horizontal


802.11be80_Channel 58



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.0667	46.87	31.66	-19.15	59.38	74.00	14.62	Vertical
2	5354.625	49.43	32.04	-18.91	62.56	74.00	11.44	Vertical


802.11be80_Channel 106



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.0733	50.51	32.22	-19.11	63.62	74.00	10.38	Horizontal
2	5468.8133	51.36	32.24	-19.13	64.47	68.30	3.83	Horizontal
3	5735.75	47.97	32.35	-18.84	61.48	68.30	6.82	Horizontal


802.11be80_Channel 106



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5455.86	50.92	32.22	-19.11	64.03	74.00	9.97	Vertical
2	5467.25	51.32	32.24	-19.13	64.43	68.30	3.87	Vertical
3	5728.25	48.85	32.35	-18.81	62.38	68.30	5.92	Vertical


802.11be80_Channel 106



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.845	38.44	32.22	-19.10	51.55	54.00	2.45	Horizontal
2	5456.865	39.10	32.22	-19.11	52.21	54.00	1.79	Horizontal


802.11be80_Channel 106



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.6317	37.48	32.22	-19.11	50.59	54.00	3.41	Vertical
2	5459.9917	38.10	32.23	-19.12	51.21	54.00	2.79	Vertical


802.11be80_Channel 155



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.3	48.78	32.33	-18.72	62.38	68.30	5.92	Horizontal
2	5677.4875	50.05	32.34	-18.73	63.66	88.68	25.02	Horizontal
3	5711.45	55.77	32.34	-18.76	69.35	108.51	39.16	Horizontal
4	5722.6625	62.59	32.34	-18.80	76.14	116.97	40.83	Horizontal
5	5852.825	54.07	32.37	-18.88	67.56	115.86	48.30	Horizontal
6	5865.6625	50.23	32.37	-18.84	63.76	107.91	44.15	Horizontal
7	5906.6125	48.31	32.38	-18.75	61.94	81.87	19.93	Horizontal
8	5935.7	48.54	32.39	-18.81	62.11	68.30	6.19	Horizontal


802.11be80_Channel 155



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5638.4875	48.64	32.33	-18.72	62.24	68.30	6.06	Vertical
2	5680.0875	50.03	32.34	-18.73	63.64	90.60	26.96	Vertical
3	5712.2625	55.93	32.34	-18.77	69.51	108.74	39.23	Vertical
4	5723.475	60.14	32.34	-18.80	73.68	118.82	45.14	Vertical
5	5850.875	51.81	32.37	-18.88	65.30	120.30	55.00	Vertical
6	5873.1375	48.53	32.37	-18.82	62.09	105.82	43.73	Vertical
7	5921.8875	48.12	32.38	-18.79	61.72	70.59	8.87	Vertical
8	5936.5125	48.29	32.39	-18.82	61.86	68.30	6.44	Vertical


802.11be160_Channel 50



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.28	36.50	31.67	-19.14	49.03	54.00	4.97	Horizontal
2	5354.2375	40.33	32.04	-18.91	53.46	54.00	0.54	Horizontal


802.11be160_Channel 50



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.84	36.96	31.67	-19.15	49.48	54.00	4.52	Vertical
2	5351.525	39.34	32.03	-18.90	52.47	54.00	1.53	Vertical


802.11be160_Channel 50



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5134.56	49.40	31.64	-19.18	61.87	74.00	12.13	Horizontal
2	5368.85	51.67	32.06	-18.95	64.79	74.00	9.21	Horizontal


802.11be160_Channel 50



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5132.16	48.26	31.64	-19.18	60.72	74.00	13.28	Vertical
2	5351.14	51.46	32.03	-18.90	64.59	74.00	9.41	Vertical


802.11be160_Channel 114



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5450.7233	39.73	32.21	-19.10	52.84	54.00	1.16	Horizontal
2	5458.9867	40.11	32.23	-19.11	53.22	54.00	0.78	Horizontal

802.11be160_Channel 114



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.3983	38.66	32.21	-19.10	51.77	54.00	2.23	Vertical
2	5456.195	38.86	32.22	-19.11	51.97	54.00	2.03	Vertical