

1. Duty Cycle

1.1 Test Result

1.1.1 Ant1

Ant1								
ENV	Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11a	SISO	5955	1.965	1.980	99.24	0.03	0.00
			6175	1.965	1.981	99.19	0.04	0.00
			6415	1.965	1.981	99.19	0.04	0.03
	802.11ax (VHT20)	MIMO	5955	1.965	1.981	99.19	0.04	0.00
			6175	1.965	1.981	99.19	0.04	0.00
			6415	1.965	1.981	99.19	0.04	0.00
	802.11ax (VHT40)	MIMO	5965	5.430	5.447	99.69	0.01	0.03
			6165	5.430	5.447	99.69	0.01	0.03
			6405	5.430	5.447	99.69	0.01	0.03
	802.11ax (VHT80)	MIMO	5985	5.430	5.446	99.71	0.01	0.04
			6145	5.430	5.446	99.71	0.01	0.04
			6385	5.430	5.446	99.71	0.01	0.04
	802.11ax (VHT160)	MIMO	6025	5.428	5.444	99.71	0.01	0.04
			6185	5.429	5.446	99.69	0.01	0.03
			6345	5.428	5.444	99.71	0.01	0.04

1.1.2 Ant2

Ant2								
ENV	Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11a	SISO	5955	1.965	1.981	99.19	0.04	0.00
			6175	1.965	1.981	99.19	0.04	0.00
			6415	1.965	1.980	99.24	0.03	0.00
	802.11ax (VHT20)	MIMO	5955	1.965	1.981	99.19	0.04	0.00
			6175	1.965	1.981	99.19	0.04	0.00
			6415	1.965	1.981	99.19	0.04	0.03
	802.11ax (VHT40)	MIMO	5965	5.430	5.446	99.71	0.01	0.04
			6165	5.431	5.446	99.72	0.01	0.00
			6405	5.430	5.445	99.72	0.01	0.00
	802.11ax (VHT80)	MIMO	5985	3.384	3.399	99.56	0.02	0.00
			6145	1.981	1.996	99.25	0.03	0.00
			6385	5.431	5.446	99.72	0.01	0.00
	802.11ax (VHT160)	MIMO	6025	5.428	5.444	99.71	0.01	0.04
			6185	5.428	5.444	99.71	0.01	0.04
			6345	5.428	5.444	99.71	0.01	0.04

1.1.3 Ant1

Ant1								
ENV	Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11a	SISO	6435	1.965	1.981	99.19	0.04	0.03
			6475	1.965	1.980	99.24	0.03	0.00

	802.11ax (VHT20)	MIMO	6515	1.965	1.981	99.19	0.04	0.00
			6435	1.965	1.981	99.19	0.04	0.00
			6475	1.965	1.980	99.24	0.03	0.00
			6515	1.965	1.980	99.24	0.03	0.00
	802.11ax (VHT40)	MIMO	6445	5.430	5.446	99.71	0.01	0.04
			6485	5.430	5.446	99.71	0.01	0.04
	802.11ax (VHT80)	MIMO	6465	5.430	5.447	99.69	0.01	0.03

1.1.4 Ant2

Ant2								
ENV	Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11a	SISO	6435	1.965	1.981	99.19	0.04	0.00
			6475	1.965	1.980	99.24	0.03	0.00
			6515	1.965	1.981	99.19	0.04	0.00
	802.11ax (VHT20)	MIMO	6435	1.966	1.981	99.24	0.03	0.00
			6475	1.964	1.980	99.19	0.04	0.00
			6515	1.965	1.980	99.24	0.03	0.00
	802.11ax (VHT40)	MIMO	6445	5.430	5.445	99.72	0.01	0.00
			6485	5.430	5.445	99.72	0.01	0.00
	802.11ax (VHT80)	MIMO	6465	5.318	5.334	99.70	0.01	0.00

1.1.5 Ant1

Ant1								
ENV	Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11a	SISO	6535	1.966	1.981	99.24	0.03	0.00
			6695	1.965	1.980	99.24	0.03	0.00
			6855	1.965	1.980	99.24	0.03	0.00
	802.11ax (VHT20)	MIMO	6535	1.965	1.980	99.24	0.03	0.00
			6695	1.965	1.980	99.24	0.03	0.03
			6855	1.965	1.981	99.19	0.04	0.00
	802.11ax (VHT40)	MIMO	6565	5.430	5.446	99.71	0.01	0.04
			6685	5.430	5.446	99.71	0.01	0.04
			6845	5.430	5.446	99.71	0.01	0.04
	802.11ax (VHT80)	MIMO	6625	5.430	5.447	99.69	0.01	0.03
			6705	5.430	5.446	99.71	0.01	0.04
			6785	5.430	5.446	99.71	0.01	0.04
	802.11ax (VHT160)	MIMO	6665	5.428	5.445	99.69	0.01	0.03

1.1.6 Ant2

Ant2								
ENV	Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11a	SISO	6535	1.966	1.981	99.24	0.03	0.00
			6695	1.966	1.981	99.24	0.03	0.00
			6855	1.966	1.981	99.24	0.03	0.00

	802.11ax (VHT20)	MIMO	6535	1.965	1.981	99.19	0.04	0.07
			6695	1.965	1.980	99.24	0.03	0.00
			6855	1.965	1.980	99.24	0.03	0.00
	802.11ax (VHT40)	MIMO	6565	5.431	5.446	99.72	0.01	0.00
			6685	5.431	5.446	99.72	0.01	0.00
			6845	5.431	5.446	99.72	0.01	0.00
	802.11ax (VHT80)	MIMO	6625	5.431	5.446	99.72	0.01	0.00
			6705	4.197	4.212	99.64	0.02	0.00
			6785	2.161	2.177	99.27	0.03	0.00
	802.11ax (VHT160)	MIMO	6665	5.428	5.444	99.71	0.01	0.04

1.1.7 Ant1

Ant1								
ENV	Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11a	SISO	6895	5.428	5.445	99.69	0.01	0.03
			6995	1.965	1.981	99.19	0.04	0.03
			7095	1.965	1.981	99.19	0.04	0.03
	802.11ax (VHT20)	MIMO	6895	1.965	1.981	99.19	0.04	0.07
			6995	1.966	1.981	99.24	0.03	0.00
			7095	1.966	1.981	99.24	0.03	0.00
	802.11ax (VHT40)	MIMO	6925	5.430	5.446	99.71	0.01	0.04
			7005	5.430	5.445	99.72	0.01	0.00
			7085	5.430	5.447	99.69	0.01	0.03
	802.11ax (VHT80)	MIMO	6945	5.430	5.446	99.71	0.01	0.04
			7025	5.430	5.447	99.69	0.01	0.03
	802.11ax (VHT160)	MIMO	6985	5.428	5.444	99.71	0.01	0.04

1.1.8 Ant2

Ant2								
ENV	Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11a	SISO	6895	1.965	1.980	99.24	0.03	0.00
			6995	1.964	1.980	99.19	0.04	0.03
			7095	1.964	1.980	99.19	0.04	0.03
	802.11ax (VHT20)	MIMO	6895	1.966	1.981	99.24	0.03	0.00
			6995	1.965	1.981	99.19	0.04	0.03
			7095	1.965	1.981	99.19	0.04	0.03
	802.11ax (VHT40)	MIMO	6925	5.430	5.446	99.71	0.01	0.00
			7005	5.430	5.446	99.71	0.01	0.00
			7085	5.430	5.445	99.72	0.01	0.00
	802.11ax (VHT80)	MIMO	6945	4.122	4.137	99.64	0.02	0.00
			7025	4.483	4.498	99.67	0.01	0.00
	802.11ax (VHT160)	MIMO	6985	5.429	5.445	99.71	0.01	0.03

1.1.9 Ant1

Ant1

ENV	Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11a	SISO	6875	1.965	1.980	99.24	0.03	0.00
	802.11ax (VHT20)	MIMO	6875	1.965	1.980	99.24	0.03	0.00
	802.11ax (VHT40)	MIMO	6885	5.430	5.446	99.71	0.01	0.04
	802.11ax (VHT80)	MIMO	6865	5.430	5.446	99.71	0.01	0.04
	802.11ax (VHT160)	MIMO	6825	5.428	5.444	99.71	0.01	0.04

1.1.10 Ant2

Ant2								
ENV	Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11a	SISO	6875	1.965	1.980	99.24	0.03	0.00
	802.11ax (VHT20)	MIMO	6875	1.964	1.980	99.19	0.04	0.00
	802.11ax (VHT40)	MIMO	6885	5.430	5.446	99.71	0.01	0.00
	802.11ax (VHT80)	MIMO	6865	2.657	2.672	99.44	0.02	0.00
	802.11ax (VHT160)	MIMO	6825	5.428	5.444	99.71	0.01	0.04

1.1.11 Ant1

Ant1								
ENV	Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11ax (VHT40)	MIMO	6525	5.430	5.446	99.71	0.01	0.04
	802.11ax (VHT80)	MIMO	6545	5.430	5.446	99.71	0.01	0.04
	802.11ax (VHT160)	MIMO	6505	5.428	5.445	99.69	0.01	0.03

1.1.12 Ant2

Ant2								
ENV	Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
NTNV	802.11ax (VHT40)	MIMO	6525	5.430	5.445	99.72	0.01	0.00
	802.11ax (VHT80)	MIMO	6545	5.430	5.446	99.71	0.01	0.00
	802.11ax (VHT160)	MIMO	6505	5.428	5.444	99.71	0.01	0.04

2. Bandwidth

2.1 Test Result

2.1.1 OBW

ENV	Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
					Result	Limit	
NTNV	802.11a	SISO	5955	1	17.606	<=320	Pass
				2	17.600	<=320	Pass
			6175	1	17.685	<=320	Pass
				2	17.650	<=320	Pass
			6415	1	17.595	<=320	Pass
				2	17.682	<=320	Pass
	802.11ax (VHT20)	MIMO	5955	1	17.642	<=320	Pass
				2	17.654	<=320	Pass
			6175	1	17.656	<=320	Pass
				2	17.626	<=320	Pass
			6415	1	17.678	<=320	Pass
				2	17.730	<=320	Pass
	802.11ax (VHT40)	MIMO	5965	1	37.391	<=320	Pass
				2	37.209	<=320	Pass
			6165	1	37.538	<=320	Pass
				2	37.401	<=320	Pass
			6405	1	37.439	<=320	Pass
				2	37.685	<=320	Pass
	802.11ax (VHT80)	MIMO	5985	1	77.166	<=320	Pass
				2	76.791	<=320	Pass
			6145	1	77.538	<=320	Pass
				2	77.366	<=320	Pass
			6385	1	78.104	<=320	Pass
				2	77.521	<=320	Pass
	802.11ax (VHT160)	MIMO	6025	1	155.512	<=320	Pass
				2	155.703	<=320	Pass
			6185	1	156.273	<=320	Pass
				2	155.945	<=320	Pass
			6345	1	156.501	<=320	Pass
				2	156.873	<=320	Pass

2.1.2 26dB BW

ENV	Mode	TX Type	Frequency (MHz)	ANT	26dB Bandwidth (MHz)		Verdict
					Result	Limit	
NTNV	802.11a	SISO	5955	1	22.360	/	Pass
				2	22.284	/	Pass
			6175	1	22.734	/	Pass
				2	22.213	/	Pass
			6415	1	22.246	/	Pass
				2	22.341	/	Pass
	802.11ax (VHT20)	MIMO	5955	1	22.286	/	Pass
			6175	1	22.516	/	Pass

			6415	2	22.277	/	Pass
				1	22.646	/	Pass
	802.11ax (VHT40)	MIMO	5965	2	22.409	/	Pass
				1	44.210	/	Pass
			6165	2	43.752	/	Pass
				1	44.618	/	Pass
			6405	2	43.999	/	Pass
				1	45.024	/	Pass
	802.11ax (VHT80)	MIMO	5985	2	44.757	/	Pass
				1	89.282	/	Pass
			6145	2	88.897	/	Pass
				1	89.995	/	Pass
			6385	2	91.985	/	Pass
				1	91.791	/	Pass
	802.11ax (VHT160)	MIMO	6025	2	91.062	/	Pass
				1	171.098	/	Pass
			6185	2	171.195	/	Pass
				1	172.461	/	Pass
			6345	2	173.887	/	Pass
				1	174.164	/	Pass
				2	173.827	/	Pass

2.1.3 OBW

ENV	Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
					Result	Limit	
NTNV	802.11a	SISO	6435	1	17.583	<=320	Pass
				2	17.681	<=320	Pass
			6475	1	17.648	<=320	Pass
				2	17.655	<=320	Pass
			6515	1	17.625	<=320	Pass
				2	17.710	<=320	Pass
	802.11ax (VHT20)	MIMO	6435	1	17.665	<=320	Pass
				2	17.634	<=320	Pass
			6475	1	17.613	<=320	Pass
				2	17.702	<=320	Pass
			6515	1	17.679	<=320	Pass
				2	17.698	<=320	Pass
	802.11ax (VHT40)	MIMO	6445	1	37.469	<=320	Pass
				2	37.372	<=320	Pass
			6485	1	37.622	<=320	Pass
				2	37.552	<=320	Pass
	802.11ax (VHT80)	MIMO	6465	1	77.357	<=320	Pass
				2	77.274	<=320	Pass

2.1.4 26dB BW

ENV	Mode	TX Type	Frequency (MHz)	ANT	26dB Bandwidth (MHz)		Verdict
					Result	Limit	
NTNV	802.11a	SISO	6435	1	22.367	/	Pass
				2	22.359	/	Pass
			6475	1	22.388	/	Pass
				2	22.141	/	Pass
			6515	1	22.537	/	Pass

	802.11ax (VHT20)	MIMO	6435	2	22.121	/	Pass
				1	22.495	/	Pass
			6475	2	22.213	/	Pass
				1	22.281	/	Pass
			6515	2	22.372	/	Pass
				1	22.601	/	Pass
	802.11ax (VHT40)	MIMO	6445	2	22.451	/	Pass
				1	44.096	/	Pass
			6485	2	44.134	/	Pass
				1	45.028	/	Pass
	802.11ax (VHT80)	MIMO	6465	2	44.425	/	Pass
				1	92.125	/	Pass
				2	88.772	/	Pass

2.1.5 OBW

ENV	Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
					Result	Limit	
NTNV	802.11a	SISO	6535	1	17.634	<=320	Pass
				2	17.686	<=320	Pass
			6695	1	17.613	<=320	Pass
				2	17.584	<=320	Pass
			6855	1	17.637	<=320	Pass
				2	17.654	<=320	Pass
	802.11ax (VHT20)	MIMO	6535	1	17.658	<=320	Pass
				2	17.571	<=320	Pass
			6695	1	17.658	<=320	Pass
				2	17.676	<=320	Pass
			6855	1	17.651	<=320	Pass
				2	17.557	<=320	Pass
	802.11ax (VHT40)	MIMO	6565	1	37.512	<=320	Pass
				2	37.495	<=320	Pass
			6685	1	37.604	<=320	Pass
				2	37.422	<=320	Pass
			6845	1	37.717	<=320	Pass
				2	37.569	<=320	Pass
	802.11ax (VHT80)	MIMO	6625	1	77.604	<=320	Pass
				2	77.436	<=320	Pass
			6705	1	77.262	<=320	Pass
				2	77.011	<=320	Pass
			6785	1	78.316	<=320	Pass
				2	78.790	<=320	Pass
	802.11ax (VHT160)	MIMO	6665	1	156.492	<=320	Pass
				2	156.409	<=320	Pass

2.1.6 26dB BW

ENV	Mode	TX Type	Frequency (MHz)	ANT	26dB Bandwidth (MHz)		Verdict
					Result	Limit	
NTNV	802.11a	SISO	6535	1	22.512	/	Pass
				2	22.416	/	Pass
			6695	1	22.276	/	Pass
				2	22.317	/	Pass
			6855	1	22.467	/	Pass

	802.11ax (VHT20)	MIMO	6535	2	22.401	/	Pass
				1	22.379	/	Pass
			6695	2	22.287	/	Pass
				1	22.196	/	Pass
			6855	2	22.310	/	Pass
				1	22.396	/	Pass
	802.11ax (VHT40)	MIMO	6565	2	22.547	/	Pass
				1	45.211	/	Pass
			6685	2	44.456	/	Pass
				1	44.843	/	Pass
			6845	2	43.339	/	Pass
				1	44.635	/	Pass
	802.11ax (VHT80)	MIMO	6625	2	43.681	/	Pass
				1	93.054	/	Pass
			6705	2	89.759	/	Pass
				1	91.140	/	Pass
			6785	2	91.641	/	Pass
				1	91.701	/	Pass
	802.11ax (VHT160)	MIMO	6665	2	91.995	/	Pass
				1	171.360	/	Pass
				2	173.006	/	Pass

2.1.7 OBW

ENV	Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
					Result	Limit	
NTNV	802.11a	SISO	6895	1	17.572	<=320	Pass
				2	17.630	<=320	Pass
			6995	1	17.619	<=320	Pass
				2	17.590	<=320	Pass
			7095	1	17.634	<=320	Pass
				2	17.511	<=320	Pass
	802.11ax (VHT20)	MIMO	6895	1	17.584	<=320	Pass
				2	17.593	<=320	Pass
			6995	1	17.586	<=320	Pass
				2	17.677	<=320	Pass
			7095	1	19.464	<=320	Pass
				2	19.361	<=320	Pass
	802.11ax (VHT40)	MIMO	6925	1	37.576	<=320	Pass
				2	37.589	<=320	Pass
			7005	1	37.504	<=320	Pass
				2	37.700	<=320	Pass
			7085	1	37.740	<=320	Pass
				2	37.669	<=320	Pass
	802.11ax (VHT80)	MIMO	6945	1	77.573	<=320	Pass
				2	77.496	<=320	Pass
			7025	1	78.031	<=320	Pass
				2	77.586	<=320	Pass
	802.11ax (VHT160)	MIMO	6985	1	156.868	<=320	Pass
				2	156.842	<=320	Pass

2.1.8 26dB BW

ENV	Mode	TX	Frequency	ANT	26dB Bandwidth (MHz)	Verdict
-----	------	----	-----------	-----	----------------------	---------

		Type	(MHz)		Result	Limit	
NTNV	802.11a	SISO	6895	1	22.187	/	Pass
				2	22.497	/	Pass
			6995	1	22.297	/	Pass
				2	22.447	/	Pass
			7095	1	21.778	/	Pass
				2	21.519	/	Pass
	802.11ax (VHT20)	MIMO	6895	1	22.427	/	Pass
				2	22.254	/	Pass
			6995	1	22.448	/	Pass
				2	22.176	/	Pass
			7095	1	22.122	/	Pass
				2	22.603	/	Pass
	802.11ax (VHT40)	MIMO	6925	1	45.355	/	Pass
				2	45.251	/	Pass
			7005	1	44.362	/	Pass
				2	44.958	/	Pass
			7085	1	45.355	/	Pass
				2	44.685	/	Pass
	802.11ax (VHT80)	MIMO	6945	1	91.478	/	Pass
				2	92.285	/	Pass
			7025	1	92.071	/	Pass
				2	92.493	/	Pass
	802.11ax (VHT160)	MIMO	6985	1	174.071	/	Pass
				2	172.372	/	Pass

2.1.9 OBW

ENV	Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
					Result	Limit	
NTNV	802.11a	SISO	6875	1	17.617	<=320	Pass
				2	17.695	<=320	Pass
	802.11ax (VHT20)	MIMO	6875	1	17.664	<=320	Pass
				2	17.661	<=320	Pass
	802.11ax (VHT40)	MIMO	6885	1	37.477	<=320	Pass
				2	37.411	<=320	Pass
	802.11ax (VHT80)	MIMO	6865	1	77.694	<=320	Pass
				2	77.713	<=320	Pass
	802.11ax (VHT160)	MIMO	6825	1	157.549	<=320	Pass
				2	156.852	<=320	Pass

2.1.10 26dB BW

ENV	Mode	TX Type	Frequency (MHz)	ANT	26dB Bandwidth (MHz)		Verdict
					Result	Limit	
NTNV	802.11a	SISO	6875	1	22.497	/	Pass
				2	22.390	/	Pass
	802.11ax (VHT20)	MIMO	6875	1	22.471	/	Pass
				2	22.244	/	Pass
	802.11ax (VHT40)	MIMO	6885	1	44.901	/	Pass
				2	45.032	/	Pass
	802.11ax (VHT80)	MIMO	6865	1	90.338	/	Pass
				2	91.328	/	Pass
	802.11ax	MIMO	6825	1	175.374	/	Pass
				2	175.374	/	Pass

	(VHT160)			2	173.720	/	Pass
--	----------	--	--	---	---------	---	------

2.1.11 OBW


ENV	Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
					Result	Limit	
NTNV	802.11ax (VHT40)	MIMO	6525	1	37.545	<=320	Pass
				2	37.530	<=320	Pass
	802.11ax (VHT80)	MIMO	6545	1	77.299	<=320	Pass
				2	77.366	<=320	Pass
	802.11ax (VHT160)	MIMO	6505	1	156.583	<=320	Pass
				2	156.671	<=320	Pass

2.1.12 26dB BW


ENV	Mode	TX Type	Frequency (MHz)	ANT	26dB Bandwidth (MHz)		Verdict
					Result	Limit	
NTNV	802.11ax (VHT40)	MIMO	6525	1	44.700	/	Pass
				2	44.378	/	Pass
	802.11ax (VHT80)	MIMO	6545	1	90.385	/	Pass
				2	91.911	/	Pass
	802.11ax (VHT160)	MIMO	6505	1	173.463	/	Pass
				2	172.238	/	Pass

2.2 Test Graph


2.2.1 OBW




802.11a_MCH_6175MHz_Ant1_NTNV




802.11a_MCH_6175MHz_Ant2_NTNV




802.11a_HCH_6415MHz_Ant1_NTNV




802.11a_HCH_6415MHz_Ant2_NTNV




802.11ax(VHT20)_LCH_5955MHz_Ant1_NTNV




802.11ax(VHT20)_LCH_5955MHz_Ant2_NTNV




802.11ax(VHT20)_MCH_6175MHz_Ant1_NTNV




802.11ax(VHT20)_MCH_6175MHz_Ant2_NTNV




802.11ax(VHT20)_HCH_6415MHz_Ant1_NTNV




802.11ax(VHT20)_HCH_6415MHz_Ant2_NTNV




802.11ax(VHT40)_LCH_5965MHz_Ant1_NTNV




802.11ax(VHT40)_LCH_5965MHz_Ant2_NTNV




802.11ax(VHT40)_MCH_6165MHz_Ant1_NTNV




802.11ax(VHT40)_MCH_6165MHz_Ant2_NTNV




802.11ax(VHT40)_HCH_6405MHz_Ant1_NTNV




802.11ax(VHT40)_HCH_6405MHz_Ant2_NTNV




802.11ax(VHT80)_LCH_5985MHz_Ant1_NTNV




802.11ax(VHT80)_LCH_5985MHz_Ant2_NTNV




802.11ax(VHT80)_MCH_6145MHz_Ant1_NTNV




802.11ax(VHT80)_MCH_6145MHz_Ant2_NTNV




802.11ax(VHT80)_HCH_6385MHz_Ant1_NTNV




802.11ax(VHT80)_HCH_6385MHz_Ant2_NTNV




802.11ax(VHT160)_LCH_6025MHz_Ant1_NTNV




802.11ax(VHT160)_LCH_6025MHz_Ant2_NTNV




802.11ax(VHT160)_MCH_6185MHz_Ant1_NTNV




802.11ax(VHT160)_MCH_6185MHz_Ant2_NTNV




802.11ax(VHT160)_HCH_6345MHz_Ant1_NTNV




802.11ax(VHT160)_HCH_6345MHz_Ant2_NTNV




2.2.2 26dB BW




802.11a_MCH_6175MHz_Ant1_NTNV




802.11a_MCH_6175MHz_Ant2_NTNV




802.11a_HCH_6415MHz_Ant1_NTNV




802.11a_HCH_6415MHz_Ant2_NTNV




802.11ax(VHT20)_LCH_5955MHz_Ant1_NTNV




802.11ax(VHT20)_LCH_5955MHz_Ant2_NTNV




802.11ax(VHT20)_MCH_6175MHz_Ant1_NTNV




802.11ax(VHT20)_MCH_6175MHz_Ant2_NTNV




802.11ax(VHT20)_HCH_6415MHz_Ant1_NTNV




802.11ax(VHT20)_HCH_6415MHz_Ant2_NTNV




802.11ax(VHT40)_LCH_5965MHz_Ant1_NTNV




802.11ax(VHT40)_LCH_5965MHz_Ant2_NTNV




802.11ax(VHT40)_MCH_6165MHz_Ant1_NTNV




802.11ax(VHT40)_MCH_6165MHz_Ant2_NTNV




802.11ax(VHT40)_HCH_6405MHz_Ant1_NTNV




802.11ax(VHT40)_HCH_6405MHz_Ant2_NTNV




802.11ax(VHT80)_LCH_5985MHz_Ant1_NTNV




802.11ax(VHT80)_LCH_5985MHz_Ant2_NTNV




802.11ax(VHT80)_MCH_6145MHz_Ant1_NTNV




802.11ax(VHT80)_MCH_6145MHz_Ant2_NTNV




802.11ax(VHT80)_HCH_6385MHz_Ant1_NTNV




802.11ax(VHT80)_HCH_6385MHz_Ant2_NTNV




802.11ax(VHT160)_LCH_6025MHz_Ant1_NTNV




802.11ax(VHT160)_LCH_6025MHz_Ant2_NTNV




802.11ax(VHT160)_MCH_6185MHz_Ant1_NTNV




802.11ax(VHT160)_MCH_6185MHz_Ant2_NTNV



802.11ax(VHT160)_HCH_6345MHz_Ant1_NTNV




802.11ax(VHT160)_HCH_6345MHz_Ant2_NTNV




2.2.3 OBW


802.11a_LCH_6435MHz_Ant1_NTNV




802.11a_LCH_6435MHz_Ant2_NTNV




802.11a_MCH_6475MHz_Ant1_NTNV




802.11a_MCH_6475MHz_Ant2_NTNV




802.11a_HCH_6515MHz_Ant1_NTNV




802.11a_HCH_6515MHz_Ant2_NTNV




802.11ax(VHT20)_LCH_6435MHz_Ant1_NTNV




802.11ax(VHT20)_LCH_6435MHz_Ant2_NTNV




802.11ax(VHT20)_MCH_6475MHz_Ant1_NTNV




802.11ax(VHT20)_MCH_6475MHz_Ant2_NTNV




802.11ax(VHT20)_HCH_6515MHz_Ant1_NTNV



802.11ax(VHT20)_HCH_6515MHz_Ant2_NTNV



802.11ax(VHT40)_LCH_6445MHz_Ant1_NTNV



802.11ax(VHT40)_LCH_6445MHz_Ant2_NTNV

