



Test Setup

<Frequency Range 9 kHz ~ 30 MHz>



<Frequency Range 30 MHz ~ 1 GHz >



Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

<Frequency Range above 1 GHz>



For the actual test configuration, please refer to the Setup Configurations.

Test Data**Above 1 GHz**

Mode	802.11a	Channel	36
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5059.15	43.51	19.7	63.21	74	-10.79	PK
		5149.8	33.05	20.06	53.11	54	-0.89	AVG
	@	5180	87.92	19.97	107.89	N/A	N/A	PK
	@	5180	79.94	19.97	99.91	N/A	N/A	AVG
	*	10360	34.39	18.22	52.61	68.2	-15.59	PK
Vertical		5067.55	42.43	19.77	62.2	74	-11.8	PK
		5120.75	30.9	20.03	50.93	54	-3.07	AVG
	@	5180	78.14	19.97	98.11	N/A	N/A	PK
	@	5180	70.72	19.97	90.69	N/A	N/A	AVG
	*	10360	34.31	18.22	52.53	68.2	-15.67	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11a	Channel	44
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5101.5	42.53	20.01	62.54	74	-11.46	PK
		5147.7	31.66	20.06	51.72	54	-2.28	AVG
	@	5220	87.3	19.9	107.2	N/A	N/A	PK
	@	5220	80.35	19.9	100.25	N/A	N/A	AVG
	*	10440	32.6	18.52	51.12	68.2	-17.08	PK
Vertical		5085.75	42.97	19.89	62.86	74	-11.14	PK
		5097.3	30.97	19.98	50.95	54	-3.05	AVG
	@	5220	77.15	19.9	97.05	N/A	N/A	PK
	@	5220	70.17	19.9	90.07	N/A	N/A	AVG
	*	10440	32.15	18.52	50.67	68.2	-17.53	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 44)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 44)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 44)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 44)
Band Edge (Average), Vertical



TX, 802.11a (Ch 44)
Band Edge (Peak), Horizontal



TX, 802.11a (Ch 44)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	48
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5117.95	31.31	20.02	51.33	54	-2.67	AVG
		5127.05	42.08	20.03	62.11	74	-11.89	PK
	@	5240	85.12	19.88	105	N/A	N/A	PK
	@	5240	78.72	19.88	98.6	N/A	N/A	AVG
	*	10480	31.78	18.66	50.44	68.2	-17.76	PK
Vertical		5000	43.87	19.48	63.35	74	-10.65	PK
		5100.45	30.96	20	50.96	54	-3.04	AVG
	@	5240	74.66	19.88	94.54	N/A	N/A	PK
	@	5240	69.07	19.88	88.95	N/A	N/A	AVG
	*	10480	31.83	18.66	50.49	68.2	-17.71	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 48)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 48)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 48)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 48)
Band Edge (Average), Vertical



TX, 802.11a (Ch 48)
Band Edge (Peak), Horizontal



TX, 802.11a (Ch 48)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	52
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	85.22	19.8	105.02	N/A	N/A	PK
	@	5260	78.32	19.8	98.12	N/A	N/A	AVG
		5456.4	40.18	20.23	60.41	74	-13.59	PK
		5457	28.75	20.23	48.98	54	-5.02	AVG
	*	10520	32.21	18.7	50.91	68.2	-17.29	PK
Vertical	@	5260	72.86	19.8	92.66	N/A	N/A	PK
	@	5260	65.78	19.8	85.58	N/A	N/A	AVG
		5439	40.28	20.14	60.42	74	-13.58	PK
		5453.1	28.63	20.21	48.84	54	-5.16	AVG
	*	10520	32.51	18.7	51.21	68.2	-16.99	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 52)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 52)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 52)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 52)
Band Edge (Average), Vertical



TX, 802.11a (Ch 52)
Band Edge (Peak), Horizontal



TX, 802.11a (Ch 52)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	60
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	85.34	19.53	104.87	N/A	N/A	PK
	@	5300	77.2	19.53	96.73	N/A	N/A	AVG
		5350.8	29.37	19.59	48.96	54	-5.04	AVG
		5454.6	39.77	20.23	60	74	-14	PK
	*	10600	31.4	18.63	50.03	74	-23.97	PK
Vertical	@	5300	73.96	19.53	93.49	N/A	N/A	PK
	@	5300	65.23	19.53	84.76	N/A	N/A	AVG
		5432.7	40.19	20.1	60.29	74	-13.71	PK
		5457	28.78	20.23	49.01	54	-4.99	AVG
	*	10600	33.8	18.63	52.43	74	-21.57	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 60)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 60)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 60)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 60)
Band Edge (Average), Vertical



TX, 802.11a (Ch 60)
Band Edge (Peak), Horizontal



TX, 802.11a (Ch 60)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	64
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	85.17	19.55	104.72	N/A	N/A	PK
	@	5320	77.27	19.55	96.82	N/A	N/A	AVG
		5354.7	29.37	19.62	48.99	54	-5.01	AVG
		5459.4	40.42	20.24	60.66	74	-13.34	PK
	*	10640	32.17	18.58	50.75	74	-23.25	PK
Vertical	@	5320	72.79	19.55	92.34	N/A	N/A	PK
	@	5320	65.94	19.55	85.49	N/A	N/A	AVG
		5390.7	41.3	19.87	61.17	74	-12.83	PK
		5459.1	28.6	20.24	48.84	54	-5.16	AVG
	*	10640	33.98	18.58	52.56	74	-21.44	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 64)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 64)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 64)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 64)
Band Edge (Average), Vertical



TX, 802.11a (Ch 64)
Band Edge (Peak), Horizontal



TX, 802.11a (Ch 64)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	100
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5455.3	28.91	20.23	49.14	54	-4.86	AVG
		5457.4	41.16	20.23	61.39	74	-12.61	PK
		5461.25	39.65	20.25	59.9	68.2	-8.3	PK
	@	5500	81.07	20.45	101.52	N/A	N/A	PK
	@	5500	74.28	20.45	94.73	N/A	N/A	AVG
	*	11000	32.23	18.63	50.86	74	-23.14	PK
Vertical		5451.45	40.04	20.21	60.25	74	-13.75	PK
		5459.85	28.63	20.24	48.87	54	-5.13	AVG
		5463	39.47	20.26	59.73	68.2	-8.47	PK
	@	5500	72.38	20.45	92.83	N/A	N/A	PK
	@	5500	64.71	20.45	85.16	N/A	N/A	AVG
	*	11000	32.46	18.63	51.09	74	-22.91	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 100)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 100)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 100)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 100)
Band Edge (Average), Vertical



TX, 802.11a (Ch 100)
Band Edge (Peak), Horizontal




TX, 802.11a (Ch 100)
Band Edge (Peak), Vertical




Mode	802.11a	Channel	116
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5450.75	39.46	20.2	59.66	74	-14.34	PK
		5462.3	39.96	20.26	60.22	68.2	-7.98	PK
	@	5580	82.53	20.59	103.12	N/A	N/A	PK
		5739.85	40.01	20.58	60.59	68.2	-7.61	PK
	*	11160	31.19	18.8	49.99	74	-24.01	PK
Vertical		5438.5	41.5	20.13	61.63	74	-12.37	PK
		5465.8	40.19	20.27	60.46	68.2	-7.74	PK
	@	5580	71.03	20.59	91.62	N/A	N/A	PK
		5733.9	39.77	20.53	60.3	68.2	-7.9	PK
	*	11160	30.44	18.8	49.24	74	-24.76	PK


TX, 802.11a (Ch 116)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 116)
Radiated Spurious Emission, Vertical



TX, 802.11a (Ch 116)
Band Edge (Peak), Horizontal



TX, 802.11a (Ch 116)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	140
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5428.7	39.75	20.08	59.83	74	-14.17	PK
		5458.8	28.48	20.24	48.72	54	-5.28	AVG
		5466.85	39.92	20.28	60.2	68.2	-8	PK
	@	5700	84	20.29	104.29	N/A	N/A	PK
	@	5700	76.52	20.29	96.81	N/A	N/A	AVG
		5743.7	40.45	20.6	61.05	68.2	-7.15	PK
	*	11400	31.54	19.45	50.99	74	-23.01	PK
Vertical		5418.55	40.58	20.03	60.61	74	-13.39	PK
		5456.7	28.53	20.23	48.76	54	-5.24	AVG
		5461.95	39.27	20.26	59.53	68.2	-8.67	PK
	@	5700	76.2	20.29	96.49	N/A	N/A	PK
	@	5700	67.65	20.29	87.94	N/A	N/A	AVG
		5727.6	40.66	20.49	61.15	68.2	-7.05	PK
	*	11400	30.58	19.45	50.03	74	-23.97	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 140)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 140)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 140)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 140)
Band Edge (Average), Vertical



TX, 802.11a (Ch 140)
Band Edge (Peak), Horizontal




TX, 802.11a (Ch 140)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	144
------	---------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11440	30.84	19.57	50.41	74	-23.59	PK
Vertical	*	11440	31.56	19.57	51.13	74	-22.87	PK




Mode	802.11a	Channel	149
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5541.5	41.74	20.58	62.32	68.2	-5.88	PK
		5685	40.92	20.33	61.25	94.13	-32.88	PK
	@	5745	81.4	20.62	102.02	N/A	N/A	PK
	*	11490	30.81	19.74	50.55	74	-23.45	PK
Vertical		5556.5	40.93	20.61	61.54	68.2	-6.66	PK
		5677	40.84	20.35	61.19	88.22	-27.03	PK
	@	5745	72.01	20.62	92.63	N/A	N/A	PK
	*	11490	30.65	19.74	50.39	74	-23.61	PK


TX, 802.11a (Ch 149)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 149)
Radiated Spurious Emission, Vertical



TX, 802.11a (Ch 149)
Band Edge (Peak), Horizontal




TX, 802.11a (Ch 149)
Band Edge (Peak), Vertical




Mode	802.11a	Channel	157
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5595	41.18	20.58	61.76	68.2	-6.44	PK
		5673	41.16	20.37	61.53	85.26	-23.73	PK
		5785	80.88	20.9	101.78	N/A	N/A	PK
	*	5882	41.74	21.5	63.24	100	-36.76	PK
		5975	41.13	21.66	62.79	68.2	-5.41	PK
		11570	30.98	19.71	50.69	74	-23.31	PK
Vertical	@	5557.5	42.07	20.6	62.67	68.2	-5.53	PK
		5695.5	40.35	20.31	60.66	101.88	-41.22	PK
		5785	73.55	20.9	94.45	N/A	N/A	PK
	*	5925	40.77	21.55	62.32	68.2	-5.88	PK
		6017	41.36	21.82	63.18	68.2	-5.02	PK
		11570	30.65	19.71	50.36	74	-23.64	PK


TX, 802.11a (Ch 157)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 157)
Radiated Spurious Emission, Vertical



TX, 802.11a (Ch 157)
Band Edge (Peak), Horizontal




TX, 802.11a (Ch 157)
Band Edge (Peak), Vertical




Mode	802.11a	Channel	165
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	82.04	21.24	103.28	N/A	N/A	PK
		5902.5	40.15	21.53	61.68	84.81	-23.13	PK
		5932.5	40.39	21.56	61.95	68.2	-6.25	PK
	*	11650	31.18	19.46	50.64	74	-23.36	PK
Vertical	@	5825	70.06	21.24	91.3	N/A	N/A	PK
		5875	40.5	21.49	61.99	105.2	-43.21	PK
		6031.5	40.3	21.9	62.2	68.2	-6	PK
	*	11650	30.52	19.46	49.98	74	-24.02	PK


TX, 802.11a (Ch 165)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 165)
Radiated Spurious Emission, Vertical



TX, 802.11a (Ch 165)
Band Edge (Peak), Horizontal




TX, 802.11a (Ch 165)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	36
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5073.15	42.93	19.81	62.74	74	-11.26	PK
		5149.8	32.03	20.06	52.09	54	-1.91	AVG
	@	5180	85.55	19.97	105.52	N/A	N/A	PK
	@	5180	78.43	19.97	98.4	N/A	N/A	AVG
Vertical		5106.05	30.95	20	50.95	54	-3.05	AVG
		5111.3	41.74	20.01	61.75	74	-12.25	PK
	@	5180	76.26	19.97	96.23	N/A	N/A	PK
	@	5180	69.35	19.97	89.32	N/A	N/A	AVG


TX, 802.11ac(VHT20) (Ch 36)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 36)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 36)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 36)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	44
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5133.35	42	20.03	62.03	74	-11.97	PK
		5140.7	31.37	20.05	51.42	54	-2.58	AVG
	@	5220	85.48	19.9	105.38	N/A	N/A	PK
	@	5220	78.34	19.9	98.24	N/A	N/A	AVG
Vertical		5085.75	43.6	19.89	63.49	74	-10.51	PK
		5102.55	30.84	20.01	50.85	54	-3.15	AVG
	@	5220	74.45	19.9	94.35	N/A	N/A	PK
	@	5220	67.9	19.9	87.8	N/A	N/A	AVG


TX, 802.11ac(VHT20) (Ch 44)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 44)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 44)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 44)
Band Edge (Peak), Vertical



Mode	802.11ac(VHT20)	Channel	48
------	-----------------	---------	----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5093.1	43.23	19.95	63.18	74	-10.82	PK
		5127.75	31.3	20.04	51.34	54	-2.66	AVG
	@	5240	84.22	19.88	104.1	N/A	N/A	PK
	@	5240	78.29	19.88	98.17	N/A	N/A	AVG
Vertical		5003.15	43.42	19.49	62.91	74	-11.09	PK
		5094.15	30.88	19.95	50.83	54	-3.17	AVG
	@	5240	73.68	19.88	93.56	N/A	N/A	PK
	@	5240	67.76	19.88	87.64	N/A	N/A	AVG




Mode	802.11ac(VHT20)	Channel	52
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	83.33	19.8	103.13	N/A	N/A	PK
	@	5260	77.18	19.8	96.98	N/A	N/A	AVG
		5403	40.54	19.95	60.49	74	-13.51	PK
		5452.8	28.59	20.21	48.8	54	-5.2	AVG
Vertical	@	5260	71.39	19.8	91.19	N/A	N/A	PK
	@	5260	64.14	19.8	83.94	N/A	N/A	AVG
		5438.1	40.74	20.13	60.87	74	-13.13	PK
		5456.7	28.54	20.23	48.77	54	-5.23	AVG


TX, 802.11ac(VHT20) (Ch 52)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 52)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 52)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 52)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	60
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	82.92	19.53	102.45	N/A	N/A	PK
	@	5300	75.69	19.53	95.22	N/A	N/A	AVG
		5427	40.58	20.08	60.66	74	-13.34	PK
		5458.2	28.68	20.23	48.91	54	-5.09	AVG
Vertical	@	5300	72.53	19.53	92.06	N/A	N/A	PK
	@	5300	63.4	19.53	82.93	N/A	N/A	AVG
		5434.5	42.05	20.12	62.17	74	-11.83	PK
		5455.5	28.64	20.23	48.87	54	-5.13	AVG


TX, 802.11ac(VHT20) (Ch 60)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 60)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 60)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 60)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	64
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	82.95	19.55	102.5	N/A	N/A	PK
	@	5320	75.39	19.55	94.94	N/A	N/A	AVG
		5377.2	40.27	19.77	60.04	74	-13.96	PK
		5459.1	28.79	20.24	49.03	54	-4.97	AVG
Vertical	@	5320	71.92	19.55	91.47	N/A	N/A	PK
	@	5320	62.9	19.55	82.45	N/A	N/A	AVG
		5433.9	40.54	20.12	60.66	74	-13.34	PK
		5451	28.67	20.2	48.87	54	-5.13	AVG


TX, 802.11ac(VHT20) (Ch 64)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 64)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 64)
Band Edge (Peak), Horizontal



TX, 802.11ac(VHT20) (Ch 64)
Band Edge (Peak), Vertical



Mode	802.11ac(VHT20)	Channel	100
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5450.05	28.99	20.2	49.19	54	-4.81	AVG
		5451.45	39.99	20.21	60.2	74	-13.8	PK
		5468.95	39.21	20.3	59.51	68.2	-8.69	PK
	@	5500	80.97	20.45	101.42	N/A	N/A	PK
	@	5500	72.57	20.45	93.02	N/A	N/A	AVG
Vertical		5438.15	28.66	20.13	48.79	54	-5.21	AVG
		5454.6	39.63	20.23	59.86	74	-14.14	PK
		5460.9	39.33	20.24	59.57	68.2	-8.63	PK
	@	5500	71.41	20.45	91.86	N/A	N/A	PK
	@	5500	63.29	20.45	83.74	N/A	N/A	AVG

