

KDB 552595 TEST REPORT

Product: Indoor CPE

Model Name: WF821E

FCC ID: SRQ-WF821E

Applicant: ZTE Corporation

Address: ZTE Plaza, Keji Road South, Hi-Tech, Industrial Park,
Nanshan District, Shenzhen, Guangdong, P.R.China

Manufacturer: ZTE Corporation

Address: ZTE Plaza, Keji Road South, Hi-Tech, Industrial Park,
Nanshan District, Shenzhen, Guangdong, P.R.China

Prepared by: Bureau Veritas Shenzhen Co., Ltd. Dongguan Branch

Lab Location: No. 34, Chenwulu Section, Guantai Rd., Houjie Town,
Dongguan City, Guangdong 523942, China

TEL: +86 769 8593 5656

FAX: +86 769 8593 1080

E-MAIL: customerservice.dg@cn.bureauveritas.com

Report No.: RF160412W003-3

Received Date: Apr. 12, 2016

Test Date: May 13, 2016 ~ May 16, 2016

Issued Date: May 19, 2016

This report should not be used by the client to claim product certification, approval, or endorsement by A2LA or any government agencies.

Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents. Unless specific mention, the uncertainty of measurement has been explicitly taken into account to declare the compliance or non-compliance to the specification.

CONTENTS

RELEASE CONTROL RECORD	3
1 CERTIFICATION.....	4
2 GENERAL DESCRIPTION OF EUT.....	5
3 TEST TYPES AND RESULTS	6
3.1 UNRESTRICTED CONTENTION BASED PROTOCOL DESCRIPTION	6
3.1.1 LIMITS OF OUTPUT POWER MEASUREMENT	6
3.1.2 TEST PROCEDURES	7
3.1.3 TEST SETUP	8
3.1.4 EUT OPERATING CONDITIONS	8
3.1.5 TEST INSTRUMENTS.....	8
3.1.6 TEST RESULTS.....	9
3.1.7 TEST PLOTS OF ADAPTIVITY TEST	10
3.1.8 CONCLUSION:	30
4 INFORMATION ON THE TESTING LABORATORIES	31
5 APPENDIX A – MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB	32



**BUREAU
VERITAS**

Test Report No.: RF160412W003-3

RELEASE CONTROL RECORD

ISSUE NO.	REASON FOR CHANGE	DATE ISSUED
RF160412W003-3	Original release	May 19, 2016



1 CERTIFICATION

PRODUCT: Indoor CPE
BRAND NAME: ZTE
MODEL NAME: WF821E
APPLICANT: ZTE Corporation
TESTED DATE: May 13, 2016 ~ May 16, 2016
TEST SAMPLE: Identical Prototype
STANDARDS: **FCC Part 90 Subpart Z**
KDB 552295 D01 CBP Guidance for 3650 3700
Band v02r02

The above equipment has been tested by **Bureau Veritas Shenzhen Co., Ltd. Dongguan Branch**, and found compliance with the requirement of the above standards. The test record, data evaluation & Equipment Under Test (EUT) configurations represented herein are true and accurate accounts of the measurements of the sample's EMC characteristics under the conditions specified in this report.

PREPARED BY :  , **DATE:** May 19, 2016
(Amyee Qian / Engineer)

APPROVED BY :  , **DATE:** May 19, 2016
(William Chung / Manager)



2 GENERAL DESCRIPTION OF EUT

PRODUCT	Indoor CPE	
BRAND NAME	ZTE	
MODEL NAME	WF821E	
PRODUCT TYPE	Fixed Station	
POWER SUPPLY	12Vdc (POE adapter)	
MODULATION TECHNOLOGY	LTE Band 43, QPSK, 16QAM	
FREQUENCY RANGE	LTE Band 43 (Channel Bandwidth: 5MHz)	3652.5MHz ~ 3697.5MHz
	LTE Band 43 (Channel Bandwidth: 10MHz)	3655.0MHz ~ 3695.0MHz
	LTE Band 43 (Channel Bandwidth: 15MHz)	3657.5MHz ~ 3692.5MHz
	LTE Band 43 (Channel Bandwidth: 20MHz)	3660.0MHz ~ 3690.0MHz
ANTENNA TYPE	Fixed External with 7dBi gain	
HW VERSION	A1	
SW VERSION	WF821E_US_V1.0.0B02	
DATA CABLE	N/A	
I/O PORTS	Refer to user's manual	

NOTE:

- For a more detailed features description, please refer to the manufacturer's specifications or the user's manual.
- The EUT was powered by the following adapters:

POE ADAPTER 1	
BRAND:	N/A
MODEL:	RD1201000-C55-26MG
INPUT:	AC 100-240V, 600mA
OUTPUT:	DC 12V, 1000mA

POE ADAPTER 2	
BRAND:	N/A
MODEL:	RD1201500-C55-24MG
INPUT:	AC 100-240V, 600mA
OUTPUT:	DC 12V, 1500mA

- For the test results, the EUT had been tested with all conditions. But only the worst case was shown in test report.



3 TEST TYPES AND RESULTS

3.1 UNRESTRICTED CONTENTION BASED PROTOCOL DESCRIPTION

The device uses spectrum sensing to determine if the other devices are transmitting and then find ways to share the bandwidth.

3.1.1 LIMITS OF OUTPUT POWER MEASUREMENT

To check if the UUT can meet the threshold level detection, a CW tone and a bandwidth limited AWGN signal were used to simulate other occupations in 3650-3700MHz band. Observe if the UUT will detect the interference signals and interrupt transmit or not.

3.1.2 TEST PROCEDURES


CW Tone Testing

- a. UUT links to the LTE base station with maximum declaration output power.
- b. Check the UUT signal by the spectrum analyzer with zero span setting.
- c. Inject CW tone signal by generator at specified frequency.
- d. Raise the signal level in step c. until UUT transmission stops.
- e. Record the CW tone signal frequency and level.
- f. Repeat step a. to e. with each LTE bandwidth and CW tone frequencies.

Bandwidth limited AWGN level Testing

- a. UUT links to the LTE base station with maximum declaration output power..
- b. Check the UUT signal by the spectrum analyzer with zero span setting.
- c. Inject band limited AWGN signal by signal generator at specified frequency.
- d. Raise the signal level in step c. until UUT transmission stops.
- e. Record the band limited AWGN signal frequency and level.
- f. Repeat step a. to e. with each LTE bandwidth.

3.1.3 TEST SETUP



3.1.4 EUT OPERATING CONDITIONS

- 1) Upload test waveform to signal generator and produce test signal to link up with EUT.
- 2) Execute test tool to control EUT transmit at specific modulation, RB size, frequency and output power level continuously.

3.1.5 TEST INSTRUMENTS

DESCRIPTION & MANUFACTURER	MODEL NO.	BRAND	CALIBRATED DATE	CALIBRATED UNTIL
R&S Spectrum	FSV7	R&S	Nov. 04, 2015	Nov. 03, 2016
Signal generator	8645A	Agilent	Aug. 19, 2015	Aug. 18, 2016



3.1.6 TEST RESULTS

Low Channel

Channel	UUT LTE_BW (MHz)	UUT Frequency (MHz)	SG Frequency (MHz)	CW LEVEL (dBm)	SG Frequency (MHz)	AWGN Bandwidth (MHz)	AWGN LEVEL (dBm/MHz)
44115	5	3652.5			3650.34	5	-60
	5	3652.5	3652.5	-14	3652.5	5	-60
	5	3652.5			3654.66	5	-60
44140	10	3655			3650.59	10	-60
	10	3655	3655	-14	3655	10	-60
	10	3655			3659.41	10	-60
44165	15	3657.5			3650.84	15	-60
	15	3657.5	3657.5	-14	3657.5	15	-60
	15	3657.5			3664.16	15	-60
44190	20	3660			3651.09	20	-60
	20	3660	3660	-14	3660	20	-60
	20	3660			3668.91	20	-60

High Channel

Channel	UUT LTE_BW (MHz)	UUT Frequency (MHz)	SG Frequency (MHz)	CW LEVEL (dBm)	SG Frequency (MHz)	AWGN Bandwidth (MHz)	AWGN LEVEL (dBm/MHz)
44565	5	3697.5			3695.34	5	-60
	5	3697.5	3697.5	-14	3697.5	5	-60
	5	3697.5			3699.66	5	-60
44540	10	3695			3690.59	10	-60
	10	3695	3695	-14	3695	10	-60
	10	3695			3699.41	10	-60
44515	15	3692.5			3685.84	15	-60
	15	3692.5	3692.5	-14	3692.5	15	-60
	15	3692.5			3699.16	15	-60
44490	20	3690			3681.09	20	-60
	20	3690	3690	-14	3690	20	-60
	20	3690			3698.91	20	-60



3.1.7 TEST PLOTS OF ADAPTIVITY TEST


Low Channel AWGN interference signal level





BUREAU VERITAS

Test Report No.: RF160412W003-3





BUREAU VERITAS

Test Report No.: RF160412W003-3



Bureau Veritas Shenzhen Co., Ltd.
Dongguan Branch


No. 34, Chenwulu Section, Guantai Rd.,
Houjie Town, Dongguan City,
Guangdong 523942, China

Tel: +86 769 8593 5656
Fax: +86 769 8593 1080
Email: customerservice_dg@cn.bureauveritas.com



BUREAU VERITAS

Test Report No.: RF160412W003-3



Bureau Veritas Shenzhen Co., Ltd.
Dongguan Branch

No. 34, Chenwulu Section, Guantai Rd.,
Houjie Town, Dongguan City,
Guangdong 523942, China


Tel: +86 769 8593 5656
Fax: +86 769 8593 1080
Email: customerservice_dg@cn.bureauveritas.com



BUREAU VERITAS

Test Report No.: RF160412W003-3

Low Channel AWGN interruption photo




Remark: The UUT transmits signal with BS until adding the interference signal, then the UUT will interrupt the link with BS and stop transmission.



BUREAU VERITAS

Test Report No.: RF160412W003-3




Remark: The UUT transmits signal with BS until adding the interference signal, then the UUT will interrupt the link with BS and stop transmission.




BUREAU VERITAS

Test Report No.: RF160412W003-3



Remark: The UUT transmits signal with BS until adding the interference signal, then the UUT will interrupt the link with BS and stop transmission.



Remark: The UUT transmits signal with BS until adding the interference signal, then the UUT will interrupt the link with BS and stop transmission.



BUREAU VERITAS

Test Report No.: RF160412W003-3


High Channel AWGN interference signal level





BUREAU VERITAS

Test Report No.: RF160412W003-3



Bureau Veritas Shenzhen Co., Ltd.
Dongguan Branch


No. 34, Chenwulu Section, Guantai Rd.,
Houjie Town, Dongguan City,
Guangdong 523942, China

Tel: +86 769 8593 5656
Fax: +86 769 8593 1080
Email: customerservice_dg@cn.bureauveritas.com



BUREAU VERITAS


Test Report No.: RF160412W003-3





BUREAU VERITAS

Test Report No.: RF160412W003-3





BUREAU VERITAS

Test Report No.: RF160412W003-3

High Channel AWGN interruption photo



Remark: The UUT transmits signal with BS until adding the interference signal, then the UUT will interrupt the link with BS and stop transmission.



BUREAU VERITAS

Test Report No.: RF160412W003-3




Remark: The UUT transmits signal with BS until adding the interference signal, then the UUT will interrupt the link with BS and stop transmission.



BUREAU VERITAS

Test Report No.: RF160412W003-3



Remark: The UUT transmits signal with BS until adding the interference signal, then the UUT will interrupt the link with BS and stop transmission.



BUREAU
VERITAS

Test Report No.: RF160412W003-3




Remark: The UUT transmits signal with BS until adding the interference signal, then the UUT will interrupt the link with BS and stop transmission.



BUREAU VERITAS


Test Report No.: RF160412W003-3

Low Channel CW interference signal level





Low Channel CW interruption photo




Remark: The UUT transmits signal with BS until adding the interference signal, then the UUT will interrupt the link with BS and stop transmission.



BUREAU VERITAS


Test Report No.: RF160412W003-3

High Channel CW interference signal level





High Channel CW interruption photo



Remark: The UUT transmits signal with BS until adding the interference signal, then the UUT will interrupt the link with BS and stop transmission.



**BUREAU
VERITAS**

Test Report No.: RF160412W003-3

3.1.8 CONCLUSION:

According the test result, the UUT can detect the interference and interrupt its transmission when a CW tone level above -14dBm is detected or a bandwidth limited AWGN level above -60dBm/MHz is detected.

Note: UUT were set to maximum declaration power level during the test.



**BUREAU
VERITAS**

Test Report No.: RF160412W003-3

4 INFORMATION ON THE TESTING LABORATORIES

We, Bureau Veritas Shenzhen Co., Ltd. Dongguan Branch, were founded in 2002 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Dongguan EMC/RF Lab:

Tel: +86-769-85935656

Fax: +86-769-85931080

Email: customerservice.dg@cn.bureauveritas.com

Web Site: www.adt.com.tw

The address and road map of all our labs can be found in our web site also.



**BUREAU
VERITAS**

Test Report No.: RF160412W003-3

5 APPENDIX A – MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications are made to the EUT by the lab during the test.

---END---