

Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30



Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42



Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54




Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60




Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66



Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72

**5 Spurious Emissions at antenna terminal**

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
7	2510	20850	20	1	0	Fig.1
7	2535	21100	20	1	0	Fig.2
7	2560	21350	20	1	0	Fig.3




Fig.1




Fig.2




Fig.3

## 6 Band Edges Compliance

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
7	2502.5	20775	5	1	0	Fig.1
7	2502.5	20775	5	25	0	Fig.2
7	2567.5	21425	5	1	24	Fig.3
7	2567.5	21425	5	25	0	Fig.4
7	2505	20800	10	1	0	Fig.5
7	2505	20800	10	50	0	Fig.6
7	2565	21400	10	1	49	Fig.7
7	2565	21400	10	50	0	Fig.8
7	2507.5	20825	15	1	0	Fig.9
7	2507.5	20825	15	75	0	Fig.10
7	2562.5	21375	15	1	74	Fig.11
7	2562.5	21375	15	75	0	Fig.12
7	2510	20850	20	1	0	Fig.13
7	2510	20850	20	100	0	Fig.14
7	2560	21350	20	1	99	Fig.15
7	2560	21350	20	100	0	Fig.16




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15



Fig.16

## 7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band 7 Low Channel QPSK			
		5M	10M	15M	20M
-10	NV	-0.042	-0.008	-0.000	0.017
0	NV	-0.017	-0.045	-0.012	-0.008
+10	NV	-0.006	-0.021	-0.019	-0.019
+30	NV	-0.014	-0.012	-0.015	-0.016
+40	NV	-0.020	-0.017	-0.033	-0.008
+50	NV	-0.016	0.019	0.017	0.003
+20	LV	0.014	0.009	-0.022	-0.005
+20	HV	0.006	0.010	-0.017	-0.013

Temperature(°C)	Voltage	Test Result (ppm) Band 7 High Channel QPSK			
		5M	10M	15M	20M
-10	NV	-0.009	-0.012	-0.008	-0.001
0	NV	-0.009	-0.009	-0.017	-0.017
+10	NV	-0.010	-0.011	-0.015	-0.011
+30	NV	-0.011	-0.015	-0.017	-0.018
+40	NV	-0.014	-0.013	-0.015	-0.011
+50	NV	0.012	0.021	0.016	0.004
+20	LV	0.011	0.014	-0.010	0.009
+20	HV	0.012	-0.022	-0.010	-0.018

## 8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	2502.5	20775	5	1	0	22.31	23.66	0.232
16QAM	2502.5	20775	5	1	12	21.97	23.32	0.215
16QAM	2502.5	20775	5	1	24	21.92	23.27	0.212
16QAM	2502.5	20775	5	12	0	21.63	22.98	0.199
16QAM	2502.5	20775	5	12	7	21.31	22.66	0.185
16QAM	2502.5	20775	5	12	13	21.25	22.60	0.182
16QAM	2502.5	20775	5	25	0	21.35	22.70	0.186
16QAM	2535	21100	5	1	0	22.17	23.52	0.225
16QAM	2535	21100	5	1	12	22.26	23.61	0.230
16QAM	2535	21100	5	1	24	22.35	23.70	0.234
16QAM	2535	21100	5	12	0	20.96	22.31	0.170
16QAM	2535	21100	5	12	7	21.09	22.44	0.175
16QAM	2535	21100	5	12	13	21.06	22.41	0.174
16QAM	2535	21100	5	25	0	21.58	22.93	0.196
16QAM	2567.5	21425	5	1	0	21.90	23.25	0.211
16QAM	2567.5	21425	5	1	12	21.93	23.28	0.213
16QAM	2567.5	21425	5	1	24	21.74	23.09	0.204
16QAM	2567.5	21425	5	12	0	21.14	22.49	0.177
16QAM	2567.5	21425	5	12	7	21.15	22.50	0.178
16QAM	2567.5	21425	5	12	13	21.09	22.44	0.175
16QAM	2567.5	21425	5	25	0	21.23	22.58	0.181
64QAM	2502.5	20775	5	1	0	21.18	22.53	0.179
64QAM	2502.5	20775	5	1	12	20.80	22.15	0.164
64QAM	2502.5	20775	5	1	24	21.21	22.56	0.180
64QAM	2502.5	20775	5	12	0	20.05	21.40	0.138
64QAM	2502.5	20775	5	12	7	20.24	21.59	0.144
64QAM	2502.5	20775	5	12	13	20.11	21.46	0.140
64QAM	2502.5	20775	5	25	0	19.99	21.34	0.136
64QAM	2535	21100	5	1	0	21.59	22.94	0.197
64QAM	2535	21100	5	1	12	21.82	23.17	0.207
64QAM	2535	21100	5	1	24	21.54	22.89	0.195
64QAM	2535	21100	5	12	0	20.13	21.48	0.141
64QAM	2535	21100	5	12	7	20.25	21.60	0.145
64QAM	2535	21100	5	12	13	20.05	21.40	0.138
64QAM	2535	21100	5	25	0	20.10	21.45	0.140
64QAM	2567.5	21425	5	1	0	21.29	22.64	0.184
64QAM	2567.5	21425	5	1	12	21.35	22.70	0.186
64QAM	2567.5	21425	5	1	24	21.26	22.61	0.182
64QAM	2567.5	21425	5	12	0	20.03	21.38	0.137
64QAM	2567.5	21425	5	12	7	20.10	21.45	0.140
64QAM	2567.5	21425	5	12	13	19.86	21.21	0.132

64QAM	2567.5	21425	5	25	0	19.95	21.30	0.135
-------	--------	-------	---	----	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2502.5	20775	5	1	0	23.42	24.77	0.300
QPSK	2502.5	20775	5	1	12	23.19	24.54	0.284
QPSK	2502.5	20775	5	1	24	23.20	24.55	0.285
QPSK	2502.5	20775	5	12	0	22.64	23.99	0.251
QPSK	2502.5	20775	5	12	7	22.36	23.71	0.235
QPSK	2502.5	20775	5	12	13	22.37	23.72	0.236
QPSK	2502.5	20775	5	25	0	22.35	23.70	0.234
QPSK	2535	21100	5	1	0	23.13	24.48	0.281
QPSK	2535	21100	5	1	12	23.14	24.49	0.281
QPSK	2535	21100	5	1	24	23.11	24.46	0.279
QPSK	2535	21100	5	12	0	22.26	23.61	0.230
QPSK	2535	21100	5	12	7	22.18	23.53	0.225
QPSK	2535	21100	5	12	13	22.31	23.66	0.232
QPSK	2535	21100	5	25	0	22.11	23.46	0.222
QPSK	2567.5	21425	5	1	0	23.41	24.76	0.299
QPSK	2567.5	21425	5	1	12	23.49	24.84	0.305
QPSK	2567.5	21425	5	1	24	23.47	24.82	0.303
QPSK	2567.5	21425	5	12	0	22.30	23.65	0.232
QPSK	2567.5	21425	5	12	7	22.17	23.52	0.225
QPSK	2567.5	21425	5	12	13	22.11	23.46	0.222
QPSK	2567.5	21425	5	25	0	22.21	23.56	0.227

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	2505	20800	10	1	0	22.58	23.93	0.247
16QAM	2505	20800	10	1	25	22.31	23.66	0.232
16QAM	2505	20800	10	1	49	22.01	23.36	0.217
16QAM	2505	20800	10	25	0	21.32	22.67	0.185
16QAM	2505	20800	10	25	12	21.72	23.07	0.203
16QAM	2505	20800	10	25	25	21.66	23.01	0.200
16QAM	2505	20800	10	50	0	21.77	23.12	0.205
16QAM	2535	21100	10	1	0	23.05	24.40	0.275
16QAM	2535	21100	10	1	25	23.04	24.39	0.275
16QAM	2535	21100	10	1	49	23.07	24.42	0.277
16QAM	2535	21100	10	25	0	21.46	22.81	0.191
16QAM	2535	21100	10	25	12	21.70	23.05	0.202
16QAM	2535	21100	10	25	25	21.39	22.74	0.188
16QAM	2535	21100	10	50	0	21.59	22.94	0.197
16QAM	2565	21400	10	1	0	22.62	23.97	0.249
16QAM	2565	21400	10	1	25	22.73	24.08	0.256
16QAM	2565	21400	10	1	49	22.64	23.99	0.251
16QAM	2565	21400	10	25	0	21.36	22.71	0.187
16QAM	2565	21400	10	25	12	21.27	22.62	0.183
16QAM	2565	21400	10	25	25	21.38	22.73	0.187
16QAM	2565	21400	10	50	0	21.33	22.68	0.185
64QAM	2505	20800	10	1	0	22.23	23.58	0.228
64QAM	2505	20800	10	1	25	22.25	23.60	0.229
64QAM	2505	20800	10	1	49	22.18	23.53	0.225
64QAM	2505	20800	10	25	0	20.12	21.47	0.140
64QAM	2505	20800	10	25	12	20.26	21.61	0.145
64QAM	2505	20800	10	25	25	20.43	21.78	0.151
64QAM	2505	20800	10	50	0	20.25	21.60	0.145
64QAM	2535	21100	10	1	0	22.13	23.48	0.223
64QAM	2535	21100	10	1	25	22.17	23.52	0.225
64QAM	2535	21100	10	1	49	22.26	23.61	0.230
64QAM	2535	21100	10	25	0	20.28	21.63	0.146
64QAM	2535	21100	10	25	12	20.34	21.69	0.148
64QAM	2535	21100	10	25	25	20.41	21.76	0.150
64QAM	2535	21100	10	50	0	20.31	21.66	0.147
64QAM	2565	21400	10	1	0	20.96	22.31	0.170
64QAM	2565	21400	10	1	25	20.98	22.33	0.171
64QAM	2565	21400	10	1	49	20.87	22.22	0.167
64QAM	2565	21400	10	25	0	20.42	21.77	0.150
64QAM	2565	21400	10	25	12	20.47	21.82	0.152
64QAM	2565	21400	10	25	25	20.51	21.86	0.153
64QAM	2565	21400	10	50	0	20.46	21.81	0.152

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2505	20800	10	1	0	23.81	25.16	0.328
QPSK	2505	20800	10	1	25	23.47	24.82	0.303
QPSK	2505	20800	10	1	49	23.44	24.79	0.301
QPSK	2505	20800	10	25	0	22.34	23.69	0.234
QPSK	2505	20800	10	25	12	22.34	23.69	0.234
QPSK	2505	20800	10	25	25	22.23	23.58	0.228
QPSK	2505	20800	10	50	0	22.36	23.71	0.235
QPSK	2535	21100	10	1	0	23.30	24.65	0.292
QPSK	2535	21100	10	1	25	23.43	24.78	0.301
QPSK	2535	21100	10	1	49	23.45	24.80	0.302
QPSK	2535	21100	10	25	0	22.18	23.53	0.225
QPSK	2535	21100	10	25	12	22.20	23.55	0.226
QPSK	2535	21100	10	25	25	22.30	23.65	0.232
QPSK	2535	21100	10	50	0	22.23	23.58	0.228
QPSK	2565	21400	10	1	0	23.31	24.66	0.292
QPSK	2565	21400	10	1	25	23.32	24.67	0.293
QPSK	2565	21400	10	1	49	23.34	24.69	0.294
QPSK	2565	21400	10	25	0	22.19	23.54	0.226
QPSK	2565	21400	10	25	12	22.21	23.56	0.227
QPSK	2565	21400	10	25	25	22.26	23.61	0.230
QPSK	2565	21400	10	50	0	22.22	23.57	0.228

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	2507.5	20825	15	1	0	23.40	24.75	0.299
16QAM	2507.5	20825	15	1	37	23.05	24.40	0.275
16QAM	2507.5	20825	15	1	74	23.09	24.44	0.278
16QAM	2507.5	20825	15	36	0	21.70	23.05	0.202
16QAM	2507.5	20825	15	36	29	21.57	22.92	0.196
16QAM	2507.5	20825	15	36	30	21.62	22.97	0.198
16QAM	2507.5	20825	15	75	0	21.61	22.96	0.198
16QAM	2535	21100	15	1	0	22.57	23.92	0.247
16QAM	2535	21100	15	1	37	22.69	24.04	0.254
16QAM	2535	21100	15	1	74	22.88	24.23	0.265
16QAM	2535	21100	15	36	0	21.57	22.92	0.196
16QAM	2535	21100	15	36	29	21.43	22.78	0.190
16QAM	2535	21100	15	36	30	21.44	22.79	0.190
16QAM	2535	21100	15	75	0	21.73	23.08	0.203
16QAM	2562.5	21375	15	1	0	22.30	23.65	0.232
16QAM	2562.5	21375	15	1	37	22.35	23.70	0.234
16QAM	2562.5	21375	15	1	74	22.20	23.55	0.226
16QAM	2562.5	21375	15	36	0	21.21	22.56	0.180
16QAM	2562.5	21375	15	36	29	21.11	22.46	0.176
16QAM	2562.5	21375	15	36	30	21.21	22.56	0.180
16QAM	2562.5	21375	15	75	0	21.15	22.50	0.178
64QAM	2507.5	20825	15	1	0	22.30	23.65	0.232
64QAM	2507.5	20825	15	1	37	22.14	23.49	0.223
64QAM	2507.5	20825	15	1	74	21.82	23.17	0.207
64QAM	2507.5	20825	15	36	0	20.16	21.51	0.142
64QAM	2507.5	20825	15	36	29	20.19	21.54	0.143
64QAM	2507.5	20825	15	36	30	20.21	21.56	0.143
64QAM	2507.5	20825	15	75	0	20.21	21.56	0.143
64QAM	2535	21100	15	1	0	21.46	22.81	0.191
64QAM	2535	21100	15	1	37	21.48	22.83	0.192
64QAM	2535	21100	15	1	74	21.40	22.75	0.188
64QAM	2535	21100	15	36	0	20.54	21.89	0.155
64QAM	2535	21100	15	36	29	20.41	21.76	0.150
64QAM	2535	21100	15	36	30	20.41	21.76	0.150
64QAM	2535	21100	15	75	0	20.43	21.78	0.151
64QAM	2562.5	21375	15	1	0	22.06	23.41	0.219
64QAM	2562.5	21375	15	1	37	22.12	23.47	0.222
64QAM	2562.5	21375	15	1	74	21.95	23.30	0.214
64QAM	2562.5	21375	15	36	0	20.29	21.64	0.146
64QAM	2562.5	21375	15	36	29	20.17	21.52	0.142
64QAM	2562.5	21375	15	36	30	20.18	21.53	0.142
64QAM	2562.5	21375	15	75	0	20.25	21.60	0.145

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2507.5	20825	15	1	0	23.64	24.99	0.316
QPSK	2507.5	20825	15	1	37	23.33	24.68	0.294
QPSK	2507.5	20825	15	1	74	23.19	24.54	0.284
QPSK	2507.5	20825	15	36	0	22.28	23.63	0.231
QPSK	2507.5	20825	15	36	29	22.17	23.52	0.225
QPSK	2507.5	20825	15	36	30	22.18	23.53	0.225
QPSK	2507.5	20825	15	75	0	22.18	23.53	0.225
QPSK	2535	21100	15	1	0	23.30	24.65	0.292
QPSK	2535	21100	15	1	37	23.42	24.77	0.300
QPSK	2535	21100	15	1	74	23.45	24.80	0.302
QPSK	2535	21100	15	36	0	22.20	23.55	0.226
QPSK	2535	21100	15	36	29	22.36	23.71	0.235
QPSK	2535	21100	15	36	30	22.37	23.72	0.236
QPSK	2535	21100	15	75	0	22.12	23.47	0.222
QPSK	2562.5	21375	15	1	0	23.11	24.46	0.279
QPSK	2562.5	21375	15	1	37	23.12	24.47	0.280
QPSK	2562.5	21375	15	1	74	23.05	24.40	0.275
QPSK	2562.5	21375	15	36	0	22.18	23.53	0.225
QPSK	2562.5	21375	15	36	29	22.21	23.56	0.227
QPSK	2562.5	21375	15	36	30	22.21	23.56	0.227
QPSK	2562.5	21375	15	75	0	22.25	23.60	0.229

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	2510	20850	20	1	0	22.49	23.84	0.242
16QAM	2510	20850	20	1	49	22.08	23.43	0.220
16QAM	2510	20850	20	1	99	22.11	23.46	0.222
16QAM	2510	20850	20	50	0	21.72	23.07	0.203
16QAM	2510	20850	20	50	24	21.61	22.96	0.198
16QAM	2510	20850	20	50	50	21.37	22.72	0.187
16QAM	2510	20850	20	100	0	21.45	22.80	0.191
16QAM	2535	21100	20	1	0	22.07	23.42	0.220
16QAM	2535	21100	20	1	49	22.30	23.65	0.232
16QAM	2535	21100	20	1	99	22.40	23.75	0.237
16QAM	2535	21100	20	50	0	21.62	22.97	0.198
16QAM	2535	21100	20	50	24	21.72	23.07	0.203
16QAM	2535	21100	20	50	50	21.78	23.13	0.206
16QAM	2535	21100	20	100	0	21.66	23.01	0.200
16QAM	2560	21350	20	1	0	22.45	23.80	0.240
16QAM	2560	21350	20	1	49	22.34	23.69	0.234
16QAM	2560	21350	20	1	99	22.36	23.71	0.235
16QAM	2560	21350	20	50	0	21.24	22.59	0.182
16QAM	2560	21350	20	50	24	21.11	22.46	0.176
16QAM	2560	21350	20	50	50	21.22	22.57	0.181
16QAM	2560	21350	20	100	0	21.28	22.63	0.183
64QAM	2510	20850	20	1	0	22.07	23.42	0.220
64QAM	2510	20850	20	1	49	22.03	23.38	0.218
64QAM	2510	20850	20	1	99	21.87	23.22	0.210
64QAM	2510	20850	20	50	0	20.14	21.49	0.141
64QAM	2510	20850	20	50	24	20.04	21.39	0.138
64QAM	2510	20850	20	50	50	20.28	21.63	0.146
64QAM	2510	20850	20	100	0	20.19	21.54	0.143
64QAM	2535	21100	20	1	0	21.90	23.25	0.211
64QAM	2535	21100	20	1	49	22.33	23.68	0.233
64QAM	2535	21100	20	1	99	22.43	23.78	0.239
64QAM	2535	21100	20	50	0	20.69	22.04	0.160
64QAM	2535	21100	20	50	24	20.46	21.81	0.152
64QAM	2535	21100	20	50	50	20.49	21.84	0.153
64QAM	2535	21100	20	100	0	20.57	21.92	0.156
64QAM	2560	21350	20	1	0	23.00	24.35	0.272
64QAM	2560	21350	20	1	49	22.44	23.79	0.239
64QAM	2560	21350	20	1	99	22.40	23.75	0.237
64QAM	2560	21350	20	50	0	20.57	21.92	0.156
64QAM	2560	21350	20	50	24	20.34	21.69	0.148
64QAM	2560	21350	20	50	50	20.39	21.74	0.149
64QAM	2560	21350	20	100	0	20.49	21.84	0.153

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2510	20850	20	1	0	23.58	24.93	0.311
QPSK	2510	20850	20	1	49	23.12	24.47	0.280
QPSK	2510	20850	20	1	99	23.15	24.50	0.282
QPSK	2510	20850	20	50	0	22.19	23.54	0.226
QPSK	2510	20850	20	50	24	22.08	23.43	0.220
QPSK	2510	20850	20	50	50	22.17	23.52	0.225
QPSK	2510	20850	20	100	0	22.14	23.49	0.223
QPSK	2535	21100	20	1	0	23.19	24.54	0.284
QPSK	2535	21100	20	1	49	23.35	24.70	0.295
QPSK	2535	21100	20	1	99	23.48	24.83	0.304
QPSK	2535	21100	20	50	0	22.10	23.45	0.221
QPSK	2535	21100	20	50	24	22.16	23.51	0.224
QPSK	2535	21100	20	50	50	22.28	23.63	0.231
QPSK	2535	21100	20	100	0	22.16	23.51	0.224
QPSK	2560	21350	20	1	0	23.11	24.46	0.279
QPSK	2560	21350	20	1	49	23.07	24.42	0.277
QPSK	2560	21350	20	1	99	23.02	24.37	0.274
QPSK	2560	21350	20	50	0	22.29	23.64	0.231
QPSK	2560	21350	20	50	24	22.21	23.56	0.227
QPSK	2560	21350	20	50	50	22.24	23.59	0.229
QPSK	2560	21350	20	100	0	22.32	23.67	0.233

**LTE Band 7C**

Aggregated BW	Modulation	PCC	SCC	Total Conducted power(dBm)		
				Range		
				Low	Mid	High
10+20	QPSK	1@49	0@0	26.64	27.19	25.53
		1@49	1@0	25.88	26.07	24.51
		25@25	50@0	24.02	24.97	23.55
		50@0	100@0	22.89	23.3	21.06
20+10		1@99	0@0	26.75	27.26	25.48
		1@99	1@0	25.72	26	24.53
		50@50	25@0	23.96	24.82	23.49
		100@0	50@0	22.86	23.46	21.1
15+10		1@74	0@0	26.66	27.25	25.66
		1@74	1@0	25.75	26.04	24.47
		37@38	25@0	24.02	24.83	23.55
		75@0	50@0	22.87	23.28	21.03
15+15		1@74	0@0	26.81	27.27	25.61
		1@74	1@0	25.72	25.98	24.46
		37@38	37@0	24.09	24.95	23.6
		75@0	75@0	22.78	23.28	21.07
15+20	1@74	0@0	26.71	27.24	25.6	
	1@74	1@0	25.9	25.94	24.51	
	37@38	50@0	24.05	24.88	23.66	
	75@0	100@0	22.84	23.35	20.96	
20+15	1@99	0@0	26.63	27.17	25.56	
	1@99	1@0	25.81	25.92	24.33	
	50@50	37@0	24.11	25	23.66	
	100@0	75@0	26.64	27.19	25.53	
20+20	1@99	0@0	26.42	25.92	26.07	
	1@99	1@0	27.13	26.47	24.4	
	50@50	50@0	26.12	25.47	25.78	
	100@0	100@0	24.66	24.09	24.42	