

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 2

1 RF Power Output

Modulation	Carrier	UL Channel	BW	RB Size	RB Offset	Conducted
QPSK	1850.7	18607	1.4	1	0	24.14
				1	3	24.09
				1	5	24.17
				3	0	23.23
				3	1	23.22
				3	3	23.18
	1880	18900		6	0	23.12
				1	0	24.07
				1	3	24.01
				1	5	24.06
				3	0	23.27
				3	1	23.19
	1909.3	19193		3	3	23.26
				6	0	23.40
				1	0	24.33
				1	3	24.39
				1	5	24.41
				3	0	23.46
16QAM	1850.7	18607	3	1	23.48	
			3	3	23.43	
			6	0	23.42	
			1	0	22.97	
			1	3	23.04	
			1	5	23.06	
	1880	18900	3	0	22.35	
			3	1	22.27	
			3	3	22.25	
			6	0	22.40	
			1	0	23.10	
			1	3	23.12	
	1909.3	19193	1	5	23.24	
			3	0	22.13	
			3	1	22.20	
			3	3	22.18	
			6	0	22.24	
			1	0	23.03	
			1	3	23.14	
			1	5	23.12	
			3	0	22.31	
			3	1	22.31	
			3	3	22.34	
			6	0	22.51	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	1850.7	18607	1.4	1	0	22.47
				1	3	22.42
				1	5	22.49
				3	0	21.40
				3	1	21.46
				3	3	21.37
	6	0		21.44		
	1880	18900		1	0	22.23
				1	3	22.26
				1	5	22.21
				3	0	21.20
				3	1	21.18
				3	3	21.25
	1909.3	19193		6	0	21.29
				1	0	22.39
				1	3	22.48
				1	5	22.47
				3	0	21.35
				3	1	21.29
				3	3	21.33
				6	0	21.21

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1851.5	18615	3	1	0	24.06
				1	8	23.87
				1	14	24.15
				8	0	23.14
				8	4	23.26
				8	7	23.23
	15	0		23.20		
	1880	18900		1	0	24.10
				1	8	24.19
				1	14	24.17
				8	0	23.04
				8	4	23.02
				8	7	23.17
	1908.5	19185		15	0	23.03
				1	0	24.42
1			8	24.42		
1			14	24.47		
8			0	23.36		
8			4	23.36		
16QAM	1851.5	18615	8	7	23.35	
			15	0	23.46	
			1	0	23.39	
			1	8	23.39	
			1	14	23.37	
			8	0	22.51	
	1880	18900	8	4	22.43	
			8	7	22.42	
			15	0	22.36	
			1	0	23.25	
			1	8	23.27	
			1	14	23.26	
	1908.5	19185	8	0	22.40	
			8	4	22.22	
			8	7	22.33	
15			0	22.16		
1			0	23.25		
1			8	23.29		
			1	14	23.31	
			8	0	22.63	
			8	4	22.62	
			8	7	22.62	
			15	0	22.47	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	1851.5	18615	3	1	0	22.27
				1	8	22.23
				1	14	22.25
				8	0	21.24
				8	4	21.23
				8	7	21.21
				15	0	21.33
	1880	18900		1	0	22.16
				1	8	22.15
				1	14	22.27
				8	0	21.15
				8	4	21.14
				8	7	21.25
				15	0	21.19
	1908.5	19185		1	0	22.47
				1	8	22.54
				1	14	22.53
				8	0	21.42
				8	4	21.43
				8	7	21.46
				15	0	21.45

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1852.5	18625	5	1	0	24.26
				1	12	24.15
				1	24	24.20
				12	0	23.27
				12	7	23.28
				12	13	23.27
	25	0		23.23		
	1	0		24.12		
	1	12		24.12		
	1	24		24.14		
	12	0		23.08		
	12	7		23.15		
	12	13		23.08		
	25	0		23.11		
	1	0		24.22		
	1	12		24.37		
	1	24		24.42		
	12	0		23.43		
12	7	23.41				
12	13	23.49				
25	0	23.45				
16QAM	1852.5	18625	1	0	23.52	
			1	12	23.47	
			1	24	23.47	
			12	0	22.28	
			12	7	22.28	
			12	13	22.28	
	25	0	22.41			
	1	0	23.16			
	1	12	23.20			
	1	24	23.20			
	12	0	22.17			
	12	7	22.14			
	12	13	22.14			
	25	0	22.13			
	1	0	23.04			
	1	12	23.07			
	1	24	23.13			
	12	0	22.25			
12	7	22.34				
12	13	22.33				
25	0	22.37				

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	1852.5	18625	5	1	0	22.41
				1	12	22.45
				1	24	22.43
				12	0	21.37
				12	7	21.40
				12	13	21.42
				25	0	21.30
	1880	18900		1	0	22.17
				1	12	22.13
				1	24	22.25
				12	0	21.14
				12	7	21.21
				12	13	21.20
				25	0	21.13
	1907.5	19175		1	0	22.37
				1	12	22.32
				1	24	22.31
				12	0	21.27
				12	7	21.31
				12	13	21.38
				25	0	21.17

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1855	18650	10	1	0	24.30
				1	25	24.07
				1	49	24.06
				25	0	23.32
				25	12	23.23
				25	25	23.23
	1880	18900		50	0	23.29
				1	0	24.08
				1	25	24.09
				1	49	24.17
				25	0	23.17
				25	12	23.12
	1905	19150		25	25	23.12
				50	0	23.03
				1	0	24.32
				1	25	24.40
				1	49	24.49
				25	0	23.37
16QAM	1855	18650	25	12	23.43	
			25	25	23.42	
			50	0	23.42	
			1	0	23.45	
			1	25	23.37	
			1	49	23.38	
	1880	18900	25	0	22.39	
			25	12	22.22	
			25	25	22.27	
			50	0	22.28	
			1	0	23.92	
			1	25	23.91	
	1905	19150	1	49	23.81	
			25	0	22.18	
			25	12	22.23	
			25	25	22.24	
			50	0	22.18	
			1	0	23.20	
			1	25	23.29	
			1	49	23.28	
			25	0	22.53	
			25	12	22.58	
			25	25	22.58	
			50	0	22.49	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	1855	18650	10	1	0	22.24
				1	25	22.28
				1	49	22.22
				25	0	21.21
				25	12	21.43
				25	25	21.27
				50	0	21.37
	1880	18900		1	0	22.24
				1	25	22.29
				1	49	22.13
				25	0	21.16
				25	12	21.35
				25	25	21.29
				50	0	21.41
	1905	19150		1	0	22.49
				1	25	22.23
				1	49	22.39
				25	0	21.42
				25	12	21.49
				25	25	21.41
				50	0	21.28

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1857.5	18675	15	1	0	24.22
				1	37	24.08
				1	74	24.07
				36	0	23.25
				36	29	23.18
				36	30	23.18
				75	0	23.19
	1880	18900		1	0	24.02
				1	37	24.08
				1	74	24.07
				36	0	23.13
				36	29	23.08
				36	30	23.08
				75	0	23.08
	1902.5	19125		1	0	24.13
				1	37	24.30
				1	74	24.27
				36	0	23.29
				36	29	23.46
				36	30	23.45
				75	0	23.29
16QAM	1857.5	18675	1	0	23.53	
			1	37	23.38	
			1	74	23.38	
			36	0	22.41	
			36	29	22.31	
			36	30	22.32	
			75	0	22.34	
	1880	18900	1	0	23.43	
			1	37	23.46	
			1	74	23.81	
			36	0	22.15	
			36	29	22.26	
			36	30	22.27	
			75	0	22.17	
	1902.5	19125	1	0	23.62	
			1	37	23.70	
			1	74	23.69	
			36	0	22.29	
			36	29	22.41	
			36	30	22.41	
			75	0	22.29	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	1857.5	18675	15	1	0	22.34
				1	37	22.31
				1	74	22.26
				36	0	21.34
				36	29	21.31
				36	30	21.35
				75	0	21.27
	1880	18900		1	0	22.17
				1	37	22.31
				1	74	22.12
				36	0	21.19
				36	29	21.24
				36	30	21.11
				75	0	21.24
	1902.5	19125		1	0	22.29
				1	37	22.33
				1	74	22.30
				36	0	21.27
				36	29	21.45
				36	30	21.16
				75	0	21.31

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1860	18700	20	1	0	24.31
				1	49	24.20
				1	99	24.20
				50	0	23.17
				50	24	23.21
				50	50	23.21
	100	0		23.18		
	1	0		24.37		
	1	49		24.50		
	1	99		24.48		
	50	0		23.20		
	50	24		23.16		
	50	50		23.16		
	100	0		23.25		
	1	0		24.20		
	1	49		24.44		
	1	99		24.41		
	50	0		23.26		
50	24	23.41				
50	50	23.41				
100	0	23.25				
16QAM	1860	18700	1	0	23.24	
			1	49	23.00	
			1	99	23.00	
			50	0	22.40	
			50	24	22.24	
			50	50	22.25	
	100	0	22.22			
	1	0	23.26			
	1	49	23.28			
	1	99	23.27			
	50	0	22.19			
	50	24	22.26			
	50	50	22.27			
	100	0	22.23			
	1	0	23.14			
	1	49	23.10			
	1	99	23.12			
	50	0	22.26			
50	24	22.36				
50	50	22.37				
100	0	22.39				

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	1860	18700	20	1	0	22.26
				1	49	22.47
				1	99	22.15
				50	0	21.22
				50	24	21.13
				50	50	21.32
				100	0	21.18
	1880	18900		1	0	22.24
				1	49	22.27
				1	99	22.21
				50	0	21.20
				50	24	21.23
				50	50	21.22
				100	0	21.46
	1900	19100		1	0	22.41
				1	49	22.26
				1	99	22.38
				50	0	21.17
				50	24	21.31
				50	50	21.28
				100	0	21.42

2 Occupied Bandwidth

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)					
						QPSK		16-QAM		64-QAM	
2	1850.7	18607	1.4	6	0	1.082	Fig.1	1.094	Fig.2	1.088	Fig.3
	1880	18900		6	0	1.088	Fig.4	1.088	Fig.5	1.088	Fig.6
	1909.3	19193		6	0	1.082	Fig.7	1.082	Fig.8	1.082	Fig.9
	1851.5	18615	3	15	0	2.696	Fig.10	2.683	Fig.11	2.683	Fig.12
	1880	18900		15	0	2.696	Fig.13	2.683	Fig.14	2.683	Fig.15
	1908.5	19185		15	0	2.683	Fig.16	2.683	Fig.17	2.683	Fig.18
	1852.5	18625	5	25	0	4.472	Fig.19	4.472	Fig.20	4.472	Fig.21
	1880	18900		25	0	4.472	Fig.22	4.472	Fig.23	4.472	Fig.24
	1907.5	19175		25	0	4.472	Fig.25	4.472	Fig.26	4.493	Fig.27
	1855	18650	10	50	0	8.944	Fig.28	8.944	Fig.29	8.944	Fig.30
	1880	18900		50	0	8.944	Fig.31	8.944	Fig.32	8.944	Fig.33
	1905	19150		50	0	8.944	Fig.34	8.944	Fig.35	8.944	Fig.36
	1857.5	18675	15	75	0	13.415	Fig.37	13.415	Fig.38	13.415	Fig.39
	1880	18900		75	0	13.415	Fig.40	13.480	Fig.41	13.415	Fig.42
	1902.5	19125		75	0	13.415	Fig.43	13.415	Fig.44	13.415	Fig.45
	1860	18700	20	100	0	17.974	Fig.46	17.887	Fig.47	17.887	Fig.48
	1880	18900		100	0	17.887	Fig.49	17.974	Fig.50	18.061	Fig.51
	1900	19100		100	0	17.887	Fig.52	17.887	Fig.53	17.887	Fig.54




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41










Fig.42






Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54

3 Emission Bandwidth

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)					
						QPSK		16-QAM		64-QAM	
2	1850.7	18607	1.4	6	0	1.228	Fig.1	1.228	Fig.2	1.240	Fig.3
	1880	18900		6	0	1.234	Fig.4	1.216	Fig.5	1.234	Fig.6
	1909.3	19193		6	0	1.234	Fig.7	1.222	Fig.8	1.228	Fig.9
	1851.5	18615	3	15	0	2.957	Fig.10	2.996	Fig.11	2.996	Fig.12
	1880	18900		15	0	2.970	Fig.13	2.970	Fig.14	2.996	Fig.15
	1908.5	19185		15	0	3.009	Fig.16	2.970	Fig.17	2.996	Fig.18
	1852.5	18625	5	25	0	4.863	Fig.19	4.819	Fig.20	4.863	Fig.21
	1880	18900		25	0	4.863	Fig.22	4.884	Fig.23	4.863	Fig.24
	1907.5	19175		25	0	4.906	Fig.25	4.884	Fig.26	4.906	Fig.27
	1855	18650	10	50	0	9.682	Fig.28	9.725	Fig.29	9.682	Fig.30
	1880	18900		50	0	9.682	Fig.31	9.682	Fig.32	9.725	Fig.33
	1905	19150		50	0	9.725	Fig.34	9.725	Fig.35	9.725	Fig.36
	1857.5	18675	15	75	0	14.718	Fig.37	14.848	Fig.38	14.783	Fig.39
	1880	18900		75	0	14.783	Fig.40	14.718	Fig.41	14.718	Fig.42
	1902.5	19125		75	0	14.718	Fig.43	14.718	Fig.44	14.783	Fig.45
	1860	18700	20	100	0	19.363	Fig.46	19.363	Fig.47	19.450	Fig.48
	1880	18900		100	0	19.363	Fig.49	19.450	Fig.50	19.537	Fig.51
	1900	19100		100	0	19.276	Fig.52	19.363	Fig.53	19.276	Fig.54




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30