| Test Mode | Antenna | Tones | 5755MHz | | --- | | 5795MHz | |
			Correction Factor(dB)	Power Density (dBm/500KHz)	Correction Factor(dB)	Power Density (dBm/500KHz)	Correction Factor(dB)	Power Density (dBm/500KHz)
802.11n HT40	Chain0	NA	0.17	1.340	---	---	0.17	1.617
802.11ac VHT40	Chain0	NA	0.18	-0.781	---	---	0.18	-0.210

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add 10log(500kHz/RBW) to the measured result.

| Test Mode | Antenna | Tones | 5775MHz | | --- | | --- | |
			Correction Factor(dB)	Power Density (dBm/500KHz)	Correction Factor(dB)	Power Density (dBm/500KHz)	Correction Factor(dB)	Power Density (dBm/500KHz)
802.11ac VHT80	Chain0	NA	0.31	-3.038	---	---	---	---

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add 10log(500kHz/RBW) to the measured result.

Test Mode: 802.11a

Test Mode:802.11a 5745MHz Chain0



Test Mode:802.11a 5785MHz Chain0

Test Mode:802.11a 5825MHz Chain0

Test Mode: 802.11n HT20

Test Mode:802.11n HT20 5745MHz Chain0

Test Mode:802.11n HT20 5785MHz Chain0


Test Mode:802.11n HT20 5825MHz Chain0

Test Mode: 802.11ac VHT20


Test Mode:802.11ac VHT20 5745MHz Chain0


Test Mode:802.11ac VHT20 5785MHz Chain0

Test Mode:802.11ac VHT20 5825MHz Chain0

Test Mode: 802.11n HT40

Test Mode:802.11n HT40 5755MHz Chain0

Test Mode:802.11n HT40 5795MHz Chain0

Test Mode: 802.11ac VHT40

Test Mode:802.11ac VHT40 5755MHz Chain0

Test Mode:802.11ac VHT40 5795MHz Chain0

Test Mode: 802.11ac VHT80

Test Mode:802.11ac VHT80 5775MHz Chain0	