



Appendix C

RF Test Data for 2.4GWIFI(Conducted Measurement)

Product Name: Tablet PC

Trade Mark: ZTE

Test Model: ZTE T1002

Environmental Conditions

Temperature:	25.2°C
Relative Humidity:	51.2%
ATM Pressure:	100.0 kPa
Test Engineer:	Simba Huang
Supervised by:	Seal Chen



Contents

	Page
COVER PAGE	
1 Duty Cycle.....	3
1.1 Test Result.....	3
1.2 Test Graphs.....	4
2 Maximum Conducted Output Power	9
2.1 Test Result.....	9
3 -6dB Bandwidth	10
3.1 Test Result.....	10
3.2 Test Graphs.....	11
4 Maximum Power Spectral Density Level.....	17
4.1 Test Result.....	17
4.2 Test Graphs.....	18
5 Band Edge.....	23
5.1 Test Result.....	23
5.2 Test Graphs.....	24
6 Conducted RF Spurious Emission.....	30
6.1 Test Result.....	30
6.2 Test Graphs.....	31
7 Restrict Band.....	40
7.1 Test Result.....	40
7.2 Test Graphs.....	42




1 Duty Cycle



1.1 Test Result



Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	1/T (kHz)
b	2412	Ant1	99.59	0.01
b	2437	Ant1	99.6	0.01
b	2462	Ant1	99.6	0.01
g	2412	Ant1	99.59	0.01
g	2437	Ant1	99.6	0.01
g	2462	Ant1	99.6	0.01
n20	2412	Ant1	92.73	2.22
n20	2437	Ant1	92.92	2.22
n20	2462	Ant1	93.01	2.22






1.2 Test Graphs













2 Maximum Conducted Output Power

2.1 Test Result

Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
b	2412	Ant1	7.43	30	Pass
b	2437	Ant1	6.29	30	Pass
b	2462	Ant1	7.31	30	Pass
g	2412	Ant1	9.19	30	Pass
g	2437	Ant1	9.06	30	Pass
g	2462	Ant1	8.91	30	Pass
n20	2412	Ant1	9.37	30	Pass
n20	2437	Ant1	9.43	30	Pass
n20	2462	Ant1	9.52	30	Pass






3 -6dB Bandwidth



3.1 Test Result


Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
b	2412	Ant1	10.029	0.5	Pass
b	2437	Ant1	9.555	0.5	Pass
b	2462	Ant1	9.543	0.5	Pass
g	2412	Ant1	15.918	0.5	Pass
g	2437	Ant1	15.696	0.5	Pass
g	2462	Ant1	16.356	0.5	Pass
n20	2412	Ant1	17.574	0.5	Pass
n20	2437	Ant1	17.538	0.5	Pass
n20	2462	Ant1	16.023	0.5	Pass
n40	2422	Ant1	35.46	0.5	Pass
n40	2437	Ant1	35.046	0.5	Pass
n40	2452	Ant1	36.3	0.5	Pass



3.2 Test Graphs




















4 Maximum Power Spectral Density Level


4.1 Test Result


Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Limit (dBm)	Verdict
b	2412	Ant1	-20.82	8	Pass
b	2437	Ant1	-19.02	8	Pass
b	2462	Ant1	-18.34	8	Pass
g	2412	Ant1	-25.48	8	Pass
g	2437	Ant1	-23.78	8	Pass
g	2462	Ant1	-22.26	8	Pass
n20	2412	Ant1	-25.73	8	Pass
n20	2437	Ant1	-23.71	8	Pass
n20	2462	Ant1	-22.69	8	Pass


4.2 Test Graphs
















5 Band Edge



5.1 Test Result



Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
b	2412	Ant1	-47.86	-20	-47.86
b	2462	Ant1	-49.31	-20	Pass
g	2412	Ant1	-46.28	-20	Pass
g	2462	Ant1	-47.43	-20	Pass
n20	2412	Ant1	-46.02	-20	Pass
n20	2462	Ant1	-46.93	-20	Pass



5.2 Test Graphs




















6 Conducted RF Spurious Emission



6.1 Test Result



Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
b	2412	Ant1	-39.14	-20	Pass
b	2437	Ant1	-39.75	-20	Pass
b	2462	Ant1	-39.41	-20	Pass
g	2412	Ant1	-37.5	-20	Pass
g	2437	Ant1	-36.45	-20	Pass
g	2462	Ant1	-36.74	-20	Pass
n20	2412	Ant1	-37.05	-20	Pass
n20	2437	Ant1	-34.28	-20	Pass
n20	2462	Ant1	-36.62	-20	Pass



6.2 Test Graphs





























7 Restrict Band


7.1 Test Result



Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
b	2412	Ant1	2310	-47.92	2	49.34	Peak	74	Pass
b	2412	Ant1	2310	-55.78	2	41.48	Average	54	Pass
b	2412	Ant1	2336.559	-41.77	2	55.49	Peak	74	Pass
b	2412	Ant1	2336.793	-53.96	2	43.3	Average	54	Pass
b	2412	Ant1	2390	-47.28	2	49.98	Peak	74	Pass
b	2412	Ant1	2390	-55.82	2	41.44	Average	54	Pass
b	2462	Ant1	2483.5	-44.22	2	53.04	Peak	74	53.96
b	2462	Ant1	2483.5	-55.31	2	41.95	Average	54	Pass
b	2462	Ant1	2483.57	-44.2	2	53.06	Peak	74	Pass
b	2462	Ant1	2485.69	-55.16	2	42.1	Average	54	Pass
b	2462	Ant1	2500	-45.93	2	51.33	Peak	74	Pass
b	2462	Ant1	2500	-55.34	2	41.92	Average	54	Pass
g	2412	Ant1	2310	-47.02	2	50.24	Peak	74	Pass
g	2412	Ant1	2310	-54.67	2	42.59	Average	54	Pass
g	2412	Ant1	2339.718	-41.76	2	55.5	Peak	74	Pass
g	2412	Ant1	2337.144	-51.99	2	45.27	Average	54	Pass
g	2412	Ant1	2390	-48.81	2	48.45	Peak	74	Pass
g	2412	Ant1	2390	-54.54	2	42.72	Average	54	Pass
g	2462	Ant1	2483.5	-45.57	2	51.69	Peak	74	Pass
g	2462	Ant1	2483.5	-54.19	2	43.07	Average	54	Pass
g	2462	Ant1	2483.57	-44.15	2	53.11	Peak	74	Pass
g	2462	Ant1	2498.887	-53.45	2	43.81	Average	54	Pass
g	2462	Ant1	2500	-47.56	2	49.7	Peak	74	Pass
g	2462	Ant1	2500	-54	2	43.26	Average	54	Pass
n20	2412	Ant1	2310	-45.23	2	52.03	Peak	74	Pass
n20	2412	Ant1	2310	-54.76	2	42.5	Average	54	Pass
n20	2412	Ant1	2338.08	-44.18	2	53.08	Peak	74	Pass
n20	2412	Ant1	2339.25	-52.6	2	44.66	Average	54	Pass
n20	2412	Ant1	2390	-45.22	2	52.04	Peak	74	Pass
n20	2412	Ant1	2390	-55.06	2	42.2	Average	54	Pass
n20	2462	Ant1	2483.5	-45.17	2	52.09	Peak	74	Pass
n20	2462	Ant1	2483.5	-54.52	2	42.74	Average	54	Pass
n20	2462	Ant1	2485.531	-43.62	2	53.64	Peak	74	Pass







n20	2462	Ant1	2497.032	-53.8	2	43.46	Average	54	Pass
n20	2462	Ant1	2500	-45.28	2	51.98	Peak	74	Pass
n20	2462	Ant1	2500	-54.33	2	42.93	Average	54	Pass



7.2 Test Graphs















---The End---