



**FCC PART 15C  
TEST REPORT  
No. I14Z47074-SRD02**

**for**

**ZTE Corporation**

**WCDMA/GSM (GPRS) Dual-Mode Digital Mobile Phone**

**Model name: ZTE Blade G Lux // ZTE Kis3 max // ZTE V830W**

**With**

**FCC ID: SRQ-ZTEV830W**

**Hardware Version: TMBW**

**Software Version: ZTE-CN-QB18S-P172F10V1.0.0**

**Issued Date: 2014-07-18**



**FCC 2.948 Listed: No.733176**

**IC O.A.T.S listed: No.6629A-1**

**Note:**The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

**Test Laboratory:**

TMC Beijing, Telecommunication Metrology Center of Ministry of Industry and Information Technology

No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China, 100191

Tel:+86(0)10-62304633-2046, Fax:+86(0)10-62304633-2063 Email:welcome@emcite.com. [www.emcite.com](http://www.emcite.com)

## CONTENTS

<b>CONTENTS</b> .....	<b>2</b>
<b>1. TEST LABORATORY</b> .....	<b>10</b>
1.1. TESTING LOCATION .....	10
1.2. PROJECT DATA.....	10
1.3. SIGNATURE .....	10
<b>2. CLIENT INFORMATION</b> .....	<b>11</b>
2.1. APPLICANT INFORMATION .....	11
2.2. MANUFACTURER INFORMATION.....	11
<b>3. EQUIPMENT UNDER TEST(EUT) AND ANCILLARY EQUIPMENT(AE)</b> .....	<b>12</b>
3.1. ABOUT EUT .....	12
3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST .....	12
3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST .....	12
3.4. GENERAL DESCRIPTION .....	12
<b>4. REFERENCE DOCUMENTS</b> .....	<b>12</b>
4.1. DOCUMENTS SUPPLIED BY APPLICANT .....	12
4.2. REFERENCE DOCUMENTS FOR TESTING.....	13
<b>5. LABORATORY ENVIRONMENT</b> .....	<b>13</b>
<b>6. SUMMARY OF TEST RESULTS</b> .....	<b>13</b>
6.1. SUMMARY OF TEST RESULTS.....	13
6.2. STATEMENTS.....	14
6.3. TEST CONDITIONS.....	14
<b>7. TEST EQUIPMENTS UTILIZED</b> .....	<b>15</b>
<b>ANNEX A: MEASUREMENT RESULTS</b> .....	<b>16</b>
A.1. MEASUREMENT METHOD .....	16
A.2. MAXIMUM OUTPUT POWER .....	17
A.2.1. MAXIMUM PEAK OUTPUT POWER-CONDUCTED .....	17
A.2.2. MAXIMUM AVERAGE OUTPUT POWER-CONDUCTED .....	17
A.3. PEAK POWER SPECTRAL DENSITY .....	18
FIG.A.3.1 POWER SPECTRAL DENSITY (802.11B, CH 1) .....	19
FIG.A.3.2 POWER SPECTRAL DENSITY (802.11B, CH 6) .....	20
FIG.A.3.3 POWER SPECTRAL DENSITY (802.11B, CH 11) .....	20
FIG.A.3.4 POWER SPECTRAL DENSITY (802.11G, CH 1) .....	21
FIG.A.3.5 POWER SPECTRAL DENSITY (802.11G, CH 6) .....	21
FIG.A.3.6 POWER SPECTRAL DENSITY (802.11G, CH 11) .....	22
FIG.A.3.7 POWER SPECTRAL DENSITY (802.11N-HT20, CH 1).....	22
FIG.A.3.8 POWER SPECTRAL DENSITY (802.11N-HT20, CH 6).....	23
FIG.A.3.9 POWER SPECTRAL DENSITY (802.11N-HT20, CH 11).....	23

FIG.A.3.10	POWER SPECTRAL DENSITY (802.11N-HT40, CH 3).....	24
FIG.A.3.11	POWER SPECTRAL DENSITY (802.11N-HT40, CH 6).....	24
FIG.A.3.12	POWER SPECTRAL DENSITY (802.11N-HT40, CH 9).....	25
A.4.	DTS 6-DB SIGNAL BANDWIDTH .....	26
FIG.A.4.1	OCCUPIED 6DB BANDWIDTH (802.11B, CH 1).....	27
FIG.A.4.2	OCCUPIED 6DB BANDWIDTH (802.11B, CH 6).....	27
FIG.A.4.3	OCCUPIED 6DB BANDWIDTH (802.11B, CH 11).....	28
FIG.A.4.4	OCCUPIED 6DB BANDWIDTH (802.11G, CH 1).....	28
FIG.A.4.5	OCCUPIED 6DB BANDWIDTH (802.11G, CH 6).....	29
FIG.A.4.6	OCCUPIED 6DB BANDWIDTH (802.11G, CH 11).....	29
FIG.A.4.7	OCCUPIED 6DB BANDWIDTH (802.11N-20MHZ, CH 1).....	30
FIG.A.4.8	OCCUPIED 6DB BANDWIDTH (802.11N-HT20, CH 6).....	30
FIG.A.4.9	OCCUPIED 6DB BANDWIDTH (802.11N-HT20, CH 11).....	31
FIG.A.4.10	OCCUPIED 6DB BANDWIDTH (802.11N-40MHZ, CH 3).....	31
FIG.A.4.11	OCCUPIED 6DB BANDWIDTH (802.11N-HT40, CH 6).....	32
FIG.A.4.12	OCCUPIED 6DB BANDWIDTH (802.11N-HT40, CH 9).....	32
A.5.	BAND EDGES COMPLIANCE .....	33
FIG.A.5.1	BAND EDGES (802.11B, CH 1).....	34
FIG.A.5.2	BAND EDGES (802.11B, CH 11).....	34
FIG.A.5.3	BAND EDGES (802.11G, CH 1).....	35
FIG.A.5.4	BAND EDGES (802.11G, CH 11).....	35
FIG.A.5.5	BAND EDGES (802.11N-HT20, CH 1).....	36
FIG.A.5.6	BAND EDGES (802.11N-HT20, CH 11).....	36
FIG.A.5.7	BAND EDGES (802.11N-HT40, CH 3).....	37
FIG.A.5.8	BAND EDGES (802.11N-HT40, CH 9).....	37
A.6.	TRANSMITTER SPURIOUS EMISSION .....	38
A.6.1	TRANSMITTER SPURIOUS EMISSION - CONDUCTED .....	38
FIG.A.6.1.1	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH1, CENTER FREQUENCY)	42
FIG.A.6.1.2	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH1, 30 MHZ-1 GHZ)	42
FIG.A.6.1.3	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH1, 1 GHZ-2.5 GHZ)	43
FIG.A.6.1.4	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH1, 2.5 GHZ-7.5 GHZ)	43
FIG.A.6.1.5	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH1, 7.5 GHZ-10 GHZ)	44
FIG.A.6.1.6	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH1, 10 GHZ-15 GHZ)	44
FIG.A.6.1.7	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH1, 15 GHZ-20 GHZ)	45
FIG.A.6.1.8	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH1, 20 GHZ-26 GHZ)	45
FIG.A.6.1.9	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH6, CENTER	

FREQUENCY)	46
FIG.A.6.1.10	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH6, 30 MHz-1 GHz) 46
FIG.A.6.1.11	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH6, 1 GHz-2.5 GHz) 47
FIG.A.6.1.12	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH6, 2.5 GHz-7.5 GHz) 47
FIG.A.6.1.13	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH6, 7.5 GHz-10 GHz) 48
FIG.A.6.1.14	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH6, 10 GHz-15 GHz) 48
FIG.A.6.1.15	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH6, 15 GHz-20 GHz) 49
FIG.A.6.1.16	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH6, 20 GHz-26 GHz) 49
FIG.A.6.1.17	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH11, CENTER
FREQUENCY)	50
FIG.A.6.1.18	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH11, 30 MHz-1 GHz) 50
FIG.A.6.1.19	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH11, 1 GHz-2.5 GHz) 51
FIG.A.6.1.20	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH11, 2.5 GHz-7.5 GHz) 51
FIG.A.6.1.21	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH11, 7.5 GHz-10 GHz) 52
FIG.A.6.1.22	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH11, 10 GHz-15 GHz) 52
FIG.A.6.1.23	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH11, 15 GHz-20 GHz) 53
FIG.A.6.1.24	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11B, CH11, 20 GHz-26 GHz) 53
FIG.A.6.1.25	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH1, CENTER
FREQUENCY)	54
FIG.A.6.1.26	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH1, 30 MHz-1 GHz) 54
FIG.A.6.1.27	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH1, 1 GHz-2.5 GHz) 55
FIG.A.6.1.28	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH1, 2.5 GHz-7.5 GHz) 55
FIG.A.6.1.29	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH1, 7.5 GHz-10 GHz) 56
FIG.A.6.1.30	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH1, 10 GHz-15 GHz) 56
FIG.A.6.1.31	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH1, 15 GHz-20 GHz)

	57
FIG.A.6.1.32	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH1, 20 GHZ-26 GHZ)
	57
FIG.A.6.1.33	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH6, CENTER
FREQUENCY)	58
FIG.A.6.1.34	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH6, 30 MHZ-1 GHZ)
	58
FIG.A.6.1.35	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH6, 1 GHZ-2.5 GHZ)
	59
FIG.A.6.1.36	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH6, 2.5 GHZ-7.5 GHZ)
	59
FIG.A.6.1.37	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH6, 7.5 GHZ-10 GHZ)
	60
FIG.A.6.1.38	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH6, 10 GHZ-15 GHZ)
	60
FIG.A.6.1.39	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH6, 15 GHZ-20 GHZ)
	61
FIG.A.6.1.40	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH6, 20 GHZ-26 GHZ)
	61
FIG.A.6.1.41	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH11, CENTER
FREQUENCY)	62
FIG.A.6.1.42	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH11, 30 MHZ-1 GHZ)
	62
FIG.A.6.1.43	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH11, 1 GHZ-2.5 GHZ)
	63
FIG.A.6.1.44	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH11, 2.5 GHZ-7.5
GHZ)	63
FIG.A.6.1.45	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH11, 7.5 GHZ-10
GHZ)	64
FIG.A.6.1.46	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH11, 10 GHZ-15 GHZ)
	64
FIG.A.6.1.47	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH11, 15 GHZ-20 GHZ)
	65
FIG.A.6.1.48	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11G, CH11, 20 GHZ-26 GHZ)
	65
FIG.A.6.1.49	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH1, CENTER
FREQUENCY)	66
FIG.A.6.1.50	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH1, 30 MHZ-1
GHZ)	66
FIG.A.6.1.51	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH1, 1 GHZ-2.5
GHZ)	67
FIG.A.6.1.52	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH1, 2.5
GHZ-7.5 GHZ)	67
FIG.A.6.1.53	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH1, 7.5

GHZ-10 GHZ)	68
FIG.A.6.1.54	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH1, 10
GHZ-15 GHZ)	68
FIG.A.6.1.55	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH1, 15
GHZ-20 GHZ)	69
FIG.A.6.1.56	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH1, 20
GHZ-26 GHZ)	69
FIG.A.6.1.57	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH6, CENTER
FREQUENCY)	70
FIG.A.6.1.58	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH6, 30 MHZ-1
GHZ)	70
FIG.A.6.1.59	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH6, 1 GHZ-2.5
GHZ)	71
FIG.A.6.1.60	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH6, 2.5
GHZ-7.5 GHZ)	71
FIG.A.6.1.61	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH6, 7.5
GHZ-10 GHZ)	72
FIG.A.6.1.62	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH6, 10
GHZ-15 GHZ)	72
FIG.A.6.1.63	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH6, 15
GHZ-20 GHZ)	73
FIG.A.6.1.64	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH6, 20
GHZ-26 GHZ)	73
FIG.A.6.1.65	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH11, CENTER
FREQUENCY)	74
FIG.A.6.1.66	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH11, 30
MHZ-1 GHZ)	74
FIG.A.6.1.67	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH11, 1
GHZ-2.5 GHZ)	75
FIG.A.6.1.68	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH11, 2.5
GHZ-7.5 GHZ)	75
FIG.A.6.1.69	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH11, 7.5
GHZ-10 GHZ)	76
FIG.A.6.1.70	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH11, 10
GHZ-15 GHZ)	76
FIG.A.6.1.71	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH11, 15
GHZ-20 GHZ)	77
FIG.A.6.1.72	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT20, CH11, 20
GHZ-26 GHZ)	77
FIG.A.6.1.73	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH3, CENTER
FREQUENCY)	78
FIG.A.6.1.74	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH3, 30 MHZ-1
GHZ)	78
FIG.A.6.1.75	TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH3, 1 GHZ-2.5

GHZ)	79
FIG.A.6.1.76 TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH3, 2.5	
GHZ-7.5 GHZ)	79
FIG.A.6.1.77 TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH3, 7.5	
GHZ-10 GHZ)	80
FIG.A.6.1.78 TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH3, 10	
GHZ-15 GHZ)	80
FIG.A.6.1.79 TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH3, 15	
GHZ-20 GHZ)	81
FIG.A.6.1.80 TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH3, 20	
GHZ-26 GHZ)	81
FIG.A.6.1.81 TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH6, CENTER	
FREQUENCY)	82
FIG.A.6.1.82 TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH6, 30 MHz-1	
GHZ)	82
FIG.A.6.1.83 TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH6, 1 GHz-2.5	
GHZ)	83
FIG.A.6.1.84 TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH6, 2.5	
GHZ-7.5 GHZ)	83
FIG.A.6.1.85 TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH6, 7.5	
GHZ-10 GHZ)	84
FIG.A.6.1.86 TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH6, 10	
GHZ-15 GHZ)	84
FIG.A.6.1.87 TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH6, 15	
GHZ-20 GHZ)	85
FIG.A.6.1.88 TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH6, 20	
GHZ-26 GHZ)	85
FIG.A.6.1.89 TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH9, CENTER	
FREQUENCY)	86
FIG.A.6.1.90 TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH9, 30 MHz-1	
GHZ)	86
FIG.A.6.1.91 TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH9, 1 GHz-2.5	
GHZ)	87
FIG.A.6.1.92 TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH9, 2.5	
GHZ-7.5 GHZ)	87
FIG.A.6.1.93 TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH9, 7.5	
GHZ-10 GHZ)	88
FIG.A.6.1.94 TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH9, 10	
GHZ-15 GHZ)	88
FIG.A.6.1.95 TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH9, 15	
GHZ-20 GHZ)	89
FIG.A.6.1.96 TRANSMITTER SPURIOUS EMISSION - CONDUCTED (802.11N-HT40, CH9, 20	
GHZ-26 GHZ)	89
A.6.2 TRANSMITTER SPURIOUS EMISSION - RADIATED .....	90

FIG.A.6.2.1 – 2.45GHz	TRANSMITTER SPURIOUS EMISSION - RADIATED (POWER): 802.11B, CH1, 2.38 GHz 99
FIG.A.6.2.2	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11B, CH1, 1 GHz-3 GHz) ... 99
FIG.A.6.2.3	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11B, CH1, 3 GHz-18 GHz) 100
FIG.A.6.2.4	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11B, CH6, 30 MHz-1 GHz) 100
FIG.A.6.2.5	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11B, CH6, 1 GHz-3 GHz) . 101
FIG.A.6.2.6	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11B, CH6, 3 GHz-18 GHz) 101
FIG.A.6.2.7	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11B, CH6, 18GHz – 26.5GHz) 102
FIG.A.6.2.8 - 2.50GHz	TRANSMITTER SPURIOUS EMISSION - RADIATED (POWER): 802.11B, CH11, 2.45 GHz 102
FIG.A.6.2.9	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11B, CH11, 1 GHz-3 GHz) 103
FIG.A.6.2.10	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11B, CH11, 3 GHz-18 GHz) 103
FIG.A.6.2.11 2.45GHz	TRANSMITTER SPURIOUS EMISSION - RADIATED (POWER): 802.11G, CH1, 2.38 GHz - 104
FIG.A.6.2.12	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11G, CH1, 1 GHz-3 GHz) . 104
FIG.A.6.2.13	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11G, CH1, 3 GHz-18 GHz) 105
FIG.A.6.2.14	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11G, CH6, 30 MHz-1 GHz) 105
FIG.A.6.2.15	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11G, CH6, 1 GHz-3 GHz) . 106
FIG.A.6.2.16	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11G, CH6, 3 GHz-18 GHz) 106
FIG.A.6.2.17	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11G, CH6, 18GHz – 26.5GHz) 107
FIG.A.6.2.18 - 2.50GHz	TRANSMITTER SPURIOUS EMISSION - RADIATED (POWER): 802.11G, CH11, 2.45 GHz 107
FIG.A.6.2.19	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11G, CH11, 1 GHz-3 GHz) 108
FIG.A.6.2.20	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11G, CH11, 3 GHz-18 GHz) 108
FIG.A.6.2.21 GHz - 2.45GHz	TRANSMITTER SPURIOUS EMISSION - RADIATED (POWER): 802.11N-HT20, CH1, 2.38 GHz - 2.45GHz 109
FIG.A.6.2.22	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11N-HT20, CH1, 1 GHz-3 GHz) 109
FIG.A.6.2.23 GHz)	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11N-HT20, CH1, 3 GHz-18 GHz) 110
FIG.A.6.2.24 GHz)	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11N-HT20, CH6, 30 MHz-1 GHz) 110
FIG.A.6.2.25	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11N-HT20, CH6, 1 GHz-3 GHz) 111
FIG.A.6.2.26 GHz)	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11N-HT20, CH6, 3 GHz-18 GHz) 111
FIG.A.6.2.27 26.5GHz)	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11N-HT20, CH6, 18GHz – 26.5GHz) 112
FIG.A.6.2.28 2.45 GHz - 2.50GHz	TRANSMITTER SPURIOUS EMISSION - RADIATED (POWER): 802.11N-HT20, CH11, 2.45 GHz - 2.50GHz ..... 112

FIG.A.6.2.29	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11N-HT20, CH11, 1 GHz-3 GHz)	113
FIG.A.6.2.30	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11N-HT20, CH11, 3 GHz-18 GHz)	113
FIG.A.6.2.31	TRANSMITTER SPURIOUS EMISSION - RADIATED (POWER): 802.11N-HT40, CH3, 2.38 GHz - 2.45GHz	114
FIG.A.6.2.32	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11N-HT40, CH3, 1 GHz-3 GHz)	114
FIG.A.6.2.33	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11N-HT40, CH3, 3 GHz-18 GHz)	115
FIG.A.6.2.34	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11N-HT40, CH6, 30 MHz-1 GHz)	115
FIG.A.6.2.35	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11N-HT40, CH6, 1 GHz-3 GHz)	116
FIG.A.6.2.36	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11N-HT40, CH6, 3 GHz-18 GHz)	116
FIG.A.6.2.37	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11N-HT40, CH6, 18GHz – 26.5GHz)	117
FIG.A.6.2.38	TRANSMITTER SPURIOUS EMISSION - RADIATED (POWER): 802.11N-HT40, CH9, 2.45 GHz - 2.50GHz	117
FIG.A.6.2.39	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11N-HT40, CH9, 1 GHz-3 GHz)	118
FIG.A.6.2.40	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11N-HT40, CH9, 3 GHz-18 GHz)	118
A.7.	TRANSMITTER SPURIOUS EMISSION - RADIATED < 30MHZ	119
FIG.A.7.1	TRANSMITTER SPURIOUS EMISSION - RADIATED (802.11B, 9 kHz ~30 MHz)	119
A.8.	AC POWERLINE CONDUCTED EMISSION	120
FIG.A.8.1	AC POWERLINE CONDUCTED EMISSION-802.11B	121
FIG.A.8.2	AC POWERLINE CONDUCTED EMISSION-IDLE	122

## 1. TEST LABORATORY


### 1.1. Testing Location

Company Name: TMC Beijing, Telecommunication Metrology Center of MIIT  
Address: No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China  
Postal Code: 100191  
Telephone: 008610623046332046  
Fax: 008610623046332063

### 1.2. Project Data


Testing Start Date: 2014-06-17  
Testing End Date: 2014-06-19

### 1.3. Signature



---

**Xu Zhongfei**  
**(Prepared this test report)**



---

**Jiang Afang**  
**(Reviewed this test report)**



---

**Xiao Li**  
**Deputy Director of the laboratory**  
**(Approved this test report)**

## **2. CLIENT INFORMATION**

### **2.1. Applicant Information**

Company Name: ZTE Corporation  
Address /Post: ZTE Plaza, Keji Road South, Hi-Tech Industrial Park, Nanshan District, Shenzhen, Guangdong, 518057, P.R. China  
Contact: Zhang Wen  
Email: /  
Telephone: +86-21-68897541  
Fax: +86-21-50801070

### **2.2. Manufacturer Information**

Company Name: ZTE Corporation  
Address /Post: ZTE Plaza, Keji Road South, Hi-Tech Industrial Park, Nanshan District, Shenzhen, Guangdong, 518057, P.R. China  
Contact: Zhang Wen  
Email: /  
Telephone: +86-21-68897541  
Fax: +86-21-50801070

### **3. EQUIPMENT UNDER TEST(EUT) AND ANCILLARY EQUIPMENT(AE)**

#### **3.1. About EUT**

Description	WCDMA/GSM (GPRS) Dual-Mode Digital Mobile Phone
Model name	ZTE Blade G Lux // ZTE Kis3 max // ZTE V830W
FCC ID	SRQ-ZTEV830W
IC ID	/
With WLAN Function	Yes
Frequency Range	ISM 2400MHz~2483.5MHz
Type of Modulation	DSSS/CCK/OFDM
Number of Channels	11
Antenna	Integral Antenna
MAX Conducted Power	26.41dBm(OFDM)
Power Supply	3.7V DC by Battery

#### **3.2. Internal Identification of EUT Used During the Test**

<b>EUT ID*</b>	<b>IMEI</b>	<b>HW Version</b>	<b>SW Version</b>
EUT1	865313020000387	TMBW	ZTE-CN-QB18S-P172F10V1.0.0
EUT2	865313020000429	TMBW	ZTE-CN-QB18S-P172F10V1.0.0

\*EUT ID: is used to identify the test sample in the lab internally.

#### **3.3. Internal Identification of AE Used During the Test**

<b>AE ID*</b>	<b>Description</b>	<b>Type</b>	<b>SN</b>
AE1	Battery	Li3818T43P3h695144	/
AE2	Charger	STC-A22O50I700USBA-A	/

\*AE ID: is used to identify the test sample in the lab internally.

#### **3.4. General Description**

Equipment Under Test (EUT) is a model of WCDMA/GSM (GPRS) Dual-Mode Digital Mobile Phone with integrated antenna. It consists of normal options: Battery and Charger.

Manual and specifications of the EUT were provided to fulfil the test.

Samples undergoing test were selected by the Client.

### **4. Reference Documents**

#### **4.1. Documents supplied by applicant**

EUT feature information is supplied by the applicant or manufacturer, which is the basis of testing.

## 4.2. REFERENCE DOCUMENTS FOR TESTING

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC Part15	FCC CFR 47, Part 15, Subpart C: 15.203 Antenna requirement; 15.205 Restricted bands of operation; 15.209 Radiated emission limits, general requirements; 15.247 Operation within the bands 902-928MHz, 2400-2483.5 MHz, and 5725-5850 MHz.	2013
ANSI C63.4	Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz	2009
KDB558074 v03r02	Guidance for Performing Compliance Measurements on Digital Transmission Systems (DTS) Operating Under §15.247	2014

## 5. LABORATORY ENVIRONMENT

Conducted RF performance testing is performed in shielding room.

EMC performance testing is performed in Semi-anechoic chamber.

## 6. SUMMARY OF TEST RESULTS

### 6.1. Summary of Test Results

SUMMARY OF MEASUREMENT RESULTS	Sub-clause of Part15C	Sub-clause of IC	Verdict
Maximum Peak Output Power	15.247 (b)	/	P
Peak Power Spectral Density	15.247 (e)	/	P
Occupied 6dB Bandwidth	15.247 (a)	/	P
Band Edges Compliance	15.247 (d)	/	P
Transmitter Spurious Emission - Conducted	15.247 (d)	/	P
Transmitter Spurious Emission - Radiated	15.247, 15.205, 15.209	/	P
AC Powerline Conducted Emission	15.107, 15.207	/	P
Antenna requirement	15.203	/	P

Note: The antenna type of EUT can satisfy the requirement of Part 15.203.

Please refer to **ANNEX A** for detail.

Terms used in Verdict column

P	Pass, The EUT complies with the essential requirements in the standard.
NP	Not Perform, The test was not performed by TMC
NA	Not Applicable, The test was not applicable
F	Fail, The EUT does not comply with the essential requirements in the standard

## 6.2. Statements

TMC has evaluated the test cases requested by the client/manufacturer as listed in section 6.1 of this report for the EUT specified in section 3 according to the standards or reference documents listed in section 4.1.

This report only deals with the WLAN function among the features described in section 3.

## 6.3. Test Conditions

For this report, all the test cases are tested under normal temperature and normal voltage, and also under norm humidity, the specific condition is shown as follows:

Temperature	26°C
Voltage	3.7V (By battery)
Humidity	44%

## 7. TEST EQUIPMENTS UTILIZED

### Conducted test system

No.	Equipment	Model	Serial Number	Manufacturer	Calibration date	Calibration Due date
1	Vector Signal Analyzer	FSQ40	200089	Rohde & Schwarz	2013-07-08	2014-07-07
2	Test Receiver	ESS	847151/015	Rohde & Schwarz	2013-11-29	2014-11-28
3	LISN	ESH2-Z5	829991/012	Rohde & Schwarz	2014-4-15	2015-4-14
4	Shielding Room	S81	/	ETS-Lindgren	/	/

### Radiated emission test system

No.	Equipment	Model	Serial Number	Manufacturer	Calibration date	Calibration Due date
1	Test Receiver	ESU26	100376	Rohde & Schwarz	2013-11-6	2014-11-5
2	BiLog Antenna	VULB9163	9163-514	Schwarzbeck	2011-11-11	2014-11-10
3	Dual-Ridge Waveguide Horn Antenna	3117	00119024	ETS-Lindgren	2014-4-20	2017-4-19
4	Dual-Ridge Waveguide Horn Antenna	3116	2661	EMCO	2014-7-1	2017-06-30
5	Loop antenna	HFH2-Z2	829324/007	Rohde & Schwarz	2011-12-21	2014-12-20
6	Semi-anechoic chamber	/	CT000332-1074	Frankonia German	/	/

## ANNEX A: MEASUREMENT RESULTS

### A.1. Measurement Method

#### A.1.1. Conducted Measurements

Connect the EUT to the test system as Fig.A.1.1.1 shows.

Set the EUT to the required work mode.

Set the EUT to the required channel.

Set the Vector Signal Analyzer and start measurement.

Record the values. Vector Signal Analyzer




Fig.A.1.1.1: Test Setup Diagram for Conducted Measurements

#### A.1.2. Radiated Emission Measurements

In the case of radiated emission, the used settings are as follows,

Sweep frequency from 30 MHz to 1GHz, RBW = 100 kHz, VBW = 300 kHz;

Sweep frequency from 1 GHz to 26GHz, RBW = 1MHz, VBW = 10Hz;




Fig.A.1.2.1: Test Setup Diagram for Radiated Measurements

## A.2. Maximum Output Power

### Measurement Limit and Method:

Standard	Limit (dBm)
FCC CRF Part 15.247(b)	< 30

Note: The Duty cycle of EUT is 98.4%, so all measurements of maximum conducted output power will be performed with the EUT transmitting continuously.

EUT ID: EUT2

### A.2.1. Maximum Peak Output Power-conducted

Method of Measurement: See KDB558074 section 9.1.2.

#### Measurement Results:

##### 802.11b/g mode

Mode	Test Result (dBm)		
	2412MHz (Ch1)	2437MHz (Ch6)	2462 MHz (Ch11)
802.11b	25.98	26.17	26.41
802.11g	24.10	25.21	24.54

##### 802.11n-HT20 mode

Mode	Test Result (dBm)		
	2412MHz (Ch1)	2437MHz (Ch6)	2462 MHz (Ch11)
802.11n (20MHz)	24.07	25.19	24.61

##### 802.11n-HT40 mode

Mode	Test Result (dBm)		
	2422MHz (Ch3)	2437MHz (Ch6)	2452 MHz (Ch9)
802.11n (40MHz)	20.29	22.25	22.49

Conclusion: Pass

### A.2.2. Maximum Average Output Power-conducted

Method of Measurement: See KDB558074 section 9.2.2.2.

##### 802.11b/g mode

Mode	Test Result (dBm)		
	2412MHz (Ch1)	2437MHz (Ch6)	2462 MHz (Ch11)
802.11b	19.11	19.22	19.48
802.11g	14.94	16.12	15.47

**802.11n-HT20 mode**

Mode	Test Result (dBm)		
	2412MHz (Ch1)	2437MHz (Ch6)	2462 MHz (Ch11)
802.11n (20MHz)	14.97	16.17	15.48

**802.11n-HT40 mode**

Mode	Test Result (dBm)		
	2422MHz (Ch3)	2437MHz (Ch6)	2452 MHz (Ch9)
802.11n (40MHz)	12.49	14.49	12.79

**Conclusion: Pass**

**Measurement Uncertainty:**

Measurement Uncertainty	0.75dB
-------------------------	--------

**A.3. Peak Power Spectral Density**

**Method of Measurement: See KDB558074 section 10.2.**

**Measurement Limit:**

Standard	Limit
FCC CRF Part 15.247(e)	< 8 dBm/3 kHz

**Modulation type and data rate tested:**

802.11b	802.11g	802.11n-HT20	802.11n-HT40
11Mbps(CCK)	54Mbps(OFDM)	MCS5(OFDM)	MCS5(OFDM)

**Measurement Results:**

**802.11b/g mode**

Mode	Channel	Power Spectral Density ( dBm/3 kHz )		Conclusion
		Fig.A.3.1	Fig.A.3.2	
802.11b	1	Fig.A.3.1	-4.73	<b>P</b>
	6	Fig.A.3.2	-4.83	<b>P</b>
	11	Fig.A.3.3	-4.29	<b>P</b>
802.11g	1	Fig.A.3.4	-9.37	<b>P</b>
	6	Fig.A.3.5	-8.55	<b>P</b>
	11	Fig.A.3.6	-8.03	<b>P</b>

**802.11n-HT20 mode**

Mode	Channel	Power Spectral Density ( dBm/3 kHz )		Conclusion
		Fig.A.3.7	-11.60	
802.11n (HT20)	1	Fig.A.3.7	-11.60	<b>P</b>
	6	Fig.A.3.8	-9.20	<b>P</b>
	11	Fig.A.3.9	-9.62	<b>P</b>

**802.11n-HT40 mode**


Mode	Channel	Power Spectral Density ( dBm/3 kHz )		Conclusion
		Fig.A.3.10	-16.65	
802.11n (HT40)	3	Fig.A.3.10	-16.65	<b>P</b>
	6	Fig.A.3.11	-14.63	<b>P</b>
	9	Fig.A.3.12	-16.88	<b>P</b>

**Conclusion: Pass**


**Measurement Uncertainty:**

Measurement Uncertainty	0.75dB
-------------------------	--------


**Test graphs as below:**




**Fig.A.3.1 Power Spectral Density (802.11b, Ch 1)**




**Fig.A.3.2 Power Spectral Density (802.11b, Ch 6)**




**Fig.A.3.3 Power Spectral Density (802.11b, Ch 11)**




**Fig.A.3.4 Power Spectral Density (802.11g, Ch 1)**




**Fig.A.3.5 Power Spectral Density (802.11g, Ch 6)**




**Fig.A.3.6 Power Spectral Density (802.11g, Ch 11)**



**Fig.A.3.7 Power Spectral Density (802.11n-HT20, Ch 1)**



**Fig.A.3.8 Power Spectral Density (802.11n-HT20, Ch 6)**



**Fig.A.3.9 Power Spectral Density (802.11n-HT20, Ch 11)**




Fig.A.3.10 Power Spectral Density (802.11n-HT40, Ch 3)




Fig.A.3.11 Power Spectral Density (802.11n-HT40, Ch 6)




Fig.A.3.12 Power Spectral Density (802.11n-HT40, Ch 9)

#### A.4. DTS 6-dB Signal Bandwidth

Method of Measurement: See KDB558074 section 8.1 (Option 1).

Measurement Limit:

Standard	Limit (kHz)
FCC 47 CFR Part 15.247 (a)	≥ 500

EUT ID: EUT2

Modulation type and data rate tested:

802.11b	802.11g	802.11n-HT20	802.11n-HT40
11Mbps(CCK)	54Mbps(OFDM)	MCS5(OFDM)	MCS5(OFDM)

Measurement Result:

##### 802.11b/g mode

Mode	Channel	Occupied 6dB Bandwidth ( kHz)		conclusion
802.11b	1	Fig.A.4.1	10000	P
	6	Fig.A.4.2	9550	P
	11	Fig.A.4.3	9550	P
802.11g	1	Fig.A.4.4	15050	P
	6	Fig.A.4.5	15100	P
	11	Fig.A.4.6	15300	P

##### 802.11n-HT20 mode

Mode	Channel	Occupied 6dB Bandwidth ( kHz)		conclusion
802.11n (HT20)	1	Fig.A.4.7	16600	P
	6	Fig.A.4.8	17250	P
	11	Fig.A.4.9	16350	P

##### 802.11n-HT40 mode

Mode	Channel	Occupied 6dB Bandwidth ( kHz)		conclusion
802.11n (HT40)	3	Fig.A.4.10	35200	P
	6	Fig.A.4.11	35200	P
	9	Fig.A.4.12	35200	P

Conclusion: Pass

Measurement Uncertainty:

Measurement Uncertainty	60.80Hz
-------------------------	---------

Test graphs as below:




Fig.A.4.1 Occupied 6dB Bandwidth (802.11b, Ch 1)




Fig.A.4.2 Occupied 6dB Bandwidth (802.11b, Ch 6)




Fig.A.4.3 Occupied 6dB Bandwidth (802.11b, Ch 11)




Fig.A.4.4 Occupied 6dB Bandwidth (802.11g, Ch 1)




Fig.A.4.5 Occupied 6dB Bandwidth (802.11g, Ch 6)




Fig.A.4.6 Occupied 6dB Bandwidth (802.11g, Ch 11)




Fig.A.4.7 Occupied 6dB Bandwidth (802.11n-20MHz, Ch 1)




Fig.A.4.8 Occupied 6dB Bandwidth (802.11n-HT20, Ch 6)