

# FCC PART 22H, PART 24E, PART 27 TEST REPORT

For

**Quanzhou YANTON Electronics Co., Ltd.**

YANTON Building, Jinxia Road, Xiamei Town, Nan'an, China

**FCC ID: SV8-TM7700**

|                                        |                                                                                                                                                                                                                               |
|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Type:</b><br>Original Report | <b>Product Type:</b><br>POC Mobile Radio                                                                                                                                                                                      |
| <b>Test Engineer:</b>                  | Winnie Yang                                                                                                                                                                                                                   |
| <b>Report Number:</b>                  | RXM191008050-00B                                                                                                                                                                                                              |
| <b>Report Date:</b>                    | 2019-10-23                                                                                                                                                                                                                    |
| <b>Reviewed By:</b>                    | Oscar Ye<br>EMC Manager                                                                                                                                                                                                       |
| <b>Prepared By:</b>                    | Bay Area Compliance Laboratories Corp. (Kunshan)<br>No.248 Chenghu Road, Kunshan, Jiangsu province, China<br>Tel: +86-0512-86175000<br>Fax: +86-0512-88934268<br><a href="http://www.baclcorp.com.cn">www.baclcorp.com.cn</a> |

**Note:** This test report is prepared for the customer shown above and for the device described herein. It may not be duplicated or used in part without prior written consent from Bay Area Compliance Laboratories Corp. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

## **TABLE OF CONTENTS**

|                                                                                                                   |            |
|-------------------------------------------------------------------------------------------------------------------|------------|
| <b>GENERAL INFORMATION.....</b>                                                                                   | <b>3</b>   |
| PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT) .....                                                          | 3          |
| OBJECTIVE .....                                                                                                   | 3          |
| RELATED SUBMITTAL(S)/GRANT(S).....                                                                                | 3          |
| TEST METHODOLOGY .....                                                                                            | 4          |
| MEASUREMENT UNCERTAINTY.....                                                                                      | 4          |
| TEST FACILITY .....                                                                                               | 4          |
| <b>SYSTEM TEST CONFIGURATION.....</b>                                                                             | <b>5</b>   |
| JUSTIFICATION .....                                                                                               | 5          |
| CHANNEL LIST .....                                                                                                | 5          |
| EQUIPMENT MODIFICATIONS .....                                                                                     | 7          |
| SUPPORT EQUIPMENT LIST AND DETAILS .....                                                                          | 7          |
| EXTERNAL I/O CABLE.....                                                                                           | 7          |
| BLOCK DIAGRAM OF TEST SETUP .....                                                                                 | 8          |
| <b>SUMMARY OF TEST RESULTS .....</b>                                                                              | <b>9</b>   |
| <b>TEST EQUIPMENT LIST .....</b>                                                                                  | <b>10</b>  |
| <b>FCC §1.1310 &amp; §2.1091 - MAXIMUM PERMISSIBLE EXPOSURE (MPE).....</b>                                        | <b>12</b>  |
| APPLICABLE STANDARD .....                                                                                         | 12         |
| CALCULATED FORMULARY:.....                                                                                        | 12         |
| CALCULATED DATA (WORST CASE): .....                                                                               | 12         |
| <b>FCC §2.1047 - MODULATION CHARACTERISTIC .....</b>                                                              | <b>13</b>  |
| <b>FCC §2.1046; § 22.913 (A); § 24.232 (C); §27.50 (C) (D); - RF OUTPUT POWER.....</b>                            | <b>14</b>  |
| APPLICABLE STANDARDS.....                                                                                         | 14         |
| TEST PROCEDURE .....                                                                                              | 14         |
| TEST DATA .....                                                                                                   | 15         |
| <b>FCC §2.1049, §22.917, §22.905 &amp; §24.238; §27.53- OCCUPIED BANDWIDTH.....</b>                               | <b>36</b>  |
| APPLICABLE STANDARDS.....                                                                                         | 36         |
| TEST PROCEDURE .....                                                                                              | 36         |
| TEST DATA .....                                                                                                   | 36         |
| <b>FCC § 2.1051; § 22.917 (A); § 24.238 (A); §27.53(G) (H) - SPURIOUS EMISSIONS AT ANTENNA<br/>TERMINALS.....</b> | <b>66</b>  |
| APPLICABLE STANDARDS.....                                                                                         | 66         |
| TEST PROCEDURE .....                                                                                              | 66         |
| TEST DATA .....                                                                                                   | 66         |
| <b>FCC § 2.1053; § 22.917 (A); § 24.238 (A); §27.53 (G) (H) - SPURIOUS RADIATED EMISSIONS .....</b>               | <b>115</b> |
| APPLICABLE STANDARDS.....                                                                                         | 115        |
| TEST PROCEDURE .....                                                                                              | 115        |
| TEST DATA .....                                                                                                   | 116        |
| <b>FCC § 22.917 (A); § 24.238 (A); §27.53 (G) (H) - BAND EDGES .....</b>                                          | <b>119</b> |
| APPLICABLE STANDARDS.....                                                                                         | 119        |
| TEST PROCEDURE .....                                                                                              | 119        |
| TEST DATA .....                                                                                                   | 119        |
| <b>FCC § 2.1055; § 22.355; § 24.235; §27.54- FREQUENCY STABILITY .....</b>                                        | <b>168</b> |
| APPLICABLE STANDARDS.....                                                                                         | 168        |
| TEST PROCEDURE .....                                                                                              | 168        |
| TEST DATA .....                                                                                                   | 169        |

## GENERAL INFORMATION

### Product Description for Equipment under Test (EUT)

|                          |                                                                                                                                                                                                                                                                                                             |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Applicant                | Quanzhou YANTON Electronics Co., Ltd.                                                                                                                                                                                                                                                                       |
| Tested Model             | TM-7700                                                                                                                                                                                                                                                                                                     |
| Product Type             | POC Mobile Radio                                                                                                                                                                                                                                                                                            |
| Power Supply             | DC 12-24V                                                                                                                                                                                                                                                                                                   |
| RF Function              | WCDMA, LTE                                                                                                                                                                                                                                                                                                  |
| Operating Band/Frequency | WCDMA Band II: 1850-1910 MHz(TX), 1930-1990MHz(RX)<br>WCDMA Band V: 824-849 MHz(TX), 869-894 MHz(RX)<br>LTE Band 2: 1850-1910 MHz(TX), 1930-1990MHz(RX)<br>LTE Band 4: 1710-1755 MHz(TX), 2110-2155MHz(RX)<br>LTE Band 5: 824-849 MHz(TX), 869-894 MHz(RX)<br>LTE Band 12: 699-716 MHz(TX), 829-846 MHz(RX) |
| Power Class              | WCDMA/LTE: Class 3                                                                                                                                                                                                                                                                                          |
| Modulation Type          | WCDMA/LTE: QPSK,16QAM                                                                                                                                                                                                                                                                                       |
| Antenna Type             | External fixed antenna                                                                                                                                                                                                                                                                                      |
| Maximum Antenna Gain     | WCDMA Band II: 3.0dBi<br>WCDMA Band V: 3.0dBi<br>LTE Band2: 3.0dBi<br>LTE Band4: 3.0dBi<br>LTE Band5: 3.0dBi<br>LTE Band12: 3.0dBi                                                                                                                                                                          |

*\*All measurement and test data in this report was gathered from production sample serial number: 20191008050.  
(Assigned by the BACL. The EUT supplied by the applicant was received on 2019-10-08)*

### Objective

This type approval report is prepared on behalf of *Quanzhou YANTON Electronics Co., Ltd.* in accordance with Part 2, Part 22-Subpart H, Part 24-Subpart E and Part 27 of the Federal Communication Commissions' rules.

The objective is to determine the compliance of EUT with FCC rules for output power, modulation characteristic, occupied bandwidth, and spurious emission at antenna terminal, spurious radiated emission, frequency stability, and band edge.

### Related Submittal(s)/Grant(s)

No related submittal(s).

## Test Methodology

All tests and measurements indicated in this document were performed in accordance with the Code of Federal Regulations Title 47 Part 2, Sub-Part J as well as the following parts:

Part 22 Subpart H - Public Mobile Services  
Part 24 Subpart E - Personal Communication Services  
Part 27 – Miscellaneous wireless communications services

Applicable Standards: TIA/EIA 603-D.

All radiated and conducted emissions measurements were performed at Bay Area Compliance Laboratories Corp. (Kunshan). The radiated testing was performed at an antenna-to-EUT distance of 3 meters.

## Measurement Uncertainty

| Item                               |             | Uncertainty |
|------------------------------------|-------------|-------------|
| AC Power Lines Conducted Emissions |             | 3.19dB      |
| RF conducted test with spectrum    |             | 0.9dB       |
| RF Output Power with Power meter   |             | 0.5dB       |
| Radiated emission                  | 30MHz~1GHz  | 5.91dB      |
|                                    | 1GHz~6GHz   | 4.68dB      |
|                                    | 6GHz~18GHz  | 4.92dB      |
|                                    | 18GHz~40GHz | 5.21dB      |
| Occupied Bandwidth                 |             | 0.5kHz      |
| Temperature                        |             | 1.0℃        |
| Humidity                           |             | 6%          |

Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.

## Test Facility

The test site used by Bay Area Compliance Laboratories Corp. (Kunshan) to collect test data is located on the No.248 Chenghu Road, Kunshan, Jiangsu province, China.

Bay Area Compliance Laboratories Corp. (Kunshan) Lab is accredited to ISO/IEC 17025 by A2LA (Lab code: 4323.01) and the FCC designation No. CN1185 under the FCC KDB 974614 D01 and CAB identifier CN0004 under the ISED requirement. The facility also complies with the radiated and AC line conducted test site criteria set forth in ANSI C63.4-2014.

## SYSTEM TEST CONFIGURATION

### Justification

The EUT was configured for testing according to TIA/EIA-603-D.

The final qualification test was performed with the EUT operating at normal mode.

### Channel List

| Mode          |      | Channel |       | Frequency (MHz) |
|---------------|------|---------|-------|-----------------|
| WCDMA Band II |      | Low     | 9262  | 1852.4          |
|               |      | Middle  | 9400  | 1880.0          |
|               |      | High    | 9538  | 1907.6          |
| WCDMA Band V  |      | Low     | 4132  | 826.4           |
|               |      | Middle  | 4183  | 836.6           |
|               |      | High    | 4233  | 846.6           |
| LTE Band 2    | 1.4M | Low     | 18607 | 1850.7          |
|               |      | Middle  | 18900 | 1880.0          |
|               |      | High    | 19193 | 1909.3          |
|               | 3M   | Low     | 18615 | 1851.5          |
|               |      | Middle  | 18900 | 1880.0          |
|               |      | High    | 19185 | 1908.5          |
|               | 5M   | Low     | 18625 | 1852.5          |
|               |      | Middle  | 18900 | 1880.0          |
|               |      | High    | 19175 | 1907.5          |
|               | 10M  | Low     | 18650 | 1855.0          |
|               |      | Middle  | 18900 | 1880.0          |
|               |      | High    | 19150 | 1905.0          |
|               | 15M  | Low     | 18675 | 1857.5          |
|               |      | Middle  | 18900 | 1880.0          |
|               |      | High    | 19125 | 1902.5          |
|               | 20M  | Low     | 18700 | 1860.0          |
|               |      | Middle  | 18900 | 1880.0          |
|               |      | High    | 19100 | 1900.0          |

| Mode        |      | Channel |       | Frequency (MHz) |
|-------------|------|---------|-------|-----------------|
| LTE Band 4  | 1.4M | Low     | 19957 | 1710.7          |
|             |      | Middle  | 20175 | 1732.5          |
|             |      | High    | 20393 | 1754.3          |
|             | 3M   | Low     | 19965 | 1711.5          |
|             |      | Middle  | 20175 | 1732.5          |
|             |      | High    | 20385 | 1753.5          |
|             | 5M   | Low     | 19975 | 1712.5          |
|             |      | Middle  | 20175 | 1732.5          |
|             |      | High    | 20375 | 1752.5          |
|             | 10M  | Low     | 20000 | 1715.0          |
|             |      | Middle  | 20175 | 1732.5          |
|             |      | High    | 20350 | 1750.0          |
|             | 15M  | Low     | 20025 | 1717.5          |
|             |      | Middle  | 20175 | 1732.5          |
|             |      | High    | 20325 | 1747.5          |
|             | 20M  | Low     | 20050 | 1720.0          |
|             |      | Middle  | 20175 | 1732.5          |
|             |      | High    | 20300 | 1745.0          |
| LTE Band 5  | 1.4M | Low     | 20407 | 824.7           |
|             |      | Middle  | 20525 | 836.5           |
|             |      | High    | 20643 | 848.3           |
|             | 3M   | Low     | 20415 | 825.5           |
|             |      | Middle  | 20525 | 836.5           |
|             |      | High    | 20635 | 847.5           |
|             | 5M   | Low     | 20425 | 826.5           |
|             |      | Middle  | 20525 | 836.5           |
|             |      | High    | 20625 | 846.5           |
|             | 10M  | Low     | 20450 | 829.0           |
|             |      | Middle  | 20525 | 836.5           |
|             |      | High    | 20600 | 844.0           |
| LTE Band 12 | 1.4M | Low     | 23017 | 699.7           |
|             |      | Middle  | 23095 | 707.5           |
|             |      | High    | 23173 | 715.3           |
|             | 3M   | Low     | 23025 | 700.5           |
|             |      | Middle  | 23095 | 707.5           |
|             |      | High    | 23165 | 714.5           |
|             | 5M   | Low     | 23035 | 701.5           |
|             |      | Middle  | 23095 | 707.5           |
|             |      | High    | 23155 | 713.5           |
|             | 10M  | Low     | 23060 | 704.0           |
|             |      | Middle  | 23095 | 707.5           |
|             |      | High    | 23130 | 711.0           |

**Equipment Modifications**

No modifications were made to the EUT.

**Support Equipment List and Details**


| Manufacturer        | Description                         | Model    | Serial Number |
|---------------------|-------------------------------------|----------|---------------|
| Rohde & Schwarz     | Universal Radio Communication Test  | CMU200   | 100184        |
| Rohde & Schwarz     | Wideband Radio Communication Tester | CMW500   | 104478        |
| ZHAOXIN             | DC Power Supply                     | RXN-605D | DC002         |
| Aihuaxin technology | Antenna                             | /        | /             |

**External I/O Cable**

| Cable Description | Length (m) | From Port | To        |
|-------------------|------------|-----------|-----------|
| Data Cable        | 1.5        | EUT       | DC Source |
| Power Cable       | 0.3        | DC Source | Socket    |
| Power Cable       | 1.0        | Socket    | AC Source |

## Block Diagram of Test Setup

For Radiated Emissions (Below 1GHz & Above 1GHz):





**SUMMARY OF TEST RESULTS**

| FCC Rules                                                | Description of Test                    | Result         |
|----------------------------------------------------------|----------------------------------------|----------------|
| §1.1310 & §2.1091                                        | MAXIMUM PERMISSIBLE EXPOSURE (MPE)     | Compliant      |
| §2.1046; § 22.913 (a);§ 24.232 (c);<br>§ 27.50 (c)(d);   | RF Output Power                        | Compliant      |
| § 2.1047                                                 | Modulation Characteristics             | Not Applicable |
| § 2.1049; § 22.905;<br>§ 22.917; § 24.238; §27.53;       | Occupied Bandwidth                     | Compliant      |
| § 2.1051; § 22.917 (a);<br>§ 24.238 (a); §27.53;         | Spurious Emissions at Antenna Terminal | Compliant      |
| § 2.1053; § 22.917 (a);<br>§ 24.238 (a); §27.53 (g) (h); | Spurious Radiated Emissions            | Compliant      |
| § 22.917 (a);<br>§ 24.238 (a); §27.53 (g) (h);           | Band Edge                              | Compliant      |
| § 2.1055; § 22.355;<br>§ 24.235; §27.54;                 | Frequency Stability                    | Compliant      |

**TEST EQUIPMENT LIST**

| Manufacturer                               | Description                         | Model    | Serial Number | Calibration Date | Calibration Due Date |
|--------------------------------------------|-------------------------------------|----------|---------------|------------------|----------------------|
| <b>Radiated Emission Test (Chamber 1#)</b> |                                     |          |               |                  |                      |
| Rohde & Schwarz                            | EMI Test Receiver                   | ESCI     | 100195        | 2018-11-30       | 2019-11-29           |
| HP                                         | Signal Generator                    | HP 8341B | 2624A00116    | 2018-11-30       | 2019-11-29           |
| Sunol Sciences                             | Broadband Antenna                   | JB3      | A090413-1     | 2016-12-26       | 2019-12-25           |
| Sunol Sciences                             | Broadband Antenna                   | JB3      | A090314-2     | 2019-01-09       | 2022-01-08           |
| Sonoma Instrunent                          | Pre-amplifier                       | 310N     | 171205        | 2019-08-14       | 2020-08-13           |
| Rohde & Schwarz                            | Auto Test Software                  | EMC32    | 100361        | /                | /                    |
| MICRO-COAX                                 | Coaxial Cable                       | Cable-6  | 006           | 2019-08-15       | 2020-08-14           |
| MICRO-COAX                                 | Coaxial Cable                       | Cable-8  | 008           | 2019-08-15       | 2020-08-14           |
| MICRO-COAX                                 | Coaxial Cable                       | Cable-9  | 009           | 2019-08-15       | 2020-08-14           |
| MICRO-COAX                                 | Coaxial Cable                       | Cable-10 | 010           | 2019-08-15       | 2020-08-14           |
| Rohde & Schwarz                            | Universal Radio Communication Test  | CMU200   | 110605        | 2018-11-30       | 2019-11-29           |
| Rohde & Schwarz                            | Wideband Radio Communication Tester | CMW500   | 104478        | 2019-08-05       | 2020-08-04           |
| <b>Radiated Emission Test (Chamber 2#)</b> |                                     |          |               |                  |                      |
| HP                                         | Signal Generator                    | HP 8341B | 2624A00116    | 2018-11-30       | 2019-11-29           |
| Rohde & Schwarz                            | EMI Test Receiver                   | ESU40    | 100207        | 2019-05-30       | 2020-05-29           |
| ETS-LINDGREN                               | Horn Antenna                        | 3115     | 9207-3900     | 2017-07-15       | 2020-07-14           |
| ETS-LINDGREN                               | Horn Antenna                        | 3115     | 6229          | 2016-12-12       | 2019-12-11           |
| ETS-LINDGREN                               | Horn Antenna                        | 3116     | 00084159      | 2016-12-12       | 2019-12-11           |
| ETS-LINDGREN                               | Horn Antenna                        | 3116     | 2516          | 2016-12-12       | 2019-12-11           |
| A.H.Systems, inc                           | Amplifier                           | 2641-1   | 491           | 2019-02-20       | 2020-02-19           |
| SELECTOR                                   | Amplifier                           | EM18G40G | 060726        | 2019-03-22       | 2020-03-21           |
| Rohde & Schwarz                            | Auto Test Software                  | EMC32    | 100361        | /                | /                    |
| MICRO-COAX                                 | Coaxial Cable                       | Cable-6  | 006           | 2019-08-15       | 2020-08-14           |
| MICRO-COAX                                 | Coaxial Cable                       | Cable-11 | 011           | 2019-08-15       | 2020-08-14           |
| MICRO-COAX                                 | Coaxial Cable                       | Cable-12 | 012           | 2019-08-15       | 2020-08-14           |
| MICRO-COAX                                 | Coaxial Cable                       | Cable-13 | 013           | 2019-08-15       | 2020-08-14           |
| MICRO-COAX                                 | Coaxial Cable                       | Cable-16 | 016           | 2019-08-15       | 2020-08-14           |
| Rohde & Schwarz                            | Universal Radio Communication Test  | CMU200   | 110605        | 2018-11-30       | 2019-11-29           |
| Rohde & Schwarz                            | Wideband Radio Communication Tester | CMW500   | 104478        | 2019-08-05       | 2020-08-04           |

| Manufacturer             | Description                         | Model               | Serial Number | Calibration Date | Calibration Due Date |
|--------------------------|-------------------------------------|---------------------|---------------|------------------|----------------------|
| <b>RF Conducted Test</b> |                                     |                     |               |                  |                      |
| Rohde & Schwarz          | Signal Analyzer                     | FSIQ26              | 836131/009    | 2018-11-30       | 2019-11-29           |
| Rohde & Schwarz          | Universal Radio Communication Test  | CMU200              | 110605        | 2018-11-30       | 2019-11-29           |
| Rohde & Schwarz          | Wideband Radio Communication Tester | CMW500              | 104478        | 2019-08-05       | 2020-08-04           |
| Mini-Circuits            | Power Splitter                      | ZFRSC-14-S+         | SF019411452   | 2018-11-10       | 2019-11-09           |
| BACL                     | Temperature & Humidity Chamber      | BTH-150             | 30023         | 2018-12-20       | 2019-12-19           |
| Quanzhou YANTON          | RF Cable                            | Quanzhou YANTON C01 | C01           | Each Time        | /                    |

\* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Kunshan) attests that all calibrations have been performed in accordance to requirements that traceable to National Primary Standards and International System of Units (SI).

## FCC §1.1310 & §2.1091 - MAXIMUM PERMISSIBLE EXPOSURE (MPE)

### Applicable Standard

According to subpart 1.1310 and 2.1091 systems operating under the provisions of this section shall be operated in a manner that ensures the public is not exposed to RF energy level in excess of the communication guidelines.

| Limits for General Population/Uncontrolled Exposure |                               |                               |                                     |                          |
|-----------------------------------------------------|-------------------------------|-------------------------------|-------------------------------------|--------------------------|
| Frequency Range (MHz)                               | Electric Field Strength (V/m) | Magnetic Field Strength (A/m) | Power Density (mW/cm <sup>2</sup> ) | Averaging Time (minutes) |
| 0.3-1.34                                            | 614                           | 1.63                          | *(100)                              | 30                       |
| 1.34-30                                             | 824/f                         | 2.19/f                        | *(180/f <sup>2</sup> )              | 30                       |
| 30-300                                              | 27.5                          | 0.073                         | 0.2                                 | 30                       |
| 300-1500                                            | /                             | /                             | f/1500                              | 30                       |
| 1500-100,000                                        | /                             | /                             | 1.0                                 | 30                       |

f = frequency in MHz; \* = Plane-wave equivalent power density

### Calculated Formulary:

Predication of MPE limit at a given distance

$S = PG/4\pi R^2$  = power density (in appropriate units, e.g. mW/cm<sup>2</sup>);

P = power input to the antenna (in appropriate units, e.g., mW);

G = power gain of the antenna in the direction of interest relative to an isotropic radiator, the power gain factor, is normally numeric gain;

R = distance to the center of radiation of the antenna (appropriate units, e.g., cm);

### Calculated Data (worst case):

| Mode          | Frequency Range (MHz) | Antenna Gain |           | Target Output Power |        | Evaluation Distance (cm) | Power Density (mW/cm <sup>2</sup> ) | MPE Limit (mW/cm <sup>2</sup> ) |
|---------------|-----------------------|--------------|-----------|---------------------|--------|--------------------------|-------------------------------------|---------------------------------|
|               |                       | (dBi)        | (numeric) | (dBm)               | (mW)   |                          |                                     |                                 |
| WCDMA Band II | 1850.0-1910.0         | 3.0          | 2.0       | 22.00               | 158.49 | 20                       | 0.0631                              | 1.0                             |
| WCDMA Band V  | 824.0-849.0           | 3.0          | 2.0       | 23.00               | 199.53 | 20                       | 0.0794                              | 0.55                            |
| FDD (Band 2)  | 1850.0-1910.0         | 3.0          | 2.0       | 21.50               | 141.25 | 20                       | 0.0561                              | 1.0                             |
| FDD (Band 4)  | 1710.0-1755.0         | 3.0          | 2.0       | 22.50               | 177.83 | 20                       | 0.0706                              | 1.0                             |
| FDD (Band 5)  | 824.0-849.0           | 3.0          | 2.0       | 22.50               | 177.83 | 20                       | 0.0707                              | 0.55                            |
| FDD (Band 12) | 699.0-716.0           | 3.0          | 2.0       | 24.00               | 251.19 | 20                       | 0.0997                              | 0.47                            |

**Note:** The target output power was declared by the manufacturer.

**Conclusion:** The device meets MPE at distance 20cm.

---

## **FCC §2.1047 - MODULATION CHARACTERISTIC**

---

According to FCC § 2.1047(d), Part 22H & 24E, Part 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

**FCC §2.1046; § 22.913 (a); § 24.232 (c); §27.50 (c) (d); - RF OUTPUT POWER****Applicable Standards**

According to FCC §2.1046 and §22.913 (a), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts (38.45dBm).

According to FCC §2.1046 and §24.232 (c), mobile and portable stations are limited to 2 watts (33dBm) EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.


According to §27.50(d), the maximum EIRP must not exceed 1Watts (30dBm) for 1710-1755MHz.

According to §27.50(c), Portable stations (hand-held devices) in the 600 MHz uplink band and the 698-746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP..

The peak-to-average power ratio (PAPR) of the transmitter output power must not exceed 13 dB.

**Test Procedure****Conducted method:**

The RF output of the transmitter was connected to the CMU200 through sufficient attenuation.

**Radiated Output Power:**

The measurements procedures specified in ANSI/TIA-603-D were applied.

a) Connect the equipment as illustrated. Mount the equipment with the manufacturer specified antenna in a vertical orientation on a manufacturer specified mounting surface located on a non-conducting rotating platform of a RF anechoic chamber (preferred) or a standard radiation site.

b) Key the transmitter, then rotate the EUT 360o azimuthally and record spectrum analyzer power level (LVL) measurements at angular increments that are sufficiently small to permit resolution of all peaks. If a standard radiation test site is used, raise and lower the test antenna to obtain a maximum reading at each angular increment. (Note: several batteries may be needed to offset the effect of battery voltage droop, which should not exceed 5% of the manufactured specified battery voltage during transmission).

c) Replace the transmitter under test with a vertically polarized half-wave dipole (or an antenna whose gain is known relative to an ideal half-wave dipole). The center of the antenna should be at the same location as the center of the antenna under test.

d) Connect the antenna to a signal generator with a known output power and record the path loss (in dB) as LOSS. If a standard radiation test site is used, raise and lower the test antenna to obtain a maximum reading.  
 $\text{LOSS} = \text{Generator Output Power (dBm)} - \text{Analyzer reading (dBm)}$

e) Determine the effective radiated output power at each angular position from the readings in steps b) and d) using the following equation:

$$\text{ERP (dBm)} = \text{LVL (dBm)} + \text{LOSS (dB)}$$

f) The maximum ERP is the maximum value determined in the preceding step.

(Note: Effective Isotropic Radiated Power (EIRP) can be computed using the following:

$$\text{EIRP (dBm)} = \text{ERP (dBm)} + 2.15 \text{ (dB)}$$

## Test Data

### Environmental Conditions

|                    |           |
|--------------------|-----------|
| Temperature:       | 23.2 °C   |
| Relative Humidity: | 51 %      |
| ATM Pressure:      | 101.3 kPa |

The testing was performed by Winnie Yang on 2019-10-23.

### Conducted Power:

#### WCDMA Band V

| Mode           | Test Condition | Test Mode | 3GPP Sub Test | Average Output Power (dBm) |                  |                |
|----------------|----------------|-----------|---------------|----------------------------|------------------|----------------|
|                |                |           |               | Low Frequency              | Middle Frequency | High Frequency |
| WCDMA (Band V) | Normal         | Rel 99    | 1             | 2                          |                  |                |
|                |                |           | 21.53         |                            |                  |                |
|                |                |           | 4             | 21.49                      | 21.31            | 21.02          |
|                |                |           | 1             | 21.85                      | 21.61            | 21.42          |
|                |                |           | 2             | 21.61                      | 21.54            | 21.44          |
|                |                | HSUPA     | 3             | 21.51                      | 21.52            | 21.03          |
|                |                |           |               |                            |                  |                |
|                |                |           |               |                            |                  |                |
|                |                |           | 4             | 21.06                      | 21.00            | 20.67          |
|                |                |           | 5             | 20.50                      | 20.59            | 20.26          |
|                |                | HSPA+     | 1             | 22.17                      | 21.97            | 21.71          |

**WCDMA Band II**

| Mode            | Test Condition | Test Mode | 3GPP Sub Test | Average Output Power (dBm) |                  |                |
|-----------------|----------------|-----------|---------------|----------------------------|------------------|----------------|
|                 |                |           |               | Low Frequency              | Middle Frequency | High Frequency |
| WCDMA (Band II) | Normal         | Rel 99    | 1             | 21.45                      | 21.22            | 21.39          |
|                 |                | HSDPA     | 1             | 20.97                      | 20.56            | 20.94          |
|                 |                |           | 2             | 20.73                      | 20.56            | 20.66          |
|                 |                |           | 3             | 20.60                      | 20.12            | 20.43          |
|                 |                |           | 4             | 20.07                      | 19.56            | 19.97          |
|                 |                | HSUPA     | 1             | 20.63                      | 20.25            | 20.62          |
|                 |                |           | 2             | 20.27                      | 19.99            | 20.45          |
|                 |                |           | 3             | 20.09                      | 19.77            | 19.91          |
|                 |                |           | 4             | 19.76                      | 19.58            | 19.90          |
|                 |                |           | 5             | 19.91                      | 19.47            | 20.09          |
|                 |                | HSPA+     | 1             | 20.95                      | 20.78            | 20.86          |



**Maximum Output Power:****LTE Band 2**

| Test Bandwidth | Test Modulation | Resource Block & RB offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|----------------|-----------------|----------------------------|-------------------|----------------------|--------------------|
| 1.4M           | QPSK            | 1#0                        | 21.02             | 21.11                | 21.34              |
|                |                 | 1#3                        | 20.76             | 20.87                | 21.02              |
|                |                 | 1#5                        | 20.64             | 20.85                | 20.98              |
|                |                 | 3#0                        | 20.64             | 20.66                | 20.85              |
|                |                 | 3#1                        | 20.65             | 20.86                | 21.14              |
|                |                 | 3#3                        | 20.76             | 20.88                | 21.18              |
|                |                 | 6#0                        | 20.48             | 20.60                | 20.87              |
|                | 16-QAM          | 1#0                        | 20.25             | 20.35                | 20.55              |
|                |                 | 1#3                        | 19.98             | 19.99                | 20.24              |
|                |                 | 1#5                        | 20.01             | 19.99                | 20.09              |
|                |                 | 3#0                        | 19.98             | 20.23                | 20.41              |
|                |                 | 3#1                        | 20.03             | 20.13                | 20.26              |
|                |                 | 3#3                        | 20.13             | 20.17                | 20.31              |
|                |                 | 6#0                        | 19.75             | 19.79                | 20.00              |
| 3M             | QPSK            | 1#0                        | 20.88             | 21.02                | 20.93              |
|                |                 | 1#7                        | 20.53             | 20.67                | 20.66              |
|                |                 | 1#14                       | 20.57             | 20.76                | 20.60              |
|                |                 | 8#0                        | 20.52             | 20.58                | 20.47              |
|                |                 | 8#4                        | 20.59             | 20.89                | 20.74              |
|                |                 | 8#7                        | 20.63             | 20.79                | 20.56              |
|                |                 | 15#0                       | 20.24             | 20.43                | 20.16              |
|                | 16-QAM          | 1#0                        | 20.38             | 20.65                | 20.29              |
|                |                 | 1#7                        | 20.16             | 20.38                | 19.90              |
|                |                 | 1#14                       | 19.98             | 20.43                | 20.05              |
|                |                 | 8#0                        | 20.14             | 20.27                | 19.90              |
|                |                 | 8#4                        | 19.99             | 20.34                | 20.04              |
|                |                 | 8#7                        | 20.23             | 20.45                | 19.94              |
|                |                 | 15#0                       | 19.83             | 20.24                | 19.57              |

| Test Bandwidth | Test Modulation | Resource Block & RB offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|----------------|-----------------|----------------------------|-------------------|----------------------|--------------------|
| 5M             | QPSK            | 1#0                        | 21.24             | 21.07                | 21.13              |
|                |                 | 1#12                       | 21.02             | 20.82                | 20.76              |
|                |                 | 1#24                       | 20.93             | 20.72                | 20.92              |
|                |                 | 12#0                       | 20.98             | 20.66                | 20.87              |
|                |                 | 12#6                       | 21.11             | 20.91                | 20.81              |
|                |                 | 12#11                      | 20.98             | 20.79                | 21.01              |
|                |                 | 25#0                       | 20.63             | 20.39                | 20.68              |
|                | 16-QAM          | 1#0                        | 20.28             | 20.15                | 20.46              |
|                |                 | 1#12                       | 20.00             | 19.78                | 20.11              |
|                |                 | 1#24                       | 19.88             | 19.81                | 20.18              |
|                |                 | 12#0                       | 19.83             | 19.81                | 20.06              |
|                |                 | 12#6                       | 19.89             | 19.85                | 20.29              |
|                |                 | 12#11                      | 19.91             | 19.76                | 20.15              |
|                |                 | 25#0                       | 19.64             | 19.36                | 19.88              |
| 10M            | QPSK            | 1#0                        | 21.44             | 21.23                | 21.42              |
|                |                 | 1#24                       | 21.04             | 20.96                | 21.11              |
|                |                 | 1#49                       | 21.07             | 20.85                | 21.17              |
|                |                 | 25#0                       | 21.08             | 20.89                | 21.05              |
|                |                 | 25#12                      | 21.08             | 20.88                | 21.30              |
|                |                 | 25#24                      | 21.30             | 20.84                | 21.31              |
|                |                 | 50#0                       | 20.97             | 20.47                | 21.03              |
|                | 16-QAM          | 1#0                        | 20.73             | 20.15                | 20.82              |
|                |                 | 1#24                       | 20.34             | 19.83                | 20.47              |
|                |                 | 1#49                       | 20.37             | 19.76                | 20.45              |
|                |                 | 25#0                       | 20.48             | 19.87                | 20.51              |
|                |                 | 25#12                      | 20.46             | 19.87                | 20.59              |
|                |                 | 25#24                      | 20.39             | 19.98                | 20.50              |
|                |                 | 50#0                       | 20.19             | 19.75                | 20.18              |

| Test Bandwidth | Test Modulation | Resource Block<br>& RB offset | Low Channel<br>(dBm) | Middle<br>Channel (dBm) | High Channel<br>(dBm) |
|----------------|-----------------|-------------------------------|----------------------|-------------------------|-----------------------|
| 15M            | QPSK            | 1#0                           | 21.14                | 21.27                   | 20.97                 |
|                |                 | 1#37                          | 20.89                | 20.92                   | 20.76                 |
|                |                 | 1#74                          | 20.77                | 21.04                   | 20.58                 |
|                |                 | 36#0                          | 20.78                | 20.80                   | 20.66                 |
|                |                 | 36#17                         | 20.84                | 21.12                   | 20.76                 |
|                |                 | 36#35                         | 20.86                | 20.94                   | 20.85                 |
|                |                 | 75#0                          | 20.48                | 20.68                   | 20.56                 |
|                | 16-QAM          | 1#0                           | 21.09                | 21.21                   | 21.15                 |
|                |                 | 1#37                          | 20.80                | 20.88                   | 20.94                 |
|                |                 | 1#74                          | 20.88                | 20.94                   | 20.91                 |
|                |                 | 36#0                          | 20.74                | 20.78                   | 20.76                 |
|                |                 | 36#17                         | 20.77                | 20.88                   | 20.82                 |
|                |                 | 36#35                         | 20.95                | 20.99                   | 21.03                 |
|                |                 | 75#0                          | 20.56                | 20.65                   | 20.82                 |
| 20M            | QPSK            | 1#0                           | 20.21                | 20.29                   | 20.57                 |
|                |                 | 1#49                          | 19.95                | 20.06                   | 20.26                 |
|                |                 | 1#99                          | 19.81                | 20.01                   | 20.33                 |
|                |                 | 50#0                          | 19.98                | 19.88                   | 20.28                 |
|                |                 | 50#24                         | 20.03                | 20.13                   | 20.45                 |
|                |                 | 50#49                         | 20.11                | 19.95                   | 20.27                 |
|                |                 | 100#0                         | 19.84                | 19.67                   | 20.04                 |
|                | 16-QAM          | 1#0                           | 19.57                | 19.33                   | 19.76                 |
|                |                 | 1#49                          | 19.29                | 19.07                   | 19.39                 |
|                |                 | 1#99                          | 19.27                | 19.04                   | 19.47                 |
|                |                 | 50#0                          | 19.24                | 18.94                   | 19.51                 |
|                |                 | 50#24                         | 19.34                | 19.05                   | 19.36                 |
|                |                 | 50#49                         | 19.18                | 19.13                   | 19.56                 |
|                |                 | 100#0                         | 18.82                | 18.91                   | 19.22                 |

**LTE Band 4**

| Test Bandwidth | Test Modulation | Resource Block & RB offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|----------------|-----------------|----------------------------|-------------------|----------------------|--------------------|
| 1.4M           | QPSK            | 1#0                        | 21.66             | 21.44                | 21.35              |
|                |                 | 1#3                        | 21.40             | 21.12                | 20.99              |
|                |                 | 1#5                        | 21.40             | 21.13                | 21.05              |
|                |                 | 3#0                        | 21.16             | 21.08                | 21.03              |
|                |                 | 3#1                        | 21.46             | 21.31                | 21.20              |
|                |                 | 3#3                        | 21.46             | 21.24                | 21.01              |
|                |                 | 6#0                        | 21.17             | 20.88                | 20.63              |
|                | 16-QAM          | 1#0                        | 20.90             | 20.67                | 20.41              |
|                |                 | 1#3                        | 20.61             | 20.28                | 20.05              |
|                |                 | 1#5                        | 20.51             | 20.45                | 20.17              |
|                |                 | 3#0                        | 20.45             | 20.30                | 20.13              |
|                |                 | 3#1                        | 20.51             | 20.34                | 20.05              |
|                |                 | 3#3                        | 20.66             | 20.39                | 20.11              |
|                |                 | 6#0                        | 20.36             | 20.13                | 19.72              |
| 3M             | QPSK            | 1#0                        | 20.93             | 21.09                | 21.13              |
|                |                 | 1#7                        | 20.61             | 20.79                | 20.89              |
|                |                 | 1#14                       | 20.66             | 20.70                | 20.90              |
|                |                 | 8#0                        | 20.72             | 20.68                | 20.79              |
|                |                 | 8#4                        | 20.60             | 20.98                | 20.91              |
|                |                 | 8#7                        | 20.71             | 20.74                | 21.01              |
|                |                 | 15#0                       | 20.48             | 20.48                | 20.77              |
|                | 16-QAM          | 1#0                        | 20.10             | 20.14                | 20.40              |
|                |                 | 1#7                        | 19.75             | 19.81                | 20.15              |
|                |                 | 1#14                       | 19.72             | 19.85                | 20.04              |
|                |                 | 8#0                        | 19.70             | 19.88                | 19.94              |
|                |                 | 8#4                        | 19.85             | 19.97                | 20.28              |
|                |                 | 8#7                        | 19.75             | 20.04                | 20.28              |
|                |                 | 15#0                       | 19.45             | 19.75                | 20.01              |

| Test Bandwidth | Test Modulation | Resource Block & RB offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|----------------|-----------------|----------------------------|-------------------|----------------------|--------------------|
| 5M             | QPSK            | 1#0                        | 21.74             | 21.63                | 21.03              |
|                |                 | 1#12                       | 21.35             | 21.30                | 20.72              |
|                |                 | 1#24                       | 21.38             | 21.26                | 20.75              |
|                |                 | 12#0                       | 21.52             | 21.23                | 20.76              |
|                |                 | 12#6                       | 21.42             | 21.40                | 20.79              |
|                |                 | 12#11                      | 21.37             | 21.42                | 20.75              |
|                |                 | 25#0                       | 21.01             | 21.09                | 20.53              |
|                | 16-QAM          | 1#0                        | 20.80             | 20.78                | 20.17              |
|                |                 | 1#12                       | 20.57             | 20.51                | 19.95              |
|                |                 | 1#24                       | 20.55             | 20.50                | 19.83              |
|                |                 | 12#0                       | 20.55             | 20.38                | 19.88              |
|                |                 | 12#6                       | 20.47             | 20.39                | 19.84              |
|                |                 | 12#11                      | 20.51             | 20.61                | 19.95              |
|                |                 | 25#0                       | 20.23             | 20.38                | 19.56              |
| 10M            | QPSK            | 1#0                        | 21.86             | 21.54                | 21.37              |
|                |                 | 1#24                       | 21.51             | 21.29                | 21.06              |
|                |                 | 1#49                       | 21.57             | 21.15                | 21.16              |
|                |                 | 25#0                       | 21.38             | 21.23                | 21.06              |
|                |                 | 25#12                      | 21.52             | 21.24                | 21.22              |
|                |                 | 25#24                      | 21.74             | 21.18                | 20.97              |
|                |                 | 50#0                       | 21.52             | 20.79                | 20.71              |
|                | 16-QAM          | 1#0                        | 21.17             | 20.58                | 20.49              |
|                |                 | 1#24                       | 20.90             | 20.37                | 20.16              |
|                |                 | 1#49                       | 20.82             | 20.35                | 20.11              |
|                |                 | 25#0                       | 20.91             | 20.35                | 20.18              |
|                |                 | 25#12                      | 21.07             | 20.34                | 20.14              |
|                |                 | 25#24                      | 21.02             | 20.20                | 20.37              |
|                |                 | 50#0                       | 20.79             | 19.96                | 20.05              |

| Test Bandwidth | Test Modulation | Resource Block<br>& RB offset | Low Channel<br>(dBm) | Middle<br>Channel (dBm) | High Channel<br>(dBm) |
|----------------|-----------------|-------------------------------|----------------------|-------------------------|-----------------------|
| 15M            | QPSK            | 1#0                           | 21.88                | 22.11                   | 22.02                 |
|                |                 | 1#37                          | 21.54                | 21.73                   | 21.78                 |
|                |                 | 1#74                          | 21.66                | 21.81                   | 21.65                 |
|                |                 | 36#0                          | 21.67                | 21.73                   | 21.78                 |
|                |                 | 36#17                         | 21.74                | 21.73                   | 21.82                 |
|                |                 | 36#35                         | 21.51                | 21.90                   | 21.70                 |
|                |                 | 75#0                          | 21.30                | 21.58                   | 21.42                 |
|                | 16-QAM          | 1#0                           | 21.04                | 21.25                   | 21.08                 |
|                |                 | 1#37                          | 20.77                | 20.89                   | 20.80                 |
|                |                 | 1#74                          | 20.71                | 20.91                   | 20.78                 |
|                |                 | 36#0                          | 20.58                | 20.76                   | 20.85                 |
|                |                 | 36#17                         | 20.90                | 21.00                   | 20.69                 |
|                |                 | 36#35                         | 20.93                | 21.05                   | 20.79                 |
|                |                 | 75#0                          | 20.57                | 20.75                   | 20.40                 |
| 20M            | QPSK            | 1#0                           | 21.77                | 21.89                   | 21.38                 |
|                |                 | 1#49                          | 21.51                | 21.59                   | 21.05                 |
|                |                 | 1#99                          | 21.40                | 21.65                   | 21.15                 |
|                |                 | 50#0                          | 21.54                | 21.68                   | 20.99                 |
|                |                 | 50#24                         | 21.67                | 21.57                   | 21.18                 |
|                |                 | 50#49                         | 21.67                | 21.74                   | 21.22                 |
|                |                 | 100#0                         | 21.45                | 21.44                   | 20.99                 |
|                | 16-QAM          | 1#0                           | 21.18                | 21.12                   | 20.74                 |
|                |                 | 1#49                          | 20.84                | 20.88                   | 20.54                 |
|                |                 | 1#99                          | 20.87                | 20.74                   | 20.42                 |
|                |                 | 50#0                          | 20.97                | 20.78                   | 20.51                 |
|                |                 | 50#24                         | 20.87                | 20.89                   | 20.53                 |
|                |                 | 50#49                         | 20.97                | 20.82                   | 20.41                 |
|                |                 | 100#0                         | 20.61                | 20.56                   | 20.19                 |

**LTE Band 5**

| Test Bandwidth | Test Modulation | Resource Block & RB offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|----------------|-----------------|----------------------------|-------------------|----------------------|--------------------|
| 1.4M           | QPSK            | 1#0                        | 22.12             | 22.27                | 22.34              |
|                |                 | 1#3                        | 21.77             | 22.01                | 22.02              |
|                |                 | 1#5                        | 21.77             | 21.90                | 22.04              |
|                |                 | 3#0                        | 21.81             | 21.89                | 22.00              |
|                |                 | 3#1                        | 21.98             | 22.04                | 22.09              |
|                |                 | 3#3                        | 22.02             | 21.98                | 22.13              |
|                |                 | 6#0                        | 21.74             | 21.76                | 21.84              |
|                | 16-QAM          | 1#0                        | 21.49             | 21.48                | 21.60              |
|                |                 | 1#3                        | 21.26             | 21.14                | 21.24              |
|                |                 | 1#5                        | 21.17             | 21.27                | 21.28              |
|                |                 | 3#0                        | 21.26             | 21.18                | 21.36              |
|                |                 | 3#1                        | 21.18             | 21.32                | 21.44              |
|                |                 | 3#3                        | 21.14             | 21.25                | 21.37              |
|                |                 | 6#0                        | 20.81             | 20.89                | 21.00              |
| 3M             | QPSK            | 1#0                        | 21.21             | 21.34                | 21.23              |
|                |                 | 1#7                        | 20.98             | 21.13                | 20.95              |
|                |                 | 1#14                       | 20.83             | 20.98                | 20.84              |
|                |                 | 8#0                        | 20.72             | 21.14                | 20.99              |
|                |                 | 8#4                        | 20.83             | 21.18                | 21.13              |
|                |                 | 8#7                        | 21.04             | 21.10                | 20.98              |
|                |                 | 15#0                       | 20.78             | 20.88                | 20.73              |
|                | 16-QAM          | 1#0                        | 20.42             | 20.68                | 20.49              |
|                |                 | 1#7                        | 20.10             | 20.42                | 20.28              |
|                |                 | 1#14                       | 20.09             | 20.43                | 20.23              |
|                |                 | 8#0                        | 19.94             | 20.24                | 20.18              |
|                |                 | 8#4                        | 20.22             | 20.55                | 20.32              |
|                |                 | 8#7                        | 20.20             | 20.39                | 20.19              |
|                |                 | 15#0                       | 19.95             | 20.06                | 19.92              |

| Test Bandwidth | Test Modulation | Resource Block & RB offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|----------------|-----------------|----------------------------|-------------------|----------------------|--------------------|
| 5M             | QPSK            | 1#0                        | 22.01             | 21.75                | 21.39              |
|                |                 | 1#12                       | 21.63             | 21.41                | 21.02              |
|                |                 | 1#24                       | 21.71             | 21.43                | 21.11              |
|                |                 | 12#0                       | 21.51             | 21.29                | 21.06              |
|                |                 | 12#6                       | 21.80             | 21.35                | 21.20              |
|                |                 | 12#11                      | 21.79             | 21.54                | 21.07              |
|                |                 | 25#0                       | 21.53             | 21.17                | 20.73              |
|                | 16-QAM          | 1#0                        | 21.15             | 20.78                | 20.52              |
|                |                 | 1#12                       | 20.76             | 20.41                | 20.15              |
|                |                 | 1#24                       | 20.83             | 20.46                | 20.14              |
|                |                 | 12#0                       | 20.79             | 20.57                | 20.27              |
|                |                 | 12#6                       | 20.90             | 20.42                | 20.18              |
|                |                 | 12#11                      | 21.04             | 20.64                | 20.27              |
|                |                 | 25#0                       | 20.81             | 20.25                | 20.02              |
| 10M            | QPSK            | 1#0                        | 22.13             | 21.98                | 22.06              |
|                |                 | 1#24                       | 21.85             | 21.75                | 21.68              |
|                |                 | 1#49                       | 21.76             | 21.61                | 21.76              |
|                |                 | 25#0                       | 21.77             | 21.64                | 21.68              |
|                |                 | 25#12                      | 21.87             | 21.67                | 21.75              |
|                |                 | 25#24                      | 21.81             | 21.81                | 21.95              |
|                |                 | 50#0                       | 21.60             | 21.42                | 21.68              |
|                | 16-QAM          | 1#0                        | 21.32             | 21.21                | 21.35              |
|                |                 | 1#24                       | 21.11             | 20.89                | 20.97              |
|                |                 | 1#49                       | 20.93             | 20.96                | 21.07              |
|                |                 | 25#0                       | 20.87             | 20.98                | 21.04              |
|                |                 | 25#12                      | 21.11             | 21.01                | 20.99              |
|                |                 | 25#24                      | 21.03             | 20.99                | 21.08              |
|                |                 | 50#0                       | 20.65             | 20.67                | 20.74              |



## LTE Band 12

| Test Bandwidth | Test Modulation | Resource Block & RB offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|----------------|-----------------|----------------------------|-------------------|----------------------|--------------------|
| 1.4M           | QPSK            | 1#0                        | 23.42             | 23.56                | 23.17              |
|                |                 | 1#3                        | 23.11             | 23.17                | 22.84              |
|                |                 | 1#5                        | 23.08             | 23.21                | 22.94              |
|                |                 | 3#0                        | 23.18             | 23.27                | 22.94              |
|                |                 | 3#1                        | 23.24             | 23.33                | 23.05              |
|                |                 | 3#3                        | 23.04             | 23.21                | 22.77              |
|                |                 | 6#0                        | 22.67             | 22.84                | 22.43              |
|                | 16-QAM          | 1#0                        | 22.28             | 22.60                | 22.05              |
|                |                 | 1#3                        | 22.01             | 22.33                | 21.75              |
|                |                 | 1#5                        | 21.95             | 22.36                | 21.66              |
|                |                 | 3#0                        | 21.83             | 22.30                | 21.84              |
|                |                 | 3#1                        | 22.05             | 22.30                | 21.89              |
|                |                 | 3#3                        | 21.91             | 22.29                | 21.68              |
|                |                 | 6#0                        | 21.58             | 21.91                | 21.44              |
| 3M             | QPSK            | 1#0                        | 23.15             | 23.22                | 22.99              |
|                |                 | 1#7                        | 22.86             | 22.82                | 22.72              |
|                |                 | 1#14                       | 22.80             | 22.90                | 22.73              |
|                |                 | 8#0                        | 22.67             | 22.76                | 22.54              |
|                |                 | 8#4                        | 22.88             | 23.07                | 22.76              |
|                |                 | 8#7                        | 22.98             | 22.94                | 22.61              |
|                |                 | 15#0                       | 22.75             | 22.66                | 22.26              |
|                | 16-QAM          | 1#0                        | 22.35             | 22.41                | 22.04              |
|                |                 | 1#7                        | 21.97             | 22.19                | 21.74              |
|                |                 | 1#14                       | 22.08             | 22.20                | 21.83              |
|                |                 | 8#0                        | 21.88             | 22.12                | 21.77              |
|                |                 | 8#4                        | 22.06             | 22.06                | 21.89              |
|                |                 | 8#7                        | 22.00             | 22.15                | 21.91              |
|                |                 | 15#0                       | 21.65             | 21.95                | 21.64              |

| Test Bandwidth | Test Modulation | Resource Block & RB offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|----------------|-----------------|----------------------------|-------------------|----------------------|--------------------|
| 5M             | QPSK            | 1#0                        | 22.83             | 23.31                | 23.11              |
|                |                 | 1#12                       | 22.50             | 23.05                | 22.86              |
|                |                 | 1#24                       | 22.46             | 23.08                | 22.75              |
|                |                 | 12#0                       | 22.55             | 23.09                | 22.62              |
|                |                 | 12#6                       | 22.62             | 23.04                | 22.76              |
|                |                 | 12#11                      | 22.60             | 23.04                | 22.95              |
|                |                 | 25#0                       | 22.22             | 22.82                | 22.70              |
|                | 16-QAM          | 1#0                        | 22.35             | 22.93                | 22.56              |
|                |                 | 1#12                       | 21.97             | 22.55                | 22.21              |
|                |                 | 1#24                       | 21.99             | 22.64                | 22.35              |
|                |                 | 12#0                       | 22.09             | 22.73                | 22.07              |
|                |                 | 12#6                       | 22.11             | 22.54                | 22.43              |
|                |                 | 12#11                      | 22.24             | 22.72                | 22.30              |
|                |                 | 25#0                       | 21.91             | 22.33                | 21.93              |
| 10M            | QPSK            | 1#0                        | 23.12             | 23.34                | 23.52              |
|                |                 | 1#24                       | 22.82             | 22.96                | 23.27              |
|                |                 | 1#49                       | 22.75             | 23.08                | 23.29              |
|                |                 | 25#0                       | 22.88             | 23.10                | 23.27              |
|                |                 | 25#12                      | 22.97             | 23.00                | 23.32              |
|                |                 | 25#24                      | 22.73             | 23.16                | 23.28              |
|                |                 | 50#0                       | 22.49             | 22.87                | 23.02              |
|                | 16-QAM          | 1#0                        | 22.59             | 22.76                | 22.9               |
|                |                 | 1#24                       | 22.34             | 22.49                | 22.56              |
|                |                 | 1#49                       | 22.22             | 22.45                | 22.55              |
|                |                 | 25#0                       | 22.20             | 22.52                | 22.64              |
|                |                 | 25#12                      | 22.48             | 22.42                | 22.69              |
|                |                 | 25#24                      | 22.45             | 22.60                | 22.53              |
|                |                 | 50#0                       | 22.23             | 22.20                | 22.28              |

**Peak-to-average ratio (PAR):****WCDMA Band V:**

| Mode          | Channel | PAR (dB) | Limit (dB) |
|---------------|---------|----------|------------|
| WCDMA (Rel99) | Low     | 5.03     | $\leq 13$  |
|               | Middle  | 5.06     | $\leq 13$  |
|               | High    | 5.14     | $\leq 13$  |
| WCDMA (HSDPA) | Low     | 4.74     | $\leq 13$  |
|               | Middle  | 4.77     | $\leq 13$  |
|               | High    | 4.80     | $\leq 13$  |
| WCDMA (HSUPA) | Low     | 4.41     | $\leq 13$  |
|               | Middle  | 4.39     | $\leq 13$  |
|               | High    | 4.35     | $\leq 13$  |
| WCDMA (HSPA+) | Low     | 4.02     | $\leq 13$  |
|               | Middle  | 4.08     | $\leq 13$  |
|               | High    | 4.07     | $\leq 13$  |

**WCDMA Band II**

| Mode          | Channel | PAR (dB) | Limit (dB) |
|---------------|---------|----------|------------|
| WCDMA (Rel99) | Low     | 4.12     | $\leq 13$  |
|               | Middle  | 4.17     | $\leq 13$  |
|               | High    | 4.17     | $\leq 13$  |
| WCDMA (HSDPA) | Low     | 4.36     | $\leq 13$  |
|               | Middle  | 4.33     | $\leq 13$  |
|               | High    | 4.40     | $\leq 13$  |
| WCDMA (HSUPA) | Low     | 4.44     | $\leq 13$  |
|               | Middle  | 4.46     | $\leq 13$  |
|               | High    | 4.45     | $\leq 13$  |
| WCDMA (HSPA+) | Low     | 4.23     | $\leq 13$  |
|               | Middle  | 4.29     | $\leq 13$  |
|               | High    | 4.32     | $\leq 13$  |

**LTE Band 2**

| Test Modulation |        | Test Bandwidth | Low Channel (dB) | Middle Channel (dB) | High Channel (dB) | Limit (dB) |
|-----------------|--------|----------------|------------------|---------------------|-------------------|------------|
| QPSK            | 1 RB   | 20M            | 4.54             | 3.72                | 3.66              | 13         |
|                 | 100 RB |                | 6.49             | 5.69                | 5.65              | 13         |
| 16-QAM          | 1 RB   | 20M            | 4.43             | 4.60                | 4.56              | 13         |
|                 | 100 RB |                | 6.38             | 6.63                | 6.57              | 13         |

**LTE Band 4**

| Test Modulation |        | Test Bandwidth | Low Channel (dB) | Middle Channel (dB) | High Channel (dB) | Limit(dB) |
|-----------------|--------|----------------|------------------|---------------------|-------------------|-----------|
| QPSK            | 1 RB   | 20M            | 4.41             | 3.60                | 3.66              | 13        |
|                 | 100 RB |                | 6.47             | 5.61                | 5.65              | 13        |
| 16-QAM          | 1 RB   | 20M            | 4.19             | 4.61                | 4.56              | 13        |
|                 | 100 RB |                | 6.14             | 6.54                | 6.61              | 13        |

**LTE Band 5**

| Test Modulation |       | Test Bandwidth | Low Channel (dB) | Middle Channel (dB) | High Channel (dB) | Limit(dB) |
|-----------------|-------|----------------|------------------|---------------------|-------------------|-----------|
| QPSK            | 1 RB  | 10M            | 4.17             | 3.66                | 3.66              | 13        |
|                 | 50 RB |                | 6.08             | 5.71                | 5.72              | 13        |
| 16-QAM          | 1 RB  | 10M            | 4.55             | 4.71                | 4.56              | 13        |
|                 | 50 RB |                | 6.57             | 6.75                | 6.57              | 13        |

**LTE Band 12**

| Test Modulation |       | Test Bandwidth | Low Channel (dB) | Middle Channel (dB) | High Channel (dB) | Limit(dB) |
|-----------------|-------|----------------|------------------|---------------------|-------------------|-----------|
| QPSK            | 1 RB  | 10M            | 4.35             | 2.60                | 3.66              | 13        |
|                 | 50 RB |                | 6.26             | 4.70                | 5.75              | 13        |
| 16-QAM          | 1 RB  | 10M            | 4.52             | 4.82                | 4.56              | 13        |
|                 | 50 RB |                | 6.57             | 6.80                | 6.61              | 13        |

**ERP & EIRP****WCDMA Mode**

| Frequency<br>(MHz)            | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method          |                       |                              | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|-------------------------------|----------------|-------------------------------|-----------------------------|-----------------------|------------------------------|----------------------------|----------------|----------------|
|                               |                |                               | Submitted<br>Level<br>(dBm) | Cable<br>loss<br>(dB) | Antenna<br>Gain<br>(dBd/dBi) |                            |                |                |
| WCDMA Band V, Middle Channel  |                |                               |                             |                       |                              |                            |                |                |
| 836.60                        | H              | 89.65                         | 25.96                       | 0.63                  | -1.1                         | 24.23                      | 38.45          | 14.22          |
| 836.60                        | V              | 93.16                         | 26.01                       | 0.63                  | -1.1                         | 24.28                      | 38.45          | 14.17          |
| WCDMA Band II, Middle Channel |                |                               |                             |                       |                              |                            |                |                |
| 1880.00                       | H              | 87.24                         | 16.20                       | 0.85                  | 8.8                          | 24.15                      | 33.00          | 8.85           |
| 1880.00                       | V              | 89.69                         | 18.34                       | 0.85                  | 8.8                          | 26.29                      | 33.00          | 6.71           |

**Note:**

All above data were tested with no amplifier

Absolute Level = Submitted Level - Cable loss + Antenna Gain

Margin = Limit- Absolute Level

**LTE Band 2**

| Frequency<br>(MHz)            | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method          |                       |                              | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|-------------------------------|----------------|-------------------------------|-----------------------------|-----------------------|------------------------------|----------------------------|----------------|----------------|
|                               |                |                               | Submitted<br>Level<br>(dBm) | Cable<br>loss<br>(dB) | Antenna<br>Gain<br>(dBd/dBi) |                            |                |                |
| QPSK 1.4M BW Middle Channel   |                |                               |                             |                       |                              |                            |                |                |
| 1880.00                       | H              | 88.63                         | 17.59                       | 0.85                  | 8.8                          | 25.54                      | 33.00          | 7.46           |
| 1880.00                       | V              | 90.75                         | 19.40                       | 0.85                  | 8.8                          | 27.35                      | 33.00          | 5.65           |
| 16-QAM 1.4M BW Middle Channel |                |                               |                             |                       |                              |                            |                |                |
| 1880.00                       | H              | 88.58                         | 17.54                       | 0.85                  | 8.8                          | 25.49                      | 33.00          | 7.51           |
| 1880.00                       | V              | 90.67                         | 19.32                       | 0.85                  | 8.8                          | 27.27                      | 33.00          | 5.73           |
| QPSK 3M BW Middle Channel     |                |                               |                             |                       |                              |                            |                |                |
| 1880.00                       | H              | 88.57                         | 17.53                       | 0.85                  | 8.8                          | 25.48                      | 33.00          | 7.52           |
| 1880.00                       | V              | 90.59                         | 19.24                       | 0.85                  | 8.8                          | 27.19                      | 33.00          | 5.81           |
| 16-QAM 3M BW Middle Channel   |                |                               |                             |                       |                              |                            |                |                |
| 1880.00                       | H              | 88.39                         | 17.35                       | 0.85                  | 8.8                          | 25.30                      | 33.00          | 7.70           |
| 1880.00                       | V              | 90.56                         | 19.21                       | 0.85                  | 8.8                          | 27.16                      | 33.00          | 5.84           |
| QPSK 5M BW Middle Channel     |                |                               |                             |                       |                              |                            |                |                |
| 1880.00                       | H              | 88.53                         | 17.49                       | 0.85                  | 8.8                          | 25.44                      | 33.00          | 7.56           |
| 1880.00                       | V              | 90.66                         | 19.31                       | 0.85                  | 8.8                          | 27.26                      | 33.00          | 5.74           |
| 16-QAM 5M BW Middle Channel   |                |                               |                             |                       |                              |                            |                |                |
| 1880.00                       | H              | 88.38                         | 17.34                       | 0.85                  | 8.8                          | 25.29                      | 33.00          | 7.71           |
| 1880.00                       | V              | 90.48                         | 19.13                       | 0.85                  | 8.8                          | 27.08                      | 33.00          | 5.92           |

| Frequency<br>(MHz)           | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method          |                       |                              | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|------------------------------|----------------|-------------------------------|-----------------------------|-----------------------|------------------------------|----------------------------|----------------|----------------|
|                              |                |                               | Submitted<br>Level<br>(dBm) | Cable<br>loss<br>(dB) | Antenna<br>Gain<br>(dBd/dBi) |                            |                |                |
| QPSK 10M BW Middle Channel   |                |                               |                             |                       |                              |                            |                |                |
| 1880.00                      | H              | 88.25                         | 17.21                       | 0.85                  | 8.8                          | 25.16                      | 33.00          | 7.84           |
| 1880.00                      | V              | 90.34                         | 18.99                       | 0.85                  | 8.8                          | 26.94                      | 33.00          | 6.06           |
| 16-QAM 10M BW Middle Channel |                |                               |                             |                       |                              |                            |                |                |
| 1880.00                      | H              | 88.17                         | 17.13                       | 0.85                  | 8.8                          | 25.08                      | 33.00          | 7.92           |
| 1880.00                      | V              | 90.07                         | 18.72                       | 0.85                  | 8.8                          | 26.67                      | 33.00          | 6.33           |
| QPSK 15M BW Middle Channel   |                |                               |                             |                       |                              |                            |                |                |
| 1880.00                      | H              | 87.98                         | 16.94                       | 0.85                  | 8.8                          | 24.89                      | 33.00          | 8.11           |
| 1880.00                      | V              | 89.94                         | 18.59                       | 0.85                  | 8.8                          | 26.54                      | 33.00          | 6.46           |
| 16-QAM 15M BW Middle Channel |                |                               |                             |                       |                              |                            |                |                |
| 1880.00                      | H              | 88.1                          | 17.06                       | 0.85                  | 8.8                          | 25.01                      | 33.00          | 7.99           |
| 1880.00                      | V              | 89.81                         | 18.46                       | 0.85                  | 8.8                          | 26.41                      | 33.00          | 6.59           |
| QPSK 20M BW Middle Channel   |                |                               |                             |                       |                              |                            |                |                |
| 1880.00                      | H              | 87.52                         | 16.48                       | 0.85                  | 8.8                          | 24.43                      | 33.00          | 8.57           |
| 1880.00                      | V              | 89.5                          | 18.15                       | 0.85                  | 8.8                          | 26.10                      | 33.00          | 6.90           |
| 16-QAM 20M BW Middle Channel |                |                               |                             |                       |                              |                            |                |                |
| 1880.00                      | H              | 87.44                         | 16.40                       | 0.85                  | 8.8                          | 24.35                      | 33.00          | 8.65           |
| 1880.00                      | V              | 89.35                         | 18.00                       | 0.85                  | 8.8                          | 25.95                      | 33.00          | 7.05           |

**LTE Band 4**

| Frequency<br>(MHz)            | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method          |                       |                              | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|-------------------------------|----------------|-------------------------------|-----------------------------|-----------------------|------------------------------|----------------------------|----------------|----------------|
|                               |                |                               | Submitted<br>Level<br>(dBm) | Cable<br>loss<br>(dB) | Antenna<br>Gain<br>(dBd/dBi) |                            |                |                |
| QPSK 1.4M BW Middle Channel   |                |                               |                             |                       |                              |                            |                |                |
| 1732.50                       | H              | 80.44                         | 16.19                       | 0.84                  | 8.6                          | 23.95                      | 30.00          | 6.05           |
| 1732.50                       | V              | 82.26                         | 17.54                       | 0.84                  | 8.6                          | 25.30                      | 30.00          | 4.70           |
| 16-QAM 1.4M BW Middle Channel |                |                               |                             |                       |                              |                            |                |                |
| 1732.50                       | H              | 80.38                         | 16.13                       | 0.84                  | 8.6                          | 23.89                      | 30.00          | 6.11           |
| 1732.50                       | V              | 82.08                         | 17.36                       | 0.84                  | 8.6                          | 25.12                      | 30.00          | 4.88           |
| QPSK 3M BW Middle Channel     |                |                               |                             |                       |                              |                            |                |                |
| 1732.50                       | H              | 80.19                         | 15.94                       | 0.84                  | 8.6                          | 23.70                      | 30.00          | 6.30           |
| 1732.50                       | V              | 81.96                         | 17.24                       | 0.84                  | 8.6                          | 25.00                      | 30.00          | 5.00           |
| 16-QAM 3M BW Middle Channel   |                |                               |                             |                       |                              |                            |                |                |
| 1732.50                       | H              | 79.98                         | 15.73                       | 0.84                  | 8.6                          | 23.49                      | 30.00          | 6.51           |
| 1732.50                       | V              | 81.77                         | 17.05                       | 0.84                  | 8.6                          | 24.81                      | 30.00          | 5.19           |
| QPSK 5M BW Middle Channel     |                |                               |                             |                       |                              |                            |                |                |
| 1732.50                       | H              | 79.77                         | 15.52                       | 0.84                  | 8.6                          | 23.28                      | 30.00          | 6.72           |
| 1732.50                       | V              | 81.71                         | 16.99                       | 0.84                  | 8.6                          | 24.75                      | 30.00          | 5.25           |
| 16-QAM 5M BW Middle Channel   |                |                               |                             |                       |                              |                            |                |                |
| 1732.50                       | H              | 79.67                         | 15.42                       | 0.84                  | 8.6                          | 23.18                      | 30.00          | 6.82           |
| 1732.50                       | V              | 81.55                         | 16.83                       | 0.84                  | 8.6                          | 24.59                      | 30.00          | 5.41           |



| Frequency<br>(MHz)           | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method          |                       |                              | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|------------------------------|----------------|-------------------------------|-----------------------------|-----------------------|------------------------------|----------------------------|----------------|----------------|
|                              |                |                               | Submitted<br>Level<br>(dBm) | Cable<br>loss<br>(dB) | Antenna<br>Gain<br>(dBd/dBi) |                            |                |                |
| QPSK 10M BW Middle Channel   |                |                               |                             |                       |                              |                            |                |                |
| 1732.50                      | H              | 79.60                         | 15.35                       | 0.84                  | 8.6                          | 23.08                      | 30.00          | 6.92           |
| 1732.50                      | V              | 81.31                         | 16.59                       | 0.84                  | 8.6                          | 24.32                      | 30.00          | 5.68           |
| 16-QAM 10M BW Middle Channel |                |                               |                             |                       |                              |                            |                |                |
| 1732.50                      | H              | 79.49                         | 15.24                       | 0.84                  | 8.6                          | 23.00                      | 30.00          | 7.00           |
| 1732.50                      | V              | 81.13                         | 16.41                       | 0.84                  | 8.6                          | 24.14                      | 30.00          | 5.86           |
| QPSK 15M BW Middle Channel   |                |                               |                             |                       |                              |                            |                |                |
| 1732.50                      | H              | 79.33                         | 15.08                       | 0.84                  | 8.6                          | 22.84                      | 30.00          | 7.16           |
| 1732.50                      | V              | 81.08                         | 16.36                       | 0.84                  | 8.6                          | 24.12                      | 30.00          | 5.88           |
| 16-QAM 15M BW Middle Channel |                |                               |                             |                       |                              |                            |                |                |
| 1732.50                      | H              | 79.26                         | 15.01                       | 0.84                  | 8.6                          | 22.77                      | 30.00          | 7.23           |
| 1732.50                      | V              | 80.94                         | 16.22                       | 0.84                  | 8.6                          | 23.98                      | 30.00          | 6.02           |
| QPSK 20M BW Middle Channel   |                |                               |                             |                       |                              |                            |                |                |
| 1732.50                      | H              | 79.01                         | 14.76                       | 0.84                  | 8.6                          | 22.52                      | 30.00          | 7.48           |
| 1732.50                      | V              | 80.78                         | 16.06                       | 0.84                  | 8.6                          | 23.82                      | 30.00          | 6.18           |
| 16-QAM 20M BW Middle Channel |                |                               |                             |                       |                              |                            |                |                |
| 1732.50                      | H              | 78.85                         | 14.60                       | 0.84                  | 8.6                          | 22.36                      | 30.00          | 7.64           |
| 1732.50                      | V              | 80.61                         | 15.89                       | 0.84                  | 8.6                          | 23.65                      | 30.00          | 6.35           |

**LTE Band 5**

| Frequency<br>(MHz)            | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method          |                       |                              | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|-------------------------------|----------------|-------------------------------|-----------------------------|-----------------------|------------------------------|----------------------------|----------------|----------------|
|                               |                |                               | Submitted<br>Level<br>(dBm) | Cable<br>loss<br>(dB) | Antenna<br>Gain<br>(dBd/dBi) |                            |                |                |
| QPSK 1.4M BW Middle Channel   |                |                               |                             |                       |                              |                            |                |                |
| 836.50                        | H              | 90.26                         | 24.00                       | 0.63                  | -1.1                         | 23.53                      | 38.45          | 14.92          |
| 836.50                        | V              | 86.45                         | 24.76                       | 0.63                  | -1.1                         | 24.29                      | 38.45          | 14.16          |
| 16-QAM 1.4M BW Middle Channel |                |                               |                             |                       |                              |                            |                |                |
| 836.50                        | H              | 90.14                         | 24.93                       | 0.63                  | -1.1                         | 24.46                      | 38.45          | 13.99          |
| 836.50                        | V              | 86.27                         | 25.63                       | 0.63                  | -1.1                         | 25.16                      | 38.45          | 13.29          |
| QPSK 3M BW Middle Channel     |                |                               |                             |                       |                              |                            |                |                |
| 836.50                        | H              | 90.04                         | 23.80                       | 0.63                  | -1.1                         | 23.33                      | 38.45          | 15.12          |
| 836.50                        | V              | 86.19                         | 24.42                       | 0.63                  | -1.1                         | 23.95                      | 38.45          | 14.50          |
| 16-QAM 3M BW Middle Channel   |                |                               |                             |                       |                              |                            |                |                |
| 836.50                        | H              | 89.93                         | 24.64                       | 0.63                  | -1.1                         | 24.17                      | 38.45          | 14.28          |
| 836.50                        | V              | 86.00                         | 25.35                       | 0.63                  | -1.1                         | 24.88                      | 38.45          | 13.57          |
| QPSK 5M BW Middle Channel     |                |                               |                             |                       |                              |                            |                |                |
| 836.50                        | H              | 89.80                         | 24.43                       | 0.63                  | -1.1                         | 23.96                      | 38.45          | 14.49          |
| 836.50                        | V              | 85.92                         | 25.31                       | 0.63                  | -1.1                         | 24.84                      | 38.45          | 13.61          |
| 16-QAM 5M BW Middle Channel   |                |                               |                             |                       |                              |                            |                |                |
| 836.50                        | H              | 89.61                         | 24.76                       | 0.63                  | -1.1                         | 23.03                      | 38.45          | 15.42          |
| 836.50                        | V              | 85.75                         | 25.99                       | 0.63                  | -1.1                         | 24.26                      | 38.45          | 14.19          |
| QPSK 10M BW Middle Channel    |                |                               |                             |                       |                              |                            |                |                |
| 836.50                        | H              | 89.49                         | 24.09                       | 0.63                  | -1.1                         | 23.62                      | 38.45          | 14.83          |
| 836.50                        | V              | 85.47                         | 24.74                       | 0.63                  | -1.1                         | 24.27                      | 38.45          | 14.18          |
| 16-QAM 10M BW Middle Channel  |                |                               |                             |                       |                              |                            |                |                |
| 836.50                        | H              | 89.37                         | 23.76                       | 0.63                  | -1.1                         | 23.29                      | 38.45          | 15.16          |
| 836.50                        | V              | 85.23                         | 24.48                       | 0.63                  | -1.1                         | 24.01                      | 38.45          | 14.44          |

**LTE Band 12**

| Frequency<br>(MHz)            | Polar<br>(H/V) | Receiver<br>Reading<br>(dBμV) | Substituted Method          |                       |                              | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|-------------------------------|----------------|-------------------------------|-----------------------------|-----------------------|------------------------------|----------------------------|----------------|----------------|
|                               |                |                               | Submitted<br>Level<br>(dBm) | Cable<br>loss<br>(dB) | Antenna<br>Gain<br>(dBd/dBi) |                            |                |                |
| QPSK 1.4M BW Middle Channel   |                |                               |                             |                       |                              |                            |                |                |
| 707.50                        | H              | 91.95                         | 24.8                        | 0.62                  | -1.7                         | 23.72                      | 33.77          | 10.05          |
| 707.50                        | V              | 95.02                         | 26.48                       | 0.62                  | -1.7                         | 25.40                      | 33.77          | 8.37           |
| 16-QAM 1.4M BW Middle Channel |                |                               |                             |                       |                              |                            |                |                |
| 707.50                        | H              | 92.06                         | 24.91                       | 0.62                  | -1.7                         | 23.83                      | 33.77          | 9.94           |
| 707.50                        | V              | 93.95                         | 25.41                       | 0.62                  | -1.7                         | 24.33                      | 33.77          | 9.44           |
| QPSK 3M BW Middle Channel     |                |                               |                             |                       |                              |                            |                |                |
| 707.50                        | H              | 91.36                         | 24.21                       | 0.62                  | -1.7                         | 23.13                      | 33.77          | 10.64          |
| 707.50                        | V              | 95.05                         | 26.51                       | 0.62                  | -1.7                         | 25.43                      | 33.77          | 8.34           |
| 16-QAM 3M BW Middle Channel   |                |                               |                             |                       |                              |                            |                |                |
| 707.50                        | H              | 91.93                         | 24.78                       | 0.62                  | -1.7                         | 23.70                      | 33.77          | 10.07          |
| 707.50                        | V              | 93.62                         | 25.08                       | 0.62                  | -1.7                         | 24.00                      | 33.77          | 9.77           |
| QPSK 5M BW Middle Channel     |                |                               |                             |                       |                              |                            |                |                |
| 707.50                        | H              | 91.35                         | 24.20                       | 0.62                  | -1.7                         | 23.12                      | 33.77          | 10.65          |
| 707.50                        | V              | 93.74                         | 25.20                       | 0.62                  | -1.7                         | 24.12                      | 33.77          | 9.65           |
| 16-QAM 5M BW Middle Channel   |                |                               |                             |                       |                              |                            |                |                |
| 707.50                        | H              | 92.15                         | 25.00                       | 0.62                  | -1.7                         | 23.92                      | 33.77          | 9.85           |
| 707.50                        | V              | 94.77                         | 26.23                       | 0.62                  | -1.7                         | 25.15                      | 33.77          | 8.62           |
| QPSK 10M BW Middle Channel    |                |                               |                             |                       |                              |                            |                |                |
| 707.50                        | H              | 91.27                         | 24.12                       | 0.62                  | -1.7                         | 23.04                      | 33.77          | 10.73          |
| 707.50                        | V              | 94.10                         | 25.56                       | 0.62                  | -1.7                         | 24.48                      | 33.77          | 9.29           |
| 16-QAM 10M BW Middle Channel  |                |                               |                             |                       |                              |                            |                |                |
| 707.50                        | H              | 91.71                         | 24.56                       | 0.62                  | -1.7                         | 23.48                      | 33.77          | 10.29          |
| 707.50                        | V              | 93.52                         | 24.98                       | 0.62                  | -1.7                         | 23.90                      | 33.77          | 9.87           |

**Note:**

All above data were tested with no amplifier

Absolute Level = Submitted Level - Cable loss + Antenna Gain

Margin = Limit- Absolute Level


**FCC §2.1049, §22.917, §22.905 & §24.238; §27.53- OCCUPIED BANDWIDTH****Applicable Standards**

FCC 47 §2.1049, §22.917, §22.905 & §24.238 and §27.53.

**Test Procedure**

The RF output of the transmitter was connected to the simulator and the spectrum analyzer through sufficient attenuation.

The resolution bandwidth of the spectrum analyzer was set at 100 kHz (WCDMA), 30kHz for LTE 1.4 MHz & 3 MHz , 100 kHz for LTE 5 MHz & 10 MHz, 300 kHz for LTE 15 MHz & 20 MHz, and the 26 dB & 99% bandwidth was recorded.

**Test Data****Environmental Conditions**

|                           |                 |
|---------------------------|-----------------|
| <b>Temperature:</b>       | 23.2-23.5 °C    |
| <b>Relative Humidity:</b> | 51-53 %         |
| <b>ATM Pressure:</b>      | 101.1-103.3 kPa |

*The testing was performed by Winnie Yang from 2019-10-16 to 2019-10-18.*

*EUT operation mode: Transmitting*

*Test Result: Compliant.*

**WCDMA Band V**


| <b>Mode</b>    | <b>Frequency<br/>(MHz)</b> | <b>26 dB Emission<br/>Bandwidth<br/>(MHz)</b> | <b>99% Occupied<br/>Bandwidth<br/>(MHz)</b> |
|----------------|----------------------------|-----------------------------------------------|---------------------------------------------|
| WCDMA (Rel 99) | 836.6                      | 4.729                                         | 4.148                                       |
| WCDMA (HSDPA)  | 836.6                      | 4.770                                         | 4.168                                       |
| WCDMA (HSUPA)  | 836.6                      | 4.770                                         | 4.148                                       |
| WCDMA (HSPA+)  | 836.6                      | 4.770                                         | 4.168                                       |

**WCDMA Band II**


| <b>Mode</b>    | <b>Frequency<br/>(MHz)</b> | <b>26 dB Emission<br/>Bandwidth<br/>(MHz)</b> | <b>99% Occupied<br/>Bandwidth<br/>(MHz)</b> |
|----------------|----------------------------|-----------------------------------------------|---------------------------------------------|
| WCDMA (Rel 99) | 1880                       | 4.729                                         | 4.128                                       |
| WCDMA (HSDPA)  | 1880                       | 4.729                                         | 4.128                                       |
| WCDMA (HSUPA)  | 1880                       | 4.729                                         | 4.128                                       |
| WCDMA (HSPA+)  | 1880                       | 4.729                                         | 4.148                                       |



## WCDMA Band V

## 99% Occupied &amp; 26 dB Emissions Bandwidth for WCDMA (Rel 99) Mode



## 99% Occupied &amp; 26 dB Emissions Bandwidth for WCDMA (HSDPA) Mode




**99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSUPA) Mode****99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSPA+) Mode**

### 99% Occupied & 26 dB Emissions Bandwidth for WCDMA (Rel 99) Mode






### 99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSUPA) Mode







### 99% Occupied & 26 dB Emissions Bandwidth for WCDMA (HSPA+) Mode







**LTE Band 2:**



| Test Modulation | Test Bandwidth | Test Channel | 26 dB Bandwidth | 99% Occupied Bandwidth |
|-----------------|----------------|--------------|-----------------|------------------------|
|                 |                |              | MHz             | MHz                    |
| QPSK            | 1.4M           | Middle       | 1.323           | 1.112                  |
|                 | 3M             |              | 2.970           | 2.693                  |
|                 | 5M             |              | 5.030           | 4.529                  |
|                 | 10M            |              | 9.739           | 8.978                  |
|                 | 15M            |              | 14.850          | 13.527                 |
|                 | 20M            |              | 19.559          | 17.876                 |
| 16-QAM          | 1.4M           | Middle       | 1.317           | 1.106                  |
|                 | 3M             |              | 2.970           | 2.693                  |
|                 | 5M             |              | 5.050           | 4.529                  |
|                 | 10M            |              | 9.699           | 8.938                  |
|                 | 15M            |              | 14.729          | 13.467                 |
|                 | 20M            |              | 19.399          | 17.876                 |



**QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel****QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

**QPSK (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel****QPSK (10MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

**QPSK (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel****QPSK (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

**16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel****16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**


**16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel****16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



**16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel****16-QAM (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**




**LTE Band 4:**

| Test Modulation | Test Bandwidth | Test Channel | 26 dB Bandwidth | 99% Occupied Bandwidth |
|-----------------|----------------|--------------|-----------------|------------------------|
|                 |                |              | MHz             | MHz                    |
| QPSK            | 1.4M           | Middle       | 1.359           | 1.112                  |
|                 | 3M             |              | 2.966           | 2.705                  |
|                 | 5M             |              | 5.050           | 4.529                  |
|                 | 10M            |              | 9.780           | 8.978                  |
|                 | 15M            |              | 15.030          | 13.527                 |
|                 | 20M            |              | 19.399          | 17.956                 |
| 16-QAM          | 1.4M           | Middle       | 1.305           | 1.106                  |
|                 | 3M             |              | 2.976           | 2.695                  |
|                 | 5M             |              | 5.030           | 4.529                  |
|                 | 10M            |              | 1.728           | 8.978                  |
|                 | 15M            |              | 15.030          | 13.527                 |
|                 | 20M            |              | 19.559          | 17.956                 |


**QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



**QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel****QPSK (5MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



### QPSK (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




### QPSK (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel




**QPSK (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel****16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

**16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel****16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**


### 16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel



### 16-QAM (15 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel





16-QAM (20 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel







**LTE Band 5:**



| Test Modulation | Test Bandwidth | Test Channel | 26 dB Bandwidth | 99% Occupied Bandwidth |
|-----------------|----------------|--------------|-----------------|------------------------|
|                 |                |              | MHz             | MHz                    |
| QPSK            | 1.4M           | Middle       | 1.317           | 1.112                  |
|                 | 3M             |              | 2.958           | 2.705                  |
|                 | 5M             |              | 5.030           | 4.529                  |
|                 | 10M            |              | 9.699           | 8.938                  |
| 16-QAM          | 1.4M           | Middle       | 1.329           | 1.112                  |
|                 | 3M             |              | 2.970           | 2.693                  |
|                 | 5M             |              | 5.050           | 4.549                  |
|                 | 10M            |              | 9.699           | 8.938                  |



**QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel****QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



**QPSK (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel****QPSK (10MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



**16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel****16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



**16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel****16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

**LTE Band 12:**



| Test Modulation | Test Bandwidth | Test Channel | 26 dB Bandwidth | 99% Occupied Bandwidth |
|-----------------|----------------|--------------|-----------------|------------------------|
|                 |                |              | MHz             | MHz                    |
| QPSK            | 1.4M           | Middle       | 1.335           | 1.112                  |
|                 | 3M             |              | 2.966           | 2.695                  |
|                 | 5M             |              | 5.090           | 4.529                  |
|                 | 10M            |              | 9.820           | 9.018                  |
| 16-QAM          | 1.4M           | Middle       | 1.317           | 1.106                  |
|                 | 3M             |              | 2.956           | 2.685                  |
|                 | 5M             |              | 5.070           | 4.529                  |
|                 | 10M            |              | 9.820           | 8.938                  |

**QPSK (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel****QPSK (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

**QPSK (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel****QPSK (10MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**

**16-QAM (1.4 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel****16-QAM (3 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**



**16-QAM (5 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel****16-QAM (10 MHz) - 99% Occupied & 26 dB Emissions Bandwidth, Middle channel**


**FCC § 2.1051; § 22.917 (a); § 24.238 (a); §27.53(g) (h) - SPURIOUS EMISSIONS AT ANTENNA TERMINALS****Applicable Standards**

FCC §2.1051, §22.917(a) and §24.238(a) and §27.53 (g) (h).

The spectrum was to be investigated to the tenth harmonics of the highest fundamental frequency as specified in § 2.1051.

**Test Procedure**

The RF output of the transceiver was connected to a spectrum analyzer and simulator through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 100 kHz for below 1GHz & 1MHz for above 1GHz. sufficient scans were taken to show any out of band emissions up to 10<sup>th</sup> harmonic.

**Test Data****Environmental Conditions**

|                           |                 |
|---------------------------|-----------------|
| <b>Temperature:</b>       | 23.2-23.5 °C    |
| <b>Relative Humidity:</b> | 51-53 %         |
| <b>ATM Pressure:</b>      | 101.1-103. 3kPa |


*The testing was performed by Winnie Yang from 2019-10-16 to 2019-10-18.*

*EUT operation mode: Transmitting*


*Test Result: Compliant.*

# WCDMA Band V:


## 30 MHz – 1GHz WCDMA (Rel 99) Mode, Middle channel




## 1 GHz – 10 GHz WCDMA (Rel 99) Mode, Middle channel




### 30 MHz – 1GHz WCDMA (HSDPA) Mode, Middle channel




### 1 GHz – 10 GHz WCDMA (HSDPA) Mode, Middle channel




### 30 MHz – 1GHz WCDMA (HSUPA) Mode, Middle channel




### 1 GHz – 10 GHz WCDMA (HSUPA) Mode, Middle channel



### 30 MHz – 1GHz WCDMA (HSPA+) Mode, Middle channel




### 1 GHz – 10 GHz WCDMA (HSPA+) Mode, Middle channel




## WCDMA Band II:


### 30 MHz – 1GHz WCDMA (Rel 99) Mode, Middle channel




### 1 GHz – 20 GHz WCDMA (Rel 99) Mode, Middle channel





### 30 MHz – 1GHz WCDMA (HSDPA) Mode, Middle channel





### 1 GHz – 20 GHz WCDMA (HSDPA) Mode, Middle channel






**30 MHz – 1GHz WCDMA (HSUPA) Mode, Middle channel****1 GHz – 20 GHz WCDMA (HSUPA) Mode, Middle channel**


**30 MHz – 1GHz WCDMA (HSPA+) Mode, Middle channel****1 GHz – 20 GHz WCDMA (HSPA+) Mode, Middle channel**

## LTE Band 2:


### 30 MHz - 1 GHz (1.4 MHz, QPSK, Middle Channel)




### 1 GHz – 20 GHz (1.4 MHz, QPSK, Middle Channel)




### 30 MHz - 1 GHz (1.4 MHz, 16-QAM, Middle Channel)




### 1 GHz – 20 GHz (1.4 MHz, 16-QAM, Middle Channel)




### 30 MHz - 1 GHz (3 MHz, QPSK, Middle Channel)




### 1 GHz – 20 GHz (3 MHz, QPSK, Middle Channel)




### 30 MHz - 1 GHz (3 MHz, 16-QAM, Middle Channel)




### 1 GHz – 20 GHz (3 MHz, 16-QAM, Middle Channel)




### 30 MHz - 1 GHz (5 MHz, QPSK, Middle Channel)




### 1 GHz – 20 GHz (5 MHz, QPSK, Middle Channel)



### 30 MHz - 1 GHz (5 MHz, 16-QAM, Middle Channel)




### 1 GHz – 20 GHz (5 MHz, 16-QAM, Middle Channel)







### 30 MHz - 1 GHz (10 MHz, QPSK, Middle Channel)




### 1 GHz – 20 GHz (10 MHz, QPSK, Middle Channel)




### 30 MHz - 1 GHz (10 MHz, 16-QAM, Middle Channel)




### 1 GHz – 20 GHz (10 MHz, 16-QAM, Middle Channel)




### 30 MHz - 1 GHz (15 MHz, QPSK, Middle Channel)




### 1 GHz – 20 GHz (15 MHz, QPSK, Middle Channel)




### 30 MHz - 1 GHz (15 MHz, 16-QAM, Middle Channel)




### 1 GHz – 20 GHz (15 MHz, 16-QAM, Middle Channel)




### 30 MHz - 1 GHz (20 MHz, QPSK, Middle Channel)




### 1 GHz – 20 GHz (20 MHz, QPSK, Middle Channel)



### 30 MHz - 1 GHz (20 MHz, 16-QAM, Middle Channel)




### 1 GHz – 20 GHz (20 MHz, 16-QAM, Middle Channel)




# LTE Band 4:


## 30 MHz - 1 GHz (1.4 MHz, QPSK, Middle Channel)




## 1 GHz – 20 GHz (1.4 MHz, QPSK, Middle Channel)



### 30 MHz - 1 GHz (1.4 MHz, 16-QAM, Middle Channel)




### 1 GHz – 20 GHz (1.4 MHz, 16-QAM, Middle Channel)







### 30 MHz - 1 GHz (3 MHz, QPSK, Middle Channel)




### 1 GHz – 20 GHz (3 MHz, QPSK, Middle Channel)




### 30 MHz - 1 GHz (3 MHz, 16-QAM, Middle Channel)




### 1 GHz – 20 GHz (3 MHz, 16-QAM, Middle Channel)




### 30 MHz - 1 GHz (5 MHz, QPSK, Middle Channel)




### 1 GHz – 20 GHz (5 MHz, QPSK, Middle Channel)




### 30 MHz - 1 GHz (5 MHz, 16-QAM, Middle Channel)




### 1 GHz – 20 GHz (5 MHz, 16-QAM, Middle Channel)




### 30 MHz - 1 GHz (10 MHz, QPSK, Middle Channel)




### 1 GHz – 20 GHz (10 MHz, QPSK, Middle Channel)




### 30 MHz - 1 GHz (10 MHz, 16-QAM, Middle Channel)




### 1 GHz – 20 GHz (10 MHz, 16-QAM, Middle Channel)




### 30 MHz - 1 GHz (15 MHz, QPSK, Middle Channel)




### 1 GHz – 20 GHz (15 MHz, QPSK, Middle Channel)



### 30 MHz - 1 GHz (15 MHz, 16-QAM, Middle Channel)




### 1 GHz – 20 GHz (15 MHz, 16-QAM, Middle Channel)







### 30 MHz - 1 GHz (20 MHz, QPSK, Middle Channel)




### 1 GHz – 20 GHz (20 MHz, QPSK, Middle Channel)





### 30 MHz - 1 GHz (20 MHz, 16-QAM, Middle Channel)




### 1 GHz – 20 GHz (20 MHz, 16-QAM, Middle Channel)




**LTE Band 5:****30 MHz - 1 GHz (1.4 MHz, QPSK, Middle Channel)****1 GHz – 10 GHz (1.4 MHz, QPSK, Middle Channel)**


### 30 MHz - 1 GHz (1.4 MHz, 16-QAM, Middle Channel)




### 1 GHz – 10 GHz (1.4 MHz, 16-QAM, Middle Channel)




### 30 MHz - 1 GHz (3 MHz, QPSK, Middle Channel)




### 1 GHz – 10 GHz (3 MHz, QPSK, Middle Channel)




### 30 MHz - 1 GHz (3 MHz, 16-QAM, Middle Channel)




### 1 GHz – 10 GHz (3 MHz, 16-QAM, Middle Channel)




### 30 MHz - 1 GHz (5 MHz, QPSK, Middle Channel)




### 1 GHz – 10 GHz (5 MHz, QPSK, Middle Channel)



### 30 MHz - 1 GHz (5 MHz, 16-QAM, Middle Channel)




### 1 GHz – 10 GHz (5 MHz, 16-QAM, Middle Channel)







### 30 MHz - 1 GHz (10 MHz, QPSK, Middle Channel)




### 1 GHz – 10 GHz (10 MHz, QPSK, Middle Channel)



### 30 MHz - 1 GHz (10 MHz, 16-QAM, Middle Channel)




### 1 GHz – 10 GHz (10 MHz, 16-QAM, Middle Channel)




# LTE Band 12:


## 30 MHz - 1 GHz (1.4 MHz, QPSK, Middle Channel)




## 1 GHz – 10 GHz (1.4 MHz, QPSK, Middle Channel)




### 30 MHz - 1 GHz (1.4 MHz, 16-QAM, Middle Channel)




### 1 GHz – 10 GHz (1.4 MHz, 16-QAM, Middle Channel)




### 30 MHz - 1 GHz (3 MHz, QPSK, Middle Channel)




### 1 GHz – 10 GHz (3 MHz, QPSK, Middle Channel)




### 30 MHz - 1 GHz (3 MHz, 16-QAM, Middle Channel)




### 1 GHz – 10 GHz (3 MHz, 16-QAM, Middle Channel)




### 30 MHz - 1 GHz (5 MHz, QPSK, Middle Channel)




### 1 GHz – 10 GHz (5 MHz, QPSK, Middle Channel)





### 30 MHz - 1 GHz (5 MHz, 16-QAM, Middle Channel)




### 1 GHz – 10 GHz (5 MHz, 16-QAM, Middle Channel)






**30 MHz - 1 GHz (10 MHz, QPSK, Middle Channel)****1 GHz – 10 GHz (10 MHz, QPSK, Middle Channel)**

### 30 MHz - 1 GHz (10 MHz, 16-QAM, Middle Channel)



### 1 GHz – 10 GHz (10 MHz, 16-QAM, Middle Channel)



## **FCC § 2.1053; § 22.917 (a); § 24.238 (a); §27.53 (g) (h) - SPURIOUS RADIATED EMISSIONS**

---

### **Applicable Standards**

FCC § 2.1053, §22.917(a) and § 24.238(a) and § 27.53(g) (h)

22.917 (a) Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10 \log (P)$  dB.

24.238 (a) Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10 \log (P)$  dB.

(g) For operations in the 600 MHz band and the 698-746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least  $43 + 10 \log (P)$  dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

(h) AWS emission limits—(1) General protection levels. Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least  $43 + 10 \log_{10} (P)$  dB.

### **Test Procedure**

The transmitter was placed on a wooden turntable, and it was transmitting into a non-radiating load which was also placed on the turntable.

The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis.

The frequency range up to tenth harmonic of the fundamental frequency was investigated.

Remove the EUT and replace it with substitution antenna. A signal generator was connected to the substitution antenna by a non-radiating cable. The absolute levels of the spurious emissions were measured by the substitution.

Spurious emissions in dB =  $10 \lg (\text{TX pwr in Watts}/0.001)$  – the absolute level

Spurious attenuation limit in dB =  $43 + 10 \text{Log}_{10} (\text{power out in Watts})$

**Test Data****Environmental Conditions**

|                           |           |
|---------------------------|-----------|
| <b>Temperature:</b>       | 23.2 °C   |
| <b>Relative Humidity:</b> | 51 %      |
| <b>ATM Pressure:</b>      | 101.3 kPa |

The testing was performed by Winnie Yang on 2019-10-20.

Test mode: Transmitting (Pre-scan with low, middle and high channels, and the worse case data as below)

**30 MHz ~ 10 GHz:****WCDMA Band V**

| Frequency<br>(MHz)         | Receiver<br>Reading<br>(dBμV) | Turntable<br>Angle<br>Degree | Rx Antenna     |                | Substituted                 |                       |                              | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|----------------------------|-------------------------------|------------------------------|----------------|----------------|-----------------------------|-----------------------|------------------------------|----------------------------|----------------|----------------|
|                            |                               |                              | Height<br>(cm) | Polar<br>(H/V) | Submitted<br>Level<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBd/dBi) |                            |                |                |
| WCDMA Mode, Middle channel |                               |                              |                |                |                             |                       |                              |                            |                |                |
| 190.41                     | 53.67                         | 222                          | 100            | H              | -51.79                      | 0.41                  | -4.4                         | -56.60                     | -13            | 43.60          |
| 190.41                     | 57.14                         | 109                          | 100            | V              | -47.09                      | 0.41                  | -4.4                         | -51.90                     | -13            | 38.90          |
| 1673.20                    | 44.06                         | 154                          | 200            | H              | -66.89                      | 0.84                  | 8.5                          | -59.23                     | -13            | 46.23          |
| 1673.20                    | 46.66                         | 321                          | 250            | V              | -63.54                      | 0.84                  | 8.5                          | -55.88                     | -13            | 42.88          |
| 2509.80                    | 51.42                         | 190                          | 200            | H              | -57.2                       | 0.89                  | 10.1                         | -47.99                     | -13            | 34.99          |
| 2509.80                    | 53.01                         | 120                          | 100            | V              | -55.68                      | 0.89                  | 10.1                         | -46.47                     | -13            | 33.47          |

**30 MHz ~ 20 GHz:****WCDMA Band II**

| Frequency<br>(MHz)         | Receiver<br>Reading<br>(dBμV) | Turntable<br>Angle<br>Degree | Rx Antenna     |                | Substituted                 |                       |                              | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|----------------------------|-------------------------------|------------------------------|----------------|----------------|-----------------------------|-----------------------|------------------------------|----------------------------|----------------|----------------|
|                            |                               |                              | Height<br>(cm) | Polar<br>(H/V) | Submitted<br>Level<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBd/dBi) |                            |                |                |
| WCDMA Mode, Middle channel |                               |                              |                |                |                             |                       |                              |                            |                |                |
| 187.75                     | 53.18                         | 130                          | 200            | H              | -52.23                      | 0.41                  | -4.5                         | -57.14                     | -13            | 44.14          |
| 187.75                     | 56.63                         | 26                           | 200            | V              | -47.37                      | 0.41                  | -4.5                         | -52.28                     | -13            | 39.28          |
| 3760.00                    | 42.39                         | 214                          | 100            | H              | -61.30                      | 0.95                  | 9.7                          | -52.55                     | -13            | 39.55          |
| 3760.00                    | 46.14                         | 119                          | 200            | V              | -57.87                      | 0.95                  | 9.7                          | -49.12                     | -13            | 36.12          |
| 5640.00                    | 42.15                         | 136                          | 200            | H              | -58.36                      | 1.15                  | 10.5                         | -49.01                     | -13            | 36.01          |
| 5640.00                    | 46.10                         | 40                           | 100            | V              | -54.71                      | 1.15                  | 10.5                         | -45.36                     | -13            | 32.36          |

**Note:**

- 1) Antenna gain is dBd for frequency below 1GHz and dBi for frequency above 1GHz
- 2) Absolute Level (dBm) = Submitted Level (dBm) - Cable loss (dB) + Antenna Gain (dBd/dBi)
- 3) Margin (dB) = Limit (dBm) - Absolute Level (dBm)

Test mode: Transmitting (Pre-scan with all the bandwidth, and worse case as below)

**30 MHz ~ 20 GHz:**

**LTE Band 2:**

| Frequency<br>(MHz)                     | Receiver<br>Reading<br>(dBμV) | Turntable<br>Angle<br>Degree | Rx Antenna     |                | Substituted                 |                       |                              | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|----------------------------------------|-------------------------------|------------------------------|----------------|----------------|-----------------------------|-----------------------|------------------------------|----------------------------|----------------|----------------|
|                                        |                               |                              | Height<br>(cm) | Polar<br>(H/V) | Submitted<br>Level<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBd/dBi) |                            |                |                |
| QPSK 1.4MHz Bandwidth Middle Channel   |                               |                              |                |                |                             |                       |                              |                            |                |                |
| 161.47                                 | 53.62                         | 164                          | 200            | H              | -50.48                      | 0.38                  | -6.2                         | -57.06                     | -13            | 44.06          |
| 161.47                                 | 55.39                         | 79                           | 200            | V              | -45.8                       | 0.38                  | -6.2                         | -52.38                     | -13            | 39.38          |
| 3760.00                                | 45.45                         | 272                          | 100            | H              | -58.24                      | 0.95                  | 9.7                          | -49.49                     | -13            | 36.49          |
| 3760.00                                | 45.17                         | 268                          | 100            | V              | -58.84                      | 0.95                  | 9.7                          | -50.09                     | -13            | 37.09          |
| 5640.00                                | 41.81                         | 174                          | 250            | H              | -58.70                      | 1.15                  | 10.5                         | -49.35                     | -13            | 36.35          |
| 5640.00                                | 43.98                         | 250                          | 100            | V              | -56.83                      | 1.15                  | 10.5                         | -47.48                     | -13            | 34.48          |
| 16-QAM 1.4MHz Bandwidth Middle Channel |                               |                              |                |                |                             |                       |                              |                            |                |                |
| 161.47                                 | 54.05                         | 352                          | 200            | H              | -50.05                      | 0.38                  | -6.2                         | -56.63                     | -13            | 43.63          |
| 161.47                                 | 55.89                         | 338                          | 100            | V              | -45.30                      | 0.38                  | -6.2                         | -51.88                     | -13            | 38.88          |
| 3760.00                                | 45.32                         | 125                          | 150            | H              | -58.37                      | 0.95                  | 9.7                          | -49.62                     | -13            | 36.62          |
| 3760.00                                | 45.14                         | 314                          | 150            | V              | -58.87                      | 0.95                  | 9.7                          | -50.12                     | -13            | 37.12          |
| 5640.00                                | 42.48                         | 250                          | 150            | H              | -58.03                      | 1.15                  | 10.5                         | -48.68                     | -13            | 35.68          |
| 5640.00                                | 45.43                         | 130                          | 150            | V              | -55.38                      | 1.15                  | 10.5                         | -46.03                     | -13            | 33.03          |

**30 MHz ~ 20 GHz:**

**LTE Band 4:**

| Frequency<br>(MHz)                     | Receiver<br>Reading<br>(dBμV) | Turntable<br>Angle<br>Degree | Rx Antenna     |                | Substituted                 |                       |                              | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|----------------------------------------|-------------------------------|------------------------------|----------------|----------------|-----------------------------|-----------------------|------------------------------|----------------------------|----------------|----------------|
|                                        |                               |                              | Height<br>(cm) | Polar<br>(H/V) | Submitted<br>Level<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBd/dBi) |                            |                |                |
| QPSK 1.4MHz Bandwidth Middle Channel   |                               |                              |                |                |                             |                       |                              |                            |                |                |
| 196.51                                 | 53.26                         | 311                          | 150            | H              | -52.31                      | 0.42                  | -4.1                         | -56.83                     | -13            | 43.83          |
| 196.51                                 | 57.27                         | 95                           | 200            | V              | -47.5                       | 0.42                  | -4.1                         | -52.02                     | -13            | 39.02          |
| 3465.00                                | 52.15                         | 255                          | 200            | H              | -52.64                      | 0.93                  | 9.9                          | -43.67                     | -13            | 30.67          |
| 3465.00                                | 54.32                         | 113                          | 250            | V              | -50.9                       | 0.93                  | 9.9                          | -41.93                     | -13            | 28.93          |
| 5197.50                                | 45.05                         | 258                          | 150            | H              | -57.03                      | 1.10                  | 10.3                         | -47.83                     | -13            | 34.83          |
| 5197.50                                | 47.10                         | 206                          | 100            | V              | -55.19                      | 1.10                  | 10.3                         | -45.99                     | -13            | 32.99          |
| 16-QAM 1.4MHz Bandwidth Middle Channel |                               |                              |                |                |                             |                       |                              |                            |                |                |
| 196.51                                 | 53.32                         | 178                          | 150            | H              | -52.25                      | 0.42                  | -4.1                         | -56.77                     | -13            | 43.77          |
| 196.51                                 | 57.43                         | 123                          | 250            | V              | -47.34                      | 0.42                  | -4.1                         | -51.86                     | -13            | 38.86          |
| 3465.00                                | 51.92                         | 138                          | 100            | H              | -52.87                      | 0.93                  | 9.9                          | -43.90                     | -13            | 30.90          |
| 3465.00                                | 53.83                         | 305                          | 250            | V              | -51.39                      | 0.93                  | 9.9                          | -42.42                     | -13            | 29.42          |
| 5197.50                                | 44.79                         | 133                          | 150            | H              | -57.29                      | 1.10                  | 10.3                         | -48.09                     | -13            | 35.09          |
| 5197.50                                | 46.97                         | 293                          | 250            | V              | -55.32                      | 1.10                  | 10.3                         | -46.12                     | -13            | 33.12          |

**30 MHz ~ 10 GHz:****LTE Band 5:**

| Frequency<br>(MHz)                     | Receiver<br>Reading<br>(dBμV) | Turntable<br>Angle<br>Degree | Rx Antenna     |                | Substituted                 |                       |                              | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|----------------------------------------|-------------------------------|------------------------------|----------------|----------------|-----------------------------|-----------------------|------------------------------|----------------------------|----------------|----------------|
|                                        |                               |                              | Height<br>(cm) | Polar<br>(H/V) | Submitted<br>Level<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBd/dBi) |                            |                |                |
| QPSK 1.4MHz Bandwidth Middle Channel   |                               |                              |                |                |                             |                       |                              |                            |                |                |
| 160.35                                 | 53.83                         | 242                          | 150            | H              | -50.33                      | 0.38                  | -6.2                         | -56.91                     | -13            | 43.91          |
| 160.35                                 | 55.36                         | 88                           | 250            | V              | -45.78                      | 0.38                  | -6.2                         | -52.36                     | -13            | 39.36          |
| 1673.00                                | 51.55                         | 188                          | 250            | H              | -59.40                      | 0.84                  | 8.5                          | -51.74                     | -13            | 38.74          |
| 1673.00                                | 48.62                         | 354                          | 100            | V              | -61.58                      | 0.84                  | 8.5                          | -53.92                     | -13            | 40.92          |
| 2509.50                                | 49.72                         | 66                           | 150            | H              | -58.90                      | 0.89                  | 10.1                         | -49.69                     | -13            | 36.69          |
| 2509.50                                | 51.00                         | 73                           | 250            | V              | -57.69                      | 0.89                  | 10.1                         | -48.48                     | -13            | 35.48          |
| 16-QAM 1.4MHz Bandwidth Middle Channel |                               |                              |                |                |                             |                       |                              |                            |                |                |
| 160.35                                 | 53.91                         | 258                          | 100            | H              | -50.25                      | 0.38                  | -6.2                         | -56.83                     | -13            | 43.83          |
| 160.35                                 | 55.44                         | 64                           | 150            | V              | -45.7                       | 0.38                  | -6.2                         | -52.28                     | -13            | 39.28          |
| 1673.00                                | 51.41                         | 304                          | 250            | H              | -59.54                      | 0.84                  | 8.5                          | -51.88                     | -13            | 38.88          |
| 1673.00                                | 48.51                         | 157                          | 200            | V              | -61.69                      | 0.84                  | 8.5                          | -54.03                     | -13            | 41.03          |
| 2509.50                                | 49.14                         | 348                          | 200            | H              | -59.48                      | 0.89                  | 10.1                         | -50.27                     | -13            | 37.27          |
| 2509.50                                | 50.82                         | 38                           | 250            | V              | -57.87                      | 0.89                  | 10.1                         | -48.66                     | -13            | 35.66          |

**30 MHz ~ 10 GHz:****LTE Band 12:**

| Frequency<br>(MHz)                     | Receiver<br>Reading<br>(dBμV) | Turntable<br>Angle<br>Degree | Rx Antenna     |                | Substituted                 |                       |                              | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|----------------------------------------|-------------------------------|------------------------------|----------------|----------------|-----------------------------|-----------------------|------------------------------|----------------------------|----------------|----------------|
|                                        |                               |                              | Height<br>(cm) | Polar<br>(H/V) | Submitted<br>Level<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBd/dBi) |                            |                |                |
| QPSK 1.4MHz Bandwidth Middle Channel   |                               |                              |                |                |                             |                       |                              |                            |                |                |
| 161.47                                 | 53.47                         | 89                           | 200            | H              | -50.63                      | 0.38                  | -6.2                         | -57.21                     | -13            | 44.21          |
| 161.47                                 | 55.65                         | 2                            | 100            | V              | -45.54                      | 0.38                  | -6.2                         | -52.12                     | -13            | 39.12          |
| 1415.00                                | 54.98                         | 82                           | 250            | H              | -57.07                      | 0.82                  | 8.0                          | -49.89                     | -13            | 36.89          |
| 1415.00                                | 56.09                         | 320                          | 250            | V              | -56.26                      | 0.82                  | 8.0                          | -49.08                     | -13            | 36.08          |
| 2122.50                                | 45.15                         | 64                           | 100            | H              | -63.49                      | 0.86                  | 9.3                          | -55.05                     | -13            | 42.05          |
| 2122.50                                | 45.65                         | 223                          | 100            | V              | -63.27                      | 0.86                  | 9.3                          | -54.83                     | -13            | 41.83          |
| 16-QAM 1.4MHz Bandwidth Middle Channel |                               |                              |                |                |                             |                       |                              |                            |                |                |
| 161.47                                 | 53.77                         | 89                           | 200            | H              | -50.33                      | 0.38                  | -6.2                         | -56.91                     | -13            | 43.91          |
| 161.47                                 | 55.55                         | 2                            | 150            | V              | -45.64                      | 0.38                  | -6.2                         | -52.22                     | -13            | 39.22          |
| 1415.00                                | 54.44                         | 90                           | 100            | H              | -57.61                      | 0.82                  | 8.0                          | -50.43                     | -13            | 37.43          |
| 1415.00                                | 55.64                         | 197                          | 100            | V              | -56.71                      | 0.82                  | 8.0                          | -49.53                     | -13            | 36.53          |
| 2122.50                                | 44.62                         | 8                            | 200            | H              | -64.02                      | 0.86                  | 9.3                          | -55.58                     | -13            | 42.58          |
| 2122.50                                | 46.12                         | 89                           | 100            | V              | -62.80                      | 0.86                  | 9.3                          | -54.36                     | -13            | 41.36          |

**Note:**

- 1) Antenna gain is dBd for frequency below 1GHz and dBi for frequency above 1GHz
- 2) Absolute Level (dBm) = Submitted Level (dBm) - Cable loss (dB) + Antenna Gain (dBd/dBi)
- 3) Margin (dB) = Limit (dBm) - Absolute Level (dBm)

## FCC § 22.917 (a); § 24.238 (a); §27.53 (g )(h) - BAND EDGES

### Applicable Standards

According to § 22.917(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10 \log(P)$  dB.

According to §24.238(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10 \log(P)$  dB.

According to FCC §27.53 (g) (h), the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least  $43 + 10 \log(P)$  dB.

For mobile digital stations, the attenuation factor shall be not less than  $40 + 10 \log(P)$  dB on all frequencies between the channel edge and 5 megahertz from the channel edge,  $43 + 10 \log(P)$  dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and  $55 + 10 \log(P)$  dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor


shall not be less than  $43 + 10 \log(P)$  dB on all frequencies between 2490.5 MHz and 2496 MHz and  $55 + 10 \log(P)$  dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

FCC §2.1051. The power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least  $43 + 10 \log(P)$  dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or less, but at least one percent of the emission bandwidth of the fundamental emission of the transmitter, provided the measured energy is integrated over a 1 MHz bandwidth.

### Test Procedure

The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation.

The center of the spectrum analyzer was set to block edge frequency.



### Test Data



#### Environmental Conditions

|                    |                 |
|--------------------|-----------------|
| Temperature:       | 23.2-23.5 °C    |
| Relative Humidity: | 51-53 %         |
| ATM Pressure:      | 101.1-103.3 kPa |



The testing was performed by Winnie Yang from 2019-10-16 to 2019-10-18.

EUT operation mode: Transmitting


Test Result: Compliant.

**WCDMA Band V****WCDMA (Rel 99) Mode, Left Band Edge****WCDMA (Rel 99) Mode, Right Band Edge**






**WCDMA (HSDPA) Mode, Left Band Edge****WCDMA (HSDPA) Mode, Right Band Edge**



### WCDMA (HSUPA) Mode, Left Band Edge




### WCDMA (HSUPA) Mode, Right Band Edge




**WCDMA (HSPA+) Mode, Left Band Edge****WCDMA (HSPA+) Mode, Right Band Edge**



**WCDMA Band II****WCDMA (Rel99) Mode, Left Band Edge****WCDMA (Rel99) Mode, Right Band Edge**

### WCDMA (HSDPA) Mode, Left Band Edge




### WCDMA (HSDPA) Mode, Right Band Edge




**WCDMA (HSUPA) Mode, Left Band Edge****WCDMA (HSUPA) Mode, Right Band Edge**

### WCDMA (HSPA+) Mode, Left Band Edge




### WCDMA (HSPA+) Mode, Right Band Edge




## LTE Band 2:

### QPSK (1.4 MHz, FULL RB) - Left Band Edge




### QPSK (1.4 MHz, FULL RB) - Right Band Edge








### QPSK (3 MHz, FULL RB) - Left Band Edge




### QPSK (3 MHz, FULL RB) - Right Band Edge




**QPSK (5 MHz, FULL RB) - Left Band Edge****QPSK (5 MHz, FULL RB) - Right Band Edge**


### QPSK (10 MHz, FULL RB) - Left Band Edge




### QPSK (10 MHz, FULL RB) - Right Band Edge




### QPSK (15 MHz, FULL RB) - Left Band Edge




### QPSK (15 MHz, FULL RB) - Right Band Edge







### QPSK (20 MHz, FULL RB) - Left Band Edge





### QPSK (20 MHz, FULL RB) - Right Band Edge





**16-QAM (1.4 MHz, FULL RB) - Left Band Edge****16-QAM (1.4 MHz, FULL RB) - Right Band Edge**


**16-QAM (3 MHz, FULL RB) - Left Band Edge****16-QAM (3 MHz, FULL RB) - Right Band Edge**

**16-QAM (5 MHz, FULL RB) - Left Band Edge****16-QAM (5 MHz, FULL RB) - Right Band Edge**




**16-QAM (10 MHz, FULL RB) - Left Band Edge****16-QAM (10 MHz, FULL RB) - Right Band Edge**


### 16-QAM (15 MHz, FULL RB) - Left Band Edge




### 16-QAM (15 MHz, FULL RB) - Right Band Edge





### 16-QAM (20 MHz, FULL RB) - Left Band Edge




### 16-QAM (20 MHz, FULL RB) - Right Band Edge




**LTE Band 4:****QPSK (1.4 MHz, FULL RB) - Left Band Edge****QPSK (1.4 MHz, FULL RB) - Right Band Edge**


### QPSK (3 MHz, FULL RB) - Left Band Edge




### QPSK (3 MHz, FULL RB) - Right Band Edge




### QPSK (5 MHz, FULL RB) - Left Band Edge




### QPSK (5 MHz, FULL RB) - Right Band Edge




### QPSK (10 MHz, FULL RB) - Left Band Edge




### QPSK (10 MHz, FULL RB) - Right Band Edge



### QPSK (15 MHz, FULL RB) - Left Band Edge




### QPSK (15 MHz, FULL RB) - Right Band Edge







### QPSK (20 MHz, FULL RB) - Left Band Edge




### QPSK (20 MHz, FULL RB) - Right Band Edge







### 16-QAM (1.4 MHz, FULL RB) - Left Band Edge





### 16-QAM (1.4 MHz, FULL RB) - Right Band Edge




**16-QAM (3 MHz, FULL RB) - Left Band Edge****16-QAM (3 MHz, FULL RB) - Right Band Edge**


**16-QAM (5 MHz, FULL RB) - Left Band Edge****16-QAM (5 MHz, FULL RB) - Right Band Edge**

**16-QAM (10 MHz, FULL RB) - Left Band Edge****16-QAM (10 MHz, FULL RB) - Right Band Edge**


### 16-QAM (15 MHz, FULL RB) - Left Band Edge




### 16-QAM (15 MHz, FULL RB) - Right Band Edge





### 16-QAM (20 MHz, FULL RB) - Left Band Edge





### 16-QAM (20 MHz, FULL RB) - Right Band Edge




**LTE Band 5:****QPSK (1.4 MHz, FULL RB) - Left Band Edge****QPSK (1.4 MHz, FULL RB) - Right Band Edge**






**QPSK (3 MHz, FULL RB) - Left Band Edge****QPSK (3 MHz, FULL RB) - Right Band Edge**



### QPSK (5 MHz, FULL RB) - Left Band Edge




### QPSK (5 MHz, FULL RB) - Right Band Edge




**QPSK (10 MHz, FULL RB) - Left Band Edge****QPSK (10 MHz, FULL RB) - Right Band Edge**



**16-QAM (1.4 MHz, FULL RB) - Left Band Edge****16-QAM (1.4 MHz, FULL RB) - Right Band Edge**

### 16-QAM (3 MHz, FULL RB) - Left Band Edge




### 16-QAM (3 MHz, FULL RB) - Right Band Edge






**16-QAM (5 MHz, FULL RB) - Left Band Edge****16-QAM (5 MHz, FULL RB) - Right Band Edge**

### 16-QAM (10 MHz, FULL RB) - Left Band Edge




### 16-QAM (10 MHz, FULL RB) - Right Band Edge




**LTE Band 12:****QPSK (1.4 MHz, FULL RB) - Left Band Edge****QPSK (1.4 MHz, FULL RB) - Right Band Edge**




### QPSK (3 MHz, FULL RB) - Left Band Edge




### QPSK (3 MHz, FULL RB) - Right Band Edge




### QPSK (5 MHz, FULL RB) - Left Band Edge




### QPSK (5 MHz, FULL RB) - Right Band Edge




### QPSK (10 MHz, FULL RB) - Left Band Edge




### QPSK (10 MHz, FULL RB) - Right Band Edge





### 16-QAM (1.4 MHz, FULL RB) - Left Band Edge




### 16-QAM (1.4 MHz, FULL RB) - Right Band Edge






**16-QAM (3 MHz, FULL RB) - Left Band Edge****16-QAM (3 MHz, FULL RB) - Right Band Edge**

### 16-QAM (5 MHz, FULL RB) - Left Band Edge



### 16-QAM (5 MHz, FULL RB) - Right Band Edge



**16-QAM (10 MHz, FULL RB) - Left Band Edge****16-QAM (10 MHz, FULL RB) - Right Band Edge**

## **FCC § 2.1055; § 22.355; § 24.235; §27.54- FREQUENCY STABILITY**

### **Applicable Standards**

FCC § 2.1055, §22.355, §24.235 and §27.54.

According to FCC §2.1055, the frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.

According to §22.355, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table below:

**Frequency Tolerance for Transmitters in the Public Mobile Services**

| <b>Frequency Range<br/>(MHz)</b> | <b>Base, fixed<br/>(ppm)</b> | <b>Mobile &gt; 3 watts<br/>(ppm)</b> | <b>Mobile ≤ 3 watts<br/>(ppm)</b> |
|----------------------------------|------------------------------|--------------------------------------|-----------------------------------|
| 25 to 50                         | 20.0                         | 20.0                                 | 50.0                              |
| 50 to 450                        | 5.0                          | 5.0                                  | 50.0                              |
| 450 to 512                       | 2.5                          | 5.0                                  | 5.0                               |
| 821 to 896                       | 1.5                          | 2.5                                  | 2.5                               |
| 928 to 929.                      | 5.0                          | N/A                                  | N/A                               |
| 929 to 960.                      | 1.5                          | N/A                                  | N/A                               |
| 2110 to 2220                     | 10.0                         | N/A                                  | N/A                               |


According to §24.235, the frequency stability shall be sufficient to ensure that the fundamental emissions stays within the authorized frequency block.

### **Test Procedure**

Frequency Stability vs. Temperature: The equipment under test was connected to an external DC power supply and the RF output was connected to communication test set via feed-through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable exited the chamber through an opening made for the purpose.

After the temperature stabilized for approximately 20 minutes, the frequency output was recorded from the communication test set.

Frequency Stability vs. Voltage: For hand carried, battery powered equipment; reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer.





**Test Data****Environmental Conditions**

|                           |           |
|---------------------------|-----------|
| <b>Temperature:</b>       | 23.2 °C   |
| <b>Relative Humidity:</b> | 51 %      |
| <b>ATM Pressure:</b>      | 101.3 kPa |

The testing was performed by Winnie Yang on 2019-10-20.

EUT operation mode: Transmitting

Test Result: Compliant.

Power supply :24V

**WCDMA Band V:**

| Middle Channel, $f_0 = 836.6$ MHz |                                   |                      |                       |             |
|-----------------------------------|-----------------------------------|----------------------|-----------------------|-------------|
| Temperature (°C)                  | Power Supplied (V <sub>DC</sub> ) | Frequency Error (Hz) | Frequency Error (ppm) | Limit (ppm) |
| -30                               | 24                                | 12                   | 0.0143                | 2.5         |
| -20                               |                                   | 11                   | 0.0131                | 2.5         |
| -10                               |                                   | 15                   | 0.0179                | 2.5         |
| 0                                 |                                   | 9                    | 0.0108                | 2.5         |
| 10                                |                                   | 7                    | 0.0084                | 2.5         |
| 20                                |                                   | 7                    | 0.0084                | 2.5         |
| 30                                |                                   | 5                    | 0.0060                | 2.5         |
| 40                                |                                   | 4                    | 0.0048                | 2.5         |
| 50                                |                                   | 6                    | 0.0072                | 2.5         |
| 25                                | V min.= 21.6                      | 8                    | 0.0096                | 2.5         |
| 25                                | V max.= 26.4                      | 7                    | 0.0084                | 2.5         |

**WCDMA Band II:**

| Middle Channel, $f_o=1880.0$ MHz |                                   |                      |                       |        |
|----------------------------------|-----------------------------------|----------------------|-----------------------|--------|
| Temperature (°C)                 | Power Supplied (V <sub>DC</sub> ) | Frequency Error (Hz) | Frequency Error (ppm) | Result |
| -30                              | 24                                | 13                   | 0.0069                | Pass   |
| -20                              |                                   | 9                    | 0.0048                | Pass   |
| -10                              |                                   | 14                   | 0.0074                | Pass   |
| 0                                |                                   | 9                    | 0.0048                | Pass   |
| 10                               |                                   | 6                    | 0.0032                | Pass   |
| 20                               |                                   | 7                    | 0.0037                | Pass   |
| 30                               |                                   | 7                    | 0.0037                | Pass   |
| 40                               |                                   | 8                    | 0.0043                | Pass   |
| 50                               |                                   | 5                    | 0.0027                | Pass   |
| 25                               | V min.= 21.6                      | 8                    | 0.0043                | Pass   |
| 25                               | V max.= 26.4                      | 7                    | 0.0037                | Pass   |

**LTE Band 2:**

| <b>f<sub>0</sub> =1880.0 MHz (QPSK)</b> |                                        |                             |                              |               |
|-----------------------------------------|----------------------------------------|-----------------------------|------------------------------|---------------|
| <b>Temperature (°C)</b>                 | <b>Power Supplied (V<sub>DC</sub>)</b> | <b>Frequency Error (Hz)</b> | <b>Frequency Error (ppm)</b> | <b>Result</b> |
| -30                                     | 24                                     | 16                          | 0.0085                       | Pass          |
| -20                                     |                                        | 11                          | 0.0059                       | Pass          |
| -10                                     |                                        | 15                          | 0.0080                       | Pass          |
| 0                                       |                                        | 10                          | 0.0053                       | Pass          |
| 10                                      |                                        | 12                          | 0.0064                       | Pass          |
| 20                                      |                                        | 6                           | 0.0032                       | Pass          |
| 30                                      |                                        | 5                           | 0.0027                       | Pass          |
| 40                                      |                                        | 13                          | 0.0069                       | Pass          |
| 50                                      |                                        | 8                           | 0.0043                       | Pass          |
| 25                                      | V min.= 21.6                           | 9                           | 0.0048                       | Pass          |
| 25                                      | V max.= 26.4                           | 11                          | 0.0059                       | Pass          |

| <b>f<sub>0</sub> =1880.0 MHz (16-QAM)</b> |                                        |                             |                              |               |
|-------------------------------------------|----------------------------------------|-----------------------------|------------------------------|---------------|
| <b>Temperature (°C)</b>                   | <b>Power Supplied (V<sub>DC</sub>)</b> | <b>Frequency Error (Hz)</b> | <b>Frequency Error (ppm)</b> | <b>Result</b> |
| -30                                       | 24                                     | 12                          | 0.0064                       | Pass          |
| -20                                       |                                        | 9                           | 0.0048                       | Pass          |
| -10                                       |                                        | 11                          | 0.0059                       | Pass          |
| 0                                         |                                        | 10                          | 0.0053                       | Pass          |
| 10                                        |                                        | 12                          | 0.0064                       | Pass          |
| 20                                        |                                        | 5                           | 0.0027                       | Pass          |
| 30                                        |                                        | 6                           | 0.0032                       | Pass          |
| 40                                        |                                        | 3                           | 0.0016                       | Pass          |
| 50                                        |                                        | 6                           | 0.0032                       | Pass          |
| 25                                        | V min.= 21.6                           | 7                           | 0.0037                       | Pass          |
| 25                                        | V max.= 26.4                           | 8                           | 0.0043                       | Pass          |

**LTE Band 4:**

| Low Channel & High Channel (QPSK) |                    |                |                |                      |                      |
|-----------------------------------|--------------------|----------------|----------------|----------------------|----------------------|
| Temperature                       | Power Supplied     | F <sub>L</sub> | F <sub>H</sub> | F <sub>L</sub> Limit | F <sub>H</sub> Limit |
| (°C)                              | (V <sub>DC</sub> ) | (MHz)          | (MHz)          | (MHz)                | (MHz)                |
| -30                               | 24                 | 1710.0424      | 1754.9412      | 1710                 | 1755                 |
| -20                               |                    | 1710.0417      | 1754.9442      | 1710                 | 1755                 |
| -10                               |                    | 1710.0434      | 1754.9401      | 1710                 | 1755                 |
| 0                                 |                    | 1710.0444      | 1754.9474      | 1710                 | 1755                 |
| 10                                |                    | 1710.0457      | 1754.9434      | 1710                 | 1755                 |
| 20                                |                    | 1710.0451      | 1754.9498      | 1710                 | 1755                 |
| 30                                |                    | 1710.0458      | 1754.9463      | 1710                 | 1755                 |
| 40                                |                    | 1710.0450      | 1754.9420      | 1710                 | 1755                 |
| 50                                |                    | 1710.0418      | 1754.9433      | 1710                 | 1755                 |
| 25                                | V min.= 21.6       | 1710.0467      | 1754.9485      | 1710                 | 1755                 |
| 25                                | V max.= 26.4       | 1710.0454      | 1754.9491      | 1710                 | 1755                 |

| Low Channel & High Channel (16-QAM) |                    |                |                |                      |                      |
|-------------------------------------|--------------------|----------------|----------------|----------------------|----------------------|
| Temperature                         | Power Supplied     | F <sub>L</sub> | F <sub>H</sub> | F <sub>L</sub> Limit | F <sub>H</sub> Limit |
| (°C)                                | (V <sub>DC</sub> ) | (MHz)          | (MHz)          | (MHz)                | (MHz)                |
| -30                                 | 24                 | 1710.0441      | 1754.9445      | 1710                 | 1755                 |
| -20                                 |                    | 1710.0431      | 1754.9495      | 1710                 | 1755                 |
| -10                                 |                    | 1710.0442      | 1754.9437      | 1710                 | 1755                 |
| 0                                   |                    | 1710.0472      | 1754.9430      | 1710                 | 1755                 |
| 10                                  |                    | 1710.0487      | 1754.9420      | 1710                 | 1755                 |
| 20                                  |                    | 1710.0497      | 1754.9418      | 1710                 | 1755                 |
| 30                                  |                    | 1710.0436      | 1754.9496      | 1710                 | 1755                 |
| 40                                  |                    | 1710.0453      | 1754.9477      | 1710                 | 1755                 |
| 50                                  |                    | 1710.0472      | 1754.9492      | 1710                 | 1755                 |
| 25                                  | V min.= 21.6       | 1710.0466      | 1754.9460      | 1710                 | 1755                 |
| 25                                  | V max.= 26.4       | 1710.0499      | 1754.9486      | 1710                 | 1755                 |

**LTE Band 5:**

| Middle Channel, $f_0$ =836.5 MHz (QPSK) |                                   |                      |                       |             |
|-----------------------------------------|-----------------------------------|----------------------|-----------------------|-------------|
| Temperature (°C)                        | Power Supplied (V <sub>DC</sub> ) | Frequency Error (Hz) | Frequency Error (ppm) | Limit (ppm) |
| -30                                     | 24                                | 13                   | 0.0155                | 2.5         |
| -20                                     |                                   | 11                   | 0.0132                | 2.5         |
| -10                                     |                                   | 9                    | 0.0108                | 2.5         |
| 0                                       |                                   | 12                   | 0.0143                | 2.5         |
| 10                                      |                                   | 11                   | 0.0132                | 2.5         |
| 20                                      |                                   | 6                    | 0.0072                | 2.5         |
| 30                                      |                                   | 5                    | 0.0060                | 2.5         |
| 40                                      |                                   | 9                    | 0.0108                | 2.5         |
| 50                                      |                                   | 8                    | 0.0096                | 2.5         |
| 25                                      | V min.= 21.6                      | 10                   | 0.0120                | 2.5         |
| 25                                      | V max.= 26.4                      | 9                    | 0.0108                | 2.5         |

| Middle Channel, $f_0$ =836.5 MHz(16-QAM) |                                   |                      |                       |             |
|------------------------------------------|-----------------------------------|----------------------|-----------------------|-------------|
| Temperature (°C)                         | Power Supplied (V <sub>DC</sub> ) | Frequency Error (Hz) | Frequency Error (ppm) | Limit (ppm) |
| -30                                      | 24                                | 9                    | 0.0108                | 2.5         |
| -20                                      |                                   | 12                   | 0.0143                | 2.5         |
| -10                                      |                                   | 11                   | 0.0132                | 2.5         |
| 0                                        |                                   | 9                    | 0.0108                | 2.5         |
| 10                                       |                                   | 8                    | 0.0096                | 2.5         |
| 20                                       |                                   | 13                   | 0.0155                | 2.5         |
| 30                                       |                                   | 11                   | 0.0132                | 2.5         |
| 40                                       |                                   | 7                    | 0.0084                | 2.5         |
| 50                                       |                                   | 6                    | 0.0072                | 2.5         |
| 25                                       | V min.= 21.6                      | 10                   | 0.0120                | 2.5         |
| 25                                       | V max.= 26.4                      | 12                   | 0.0143                | 2.5         |

**LTE Band 12:**

| Low Channel & High Channel (QPSK) |                    |                |                |                      |                      |
|-----------------------------------|--------------------|----------------|----------------|----------------------|----------------------|
| Temperature                       | Power Supplied     | F <sub>L</sub> | F <sub>H</sub> | F <sub>L</sub> Limit | F <sub>H</sub> Limit |
| (°C)                              | (V <sub>DC</sub> ) | (MHz)          | (MHz)          | (MHz)                | (MHz)                |
| -30                               | 24                 | 699.0195       | 715.9701       | 699                  | 716                  |
| -20                               |                    | 699.0176       | 715.9801       | 699                  | 716                  |
| -10                               |                    | 699.0103       | 715.9764       | 699                  | 716                  |
| 0                                 |                    | 699.0224       | 715.9744       | 699                  | 716                  |
| 10                                |                    | 699.0195       | 715.9719       | 699                  | 716                  |
| 20                                |                    | 699.0113       | 715.9796       | 699                  | 716                  |
| 30                                |                    | 699.0231       | 715.9714       | 699                  | 716                  |
| 40                                |                    | 699.0146       | 715.9731       | 699                  | 716                  |
| 50                                |                    | 699.0179       | 715.9781       | 699                  | 716                  |
| 25                                | V min.= 21.6       | 699.0108       | 715.9850       | 699                  | 716                  |
| 25                                | V max.= 26.4       | 699.0124       | 715.9708       | 699                  | 716                  |

| Low Channel & High Channel (16-QAM) |                    |                |                |                      |                      |
|-------------------------------------|--------------------|----------------|----------------|----------------------|----------------------|
| Temperature                         | Power Supplied     | F <sub>L</sub> | F <sub>H</sub> | F <sub>L</sub> Limit | F <sub>H</sub> Limit |
| (°C)                                | (V <sub>DC</sub> ) | (MHz)          | (MHz)          | (MHz)                | (MHz)                |
| -30                                 | 24                 | 699.0175       | 715.9775       | 699                  | 716                  |
| -20                                 |                    | 699.0171       | 715.9868       | 699                  | 716                  |
| -10                                 |                    | 699.0277       | 715.9774       | 699                  | 716                  |
| 0                                   |                    | 699.0147       | 715.9847       | 699                  | 716                  |
| 10                                  |                    | 699.0160       | 715.9729       | 699                  | 716                  |
| 20                                  |                    | 699.0163       | 715.9773       | 699                  | 716                  |
| 30                                  |                    | 699.0137       | 715.9868       | 699                  | 716                  |
| 40                                  |                    | 699.0207       | 715.9746       | 699                  | 716                  |
| 50                                  |                    | 699.0233       | 715.9740       | 699                  | 716                  |
| 25                                  | V min.= 21.6       | 699.0123       | 715.9765       | 699                  | 716                  |
| 25                                  | V max.= 26.4       | 699.0115       | 715.9701       | 699                  | 716                  |

Power supply :12V

**WCDMA Band V:**

| Middle Channel, $f_0 = 836.6$ MHz |                                   |                      |                       |             |
|-----------------------------------|-----------------------------------|----------------------|-----------------------|-------------|
| Temperature (°C)                  | Power Supplied (V <sub>DC</sub> ) | Frequency Error (Hz) | Frequency Error (ppm) | Limit (ppm) |
| -30                               | 12                                | 11                   | 0.0131                | 2.5         |
| -20                               |                                   | 11                   | 0.0131                | 2.5         |
| -10                               |                                   | 13                   | 0.0155                | 2.5         |
| 0                                 |                                   | 9                    | 0.0108                | 2.5         |
| 10                                |                                   | 8                    | 0.0096                | 2.5         |
| 20                                |                                   | 7                    | 0.0084                | 2.5         |
| 30                                |                                   | 5                    | 0.0060                | 2.5         |
| 40                                |                                   | 4                    | 0.0048                | 2.5         |
| 50                                |                                   | 6                    | 0.0072                | 2.5         |
| 25                                | V min.= 10.8                      | 7                    | 0.0084                | 2.5         |
| 25                                | V max.= 13.2                      | 8                    | 0.0096                | 2.5         |

**WCDMA Band II:**

| Middle Channel, $f_0 = 1880.0$ MHz |                                   |                      |                       |        |
|------------------------------------|-----------------------------------|----------------------|-----------------------|--------|
| Temperature (°C)                   | Power Supplied (V <sub>DC</sub> ) | Frequency Error (Hz) | Frequency Error (ppm) | Result |
| -30                                | 12                                | 12                   | 0.0064                | Pass   |
| -20                                |                                   | 8                    | 0.0043                | Pass   |
| -10                                |                                   | 15                   | 0.0080                | Pass   |
| 0                                  |                                   | 7                    | 0.0037                | Pass   |
| 10                                 |                                   | 6                    | 0.0032                | Pass   |
| 20                                 |                                   | 6                    | 0.0032                | Pass   |
| 30                                 |                                   | 9                    | 0.0048                | Pass   |
| 40                                 |                                   | 8                    | 0.0043                | Pass   |
| 50                                 |                                   | 5                    | 0.0027                | Pass   |
| 25                                 | V min.= 10.8                      | 7                    | 0.0037                | Pass   |
| 25                                 | V max.= 13.2                      | 5                    | 0.0027                | Pass   |

**LTE Band 2:**

| <b>f<sub>0</sub> =1880.0 MHz (QPSK)</b> |                                        |                             |                              |               |
|-----------------------------------------|----------------------------------------|-----------------------------|------------------------------|---------------|
| <b>Temperature (°C)</b>                 | <b>Power Supplied (V<sub>DC</sub>)</b> | <b>Frequency Error (Hz)</b> | <b>Frequency Error (ppm)</b> | <b>Result</b> |
| -30                                     | 12                                     | 15                          | 0.0080                       | Pass          |
| -20                                     |                                        | 12                          | 0.0064                       | Pass          |
| -10                                     |                                        | 14                          | 0.0074                       | Pass          |
| 0                                       |                                        | 10                          | 0.0053                       | Pass          |
| 10                                      |                                        | 13                          | 0.0069                       | Pass          |
| 20                                      |                                        | 7                           | 0.0037                       | Pass          |
| 30                                      |                                        | 5                           | 0.0027                       | Pass          |
| 40                                      |                                        | 11                          | 0.0059                       | Pass          |
| 50                                      |                                        | 8                           | 0.0043                       | Pass          |
| 25                                      | V min.= 10.8                           | 10                          | 0.0053                       | Pass          |
| 25                                      | V max.= 13.2                           | 11                          | 0.0059                       | Pass          |

| <b>f<sub>0</sub> =1880.0 MHz (16-QAM)</b> |                                        |                             |                              |               |
|-------------------------------------------|----------------------------------------|-----------------------------|------------------------------|---------------|
| <b>Temperature (°C)</b>                   | <b>Power Supplied (V<sub>DC</sub>)</b> | <b>Frequency Error (Hz)</b> | <b>Frequency Error (ppm)</b> | <b>Result</b> |
| -30                                       | 12                                     | 11                          | 0.0059                       | Pass          |
| -20                                       |                                        | 9                           | 0.0048                       | Pass          |
| -10                                       |                                        | 12                          | 0.0064                       | Pass          |
| 0                                         |                                        | 10                          | 0.0053                       | Pass          |
| 10                                        |                                        | 13                          | 0.0069                       | Pass          |
| 20                                        |                                        | 5                           | 0.0027                       | Pass          |
| 30                                        |                                        | 7                           | 0.0037                       | Pass          |
| 40                                        |                                        | 4                           | 0.0021                       | Pass          |
| 50                                        |                                        | 6                           | 0.0032                       | Pass          |
| 25                                        | V min.= 10.8                           | 8                           | 0.0043                       | Pass          |
| 25                                        | V max.= 13.2                           | 9                           | 0.0048                       | Pass          |



**LTE Band 4:**

| Low Channel & High Channel (QPSK) |                    |                |                |                      |                      |
|-----------------------------------|--------------------|----------------|----------------|----------------------|----------------------|
| Temperature                       | Power Supplied     | F <sub>L</sub> | F <sub>H</sub> | F <sub>L</sub> Limit | F <sub>H</sub> Limit |
| (°C)                              | (V <sub>DC</sub> ) | (MHz)          | (MHz)          | (MHz)                | (MHz)                |
| -30                               | 12                 | 1710.0440      | 1754.9487      | 1710                 | 1755                 |
| -20                               |                    | 1710.0423      | 1754.9463      | 1710                 | 1755                 |
| -10                               |                    | 1710.0495      | 1754.9486      | 1710                 | 1755                 |
| 0                                 |                    | 1710.0456      | 1754.9443      | 1710                 | 1755                 |
| 10                                |                    | 1710.0432      | 1754.9402      | 1710                 | 1755                 |
| 20                                |                    | 1710.0449      | 1754.9457      | 1710                 | 1755                 |
| 30                                |                    | 1710.0485      | 1754.9401      | 1710                 | 1755                 |
| 40                                |                    | 1710.0429      | 1754.9431      | 1710                 | 1755                 |
| 50                                |                    | 1710.0479      | 1754.9493      | 1710                 | 1755                 |
| 25                                | V min.= 10.8       | 1710.0439      | 1754.9443      | 1710                 | 1755                 |
| 25                                | V max.= 13.2       | 1710.0465      | 1754.9443      | 1710                 | 1755                 |

| Low Channel & High Channel (16-QAM) |                    |                |                |                      |                      |
|-------------------------------------|--------------------|----------------|----------------|----------------------|----------------------|
| Temperature                         | Power Supplied     | F <sub>L</sub> | F <sub>H</sub> | F <sub>L</sub> Limit | F <sub>H</sub> Limit |
| (°C)                                | (V <sub>DC</sub> ) | (MHz)          | (MHz)          | (MHz)                | (MHz)                |
| -30                                 | 12                 | 1710.0416      | 1754.9458      | 1710                 | 1755                 |
| -20                                 |                    | 1710.0451      | 1754.9432      | 1710                 | 1755                 |
| -10                                 |                    | 1710.0441      | 1754.9492      | 1710                 | 1755                 |
| 0                                   |                    | 1710.0428      | 1754.9445      | 1710                 | 1755                 |
| 10                                  |                    | 1710.0490      | 1754.9495      | 1710                 | 1755                 |
| 20                                  |                    | 1710.0403      | 1754.9415      | 1710                 | 1755                 |
| 30                                  |                    | 1710.0428      | 1754.9466      | 1710                 | 1755                 |
| 40                                  |                    | 1710.0443      | 1754.9418      | 1710                 | 1755                 |
| 50                                  |                    | 1710.0469      | 1754.9450      | 1710                 | 1755                 |
| 25                                  | V min.= 10.8       | 1710.0447      | 1754.9447      | 1710                 | 1755                 |
| 25                                  | V max.= 13.2       | 1710.0496      | 1754.9406      | 1710                 | 1755                 |

**LTE Band 5:**

| Middle Channel, $f_0$ =836.5 MHz (QPSK) |                                   |                      |                       |             |
|-----------------------------------------|-----------------------------------|----------------------|-----------------------|-------------|
| Temperature (°C)                        | Power Supplied (V <sub>DC</sub> ) | Frequency Error (Hz) | Frequency Error (ppm) | Limit (ppm) |
| -30                                     | 12                                | 12                   | 0.0143                | 2.5         |
| -20                                     |                                   | 10                   | 0.0120                | 2.5         |
| -10                                     |                                   | 9                    | 0.0108                | 2.5         |
| 0                                       |                                   | 11                   | 0.0132                | 2.5         |
| 10                                      |                                   | 10                   | 0.0120                | 2.5         |
| 20                                      |                                   | 6                    | 0.0072                | 2.5         |
| 30                                      |                                   | 6                    | 0.0072                | 2.5         |
| 40                                      |                                   | 9                    | 0.0108                | 2.5         |
| 50                                      |                                   | 7                    | 0.0084                | 2.5         |
| 25                                      | V min.= 10.8                      | 10                   | 0.0120                | 2.5         |
| 25                                      | V max.= 13.2                      | 8                    | 0.0096                | 2.5         |

| Middle Channel, $f_0$ =836.5 MHz(16-QAM) |                                   |                      |                       |             |
|------------------------------------------|-----------------------------------|----------------------|-----------------------|-------------|
| Temperature (°C)                         | Power Supplied (V <sub>DC</sub> ) | Frequency Error (Hz) | Frequency Error (ppm) | Limit (ppm) |
| -30                                      | 12                                | 10                   | 0.0120                | 2.5         |
| -20                                      |                                   | 12                   | 0.0143                | 2.5         |
| -10                                      |                                   | 9                    | 0.0108                | 2.5         |
| 0                                        |                                   | 9                    | 0.0108                | 2.5         |
| 10                                       |                                   | 10                   | 0.0120                | 2.5         |
| 20                                       |                                   | 11                   | 0.0132                | 2.5         |
| 30                                       |                                   | 13                   | 0.0155                | 2.5         |
| 40                                       |                                   | 7                    | 0.0084                | 2.5         |
| 50                                       |                                   | 6                    | 0.0072                | 2.5         |
| 25                                       | V min.= 10.8                      | 9                    | 0.0108                | 2.5         |
| 25                                       | V max.= 13.2                      | 11                   | 0.0132                | 2.5         |

**LTE Band 12:**

| Low Channel & High Channel (QPSK) |                    |                |                |                      |                      |
|-----------------------------------|--------------------|----------------|----------------|----------------------|----------------------|
| Temperature                       | Power Supplied     | F <sub>L</sub> | F <sub>H</sub> | F <sub>L</sub> Limit | F <sub>H</sub> Limit |
| (°C)                              | (V <sub>DC</sub> ) | (MHz)          | (MHz)          | (MHz)                | (MHz)                |
| -30                               | 12                 | 699.0186       | 715.9741       | 699                  | 716                  |
| -20                               |                    | 699.0144       | 715.9848       | 699                  | 716                  |
| -10                               |                    | 699.0182       | 715.9737       | 699                  | 716                  |
| 0                                 |                    | 699.0260       | 715.9711       | 699                  | 716                  |
| 10                                |                    | 699.0183       | 715.9765       | 699                  | 716                  |
| 20                                |                    | 699.0164       | 715.9786       | 699                  | 716                  |
| 30                                |                    | 699.0258       | 715.9706       | 699                  | 716                  |
| 40                                |                    | 699.0117       | 715.9726       | 699                  | 716                  |
| 50                                |                    | 699.0184       | 715.9794       | 699                  | 716                  |
| 25                                | V min.= 10.8       | 699.0143       | 715.9878       | 699                  | 716                  |
| 25                                | V max.= 13.2       | 699.0155       | 715.9753       | 699                  | 716                  |

| Low Channel & High Channel (16-QAM) |                    |                |                |                      |                      |
|-------------------------------------|--------------------|----------------|----------------|----------------------|----------------------|
| Temperature                         | Power Supplied     | F <sub>L</sub> | F <sub>H</sub> | F <sub>L</sub> Limit | F <sub>H</sub> Limit |
| (°C)                                | (V <sub>DC</sub> ) | (MHz)          | (MHz)          | (MHz)                | (MHz)                |
| -30                                 | 12                 | 699.0134       | 715.9770       | 699                  | 716                  |
| -20                                 |                    | 699.0136       | 715.9825       | 699                  | 716                  |
| -10                                 |                    | 699.0263       | 715.9716       | 699                  | 716                  |
| 0                                   |                    | 699.0125       | 715.9849       | 699                  | 716                  |
| 10                                  |                    | 699.0116       | 715.9796       | 699                  | 716                  |
| 20                                  |                    | 699.0155       | 715.9756       | 699                  | 716                  |
| 30                                  |                    | 699.0171       | 715.9873       | 699                  | 716                  |
| 40                                  |                    | 699.0210       | 715.9740       | 699                  | 716                  |
| 50                                  |                    | 699.0209       | 715.9711       | 699                  | 716                  |
| 25                                  | V min.= 10.8       | 699.0199       | 715.9754       | 699                  | 716                  |
| 25                                  | V max.= 13.2       | 699.0104       | 715.9769       | 699                  | 716                  |

\*\*\*\*\* END OF REPORT \*\*\*\*\*